



Kaiser Permanente Health Plan of Mid-Atlantic States, Inc.
Xolair (omalizumab) Prior Authorization (PA)
Pharmacy Benefits Prior Authorization Help Desk
Length of Authorizations: Initial- 6 months; Continuation- 12 months

Instructions:

This form is used by Kaiser Permanente and/or participating providers for coverage of **Xolair (omalizumab)** . Please complete and fax this form back to Kaiser Permanente within 24 hours [fax: [1-866-331-2104](tel:1-866-331-2104)]. If you have any questions or concerns, please call [1-866-331-2103](tel:1-866-331-2103). **Requests will not be considered unless all sections are complete.**

KP-MAS Formulary can be found at: [Pharmacy | Community Provider Portal | Kaiser Permanente](#)

1 – Patient Information

Patient Name: _____ Kaiser Medical ID#: _____ Date of Birth: _____

2 – Prescriber Information

Prescriber Name: _____ Specialty: _____ NPI: _____

Prescriber Address: _____

Prescriber Phone #: _____ Prescriber Fax #: _____

3 – Pharmacy Information

Pharmacy Name: _____ Pharmacy NPI: _____

Pharmacy Phone # _____ Pharmacy Fax #: _____

4 – Drug Therapy Requested

Drug 1: Name/Strength/Formulation: _____

Sig: _____

Drug 2: Name/Strength/Formulation: _____

Sig: _____

5– Diagnosis/Clinical Criteria

1. Is this request for initial or continuing therapy?

Initial therapy Continuing therapy, state start date: _____

2. Indicate the patient’s diagnosis for the requested medication: _____

Clinical Criteria for severe asthma:

1. Member is ≥ 6 years of age
 No Yes
2. Does the member have a diagnosis of severe asthma? **AND**
 No Yes
3. Does the member have a positive skin test or in vitro reactivity to a perennial aero-allergen; **AND**
 No Yes
4. Does the member weigh between 20 kg (44 lbs.) and 150 kg (330 lbs.); **AND**
 No Yes
5. Does the member have serum total IgE level, measured before the start of treatment, of either:
 - a. ≥ 30 IU/mL and ≤ 700 IU/mL in patients age ≥ 12 years; **OR**
 - b. ≥ 30 IU/mL and ≤ 1300 IU/mL in patients age 6 to <12 years; **AND** No Yes
6. Will coadministration with another monoclonal antibody be avoided (e.g., mepolizumab, reslizumab, benralizumab, dupilumab, tezepelumab-ekko)? **AND**
 No Yes
7. Will this be used for add-on maintenance treatment in members regularly receiving **both** (unless otherwise contraindicated) of the following:
 - Medium- to high-dose inhaled corticosteroids; **AND**
 - An additional controller medication (e.g., long-acting beta agonist, leukotriene modifiers)? No Yes
8. Has the member had two or more exacerbations in the previous year requiring oral or injectable corticosteroid treatment (in addition to the regular maintenance therapy defined above) **or** one exacerbation resulting in a hospitalization? **AND**
 No Yes
9. Does the member have at least one of the following:
 - Use of systemic corticosteroids
 - Use of inhaled corticosteroids
 - A number of hospitalizations, ER visits, or unscheduled visits to healthcare provider due to condition
 - Forced expiratory volume in 1 second (FEV_1)? No Yes

Clinical Criteria for CHRONIC IDIOPATHIC URTICARIA/CHRONIC SPONTANEOUS URTICARIA:

1. Is the member 12 years of age or older? **AND**
 No Yes

2. Is the underlying cause of the patient's condition NOT due to any other allergic condition(s) or other form(s) of urticaria? **AND**
 - No Yes
3. Is the member avoiding triggers (e.g., NSAIDs, etc.)? **AND**
 - No Yes
4. Documented baseline score from an objective clinical evaluation tool, such as: urticaria activity score (UAS7), angioedema activity score (AAS), Dermatology Life Quality Index (DLQI), Angioedema Quality of Life (AE-QoL), urticaria control test (UCT), angioedema control test (AECT), or Chronic Urticaria Quality of Life Questionnaire (CU-Q2oL)? **AND**
 - No Yes
5. Has the member had a trial and failure or inadequate response to the use for ≥ 1 month of a second-generation H1-antihistamine product; **AND**
 - No Yes
6. Has the member had a trial and failure or inadequate response to the use for ≥ 1 month of at least one of the following:
 - a. Up-dosing/dose advancement (up to 4-fold) of a second generation H1-antihistamine
 - b. Add-on therapy with a leukotriene antagonist (e.g., montelukast, zafirlukast, etc.)
 - c. Add-on therapy with another H1-antihistamine
 - d. Add-on therapy with a H2-antagonist (e.g. ranitidine, famotidine, etc.)
 - No Yes

Clinical Criteria CHRONIC RHINOSINUSITIS WITH NASAL POLYPS (CRS_wNP):

1. Is the member 18 years of age or older? **AND**
 - No Yes
2. Has the member failed on at least 8 weeks of intranasal corticosteroid therapy? **AND**
 - No Yes
3. Does the member have at least 3 of the following indicators for biologic treatment:

[**Note:** members with a history of sino-nasal surgery are only required to have at least 3 of the indicators]:

 - a. Patient has evidence of type 2 inflammation (e.g., tissue eosinophils ≥ 10 /hpf, blood eosinophils ≥ 150 cells/ μ L, or total IgE ≥ 100 IU/mL)
 - b. Patient has required ≥ 2 courses of systemic corticosteroids per year or >3 months of low dose corticosteroids, unless contraindicated
 - c. Disease significantly impairs the patient's quality of life
 - d. Patient has experienced significant loss of smell
 - e. Patient has a comorbid diagnosis of asthma; **AND**
4. The member does not have any of the following:
 - a. Antrochoanal polyps

- b. Nasal septal deviation that would occlude at least one nostril
- c. Disease with lack of signs of type 2 inflammation
- d. Cystic fibrosis
- e. Mucoceles; AND

No Yes

5. Have other causes of nasal congestion/obstruction been ruled out (e.g., acute sinusitis, nasal infection or upper respiratory infection, rhinitis medicamentosa, tumors, infections, granulomatosis)? **AND**

No Yes

6. Has the physician assessed baseline disease severity utilizing an objective measure/tool? **AND**

No Yes

7. Will therapy be used in combination with intranasal corticosteroids unless unable to tolerate or is contraindicated?

No Yes

Clinical Criteria for IgE-Mediated Food Allergy:

1. Is the member 1 year of age or older? **AND**

No Yes

2. Is the prescribing physician an allergist or immunologist or has an allergist or immunologist been consulted? **AND**

No Yes

3. Does the member have a diagnosed food allergy as confirmed by:

- a. A positive skin prick test under a drop of allergen extract; **OR**
- b. A positive IgE screening (\geq kUA/L) to identified foods? **AND**

No Yes

4. Will the member continue to practice allergen avoidance?

No Yes

For continuation of therapy for all indications, please respond to the additional questions below:

1. Has the member been assessed for toxicity? **AND**

No Yes

For severe asthma renewal

2. Does the member have improvement in asthma symptoms or asthma exacerbations as evidenced by decrease in one or more of the following:

- a. Use of systemic corticosteroids
- b. Hospitalizations
- c. ER visits
- d. Unscheduled visits to healthcare provider
- e. Improvement from baseline in forced expiratory volume in 1 second (FEV₁)?

No Yes

For CHRONIC IDIOPATHIC URTICARTIA/CHRONIC SPONTANEOUS URTICARIA renewal

2. Does the member have a clinical improvement as documented an objective clinical evaluation tool? (e.g., UAS7, AAS, DLQI, AE-QoL, UCT, AECT, CU-Q2oL, etc.)

No Yes

For CRSwNP renewal

2. Does the member have disease response as indicated by improvement in signs and symptoms compared to baseline in one or more of the following: nasal/obstruction symptoms, improvement of sinus opacifications as assessed by CT-scans and/or an improvement on a disease activity scoring tool [e.g., nasal polyposis score (NPS), nasal congestion (NC) symptom severity score, sinonasal outcome test-22 (SNOT-22), etc.]? **OR**

No Yes

3. Did the member have improvement in at least one of the following response criteria:

- Reduction in nasal polyp size
- Reduction in need for systemic corticosteroids
- Improvement in quality of life
- Improvement in sense of smell
- Reduction of impact of comorbidities?

No Yes

For IgE-Mediated Food Allergy renewal

2. Is the member experiencing a clinical response and improvement as attested by the prescriber?

No Yes

7 – Prescriber Sign-Off

Additional Information –

1. **Please submit chart notes/medical records for the patient that are applicable to this request.**
2. **If member has not tried preferred agent(s) please provide rationale/explanation and any additional supporting information that should be taken into consideration for the requested medication:**

I certify that the information provided is accurate. Supporting documentation is available for State audits.

Prescriber Signature:

Date:

Please Note: This document contains confidential information, including protected health information, intended for a specific individual and purpose. The information is private and legally protected by law, including HIPAA. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any action in reliance on the contents of this telecopied information is strictly prohibited. Please notify sender if document was not intended for receipt by your facility