

Kaiser Permanente Insurance Company (KPIC)
Plan de Punto de Servicio (POS)
Planes de Organizaciones de Proveedores Preferidos (PPO)
Planes Choice de Organizaciones de Proveedores Preferidos (PPO)
Planes Choice Fuera del Área (OOA)

NOTA: Esta lista de medicamentos disponibles se actualiza con frecuencia y está sujeta a cambios. Después de la revisión, todas las versiones anteriores de la lista de medicamentos disponibles dejan de estar vigentes.

Usted está recibiendo este documento porque actualmente tiene inscripción en un Plan de Punto de Servicio (Point of Service, POS), Organización de Proveedores Preferidos (Preferred Provider Organization, PPO), Choice PPO o Choice Fuera del Área (Out of Area, OOA) de Kaiser Permanente. Kaiser Foundation Health Plan of Colorado, Inc. es el proveedor del plan de salud para la cobertura que comprende la red de Kaiser Permanente y Kaiser Permanente Insurance Company (KPIC), una subsidiaria de Kaiser Foundation Health Plan, Inc., es el proveedor del plan de salud para la cobertura que comprende el nivel de red MedImpact o el nivel de proveedor no participante del Plan POS. Los planes PPO, Choice PPO o Choice OOA son productos ofrecidos únicamente a través de KPIC.

Este documento contiene información sobre los medicamentos recetados para pacientes ambulatorios que tienen cobertura en estos planes. El beneficio de medicamentos recetados para pacientes ambulatorios de KPIC lo administra nuestro administrador de beneficios de farmacia contratado, MedImpact.

NOTA: La información de esta lista de medicamentos disponibles no se aplica a los beneficios de medicamentos de niveles de la red de Kaiser Permanente que se ofrecen únicamente en un plan POS.

Si necesita ayuda con esta Lista de medicamentos disponibles, llame a MedImpact las 24 horas del día, los 7 días de la semana, al **1-800-788-2949** (Servicio de asistencia de farmacia) o al **711** (TTY).

Puede acceder a la versión más actualizada de la Lista visitando <http://kp.org/kpic-colorado> (en inglés). Para obtener ayuda en su idioma preferido, consulte la página 6 de este documento.

Cómo Utilizar Este Documento (la Lista de medicamentos disponibles)

Este documento es una lista de los medicamentos recetados que tienen cobertura de su Choice PPO, Choice OOA, PPO y POS (solo MedImpact y farmacias no participantes). Todos los medicamentos se muestran por su nombre genérico y su nombre de marca comercial más común. Se puede explorar la Lista utilizando el índice; ya sea por el nombre genérico (en *cursiva*) o el nombre de marca (en MAYÚSCULAS) o por la categoría terapéutica del medicamento. Este documento se aplica únicamente a los medicamentos recetados para pacientes ambulatorios que se suministran a los asegurados a través de las farmacias minoristas. Este documento no se aplica a los medicamentos obtenidos en el consultorio del médico o en el hospital.

Los medicamentos de la Lista de medicamentos disponibles están agrupados en categorías según el tipo de afección médica para la cual se use el medicamento. Busque su medicamento por nombre genérico bajo el nombre de la categoría en orden alfabético. Para todos los medicamentos incluidos en la tabla de la Lista de medicamentos disponibles, el nivel se indica en todo el documento mediante los siguientes símbolos (*consulte la tabla de definición de niveles de la Lista de medicamentos disponibles que aparece a continuación*).

Definición de nivel de la Lista de medicamentos disponibles:

Símbolo	Pauta	Descripción
T1	Nivel 1	Medicamentos preventivos conforme a la Ley de Cuidado de Salud Asequible
T2	Nivel 2	Medicamentos genéricos preferidos
T3	Nivel 3	Medicamentos de marca preferidos
T4	Nivel 4	Medicamentos no preferidos genéricos y de marca
T5	Nivel 5	Medicamentos farmacéuticos especializados
T6	Nivel 6	Suministros para la diabetes

Diseño de beneficios por niveles

La Lista de medicamentos disponibles puede aplicarse a un diseño de beneficios por niveles, donde el asegurado comparte el costo de la terapia con medicamentos recetados según el nivel del medicamento mediante un copago o coseguro compartido. En la mayoría de los casos, los medicamentos genéricos disponibles tendrán cobertura en un nivel inferior separado (menor costo compartido) y los medicamentos de marca incluidos en la Lista de medicamentos disponibles tendrán cobertura en un nivel superior (mayor costo compartido de copago). Los medicamentos especializados estarán cubiertos en el nivel más alto (coseguro con un máximo por medicamento recetado). Los medicamentos preventivos que exige la Ley de Cuidado de Salud Asequible estarán cubiertos tal y como se describe en las secciones BENEFICIOS/COBERTURA (Qué está cubierto) y TABLA DE BENEFICIOS (Quién paga qué) de su Certificado de Seguro (Certificate of Insurance).

Mantenimiento y Actualización de la Lista de medicamentos disponibles

Los Comités de Farmacia y Terapéutica (Pharmacy and Therapeutics, P&T) y de la Lista de medicamentos disponibles de MedImpact Healthcare Systems proporcionan a médicos y farmacéuticos un método para evaluar la seguridad, eficacia y rentabilidad de los medicamentos disponibles en el mercado. Los comités de P&T y de la Lista de medicamentos disponibles de MedImpact se reúnen cada trimestre, y con mayor frecuencia si es necesario, para garantizar la relevancia clínica de la Lista de medicamentos disponibles.

Los Comités de P&T y de la Lista de medicamentos disponibles de MedImpact actualizan esta Lista de medicamentos disponibles utilizando un enfoque estructurado del proceso de asignación de niveles de medicamentos para garantizar el acceso continuo de los pacientes a tratamientos farmacológicos médicamente apropiados.

Los comités de P&T y de la Lista de medicamentos disponibles de MedImpact utilizan los siguientes criterios en la evaluación de la asignación de niveles de medicamentos para la Lista de medicamentos disponibles:

- perfil de seguridad del medicamento
- eficacia del medicamento
- comparación de los beneficios terapéuticos relevantes con los medicamentos actuales de la lista de medicamentos disponibles de uso similar, y para minimizar la duplicación terapéutica cuando sea posible
- rentabilidad en relación con una terapia comparable

¿Qué medicamentos están cubiertos?

Por lo general, KPIC cubrirá los medicamentos recetados genéricos, de marca y especializados que aparezcan en la Lista de medicamentos disponibles, siempre que el medicamento sea médicamente necesario y se sigan otras reglas de cobertura. Los medicamentos de venta libre (Over-the-counter, OTC) no suelen estar cubiertos. En ciertos planes, algunos medicamentos preventivos OTC están cubiertos cuando los receta un médico, como la aspirina y los suplementos de hierro.

El equipo médico duradero (Durable Medical Equipment, DME) recetado por un médico incluye:

- espaciadores para inhaladores

¿Qué es un medicamento genérico?

Un medicamento genérico está aprobado por la Administración de Medicamentos y Alimentos (Food and Drug Administration, FDA) como un medicamento que contiene el mismo principio activo que el medicamento de marca. Por lo general, los medicamentos genéricos cuestan menos que los de marca. En su plan PPO o POS, puede pagar un copago o coseguro diferente por los medicamentos genéricos preferidos y por los medicamentos genéricos no preferidos. En el caso de los medicamentos genéricos preferidos, sus gastos de bolsillo serán menores a los de los medicamentos genéricos no preferidos.

¿Qué es un medicamento de marca?

Por lo general, la fabricación y venta de los medicamentos de marca está a cargo de la compañía farmacéutica que primero realizó la investigación y desarrolló el medicamento. Cuando la patente de un medicamento de marca se vence, otras compañías farmacéuticas pueden fabricar y vender una versión genérica aprobada por la FDA del medicamento con el mismo o los mismos principios activos y a un precio más bajo.

En su plan Choice PPO, PPO, POS o Choice OOA, puede pagar un copago o coseguro diferente por los medicamentos de marca preferidos y los de marca no preferidos. En el caso de los medicamentos de marca preferidos, sus gastos de bolsillo serán menores a los de los medicamentos de marca no preferidos.

Si solicita un medicamento de marca cuando se le recetó un medicamento genérico, es posible que tenga que pagar el costo compartido del medicamento de marca más la diferencia de costo entre el medicamento genérico y el de marca. Consulte su *Certificado de Seguro* para saber más.

¿Qué son los medicamentos especializados?

Los medicamentos especializados son medicamentos recetados de alto costo que incluyen algunos medicamentos utilizados para tratar enfermedades complejas y crónicas, como la esclerosis múltiple, la artritis reumatoide y la hepatitis C. Los medicamentos especializados suelen requerir una manipulación, administración o supervisión especiales.

¿Qué son los medicamentos preventivos?

En algunos planes, los medicamentos, incluso los de venta libre (OTC), están cubiertos sin costo alguno si el asegurado tiene una receta de su proveedor de atención médica. La vacuna contra la gripe no requiere receta médica, pero hay que presentar la tarjeta del seguro en la farmacia. Algunos medicamentos solo están cubiertos sin gastos compartidos para determinados pacientes, por ejemplo, para un rango de edad específico, para grupos que tienen el requisito de, o han optado por, la cobertura de medicamentos preventivos exigidos por la Ley de Cuidado de Salud Asequible o cuando un medicamento se utiliza para un fin determinado. **Los medicamentos preventivos están etiquetados en el Nivel 1 de la Lista de medicamentos disponibles.**

Anticonceptivos

Todos los métodos anticonceptivos recetados y aprobados por la FDA para mujeres con capacidad reproductiva, incluidas las dieciocho (18) formas de anticoncepción de emergencia y preventiva aprobadas por la FDA e incluidas en las Pautas de Servicios Preventivos para la Mujer de la Administración de Recursos y Servicios de Salud (Health Resources and Service Administration, HRSA), están cubiertos sin costo alguno. A través de su beneficio de farmacia, esto incluye anticonceptivos orales (a veces conocidos como “la pastilla”), parches, anillos vaginales, diafragmas, esponjas, capuchones cervicales, preservativos femeninos, espermicidas y anticonceptivos de emergencia (a veces conocidos como “Plan B”).

El beneficio de farmacia cubre doce (12) meses de un anticonceptivo oral recetado o tres (3) meses de un anillo vaginal recetado de una sola vez.

Si necesita otro tipo de anticonceptivo, nos remitiremos a su proveedor para que determine la necesidad médica y se cubrirá sin costo alguno. El proceso de excepciones se utiliza para solicitar un tipo diferente de anticonceptivo que puede no estar disponible en la lista de medicamentos disponibles, como los medicamentos de marca. Después de la recepción de su solicitud de excepción, MedImpact notificará al proveedor autorizado para recetar en un plazo de 72 horas para las solicitudes no urgentes y en un plazo de 24 horas si existen circunstancias apremiantes para la aprobación de la solicitud u otro resultado. Si MedImpact no responde en un plazo de 72 horas en el caso de las solicitudes no urgentes y en un plazo de 24 horas si existen circunstancias apremiantes, a partir de la recepción de un formulario de solicitud de un proveedor autorizado para recetar medicamentos, se considerará que la solicitud fue aprobada. Si no le satisface el resultado, puede solicitar una apelación llamando a MedImpact al 1-800-788-2949 (Servicio de asistencia farmacéutica). Si MedImpact no aprueba un medicamento que usted o su proveedor solicitaron, recibirá un aviso de determinación adversa de beneficios en el que se le explicará por qué se rechazó su solicitud y cómo puede apelar.

¿Qué medicamentos no están cubiertos?

- Medicamentos de venta libre (OTC) o sus equivalentes, a menos que su plan los cubra de otro modo.
- Cualquier medicamento utilizado con fines cosméticos.
- Medicamentos experimentales o cualquier medicamento utilizado de forma experimental.
- Sustitución de medicamentos perdidos o robados.
- Medicamentos que requieren la administración por parte de un clínico, a menos que se especifique lo contrario en la Lista de medicamentos disponibles.
- Medicamentos de origen extranjero o medicamentos no aprobados por la Administración de Alimentos y Medicamentos de EE. UU., excepto en ciertos casos de escasez de medicamentos, cuando lo permita el beneficio de farmacia de la persona.
- Consulte su Certificado de Seguro para obtener una lista de todas las exclusiones.

¿Hay alguna restricción sobre los medicamentos cubiertos en la Lista de medicamentos disponibles?

Sí, para determinados medicamentos de la Lista de medicamentos disponibles puede aplicarse una pauta de prescripción recomendada. Estas se mencionan a lo largo del documento mediante los siguientes símbolos (*consulte la tabla siguiente*).

Tabla de símbolos de las pautas:

Símbolo	Pautas	Descripción
EDAD	Límite de edad	La cobertura depende de la edad del paciente.
PA	Autorización previa	Requiere una autorización previa basada en criterios clínicos específicos. <i>Consulte “¿Qué es una Autorización Previa?” más adelante para obtener información adicional.</i>
QL	Límites de cantidad	La cobertura se limita a cantidades específicas por receta o periodo de tiempo. Se requiere autorización previa para las cantidades que superen la restricción.
ST	Tratamiento escalonado	La cobertura depende del uso previo de otro medicamento. Puede ser necesaria una autorización previa. <i>Consulte “¿Qué es el Tratamiento Escalonado?” más adelante para obtener información adicional.</i>
MO	Medicamento de mantenimiento	Los medicamentos de mantenimiento deben surtirse en una farmacia de Kaiser o mediante el Servicio de farmacia por correo de Kaiser después del primer surtido de este medicamento de mantenimiento. Esto no se aplica a las farmacias que estén a más de 30 millas de una farmacia de Kaiser. Esto solo aplica para el plan Choice PPO.

¿Qué es una Autorización Previa?

Una autorización previa (Prior Authorization, “PA”) es una técnica que se utiliza para fomentar el uso seguro y rentable de los medicamentos. Muchos medicamentos tienen múltiples indicaciones, por lo que se establecen PA para garantizar que el medicamento es apropiado y seguro para la persona asegurada. Los siguientes medicamentos con receta para pacientes ambulatorios no estarán sujetos a autorización previa (1) medicamentos aprobados por la FDA para el tratamiento del trastorno por abuso de sustancias; y (2) medicamentos aprobados por la FDA para la prevención de la infección por VIH cuando sean recetados y proporcionados por un farmacéutico.

¿Cómo funciona el programa?

Los medicamentos marcados con una PA significan que el profesional que emitió la receta debe demostrar primero que usted tiene una necesidad médica del medicamento recetado. Esto significa que para recibir cobertura su profesional tendrá que colaborar con MedImpact para recibir la autorización previa del medicamento. Los medicamentos sujetos a autorización previa tienen criterios clínicos específicos que usted debe cumplir para obtener cobertura. Consulte la columna Requisitos/Límites de la Lista de medicamentos disponibles para conocer los medicamentos que requieren una PA.

Después de la recepción de su solicitud de autorización previa, MedImpact notificará al proveedor autorizado para recetar en un plazo de 72 horas para las solicitudes no urgentes y en un plazo de 24 horas si existen circunstancias apremiantes para la aprobación de la solicitud u otro resultado. Si MedImpact no responde en un plazo de 72 horas en el caso de las solicitudes no urgentes y en un plazo de 24 horas si existen circunstancias apremiantes, a partir de la recepción de un formulario de solicitud de un proveedor autorizado para recetar medicamentos, se considerará que la solicitud fue aprobada. Si no le satisface el resultado, puede solicitar una apelación llamando a MedImpact al **1-800-788-2949** (Servicio de asistencia farmacéutica). Si MedImpact no aprueba un medicamento que usted o su proveedor solicitaron, recibirá un aviso de determinación adversa de beneficios en el que se le explicará por qué se rechazó su solicitud y cómo puede apelar.

¿Qué es el Tratamiento Escalonado?

Algunos medicamentos recetados seleccionados requieren un tratamiento escalonado. El programa de tratamiento escalonado fomenta el uso seguro y rentable del medicamento. En este programa, se requiere un enfoque “de distribución” para recibir la cobertura de ciertos medicamentos de alto costo. Esto significa que, para recibir cobertura, es posible que primero tenga que consumir un medicamento probado y rentable antes de utilizar un tratamiento más costoso. Los siguientes medicamentos recetados para pacientes ambulatorios no estarán sujetos al tratamiento escalonado: (1) medicamentos aprobados por la FDA para el tratamiento de trastorno por abuso de sustancias; (2) medicamentos aprobados por la FDA para el tratamiento de cáncer metastásico en fase cuatro (4) avanzada; (3) medicamentos aprobados por la FDA para la prevención de la infección por VIH cuando sean recetados y proporcionados por un farmacéutico.

¿Cómo funciona el programa? El programa de tratamiento escalonado requiere que tenga un historial de recetas de un medicamento de “primera línea” antes de que su plan de beneficios cubra un medicamento de “segunda línea”. Un medicamento de primera línea está reconocido como seguro y eficaz en el tratamiento de una afección médica específica, además de ser rentable. Un medicamento de segunda línea es una opción de tratamiento menos preferida o a veces más costosa. Consulte Tratamiento escalonado en la sección del Índice al final de la Lista de medicamentos disponibles para obtener una lista completa de los medicamentos que requieren tratamiento escalonado y sus criterios.

Cuando sea posible, su médico debe recetarle un medicamento de primera línea apropiado para su enfermedad. Si su médico determina que un medicamento de primera línea no es apropiado para usted o no es eficaz, su beneficio de medicamentos recetados cubrirá un medicamento de segunda línea cuando se cumplan determinadas condiciones. Puede ser necesaria una autorización previa. Después de la recepción de su solicitud para un medicamento de segunda línea, MedImpact notificará al proveedor autorizado para recetar en un plazo de 72 horas para las solicitudes no urgentes y en un plazo de 24 horas si existen circunstancias apremiantes para la aprobación de la solicitud u otro resultado. Si no le satisface el resultado, puede solicitar una apelación

llamando a MedImpact al **1-800-788-2949** (Servicio de asistencia farmacéutica). Si MedImpact no aprueba un medicamento que usted o su proveedor solicitaron, recibirá un aviso de determinación adversa de beneficios en el que se le explicará por qué se rechazó su solicitud y cómo puede apelar.

¿Cuáles son los medicamentos elegibles para enviarse por el servicio de farmacia por correo?

La mayoría de los medicamentos de mantenimiento pueden enviarse por correo desde una de nuestras farmacias de servicio por correo. Sin embargo, los medicamentos permitidos en pedidos por correo no pueden ser enviados fuera de Estados Unidos.

- Si tiene inscripción en el plan PPO o en el plan Choice OOA, puede solicitar los resurtidos a través del servicio de pedidos por correo en línea en walgreens.com/mailservice.
- Si tiene inscripción en el plan Choice PPO o en el plan Choice OOA, puede solicitar los resurtidos a través de nuestro servicio de pedidos por correo de Kaiser Permanente en línea en kp.org/espanol o por teléfono, **1-866-523-6059** o 711 (TTY), de lunes a viernes, de 8 a. m. a 6 p. m.
- Si usted es miembro del POS, puede pedir resurtidos:
 - Para obtener su beneficio del nivel 1 de nuestro servicio de pedido por correo de Kaiser Permanente, visite kp.org/espanol o llame por teléfono al 1-866-523-6059 o al 711 (TTY) de lunes a viernes, de 8 a. m. a 6 p. m. Los medicamentos pedidos a través de este servicio *no* se ajustarán a esta lista de medicamentos disponibles, sino a la [Lista de medicamentos disponibles de Colorado Commercial HMO](#).
 - Para su beneficio de Nivel 2 del servicio de pedidos por correo de Walgreens en línea visite walgreens.com/mailservice. Los medicamentos pedidos a través de este servicio seguirán esta lista de medicamentos disponibles.

No hay cargos adicionales de pedido por correo. Se aplicará el costo de gastos de bolsillo correspondiente con base en su beneficio de medicamentos recetados. Consulte la tabla de beneficios de su certificado de seguro para determinar si el pedido por correo está disponible en su plan.

AVISO DE NO DISCRIMINACIÓN

Kaiser Permanente Insurance Company (KPIC) cumple con la legislación federal aplicable en materia de derechos civiles y no discrimina por motivos de raza, color, nacionalidad (incluido el dominio limitado del inglés y el idioma materno), edad, discapacidad o sexo. KPIC no excluye ni trata a las personas de forma diferente por motivos de raza, color, nacionalidad, edad, discapacidad o sexo (incluidas las características sexuales, los rasgos intersexuales, el embarazo o afecciones relacionadas, la orientación sexual, la identidad de género y los estereotipos sexuales). Además:

- Proporcionamos ayuda y servicios sin costo a personas con discapacidades para que se comuniquen eficazmente con nosotros, como:
 - intérpretes calificados de lenguaje de señas
 - información por escrito en otros formatos, como impresa en letra grande, audio y formatos electrónicos accesibles
- Proporcionamos servicios de idiomas sin costo a las personas cuya lengua materna no es el inglés, como los siguientes:
 - intérpretes calificados
 - información escrita en otros idiomas

Si necesita estos servicios, llame al **1-855-364-3184** (TTY: 711)

Si considera que Kaiser Permanente Insurance Company no le ha proporcionado estos servicios o que ha sufrido discriminación de alguna otra forma por motivos de raza, color, país de origen, edad, discapacidad o sexo, puede presentar una queja formal por correo a: Customer Experience Department, Attn: KPIC Civil Rights Coordinator, PO Box 378066, Denver, CO 80237 o por teléfono a Servicio a los Miembros al 1-855-364-3184.

También puede presentar una queja sobre derechos civiles en la Oficina de Derechos Civiles del Departamento de Salud y Servicios Humanos de los Estados Unidos de forma electrónica por medio del Portal de quejas de la Oficina de Derechos Civiles, que está disponible en <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf> (en inglés), o por correo postal o por teléfono en: U.S. Department of Health and Human Services, 200 Independence Avenue SW., Room 509F, HHH Building, Washington, DC 20201, 1-800-368-1019, 1-800-537-7697 (TDD). Los formularios de queja están disponibles en <http://www.hhs.gov/ocr/office/file/index.html> (en inglés).

HELP IN YOUR LANGUAGE

ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call **1-855-364-3184** (TTY: 711).

አማርኛ (Amharic) ያስተውሉ: እንግሊዘኛ የሚናገሩ ከሆነ፣ የቋንቋ እርዳታ አገልግሎቶች፣ ከክፍያ ነጻ፣ ለእርስዎ ይገኛሉ። ወደ **1-855-364-3184** ይደውሉ (TTY: ~~855~~**436** **4-3184**) **ملحوظة:** إننا ننتحدث العربية، فإن خدماتنا لمساعدة اللغوية وافر لكالمجان تصليرقم **1-855-364-3184** (TTY: **711**).

Bàsó ò Wùqù (Bassa) Dè dɛ nià kɛ dyédé gbo: ɔ jũ ké m̀ Bàsóò-wùqù-po-nyò jũ ní, níí, à wuqu kà kò dò po-poò b́éin m̀ gbo kpáa. Dá **1-855-364-3184** (TTY: 711)

中文 (Chinese) 注意: 如果您使用繁體中文，您可以免費獲得語言協助服務。請致電 **1-855-364-3184** (TTY: 711)

فارسی (Farsi) توجه: اگر به زبان فارسی صحبت میکنید، خدمات تسهیلات زبانی صورت رایگان برای شما فراهم میشود. با شماره **1-855-364-3184** (TTY: **711**) تماس بگیرید.

Français (French) ATTENTION: Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le **1-855-364-3184** (TTY: 711)

Deutsch (German) ACHTUNG: Wenn Sie Deutsch sprechen, steht Ihnen eine kostenlose Sprachassistenz zur Verfügung. Bitte wählen Sie: **1-855-364-3184** (TTY: 711).

Igbo (Igbo) GEE NTI: Ọ bụrụ na ị na asụ Igbo, ọrụ enyemaka nkowa asụsụ, du n'efu, diji ị gi. Kpọọ **1-855-364-3184** (TTY: **711**).

日本語 (Japanese) 注意事項: 日本語を話される場合、言語支援サービスを無料でご利用いただけます。1-855-364-3184 (TTY: 711)まで、お電話にてご連絡ください。

한국어 (Korean) 주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. **1-855-364-3184** (TTY: **711**) 번으로 전화해 주십시오.

Naabeehó (Navajo) Díí baa akó nínízin: Díí saad bee yáníłti'go Diné Bizaad, saad bee áká'ánída'áwo'déé', t'áá jiik'eh, éí ná hól'ó, koj í' hódííłnih **1-855-364-3184** (TTY: **711**).

नेपाल (Nepali) यान दनुहोस: तपाईं अङ्ग्रेजी बोल्नुहुन्छ भने भाषा सहायता सेवाहरू तपाईंका लागि निनः शु  छन। **1-855-364-3184** (TTY: **711**) मा फोन िनुहोस।

Afaan Oromoo (Oromo) XIYYEEFFANNAA: Afaan Oromoo dubbattu taanaan, tajaajiloonni deeggarsa afaanii bilisaan isiniif ni dhiyaatu. **1-855-364-3184** (TTY: **711**) irratti bilbilaa.

Русский (Russian) ВНИМАНИЕ: если вы говорите на русском языке, вам доступны бесплатные услуги перевода. Звоните **1-855-364-3184** (TTY: **711**).

Español (Spanish) ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al **1-855-364-3184** (TTY: **711**).

Tagalog (Tagalog) PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa **1-855-364-3184** (TTY: **711**).

Tiếng Việt (Vietnamese) CHÚ Ý: Nếu quý vị nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho quý vị. Gọi số **1-855-364-3184** (TTY: **711**).

Yorùbá (Yoruba) AKIYESI: Ti o ba nso ede Yoruba ofe ni iranlowo lori ede wa fun o. Pe **1-855-364-3184** (TTY: **711**)

Tabla de Contenido

Abandono Del Tabaquismo	3
Agentes Misceláneos	3
Alergia	5
Anestesia Local	9
Anticonceptivo/Ocitócicos	10
Antiemesis/Antivertigo	23
Asma Y Copd	25
Deficiencia Vitamínica Y/O Mineral	32
Deficiencia Hormonal	39
Dermatología - Acné	45
Dermatología - Antiinfecciosos	54
Dermatología - Antiinflamatorio	61
Dermatología - Medicamentos Antipruriginosos	76
Dermatología - Misceláneo	76
Dermatología - Soriasis/Eccema	87
Dermatología - Trastornos De Pigmentación	91
Diabetes	94
Enfermedad Cardiovascular - Agentes Misceláneos	150
Enfermedad Cardiovascular - Arritmia	152
Enfermedad Cardiovascular - Estimulante Cardíaco	152
Enfermedad Cardiovascular - Hipertensión	153
Enfermedad Cardiovascular - Irregularidad De Lípidos	166
Enfermedad Cardiovascular - Vasodilatación	172
Enfermedad De Parkinson	173
Enfermedad Infecciosa - Bacteriana	177
Enfermedad Infecciosa - Fungosa	187
Enfermedad Infecciosa - Miscelánea	188
Enfermedad Infecciosa - Parasitaria	190
Enfermedad Infecciosa - Viral	192
Enfermedad Inflamatoria	199
Enfermedad Neoplásica	211
Enfermedad Neurológica - Miscelánea	221
Inmunización	228
Inmunosupresión/Modulación	231
La Gota Y Enfermedades Relacionadas	233
Manejo De Dolor - Analgésicos	234
Oído - Trastornos Generales	249
Ojo - Glaucoma	250
Ojo - Misceláneos	255
Ojo - Trastornos Generales	255
Otros Medicamentos	264
Otros Trastornos Respiratorios	282
Pérdida De Peso	283

Reemplazo De Fluidos	284
Regulación De Electrolitos	284
Salud Del Comportamiento - Antidepresivos	287
Salud Del Comportamiento - Otro	292
Sistema Nervioso Autónomo	312
Suministros Médicos	315
Tos Y Resfriado	341
Tracto Urinario - Trastornos Funcionales	342
Trastorno De Convulsiones	346
Trastorno Endocrino - Fertilidad	357
Trastorno Endocrino - Otro	357
Trastorno Endocrino - Tiroides	362
Trastorno Musculoesquelético	364
Trastornos Gastrointestinal Inferior - Inflamación De Intestino	366
Trastornos Gastrointestinal Inferior - Otro	369
Trastornos Gastrointestinal Superior - Digestivos	373
Trastornos Gastrointestinal Superior - Enfermedad Espástica	374
Trastornos Gastrointestinal Superior - Enfermedad Por Úlceras	376
Trastornos Hematológicos	380
Trastornos Orales/Faríngeos	393
Trastornos Vaginales	393

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Abandono Del Tabaquismo		
Agentes Inhibidores De Tabaco (Estimulantes Ganglionares, Otros)		
<i>nicotine (polacrilex) buccal gum 2 mg</i> (Quit 2)	Nivel 1	
<i>nicotine (polacrilex) buccal gum 4 mg</i> (Quit 4)	Nivel 1	
<i>nicotine (polacrilex) buccal lozenge 2 mg</i> (Quit 2)	Nivel 1	
<i>nicotine (polacrilex) buccal lozenge 4 mg</i> (Quit 4)	Nivel 1	
<i>nicotine (polacrilex) buccal mini lozenge 2 mg, 4 mg</i> (Nicorette)	Nivel 1	
<i>nicotine transdermal patch 24 hour 14 mg/24 hr, 21 mg/24 hr, 7 mg/24 hr</i> (Nicoderm CQ)	Nivel 1	
<i>nicotine transdermal patch, td daily, sequential 21-14-7 mg/24 hr</i>	Nivel 1	
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	Nivel 1	
QUIT 2 BUCCAL GUM 2 MG (nicotine (polacrilex))	Nivel 1	
QUIT 2 BUCCAL LOZENGE 2 MG (nicotine (polacrilex))	Nivel 1	
QUIT 4 BUCCAL GUM 4 MG (nicotine (polacrilex))	Nivel 1	
QUIT 4 BUCCAL LOZENGE 4 MG (nicotine (polacrilex))	Nivel 1	
STOP SMOKING AID BUCCAL LOZENGE 2 MG, 4 MG (nicotine (polacrilex))	Nivel 1	
Disuasivo De Tabaquismo, Otros		
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	Nivel 1	
Disuasivo De Tabaquismo-Agonístico Parcial De Receptores De Nicotina		
<i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> (Chantix)	Nivel 1	
<i>varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	Nivel 1	
Agentes Misceláneos		
GALAFOLD ORAL CAPSULE 123 MG	Nivel 5	PA; MO
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 20 MG/ML	Nivel 4	PA; MO
PALYNZIQ SUBCUTANEOUS SYRINGE 2.5 MG/0.5 ML	Nivel 4	PA
QBREXZA TOPICAL TOWELETTE 2.4 %	Nivel 3	PA
REZDIFFRA ORAL TABLET 100 MG, 60 MG, 80 MG	Nivel 5	PA; MO
SOFDRA TOPICAL GEL WITH PUMP 12.45 % (72 MG /ACTUATION)	Nivel 4	PA

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
WAINUA SUBCUTANEOUS AUTO-INJECTOR 45 MG/0.8 ML	Nivel 5	PA; MO
Agente De Pku Tx-Cofactor De Fenilalanina Hidroxilasa		
JAVYGTOR ORAL POWDER IN PACKET 100 MG, 500 MG (sapropterin)	Nivel 4	MO
JAVYGTOR ORAL TABLET,SOLUBLE 100 MG (sapropterin)	Nivel 4	MO
KUVAN ORAL POWDER IN PACKET 100 MG, 500 MG (sapropterin)	Nivel 4	MO
KUVAN ORAL TABLET,SOLUBLE 100 MG (sapropterin)	Nivel 4	MO
<i>sapropterin oral powder in packet 100 mg, 500 mg</i> (Javygtor)	Nivel 4	MO
<i>sapropterin oral tablet,soluble 100 mg</i> (Javygtor)	Nivel 4	MO
SEPHIENCE ORAL POWDER IN PACKET 1,000 MG, 250 MG	Nivel 5	PA; MO
Agentes De Terapia De Anafilaxia		
AUVI-Q INJECTION AUTO-INJECTOR 0.1 MG/0.1 ML	Nivel 3	QL (2 EA per 365 days)
AUVI-Q INJECTION AUTO-INJECTOR 0.15 MG/0.15 ML, 0.3 MG/0.3 ML (epinephrine)	Nivel 3	QL (2 EA per 365 days)
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i> (Auvi-Q)	Nivel 2	QL (4 EA per 1 FILL)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	Nivel 2	QL (4 EA per 1 FILL)
EPIPEN 2-PAK INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML (epinephrine)	Nivel 4	QL (4 EA per 1 FILL)
EPIPEN INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML (epinephrine)	Nivel 4	QL (4 EA per 1 FILL)
EPIPEN JR 2-PAK INJECTION AUTO-INJECTOR 0.15 MG/0.3 ML (epinephrine)	Nivel 4	QL (4 EA per 1 FILL)
EPIPEN JR INJECTION AUTO-INJECTOR 0.15 MG/0.3 ML (epinephrine)	Nivel 4	QL (4 EA per 1 FILL)
NEFFY NASAL SPRAY, NON-AEROSOL 1 MG/SPRAY (0.1 ML), 2 MG/SPRAY (0.1 ML)	Nivel 4	QL (4 EA per 1 FILL)
Agentes Parasimpáticos		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	Nivel 2	MO
<i>cevimeline oral capsule 30 mg</i> (Evoxac)	Nivel 2	MO
EVOXAC ORAL CAPSULE 30 MG (cevimeline)	Nivel 4	MO
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SALAGEN (PILOCARPINE) ORAL (pilocarpine hcl) TABLET 5 MG, 7.5 MG	Nivel 4	MO
Antagonistas De Receptores De Quimiocina Cxcr4		
XOLREMDI ORAL CAPSULE 100 MG	Nivel 5	PA; MO
Inhibidores De Enzima Sistémico		
ARALAST NP INTRAVENOUS RECON SOLN 1,000 MG, 500 MG	Nivel 5	PA; MO
GLASSIA INTRAVENOUS SOLUTION 20 MG/ML (2 %)	Nivel 5	PA; MO
JOENJA ORAL TABLET 70 MG	Nivel 5	PA; MO
PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)/20 ML	Nivel 5	PA; MO
VIJOICE ORAL GRANULES IN PACKET 50 MG	Nivel 5	PA; MO
VIJOICE ORAL TABLET 125 MG, 250 MG/DAY (200 MG X1-50 MG X1), 50 MG	Nivel 5	PA; MO
ZEMAIRA INTRAVENOUS RECON SOLN 1,000 MG, 4,000 MG, 5,000 MG	Nivel 5	PA; MO
ZOKINVY ORAL CAPSULE 50 MG, 75 MG	Nivel 5	PA; MO
Oligonucleótidos Antisentido De Inclusión Genética D/O Tz-Exon		
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	Nivel 5	MO
EVRYSDI ORAL TABLET 5 MG	Nivel 5	MO
Alergia		
Antihistamínico Nasale & Antiinflam. Comb. De Esteroide		
<i>azelastine-fluticasone nasal spray, non-aerosol 137-50 mcg/spray</i> (Dymista)	Nivel 2	ST: Must meet the following requirement: Fluticasone or Flunisolide (nasal formulation) in 120 days; QL (23 GM per 30 days)
DYMISTA NASAL SPRAY, NON-AEROSOL 137-50 MCG/SPRAY (azelastine-fluticasone)	Nivel 4	ST: Must meet the following requirement: Fluticasone or Flunisolide (nasal formulation) in 120 days; QL (23 GM per 30 days)
RYALTRIS NASAL SPRAY, NON-AEROSOL 665-25 MCG/SPRAY	Nivel 4	QL (29 GM per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Antihistamínico Nasales		
<i>azelastine nasal spray, non-aerosol 137 mcg (0.1 %)</i>	Nivel 2	MO
<i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)	Nivel 2	MO
<i>olopatadine nasal spray, non-aerosol 0.6 %</i>	Nivel 2	
Antihistamínicos - 1Era Generación		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i> (Carbzah)	Nivel 2	Age (Min 2 Years)
<i>carbinoxamine maleate oral suspension, extended rel 12 hr 4 mg/5 ml</i> (Karbinal ER)	Nivel 2	ST: Must meet the following requirement: Immediate-release Carbinoxamine Maleate oral solution in 120 days; QL (960 ML per 30 days); Age (Min 2 Years)
<i>carbinoxamine maleate oral tablet 4 mg</i>	Nivel 2	Age (Min 2 Years)
<i>carbinoxamine maleate oral tablet 6 mg</i> (RyVent)	Nivel 2	ST: Must meet the following requirements: Carbinoxamine 4mg and IR solution in 365 days; QL (4 EA per 1 day); Age (Min 2 Years)
CARBZAH ORAL LIQUID 4 MG/5 ML (carbinoxamine maleate)	Nivel 2	Age (Min 2 Years)
<i>clemastine oral syrup 0.5 mg/5 ml</i>	Nivel 2	
<i>clemastine oral tablet 2.68 mg</i> (Clemsza)	Nivel 2	
CLEMASZ ORAL TABLET 2.68 MG (clemastine)	Nivel 2	
CLEMSZA ORAL TABLET 2.68 MG (clemastine)	Nivel 2	
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	Nivel 2	
<i>cyproheptadine oral tablet 4 mg</i>	Nivel 2	
<i>dexchlorpheniramine maleate oral solution 2 mg/5 ml</i> (Ryclora)	Nivel 2	QL (236 ML per 1 FILL)
DIPHEN ORAL ELIXIR 12.5 MG/5 ML (diphenhydramine hcl)	Nivel 2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	Nivel 2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	Nivel 2	
<i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
KARBINAL ER ORAL (carbinoxamine maleate) SUSPENSION,EXTENDED REL 12 HR 4 MG/5 ML	Nivel 4	ST: Must meet the following requirement: Immediate-release Carbinoxamine Maleate oral solution in 120 days; QL (960 ML per 30 days); Age (Min 2 Years)
PHENERGAN INJECTION SOLUTION (promethazine) 25 MG/ML, 50 MG/ML	Nivel 4	
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> (Phenergan)	Nivel 2	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	Nivel 2	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	Nivel 2	
Antihistamínicos - 2Da Generación		
<i>cetirizine oral solution 1 mg/ml</i> (Allergy Relief (cetirizine))	Nivel 2	
CLARINEX ORAL TABLET 5 MG (desloratadine)	Nivel 4	MO
<i>desloratadine oral tablet 5 mg</i> (Clarinx)	Nivel 2	MO
<i>desloratadine oral tablet,disintegrating 2.5 mg, 5 mg</i>	Nivel 2	MO; ST: Must meet any of the following requirements: Desloratadine or Levocetirizine tablets in 120 days
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	Nivel 2	MO; ST: Must meet any of the following requirements: Desloratadine or Levocetirizine tablets in 120 days
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	Nivel 2	MO
Combinaciones De Antihistamínicos & Descongestivo S De 2Da Gen		
CLARINEX-D 12 HOUR ORAL TABLET, ER MULTIPHASE 12 HR 2.5-120 MG	Nivel 4	ST: Must meet any of the following requirements: Desloratadine or Levocetirizine tablets in 120 days
Esteroides Antiinflamatorios Nasaes		
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	Nivel 2	MO; QL (25 ML per 30 days)
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	Nivel 2	MO
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Allergy Nasal (mometasone))	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
OMNARIS NASAL SPRAY, NON-AEROSOL 50 MCG	Nivel 4	MO; ST: Must meet the following requirement: Flunisolide or Fluticasone in 120 days; QL (5 GM per 12 days)
QNASL NASAL HFA AEROSOL INHALER 40 MCG/ACTUATION	Nivel 3	MO; ST: Must meet any of the following requirements: nasal Flunisolide or Fluticasone in 120 days; QL (6.8 GM per 30 days)
QNASL NASAL HFA AEROSOL INHALER 80 MCG/ACTUATION	Nivel 3	MO; ST: Must meet any of the following requirements: nasal Flunisolide or Fluticasone in 120 days; QL (10.6 GM per 30 days)
TICANASE NASAL KIT, SPRAY SUSPENSION AND SPRAY 50 MCG-0.9 %	Nivel 4	MO
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	Nivel 3	MO; ST: Must meet the following requirements of one of the following intranasal corticosteroids: Flunisolide, Fluticasone Propionate, or Mometasone in 120 days; QL (32 ML per 30 days)
ZETONNA NASAL HFA AEROSOL INHALER 37 MCG/ACTUATION	Nivel 4	MO; ST: Must meet the following requirement: Flunisolide or Fluticasone in 120 days; QL (6.1 GM per 30 days)
Extractos Alergénicos, Terapéuticos		
GRASSTEK SUBLINGUAL TABLET 2,800 BAU	Nivel 3	PA; MO
ODACTRA SUBLINGUAL TABLET 12 SQ-HDM	Nivel 3	PA; MO
ORALAIR SUBLINGUAL TABLET 300 INDX REACTIVITY	Nivel 3	PA; MO
PALFORZIA (LEVEL 0) ORAL CAPSULE, SPRINKLE 1 MG	Nivel 4	PA; MO
PALFORZIA (LEVEL 1) ORAL CAPSULE, SPRINKLE 3 MG (1 MG X 3)	Nivel 4	PA; MO
PALFORZIA (LEVEL 2) ORAL CAPSULE, SPRINKLE 6 MG (1 MG X 6)	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PALFORZIA (LEVEL 3) ORAL CAPSULE, SPRINKLE 12 MG (1 MG X 2, 10 MG X 1)	Nivel 4	PA; MO
PALFORZIA (LEVEL 4) ORAL CAPSULE, SPRINKLE 20 MG	Nivel 4	PA; MO
PALFORZIA (LEVEL 5) ORAL CAPSULE, SPRINKLE 40 MG (20 MG X 2)	Nivel 4	PA; MO
PALFORZIA (LEVEL 6) ORAL CAPSULE, SPRINKLE 80 MG (20 MG X 4)	Nivel 4	PA; MO
PALFORZIA (LEVEL 7) ORAL CAPSULE, SPRINKLE 120 MG (20 MG X 1, 100 MG X 1)	Nivel 4	PA; MO
PALFORZIA (LEVEL 8) ORAL CAPSULE, SPRINKLE 160 MG (20 MG X 3, 100 MG X 1)	Nivel 4	PA; MO
PALFORZIA (LEVEL 9) ORAL CAPSULE, SPRINKLE 200 MG (100 MG X 2)	Nivel 4	PA; MO
PALFORZIA (LEVEL 10) ORAL CAPSULE, SPRINKLE 240 MG (20 MG X 2, 100 MG X 2)	Nivel 4	PA; MO
PALFORZIA (LEVEL 11 UP-DOSE) ORAL POWDER IN PACKET 300 MG	Nivel 4	PA; MO
PALFORZIA INITIAL (1-3 YRS) ORAL CAPSULE, SPRINKLE 0.5/1/1.5/3 MG	Nivel 4	PA
PALFORZIA INITIAL (4-17 YRS) ORAL CAPSULE, SPRINKLE 0.5/1/1.5/3/6 MG	Nivel 4	PA
PALFORZIA LEVEL 11 MAINTENANCE ORAL POWDER IN PACKET 300 MG	Nivel 4	PA; MO
RAGWITEK SUBLINGUAL TABLET 12 AMB A 1 UNIT	Nivel 3	PA; MO
Anestesia Local		
Anestesia Local		
ACCUCAINE KIT KIT 10 MG/ML (1 %)	Nivel 4	
<i>bupivacaine in nacl(pf) epidural solution 0.125 % (1,250 mcg/ml)</i>	Nivel 2	
<i>bupivacaine in nacl(pf) epidural syringe 25 mg/10 ml (2.5mg/ml)0.25%</i>	Nivel 2	
GLYDO MUCOUS MEMBRANE JELLY (lidocaine hcl) IN APPLICATOR 2 %	Nivel 2	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)	Nivel 2	
<i>lidocaine hcl mucous membrane solution 2 %</i> (Lidocaine Viscous)	Nivel 2	
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	Nivel 2	
LIDOCAINE VISCOUS MUCOUS MEMBRANE SOLUTION 2 % (lidocaine hcl)	Nivel 2	
LIDOMARK 1-5 KIT 10 MG/ML (1 %)	Nivel 4	
LIDOMARK 2-5 KIT 20 MG/ML (2 %)	Nivel 4	
<i>ropivacaine (pf)-nacl,iso-osm epidural solution 0.2 % (2 mg/ml)</i>	Nivel 2	
<i>ropivacaine(pf)-0.9 % sodchlor epidural prefilled pump reservoir 0.2 % (2 mg/ml)</i>	Nivel 2	
<i>ropivacaine(pf)-0.9 % sodchlor epidural solution 0.1 %, 0.15 %, 0.2 %</i>	Nivel 2	
<i>ropivacaine(pf)-0.9 % sodchlor epidural syringe 100 mg/50 ml (2 mg/ml) 0.2 %</i>	Nivel 2	
Anticonceptivo/Ocitócos		
Anticonceptivos, Implantable		
NEXPLANON SUBDERMAL IMPLANT 68 MG	Nivel 1	\$0 COPAY IF QUANTITY LIMITED TO 1 IN 365 DAYS
Anticonceptivos, Intravaginal, Sistémico		
ANNOVERA VAGINAL RING 0.15-0.013 MG/24 HOUR	Nivel 1	MO
ELURYNG VAGINAL RING 0.12-0.015 MG/24 HR (etonogestrel-ethinyl estradiol)	Nivel 1	MO
ENILLORING VAGINAL RING 0.12-0.015 MG/24 HR (etonogestrel-ethinyl estradiol)	Nivel 1	MO
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng)	Nivel 1	MO
HALOETTE VAGINAL RING 0.12-0.015 MG/24 HR (etonogestrel-ethinyl estradiol)	Nivel 1	MO
NUVARING VAGINAL RING 0.12-0.015 MG/24 HR (etonogestrel-ethinyl estradiol)	Nivel 1	MO
Anticonceptivos, Inyectables		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 150 MG/ML (medroxyprogesterone)	Nivel 1	MO
DEPO-PROVERA INTRAMUSCULAR SYRINGE 150 MG/ML (medroxyprogesterone)	Nivel 1	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML		Nivel 1	MO
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i>	(Depo-Provera)	Nivel 1	MO
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i>	(Depo-Provera)	Nivel 1	MO
Anticonceptivos, Orales			
AFIRMELLE ORAL TABLET 0.1-20 MG-MCG	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
AFTER PILL ORAL TABLET 1.5 MG	(levonorgestrel)	Nivel 1	
AFTERA ORAL TABLET 1.5 MG	(levonorgestrel)	Nivel 1	
ALTAVERA (28) ORAL TABLET 0.15-0.03 MG	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
ALYACEN 1/35 (28) ORAL TABLET 1-35 MG-MCG	(norethindrone-ethin estradiol)	Nivel 1	MO
ALYACEN 7/7/7 (28) ORAL TABLET 0.5/0.75/1 MG- 35 MCG		Nivel 1	MO
AMETHIA ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (84)/10 MCG (7)	(l norgest/e.estradiol-e.estrad)	Nivel 1	MO
AMETHYST (28) ORAL TABLET 90-20 MCG (28)	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
APRI ORAL TABLET 0.15-0.03 MG	(desogestrel-ethinyl estradiol)	Nivel 1	MO
ARANELLE (28) ORAL TABLET 0.5/1/0.5-35 MG-MCG		Nivel 1	MO
ASHLYNA ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (84)/10 MCG (7)	(l norgest/e.estradiol-e.estrad)	Nivel 1	MO
AUBRA EQ ORAL TABLET 0.1-20 MG-MCG	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
AUBRA ORAL TABLET 0.1-20 MG-MCG	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
AUROVELA 1.5/30 (21) ORAL TABLET 1.5-30 MG-MCG	(norethindrone ac-eth estradiol)	Nivel 1	MO
AUROVELA 1/20 (21) ORAL TABLET 1-20 MG-MCG	(norethindrone ac-eth estradiol)	Nivel 1	MO
AUROVELA 24 FE ORAL TABLET 1 MG-20 MCG (24)/75 MG (4)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
AUROVELA FE 1.5/30 (28) ORAL TABLET 1.5 MG-30 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
AUROVELA FE 1-20 (28) ORAL TABLET 1 MG-20 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
AVERI ORAL TABLET 0.15 MG-0.03 MG (21)/36.5 MG(7)		Nivel 1	MO; \$0 COPAY IF QUANTITY 1.34 IN 1 DAY
AVIANE ORAL TABLET 0.1-20 MG-MCG	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
AYUNA ORAL TABLET 0.15-0.03 MG	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
AZURETTE (28) ORAL TABLET 0.15-0.02 MGX21 /0.01 MG X 5	(desog-e.estradiol/e.estradiol)	Nivel 1	MO
BALCOLTRA ORAL TABLET 0.1 MG-0.02 MG (21)/IRON (7)	(levonorgest-eth.estradiol-iron)	Nivel 1	MO
BALZIVA (28) ORAL TABLET 0.4-35 MG-MCG		Nivel 1	MO
BEYAZ ORAL TABLET 3-0.02-0.451 MG (24) (4)	(drospirenone-e.estradiol-lm.fa)	Nivel 1	MO
BLISOVI 24 FE ORAL TABLET 1 MG-20 MCG (24)/75 MG (4)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
BLISOVI FE 1.5/30 (28) ORAL TABLET 1.5 MG-30 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
BLISOVI FE 1/20 (28) ORAL TABLET 1 MG-20 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
BRIELLYN ORAL TABLET 0.4-35 MG-MCG		Nivel 1	MO
CAMILA ORAL TABLET 0.35 MG	(norethindrone (contraceptive))	Nivel 1	MO
CAMRESE LO ORAL TABLETS,DOSE PACK,3 MONTH 0.1 MG-20 MCG (84)/10 MCG (7)	(l norgest/e.estradiol-e.estrad)	Nivel 1	MO
CAMRESE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (84)/10 MCG (7)	(l norgest/e.estradiol-e.estrad)	Nivel 1	MO
CAZIAN (28) ORAL TABLET 0.1/.125/.15-25 MG-MCG		Nivel 1	MO
CHARLOTTE 24 FE ORAL TABLET,CHEWABLE 1 MG-20 MCG(24) /75 MG (4)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
CHATEAL EQ (28) ORAL TABLET 0.15-0.03 MG	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
CRYSSELLE (28) ORAL TABLET 0.3-30 MG-MCG	(norgestrel-ethinyl estradiol)	Nivel 1	MO
CURAE ORAL TABLET 1.5 MG	(levonorgestrel)	Nivel 1	
CYRED EQ ORAL TABLET 0.15-0.03 MG	(desogestrel-ethinyl estradiol)	Nivel 1	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CYRED ORAL TABLET 0.15-0.03 MG	(desogestrel-ethinyl estradiol)	Nivel 1	MO
DASETTA 1/35 (28) ORAL TABLET 1-35 MG-MCG	(norethindrone-ethin estradiol)	Nivel 1	MO
DASETTA 7/7/7 (28) ORAL TABLET 0.5/0.75/1 MG- 35 MCG		Nivel 1	MO
DAYSEE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (84)/10 MCG (7)	(l norgest/e.estradiol-e.estrad)	Nivel 1	MO
DEBLITANE ORAL TABLET 0.35 MG	(norethindrone (contraceptive))	Nivel 1	MO
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	Nivel 1	MO
DOLISHALE ORAL TABLET 90-20 MCG (28)	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
<i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.02-0.451 mg (24) (4)</i>	(Beyaz)	Nivel 1	MO
<i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.03-0.451 mg (21) (7)</i>	(Safyral)	Nivel 1	MO
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	Nivel 1	MO
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Ocella)	Nivel 1	MO
ECONTRA EZ ORAL TABLET 1.5 MG	(levonorgestrel)	Nivel 1	
ECONTRA ONE-STEP ORAL TABLET 1.5 MG	(levonorgestrel)	Nivel 1	
ELINEST ORAL TABLET 0.3-30 MG-MCG	(norgestrel-ethinyl estradiol)	Nivel 1	MO
ELLA ORAL TABLET 30 MG		Nivel 1	
EMZAHH ORAL TABLET 0.35 MG	(norethindrone (contraceptive))	Nivel 1	MO
ENPRESSE ORAL TABLET 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	Nivel 1	MO
ENSKYCE ORAL TABLET 0.15-0.03 MG	(desogestrel-ethinyl estradiol)	Nivel 1	MO
ERRIN ORAL TABLET 0.35 MG	(norethindrone (contraceptive))	Nivel 1	MO
ESTARYLLA ORAL TABLET 0.25-0.035 MG	(norgestimate-ethinyl estradiol)	Nivel 1	MO
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	Nivel 1	MO
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Valtya)	Nivel 1	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
FALMINA (28) ORAL TABLET 0.1-20 MG-MCG	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
FEIRZA ORAL TABLET 1 MG-20 MCG (21)/75 MG (7), 1.5 MG-30 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
FEMLYV ORAL TABLET,DISINTEGRATING 1 MG- 20 MCG		Nivel 1	MO
FINZALA ORAL TABLET,CHEWABLE 1 MG-20 MCG(24) /75 MG (4)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
GALBRIELA ORAL TABLET,CHEWABLE 0.8MG-25MCG(24) AND 75 MG (4)	(noreth-ethinyl estradiol-iron)	Nivel 1	MO
GEMMILY ORAL CAPSULE 1 MG-20 MCG (24)/75 MG (4)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
HAILEY 24 FE ORAL TABLET 1 MG-20 MCG (24)/75 MG (4)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
HAILEY FE 1.5/30 (28) ORAL TABLET 1.5 MG-30 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
HAILEY FE 1/20 (28) ORAL TABLET 1 MG-20 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
HAILEY ORAL TABLET 1.5-30 MG-MCG	(norethindrone ac-eth estradiol)	Nivel 1	MO
HEATHER ORAL TABLET 0.35 MG	(norethindrone (contraceptive))	Nivel 1	MO
HER STYLE ORAL TABLET 1.5 MG	(levonorgestrel)	Nivel 1	
ICLEVIA ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (91)	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
INCASSIA ORAL TABLET 0.35 MG	(norethindrone (contraceptive))	Nivel 1	MO
INTROVALE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (91)	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
ISIBLOOM ORAL TABLET 0.15-0.03 MG	(desogestrel-ethinyl estradiol)	Nivel 1	MO
JAIMESS ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (84)/10 MCG (7)	(l norgest/e.estradiol-e.estrad)	Nivel 1	MO
JASMIEL (28) ORAL TABLET 3-0.02 MG	(drospirenone-ethinyl estradiol)	Nivel 1	MO
JENCYCLA ORAL TABLET 0.35 MG	(norethindrone (contraceptive))	Nivel 1	MO
JOLESSA ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (91)	(levonorgestrel-ethinyl estrad)	Nivel 1	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
JOYEAUX ORAL TABLET 0.1 MG-0.02 MG (21)/IRON (7)	(levonorgest-eth.estradiol-iron)	Nivel 1	MO
JULEBER ORAL TABLET 0.15-0.03 MG	(desogestrel-ethinyl estradiol)	Nivel 1	MO
JUNEL 1.5/30 (21) ORAL TABLET 1.5-30 MG-MCG	(norethindrone ac-eth estradiol)	Nivel 1	MO
JUNEL 1/20 (21) ORAL TABLET 1-20 MG-MCG	(norethindrone ac-eth estradiol)	Nivel 1	MO
JUNEL FE 1.5/30 (28) ORAL TABLET 1.5 MG-30 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
JUNEL FE 1/20 (28) ORAL TABLET 1 MG-20 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
JUNEL FE 24 ORAL TABLET 1 MG-20 MCG (24)/75 MG (4)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
KAITLIB FE ORAL TABLET,CHEWABLE 0.8MG-25MCG(24) AND 75 MG (4)	(noreth-ethinyl estradiol-iron)	Nivel 1	MO
KALLIGA ORAL TABLET 0.15-0.03 MG	(desogestrel-ethinyl estradiol)	Nivel 1	MO
KARIVA (28) ORAL TABLET 0.15-0.02 MGX21 /0.01 MG X 5	(desog-e.estradiol/e.estradiol)	Nivel 1	MO
KELNOR 1/35 (28) ORAL TABLET 1-35 MG-MCG	(ethynodiol diac-eth estradiol)	Nivel 1	MO
KELNOR 1/50 (28) ORAL TABLET 1-50 MG-MCG	(ethynodiol diac-eth estradiol)	Nivel 1	MO
KURVELO (28) ORAL TABLET 0.15-0.03 MG	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(Camrese Lo)	Nivel 1	MO
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	(Rivelsa)	Nivel 1	MO
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	Nivel 1	MO
LARIN 1.5/30 (21) ORAL TABLET 1.5-30 MG-MCG	(norethindrone ac-eth estradiol)	Nivel 1	MO
LARIN 1/20 (21) ORAL TABLET 1-20 MG-MCG	(norethindrone ac-eth estradiol)	Nivel 1	MO
LARIN 24 FE ORAL TABLET 1 MG-20 MCG (24)/75 MG (4)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
LARIN FE 1.5/30 (28) ORAL TABLET 1.5 MG-30 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
LARIN FE 1/20 (28) ORAL TABLET 1 MG-20 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
LAYOLIS FE ORAL TABLET,CHEWABLE 0.8MG-25MCG(24) AND 75 MG (4)	(noreth-ethinyl estradiol-iron)	Nivel 1	MO
LEENA 28 ORAL TABLET 0.5/1/0.5-35 MG-MCG		Nivel 1	MO
LESSINA ORAL TABLET 0.1-20 MG-MCG	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
LEVONEST (28) ORAL TABLET 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	Nivel 1	MO
<i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>	(Balcoltra)	Nivel 1	MO
<i>levonorgestrel oral tablet 1.5 mg</i>	(After Pill)	Nivel 1	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	Nivel 1	MO
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	Nivel 1	MO
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>	(Amethyst (28))	Nivel 1	MO
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	Nivel 1	MO
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	Nivel 1	MO
LEVORA-28 ORAL TABLET 0.15-0.03 MG	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
LO LOESTRIN FE ORAL TABLET 1 MG-10 MCG (24)/10 MCG (2)		Nivel 1	MO
LOESTRIN 1.5/30 (21) ORAL TABLET 1.5-30 MG-MCG	(norethindrone ac-eth estradiol)	Nivel 1	MO
LOESTRIN 1/20 (21) ORAL TABLET 1-20 MG-MCG	(norethindrone ac-eth estradiol)	Nivel 1	MO
LOESTRIN FE 1.5/30 (28-DAY) ORAL TABLET 1.5 MG-30 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
LOESTRIN FE 1/20 (28-DAY) ORAL TABLET 1 MG-20 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
LOJAIMIESS ORAL TABLETS,DOSE PACK,3 MONTH 0.1 MG-20 MCG (84)/10 MCG (7)	(l norgest/e.estradiol-e.estrad)	Nivel 1	MO
LORYNA (28) ORAL TABLET 3-0.02 MG	(drospirenone-ethinyl estradiol)	Nivel 1	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
LOW-OGESTREL (28) ORAL TABLET 0.3-30 MG-MCG	(norgestrel-ethinyl estradiol)	Nivel 1	MO
LO-ZUMANDIMINE (28) ORAL TABLET 3-0.02 MG	(drospirenone-ethinyl estradiol)	Nivel 1	MO
LUTERA (28) ORAL TABLET 0.1-20 MG-MCG	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
LYLEQ ORAL TABLET 0.35 MG	(norethindrone (contraceptive))	Nivel 1	MO
LYZA ORAL TABLET 0.35 MG	(norethindrone (contraceptive))	Nivel 1	MO
MARLISSA (28) ORAL TABLET 0.15-0.03 MG	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
MELEYA ORAL TABLET 0.35 MG	(norethindrone (contraceptive))	Nivel 1	MO
MERZEE ORAL CAPSULE 1 MG-20 MCG (24)/75 MG (4)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
MIBELAS 24 FE ORAL TABLET,CHEWABLE 1 MG-20 MCG(24) /75 MG (4)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
MICROGESTIN 1.5/30 (21) ORAL TABLET 1.5-30 MG-MCG	(norethindrone ac-eth estradiol)	Nivel 1	MO
MICROGESTIN 1/20 (21) ORAL TABLET 1-20 MG-MCG	(norethindrone ac-eth estradiol)	Nivel 1	MO
MICROGESTIN FE 1.5/30 (28) ORAL TABLET 1.5 MG-30 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
MICROGESTIN FE 1/20 (28) ORAL TABLET 1 MG-20 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
MILI ORAL TABLET 0.25-0.035 MG	(norgestimate-ethinyl estradiol)	Nivel 1	MO
MINZOYA ORAL TABLET 0.1 MG-0.02 MG (21)/IRON (7)	(levonorgest-eth.estradiol-iron)	Nivel 1	MO
MONO-LINYAH ORAL TABLET 0.25-0.035 MG	(norgestimate-ethinyl estradiol)	Nivel 1	MO
MY CHOICE ORAL TABLET 1.5 MG	(levonorgestrel)	Nivel 1	
MY WAY ORAL TABLET 1.5 MG	(levonorgestrel)	Nivel 1	
NATAZIA ORAL TABLET 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG		Nivel 1	MO
NECON 0.5/35 (28) ORAL TABLET 0.5-35 MG-MCG		Nivel 1	MO
NEW DAY ORAL TABLET 1.5 MG	(levonorgestrel)	Nivel 1	
NEXTSTELLIS ORAL TABLET 3 MG-14.2 MG (28)		Nivel 1	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
NIKKI (28) ORAL TABLET 3-0.02 MG	(drospirenone-ethinyl estradiol)	Nivel 1	MO
NORA-BE ORAL TABLET 0.35 MG	(norethindrone (contraceptive))	Nivel 1	MO
noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)	(Wymzya Fe)	Nivel 1	MO
noreth-ethinyl estradiol-iron oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4)	(Galbriela)	Nivel 1	MO
norethindrone (contraceptive) oral tablet 0.35 mg	(Camila)	Nivel 1	MO
norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg	(Aurovela 1.5/30 (21))	Nivel 1	MO
norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg	(Aurovela 1/20 (21))	Nivel 1	MO
norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)	(Gemmily)	Nivel 1	MO
norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(Aurovela Fe 1.5/30 (28))	Nivel 1	MO
norethindrone-e.estradiol-iron oral tablet, chewable 1 mg-20 mcg(24) /75 mg (4)	(Charlotte 24 Fe)	Nivel 1	MO
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg	(Tri-Lo-Estarylla)	Nivel 1	MO
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)	(Tri-Estarylla)	Nivel 1	MO
norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg	(Estarylla)	Nivel 1	MO
NORTREL 0.5/35 (28) ORAL TABLET 0.5-35 MG-MCG		Nivel 1	MO
NORTREL 1/35 (21) ORAL TABLET 1-35 MG-MCG (21)		Nivel 1	MO
NORTREL 1/35 (28) ORAL TABLET 1-35 MG-MCG	(norethindrone-ethin estradiol)	Nivel 1	MO
NORTREL 7/7/7 (28) ORAL TABLET 0.5/0.75/1 MG- 35 MCG		Nivel 1	MO
NYLIA 1/35 (28) ORAL TABLET 1-35 MG-MCG	(norethindrone-ethin estradiol)	Nivel 1	MO
NYLIA 7/7/7 (28) ORAL TABLET 0.5/0.75/1 MG- 35 MCG		Nivel 1	MO
OCELLA ORAL TABLET 3-0.03 MG	(drospirenone-ethinyl estradiol)	Nivel 1	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
OPCICON ONE-STEP ORAL TABLET 1.5 MG (levonorgestrel)	Nivel 1	
OPILL ORAL TABLET 0.075 MG	Nivel 1	MO
OPTION-2 ORAL TABLET 1.5 MG (levonorgestrel)	Nivel 1	
ORQUIDEA ORAL TABLET 0.35 MG (norethindrone (contraceptive))	Nivel 1	MO
PHILITH ORAL TABLET 0.4-35 MG-MCG	Nivel 1	MO
PIMTREA (28) ORAL TABLET 0.15-0.02 MGX21 /0.01 MG X 5 (desog-e.estradiol/e.estradiol)	Nivel 1	MO
PLAN B ONE-STEP ORAL TABLET 1.5 MG (levonorgestrel)	Nivel 1	
PORTIA 28 ORAL TABLET 0.15-0.03 MG (levonorgestrel-ethinyl estrad)	Nivel 1	MO
RECLIPSEN (28) ORAL TABLET 0.15-0.03 MG (desogestrel-ethinyl estradiol)	Nivel 1	MO
RIVELSA ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-20 MCG/ 0.15 MG-25 MCG (l norgest/e.estradiol-e.estrad)	Nivel 1	MO
ROSYRAH ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-20 MCG/ 0.15 MG-25 MCG (l norgest/e.estradiol-e.estrad)	Nivel 1	MO
SAFYRAL ORAL TABLET 3-0.03-0.451 MG (21) (7) (drospirenone-e.estradiol-lm.fa)	Nivel 1	MO
SETLAKIN ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (91) (levonorgestrel-ethinyl estrad)	Nivel 1	MO
SHAROBEL ORAL TABLET 0.35 MG (norethindrone (contraceptive))	Nivel 1	MO
SIMLIYA (28) ORAL TABLET 0.15-0.02 MGX21 /0.01 MG X 5 (desog-e.estradiol/e.estradiol)	Nivel 1	MO
SIMPESSE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (84)/10 MCG (7) (l norgest/e.estradiol-e.estrad)	Nivel 1	MO
SLYND ORAL TABLET 4 MG (28)	Nivel 1	MO
SPRINTEC (28) ORAL TABLET 0.25-0.035 MG (norgestimate-ethinyl estradiol)	Nivel 1	MO
SRONYX ORAL TABLET 0.1-20 MG-MCG (levonorgestrel-ethinyl estrad)	Nivel 1	MO
SYEDA ORAL TABLET 3-0.03 MG (drospirenone-ethinyl estradiol)	Nivel 1	MO
TAKE ACTION ORAL TABLET 1.5 MG (levonorgestrel)	Nivel 1	
TARINA 24 FE ORAL TABLET 1 MG-20 MCG (24)/75 MG (4) (norethindrone-e.estradiol-iron)	Nivel 1	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
TARINA FE 1/20 (28) ORAL TABLET 1 MG-20 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
TARINA FE 1-20 EQ (28) ORAL TABLET 1 MG-20 MCG (21)/75 MG (7)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
TAYTULLA ORAL CAPSULE 1 MG-20 MCG (24)/75 MG (4)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
TILIA FE ORAL TABLET 1-20(5)/1-30(7) /1MG-35MCG (9)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
TRI-ESTARYLLA ORAL TABLET 0.18/0.215/0.25 MG-0.035MG (28)	(norgestimate-ethinyl estradiol)	Nivel 1	MO
TRI-LEGEST FE ORAL TABLET 1-20(5)/1-30(7) /1MG-35MCG (9)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
TRI-LINYAH ORAL TABLET 0.18/0.215/0.25 MG-0.035MG (28)	(norgestimate-ethinyl estradiol)	Nivel 1	MO
TRI-LO-ESTARYLLA ORAL TABLET 0.18/0.215/0.25 MG-0.025 MG	(norgestimate-ethinyl estradiol)	Nivel 1	MO
TRI-LO-MARZIA ORAL TABLET 0.18/0.215/0.25 MG-0.025 MG	(norgestimate-ethinyl estradiol)	Nivel 1	MO
TRI-LO-MILI ORAL TABLET 0.18/0.215/0.25 MG-0.025 MG	(norgestimate-ethinyl estradiol)	Nivel 1	MO
TRI-LO-SPRINTEC ORAL TABLET 0.18/0.215/0.25 MG-0.025 MG	(norgestimate-ethinyl estradiol)	Nivel 1	MO
TRI-MILI ORAL TABLET 0.18/0.215/0.25 MG-0.035MG (28)	(norgestimate-ethinyl estradiol)	Nivel 1	MO
TRI-SPRINTEC (28) ORAL TABLET 0.18/0.215/0.25 MG-0.035MG (28)	(norgestimate-ethinyl estradiol)	Nivel 1	MO
TRIVORA (28) ORAL TABLET 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	Nivel 1	MO
TRI-VYLIBRA LO ORAL TABLET 0.18/0.215/0.25 MG-0.025 MG	(norgestimate-ethinyl estradiol)	Nivel 1	MO
TRI-VYLIBRA ORAL TABLET 0.18/0.215/0.25 MG-0.035MG (28)	(norgestimate-ethinyl estradiol)	Nivel 1	MO
TULANA ORAL TABLET 0.35 MG	(norethindrone (contraceptive))	Nivel 1	MO
TURQOZ (28) ORAL TABLET 0.3-30 MG-MCG	(norgestrel-ethinyl estradiol)	Nivel 1	MO
TYBLUME ORAL TABLET,CHEWABLE 0.1 MG- 20 MCG		Nivel 1	MO
TYDEMY ORAL TABLET 3-0.03-0.451 MG (21) (7)	(drospirenone-e.estradiol-lm.fa)	Nivel 1	MO
VALTYA ORAL TABLET 1-50 MG-MCG	(ethynodiol diac-eth estradiol)	Nivel 1	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
VELIVET TRIPHASIC REGIMEN (28) ORAL TABLET 0.1/.125/.15-25 MG-MCG		Nivel 1	MO
VESTURA (28) ORAL TABLET 3-0.02 MG	(drospirenone-ethinyl estradiol)	Nivel 1	MO
VIENVA ORAL TABLET 0.1-20 MG-MCG	(levonorgestrel-ethinyl estrad)	Nivel 1	MO
VIORELE (28) ORAL TABLET 0.15-0.02 MGX21 /0.01 MG X 5	(desog-e.estradiol/e.estradiol)	Nivel 1	MO
VOLNEA (28) ORAL TABLET 0.15-0.02 MGX21 /0.01 MG X 5	(desog-e.estradiol/e.estradiol)	Nivel 1	MO
VYFEMLA (28) ORAL TABLET 0.4-35 MG-MCG		Nivel 1	MO
VYLIBRA ORAL TABLET 0.25-0.035 MG	(norgestimate-ethinyl estradiol)	Nivel 1	MO
WERA (28) ORAL TABLET 0.5-35 MG-MCG		Nivel 1	MO
WYMZYA FE ORAL TABLET,CHEWABLE 0.4MG-35MCG(21) AND 75 MG (7)	(noreth-ethinyl estradiol-iron)	Nivel 1	MO
XARAH FE ORAL TABLET 1-20(5)/1-30(7) /1MG-35MCG (9)	(norethindrone-e.estradiol-iron)	Nivel 1	MO
XELRIA FE ORAL TABLET,CHEWABLE 0.4MG-35MCG(21) AND 75 MG (7)	(noreth-ethinyl estradiol-iron)	Nivel 1	MO
YASMIN (28) ORAL TABLET 3-0.03 MG	(drospirenone-ethinyl estradiol)	Nivel 1	MO
YAZ (28) ORAL TABLET 3-0.02 MG	(drospirenone-ethinyl estradiol)	Nivel 1	MO
ZARAH ORAL TABLET 3-0.03 MG	(drospirenone-ethinyl estradiol)	Nivel 1	MO
ZOVIA 1-35 (28) ORAL TABLET 1-35 MG-MCG	(ethynodiol diac-eth estradiol)	Nivel 1	MO
ZUMANDIMINE (28) ORAL TABLET 3-0.03 MG	(drospirenone-ethinyl estradiol)	Nivel 1	MO
Anticonceptivos, Transdérmicos			
<i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	Nivel 1	MO
TWIRLA TRANSDERMAL PATCH WEEKLY 120-30 MCG/24 HR		Nivel 1	MO
XULANE TRANSDERMAL PATCH WEEKLY 150-35 MCG/24 HR	(norelgestromin-ethin.estradiol)	Nivel 1	MO
ZAFEMY TRANSDERMAL PATCH WEEKLY 150-35 MCG/24 HR	(norelgestromin-ethin.estradiol)	Nivel 1	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Anticonceptivos, Intravaginales		
PHEXXI VAGINAL GEL 1.8-1-0.4 %	Nivel 1	
VAGINAL CONTRACEPTIVE FILM VAGINAL FILM 28 %	Nivel 1	
VCF CONTRACEPTIVE FILM VAGINAL FILM 28 %	Nivel 1	
VCF CONTRACEPTIVE GEL VAGINAL GEL 4 %	Nivel 1	
Diafragma/Capuchón Cervical		
CAYA CONTOURED VAGINAL DIAPHRAGM 65-80 MM	Nivel 1	
FEMCAP VAGINAL DEVICE 22 MM, 26 MM, 30 MM	Nivel 1	
WIDE-SEAL DIAPHRAGM 60 VAGINAL DIAPHRAGM 60 MM	Nivel 1	
WIDE-SEAL DIAPHRAGM 65 VAGINAL DIAPHRAGM 65 MM	Nivel 1	
WIDE-SEAL DIAPHRAGM 70 VAGINAL DIAPHRAGM 70 MM	Nivel 1	
WIDE-SEAL DIAPHRAGM 75 VAGINAL DIAPHRAGM 75 MM	Nivel 1	
WIDE-SEAL DIAPHRAGM 80 VAGINAL DIAPHRAGM 80 MM	Nivel 1	
WIDE-SEAL DIAPHRAGM 85 VAGINAL DIAPHRAGM 85 MM	Nivel 1	
WIDE-SEAL DIAPHRAGM 90 VAGINAL DIAPHRAGM 90 MM	Nivel 1	
WIDE-SEAL DIAPHRAGM 95 VAGINAL DIAPHRAGM 95 MM	Nivel 1	
Dispositivos Intrauterinos (IUD's)		
KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG	Nivel 1	MO
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG	Nivel 1	MO
MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG	Nivel 1	MO
MIUDELLA INTRAUTERINE INTRAUTERINE DEVICE 175 SQUARE MM	Nivel 1	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PARAGARD T 380A INTRAUTERINE INTRAUTERINE DEVICE 380 SQUARE MM	Nivel 1	MO
PARAGARD T380A (SINGLE HAND) INTRAUTERINE INTRAUTERINE DEVICE 380 SQUARE MM	Nivel 1	MO
SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG	Nivel 1	MO
Ocitócicos		
CERVIDIL VAGINAL INSERT, EXTENDED RELEASE 10 MG	Nivel 4	
<i>methylergonovine oral tablet 0.2 mg</i>	Nivel 2	QL (28 EA per 30 days)
PREPIDIL VAGINAL GEL 0.5 MG/3 G	Nivel 4	
Antiemesis/Antivertigo		
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	Nivel 2	ST: Must meet any of the following requirements: 5HT3 Antagonist, Corticosteroids, Emend, or Megestrol suspension in 120 days; QL (2 EA per 1 day)
MARINOL ORAL CAPSULE 10 MG, 2.5 MG, 5 MG (dronabinol)	Nivel 4	ST: Must meet any of the following requirements: 5HT3 Antagonist, Corticosteroids, Emend, or Megestrol suspension in 120 days; QL (2 EA per 1 day)
SYNDROS ORAL SOLUTION 5 MG/ML	Nivel 4	ST: Must meet any of the following requirements: generic Dronabinol capsules or Megestrol suspension in 120 days; QL (60 ML per 30 days)
Agentes Antieméticos/Antivértigos		
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	Nivel 3	QL (1 EA per 28 days)
<i>aprepitant oral capsule 125 mg</i>	Nivel 2	QL (1 EA per 21 days)
<i>aprepitant oral capsule 40 mg</i>	Nivel 2	QL (1 EA per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	Nivel 2	QL (2 EA per 21 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	Nivel 2	QL (3 EA per 21 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
BONJESTA ORAL TABLET,IR,DELAYED REL,BIPHASIC 20-20 MG	Nivel 4	QL (60 EA per 30 days)
COMPAZINE ORAL TABLET 10 MG, 5 MG (prochlorperazine maleate)	Nivel 4	
COMPAZINE RECTAL SUPPOSITORY 25 MG (prochlorperazine)	Nivel 4	
COMPRO RECTAL SUPPOSITORY 25 MG (prochlorperazine)	Nivel 2	
DICLEGIS ORAL TABLET,DELAYED RELEASE (DR/EC) 10-10 MG (doxylamine-pyridoxine (vit b6))	Nivel 4	QL (120 EA per 30 days)
<i>doxylamine-pyridoxine (vit b6) oral tablet, delayed release (drlec) 10-10 mg</i> (Diclegis)	Nivel 2	QL (120 EA per 30 days)
EMEND ORAL CAPSULE 80 MG (aprepitant)	Nivel 4	QL (2 EA per 21 days)
EMEND ORAL CAPSULE,DOSE PACK 125 MG (1)- 80 MG (2) (aprepitant)	Nivel 4	QL (3 EA per 21 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	Nivel 3	QL (3 EA per 21 days)
<i>granisetron hcl oral tablet 1 mg</i>	Nivel 2	ST: Must meet the following requirement: Ondansetron tablets or ODT in 120 days; QL (8 EA per 30 days)
<i>meclizine oral tablet 12.5 mg</i>	Nivel 2	
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	Nivel 2	
<i>meclizine oral tablet 50 mg</i> (Antivert)	Nivel 2	QL (2 EA per 1 day)
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	Nivel 2	QL (50 ML per 15 days)
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	Nivel 2	
<i>ondansetron oral tablet, disintegrating 16 mg, 4 mg, 8 mg</i>	Nivel 2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	Nivel 2	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	Nivel 2	
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i> (Promethegan)	Nivel 2	
PROMETHEGAN RECTAL SUPPOSITORY 12.5 MG, 25 MG, 50 MG (promethazine)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SANCUSO TRANSDERMAL PATCH WEEKLY 3.1 MG/24 HOUR	Nivel 4	ST: Must meet the following requirement: Ondansetron tablets or ODT in 120 days; QL (1 EA per 7 days)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	Nivel 2	
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS (scopolamine base)	Nivel 4	
<i>trimethobenzamide oral capsule 300 mg</i>	Nivel 2	
VARUBI ORAL TABLET 90 MG	Nivel 4	QL (2 EA per 14 days)
Asma Y Copd		
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	Nivel 4	PA; MO
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML	Nivel 4	PA; MO
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	Nivel 4	PA; MO
TEZSPIRE SUBCUTANEOUS PEN INJECTOR 210 MG/1.91 ML (110 MG/ML)	Nivel 4	PA; MO
Agentes Beta-Adrenérgicos		
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	Nivel 2	MO
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	Nivel 2	MO
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	Nivel 2	MO
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	Nivel 2	MO
Agentes Beta-Adrenérgicos, Inhalados Oralmente, De Acción Larga		
<i>arformoterol inhalation solution for nebulization 15 mcg/2 ml</i> (Brovana)	Nivel 2	MO; ST: Must meet the following requirement: Perforomist, Serevent, or Striverdi in 120 days; QL (120 ML per 30 days)
BROVANA INHALATION SOLUTION FOR NEBULIZATION 15 MCG/2 ML (arformoterol)	Nivel 4	MO; ST: Must meet the following requirement: Perforomist, Serevent, or Striverdi in 120 days; QL (120 ML per 30 days)
<i>formoterol fumarate inhalation solution for nebulization 20 mcg/2 ml</i> (Perforomist)	Nivel 2	MO; QL (120 ML per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PERFORMIST INHALATION SOLUTION FOR NEBULIZATION 20 MCG/2 ML (formoterol fumarate)	Nivel 4	MO; QL (120 ML per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	Nivel 3	MO; QL (60 EA per 30 days)
Agentes Beta-Adrenérgicos, Inhalados, De Acción Corta		
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Ventolin HFA)	Nivel 2	MO
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml, 5 mg/ml</i>	Nivel 2	MO
<i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml</i>	Nivel 2	MO
<i>levalbuterol tartrate inhalation hfa aerosol inhaler 45 mcg/actuation</i> (Xopenex HFA)	Nivel 2	MO
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTION	Nivel 4	MO; ST: Must meet the following requirement: generic Albuterol Sulfate 90mcg HFA inhaler in 120 days
VENTOLIN HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTION (albuterol sulfate)	Nivel 4	MO; ST: Must meet the following requirement: generic Albuterol Sulfate 90mcg HFA inhaler in 120 days
XOPENEX HFA INHALATION HFA AEROSOL INHALER 45 MCG/ACTION (levalbuterol tartrate)	Nivel 4	MO
Agentes Beta-Adrenérgicos, Inhalados, De Acción Ultra Prolongada		
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTION	Nivel 3	MO; QL (4 GM per 30 days)
Antagonistas De Receptor De Leucotrienos		
ACCOLATE ORAL TABLET 10 MG, 20 MG (zafirlukast)	Nivel 4	MO
<i>montelukast oral granules in packet 4 mg</i> (Singulair)	Nivel 2	MO
<i>montelukast oral tablet 10 mg</i> (Singulair)	Nivel 2	MO
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SINGULAIR ORAL GRANULES IN PACKET 4 MG (montelukast)	Nivel 4	MO
SINGULAIR ORAL TABLET 10 MG (montelukast)	Nivel 4	MO
SINGULAIR ORAL TABLET,CHEWABLE 4 MG, 5 MG (montelukast)	Nivel 4	MO
zafirlukast oral tablet 10 mg, 20 mg (Accolate)	Nivel 2	MO
Anticolinérgicas, Inhalados Oralmente De Acción Corta		
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	Nivel 3	MO; QL (25.8 GM per 30 days)
ipratropium bromide inhalation solution 0.02 %	Nivel 2	MO
Anticolinérgicos, Inhalados Oralmente De Acción Prolongada		
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	Nivel 3	MO; QL (30 EA per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	Nivel 3	MO; QL (4 GM per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG (tiotropium bromide)	Nivel 4	MO; QL (30 EA per 30 days)
tiotropium bromide inhalation capsule, w/inhalation device 18 mcg (Spiriva with HandiHaler)	Nivel 2	MO; QL (30 EA per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION	Nivel 4	MO; ST: Must meet any of the following requirements: Spiriva Respimat or Incruse Ellipta in 120 days; QL (1 EA per 30 days)
YUPELRI INHALATION SOLUTION FOR NEBULIZATION 175 MCG/3 ML	Nivel 4	MO; QL (90 ML per 30 days)
Anticuerpos Monoclonales - Antagonistas De Interleucinas-5		
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	Nivel 4	PA; MO
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML, 40 MG/0.4 ML	Nivel 4	PA; MO
Anticuerpos Monoclonales Para Inmunoglobulinas E(Ige)		
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	Nivel 4	PA; MO
Beta-Adrenérgicos-Anticolinérgicos-Glucocorticoides, Inhalados		
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	Nivel 3	MO; QL (10.7 GM per 30 days)
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	Nivel 3	MO; QL (60 EA per 30 days)
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 200-62.5-25 MCG	Nivel 3	MO; QL (2 EA per 1 day)
Combinaciones Beta-Adrenérgicas Y Anticolinérgicas		
ANORO ELLIPTA INHALATION (umeclidinium-vilanterol) BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	Nivel 3	MO; QL (60 EA per 30 days)
BEVESPI AEROSPHERE INHALATION HFA AEROSOL INHALER 9-4.8 MCG	Nivel 4	MO; ST: Must meet the following requirements: Anoro Ellipta and Stiolto Respimat in 365 days; QL (10.7 GM per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	Nivel 3	MO
DUAKLIR PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400-12 MCG/ACTUATION	Nivel 4	MO; ST: Must meet the following requirements: Anoro Ellipta and Stiolto Respimat in 365 days; QL (1 EA per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	Nivel 2	MO
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	Nivel 3	MO; QL (4 GM per 30 days)
Combinaciones Beta-Adrenérgicas Y Glucocorticoides		
ADVAIR DISKUS INHALATION (fluticasone propion-salmeterol) BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	Nivel 4	MO; QL (60 EA per 30 days)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	(fluticasone propion-salmeterol)	Nivel 3	MO; QL (12 GM per 30 days)
AIRDUO RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION	(fluticasone propion-salmeterol)	Nivel 4	MO; QL (1 EA per 30 days)
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION		Nivel 3	MO; QL (32.1 GM per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate-vilanterol)	Nivel 3	MO; QL (60 EA per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE		Nivel 3	MO; QL (60 EA per 30 days)
BREYNA INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	(budesonide-formoterol)	Nivel 2	MO; QL (30.9 GM per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	(Breyna)	Nivel 2	MO; QL (30.9 GM per 30 days)
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 50-5 MCG/ACTUATION		Nivel 3	MO; QL (39 GM per 30 days)
DULERA INHALATION HFA AEROSOL INHALER 200-5 MCG/ACTUATION		Nivel 3	MO; QL (13 GM per 30 days)
<i>fluticasone propion-salmeterol inhalation aerosol powdr breath activated 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation</i>		Nivel 2	MO; QL (1 EA per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(Wixela Inhub)	Nivel 2	MO; QL (60 EA per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	(budesonide-formoterol)	Nivel 4	MO; QL (30.9 GM per 30 days)
WIXELA INHUB INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	(fluticasone propion-salmeterol)	Nivel 2	MO; QL (60 EA per 30 days)
Estabilizadores De Mastocitos			
<i>cromolyn oral concentrate 100 mg/5 ml</i>	(Gastrocrom)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
GASTROCROM ORAL CONCENTRATE (cromolyn) 100 MG/5 ML	Nivel 4	
Estabilizadores De Mastocitos, Inhalados Oralmente		
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	Nivel 2	MO
Glucocorticoides, Inhalados Oralmente		
ALVESCO INHALATION HFA AEROSOL INHALER 160 MCG/ACTUATION, 80 MCG/ACTUATION	Nivel 4	MO; ST: Must meet 2 of the following requirements: Asmanex, Qvar, or Arnuity Ellipta in 365 days; QL (12.2 GM per 30 days)
ARNUITY ELLIPTA INHALATION (fluticasone furoate) BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	Nivel 4	MO; QL (30 EA per 30 days)
ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	Nivel 3	MO; QL (13 GM per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60)	Nivel 3	MO; QL (1 EA per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	Nivel 2	MO; QL (120 ML per 30 days)
<i>fluticasone propionate inhalation blister with device 100 mcg/actuation, 50 mcg/actuation</i>	Nivel 2	MO; QL (60 EA per 30 days)
<i>fluticasone propionate inhalation blister with device 250 mcg/actuation</i>	Nivel 2	MO; QL (120 EA per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>	Nivel 2	MO; QL (12 GM per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>	Nivel 2	MO; QL (24 GM per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>	Nivel 2	MO; QL (21.2 GM per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION, 90 MCG/ACTUATION	Nivel 4	MO; ST: Must meet 2 of the following requirements: Asmanex, Qvar, or Arnuity Ellipta in 365 days; QL (1 EA per 30 days)
PULMICORT INHALATION (budesonide) SUSPENSION FOR NEBULIZATION 0.25 MG/2 ML, 0.5 MG/2 ML, 1 MG/2 ML	Nivel 4	MO; QL (120 ML per 30 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION	Nivel 3	MO; QL (21.2 GM per 30 days)
Inhibidores De 5-Lipoxigenasa		
<i>zileuton oral tablet, er multiphase 12 hr 600 mg</i>	Nivel 2	MO; ST: Must meet the following requirements: Montelukast and Zafirlukast in 365 days; QL (2 EA per 1 day)
ZYFLO ORAL TABLET 600 MG	Nivel 4	MO; ST: Must meet the following requirements: Montelukast and Zafirlukast in 365 days; QL (4 EA per 1 day)
Inhibidores De Fosfodiesterasa-4 (Pde4)		
DALIRESP ORAL TABLET 250 MCG, (roflumilast) 500 MCG	Nivel 4	MO; QL (1 EA per 1 day)
OHTUVAYRE INHALATION SUSPENSION FOR NEBULIZATION 3 MG/2.5 ML	Nivel 5	PA; MO
<i>roflumilast oral tablet 250 mcg, 500 mcg</i> (Daliresp)	Nivel 2	MO; QL (1 EA per 1 day)
Xantinas		
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	Nivel 2	
ELIXOPHYLLIN ORAL ELIXIR 80 (theophylline) MG/15 ML	Nivel 2	MO
THEO-24 ORAL CAPSULE,EXTENDED RELEASE 24HR 100 MG, 200 MG, 300 MG, 400 MG	Nivel 3	MO
<i>theophylline oral elixir 80 mg/15 ml</i>	Nivel 2	MO
<i>theophylline oral solution 80 mg/15 ml</i>	Nivel 2	MO
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	Nivel 2	MO
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Deficiencia Vitamínica Y/O Mineral		
Preparados De Acido Fólico		
<i>folic acid injection solution 5 mg/ml</i>	Nivel 2	
<i>folic acid oral tablet 1 mg</i>	Nivel 2	MO
<i>folic acid oral tablet 400 mcg</i> (PureVita Folic Acid)	Nivel 1	MO
<i>folic acid oral tablet 800 mcg</i>	Nivel 1	MO
PUREVITA FOLIC ACID ORAL TABLET 400 MCG (folic acid)	Nivel 1	MO
Preparados De Fluoruro		
CLINPRO 5000 DENTAL PASTE 1.1 % (fluoride (sodium))	Nivel 4	MO
DENTA 5000 PLUS DENTAL CREAM 1.1 % (fluoride (sodium))	Nivel 2	MO
DENTA 5000 PLUS SENSITIVE DENTAL PASTE 1.1-5 % (sodium fluoride-pot nitrate)	Nivel 2	MO
DENTAGEL DENTAL GEL 1.1 % (fluoride (sodium))	Nivel 2	MO
<i>fluoride (sodium) dental cream 1.1 %</i> (Denta 5000 Plus)	Nivel 2	MO
<i>fluoride (sodium) dental gel 1.1 %</i> (DentaGel)	Nivel 2	MO
<i>fluoride (sodium) dental paste 1.1 %</i> (Sodium Fluoride 5000 Dry Mouth)	Nivel 2	MO
<i>fluoride (sodium) dental solution 0.2 %</i> (PreviDent)	Nivel 2	MO
<i>fluoride (sodium) oral drops 0.5 mg (1.1 mg sod.fluorid)/ml</i> (SoluVita)	Nivel 1	MO; \$0 COPAY IF 6 MONTHS TO 6 YEARS OF AGE
<i>fluoride (sodium) oral tablet, chewable 0.25 mg(0.55 mg sod. fluoride), 0.5 mg (1.1 mg sodium fluorid), 1 mg (2.2 mg sod. fluoride)</i> (Ludent Fluoride)	Nivel 1	MO; \$0 COPAY IF 6 MONTHS TO 6 YEARS OF AGE
FLUORIDEX DAILY DEFENSE DENTAL PASTE 1.1 % (fluoride (sodium))	Nivel 4	MO
FLUORIDEX SENSITIVITY RELIEF DENTAL PASTE 1.1-5 % (sodium fluoride-pot nitrate)	Nivel 4	MO
FLUORIMAX 5000 DENTAL PASTE 1.1 % (fluoride (sodium))	Nivel 4	MO
FLUORIMAX 5000 SENSITIVE DENTAL PASTE 1.1-5 % (sodium fluoride-pot nitrate)	Nivel 4	MO
FRAICHE 5000 DENTAL GEL 1.1 % (fluoride (sodium))	Nivel 4	MO
FRAICHE 5000 PREVI DENTAL GEL 1.1-3 %	Nivel 4	MO
FRAICHE 5000 SENSITIVE DENTAL GEL 1.1-4.5 %	Nivel 4	MO
JUST RIGHT 5000 DENTAL PASTE 1.1 % (fluoride (sodium))	Nivel 4	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PREVIDENT 5000 BOOSTER PLUS DENTAL PASTE 1.1 %	(fluoride (sodium))	Nivel 4	MO
PREVIDENT 5000 DRY MOUTH DENTAL PASTE 1.1 %	(fluoride (sodium))	Nivel 4	MO
PREVIDENT 5000 ENAMEL PROTECT DENTAL PASTE 1.1-5 %	(sodium fluoride-pot nitrate)	Nivel 4	MO
PREVIDENT 5000 ORTHO DEFENSE DENTAL PASTE 1.1 %	(fluoride (sodium))	Nivel 4	MO
PREVIDENT 5000 PLUS DENTAL CREAM 1.1 %	(fluoride (sodium))	Nivel 4	MO
PREVIDENT 5000 SENSITIVE DENTAL PASTE 1.1-5 %	(sodium fluoride-pot nitrate)	Nivel 4	MO
PREVIDENT DENTAL GEL 1.1 %	(fluoride (sodium))	Nivel 4	MO
PREVIDENT DENTAL SOLUTION 0.2 %	(fluoride (sodium))	Nivel 4	MO
PREVIDENT KIDS DENTAL PASTE 1.1 %	(fluoride (sodium))	Nivel 4	MO
SF 5000 PLUS DENTAL CREAM 1.1 %	(fluoride (sodium))	Nivel 2	MO
SF DENTAL GEL 1.1 %	(fluoride (sodium))	Nivel 2	MO
SODIUM FLUORIDE 5000 DRY MOUTH DENTAL PASTE 1.1 %	(fluoride (sodium))	Nivel 2	MO
SODIUM FLUORIDE 5000 PLUS DENTAL CREAM 1.1 %	(fluoride (sodium))	Nivel 2	MO
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Denta 5000 Plus Sensitive)	Nivel 2	MO
Preparados De Vitamians Prenatales			
BAL-CARE DHA ESSENTIAL ORAL COMBO PACK, TABLET AND CAP, DR 27 MG IRON-1 MG -374 MG		Nivel 1	MO
BAL-CARE DHA ORAL COMBO PACK, TABLET AND CAP, DR 27-1-430 MG		Nivel 1	MO
CADEAU DHA ORAL CAPSULE 29 MG IRON- 1 MG-150 MG		Nivel 1	MO
CITRANATAL (DUAL-IRON) ORAL TABLET 27 MG IRON-1 MG -50 MG		Nivel 4	MO
CITRANATAL 90 DHA (ALGAL OIL) ORAL COMBO PACK 90 MG IRON-1 MG -50 MG-300 MG		Nivel 4	MO
CITRANATAL ASSURE ORAL COMBO PACK 35 MG IRON-1 MG -50 MG-300 MG		Nivel 4	MO
CITRANATAL DHA (ALGAL OIL) ORAL COMBO PACK 27 MG IRON-1 MG -50 MG-250 MG		Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CITRANATAL HARMONY (IRON FUM) ORAL CAPSULE 27 MG IRON-1 MG - 50 MG-260 MG	Nivel 4	MO
COMPLETE NATAL DHA ORAL COMBO PACK 29 MG IRON- 1 MG-200 MG	Nivel 1	MO
COMPLETENATE ORAL TABLET,CHEWABLE 29 MG IRON- 1 MG	Nivel 1	MO
KPN ORAL TABLET 9 MG IRON- 267 MCG	Nivel 1	MO
MINI PRENATAL ORAL TABLET 6.75 MG IRON- 200 MCG	Nivel 1	MO
M-NATAL PLUS ORAL TABLET 27 MG (pnv,calcium 72-iron-folic IRON- 1 MG acid)	Nivel 1	MO
MYNATAL ADVANCE ORAL TABLET 90-1-50 MG	Nivel 1	MO
MYNATAL ORAL CAPSULE 65 MG IRON- 1 MG	Nivel 1	MO
MYNATAL ORAL TABLET 90-1-50 MG	Nivel 1	MO
MYNATAL PLUS ORAL TABLET 65 MG IRON- 1 MG	Nivel 1	MO
MYNATAL-Z ORAL TABLET 65 MG IRON- 1 MG	Nivel 1	MO
MYNATE 90 PLUS ORAL TABLET EXTENDED RELEASE 90 MG IRON-1 MG	Nivel 1	MO
NEONATAL PLUS VITAMIN ORAL TABLET 27 MG IRON- 1 MG	Nivel 1	MO
NEO-VITAL RX ORAL TABLET 27 MG IRON- 1 MG	Nivel 1	MO
NEXA PLUS ORAL CAPSULE 29 MG IRON-1.25 MG-55 MG	Nivel 4	MO
OBSTETRIX DHA ORAL COMBO PACK, TABLET AND CAP, DR 29 MG IRON-1 MG -50 MG	Nivel 1	MO
OBSTETRIX DHA PRENATAL DUO ORAL COMB PACK, TABLET DR, CAPSULE DR 29 MG IRON- 1,700 MCG DFE	Nivel 1	MO
OBSTETRIX EC ORAL TABLET, DELAYED RELEASE (DR/EC) 29 MG IRON- 1,700 MCG DFE, 29 MG IRON-1 MG -50 MG	Nivel 1	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
OBTREX DHA ORAL COMBO PACK, TABLET AND CAP, DR 29 MG IRON-1 MG -50 MG	Nivel 4	MO
ONE DAILY PRENATAL ORAL COMBO PACK 28-800-440 MG-MCG-MG	Nivel 1	MO
ONE-A-DAY PRENATAL-1 ORAL CAPSULE 27 MG IRON- 800 MCG-235 MG	Nivel 1	MO
<i>pnv no.95-ferrous fumarate-fa oral tablet (Prenatal)</i> <i>28 mg iron- 800 mcg</i>	Nivel 1	MO
PNV-DHA + DOCUSATE ORAL CAPSULE 27-1.25-55-300 MG	Nivel 1	MO
PNV-SELECT ORAL TABLET 27-1 MG	Nivel 1	MO
PR NATAL 400 EC ORAL COMBO PACK, TABLET AND CAP, DR 29-1-400 MG	Nivel 1	MO
PR NATAL 400 ORAL COMBO PACK 29-1-400 MG	Nivel 1	MO
PR NATAL 430 EC ORAL COMBO PACK, TABLET AND CAP, DR 29-1-430 MG	Nivel 1	MO
PR NATAL 430 ORAL COMBO PACK 29 MG IRON-1 MG -430 MG	Nivel 1	MO
PRENAISSANCE ORAL CAPSULE 29- 1.25-55-325 MG	Nivel 2	MO
PRENAISSANCE PLUS ORAL CAPSULE 28-1-50-250 MG	Nivel 2	MO
PRENATA ORAL TABLET, CHEWABLE 29 MG IRON- 1 MG	Nivel 1	MO
PRENATABS FA ORAL TABLET 29-1 MG	Nivel 1	MO
PRENATABS RX ORAL TABLET 29 MG IRON- 1 MG	Nivel 1	MO
PRENATAL + DHA ORAL COMBO PACK 28 MG IRON- 975 MCG-200 MG, 28 MG IRON-800 MCG-200 MG	Nivel 1	MO
PRENATAL 19 (WITH DOCUSATE) ORAL TABLET 29 MG IRON- 1 MG-25 MG	Nivel 1	MO
PRENATAL 19 ORAL TABLET 29 MG IRON- 1 MG	Nivel 1	MO
PRENATAL 19 ORAL TABLET, CHEWABLE 29 MG IRON- 1 MG	Nivel 1	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PRENATAL COMPLETE ORAL TABLET 14 MG IRON- 400 MCG	Nivel 1	MO
PRENATAL ESSENTIALS ORAL CAPSULE 6 MG IRON- 272 MCG DFE	Nivel 1	MO
PRENATAL FORMULA ORAL TABLET 9 MG IRON- 267 MCG	Nivel 1	MO
PRENATAL FORMULA-DHA ORAL CAPSULE 28 MG-800 MCG- 200 MG	Nivel 1	MO
PRENATAL MULTI ORAL TABLET 27- 800 MG-MCG	Nivel 1	MO
PRENATAL MULTI-DHA (ALGAL OIL) ORAL CAPSULE 27MG IRON- 800 MCG-250 MG	Nivel 1	MO
PRENATAL MULTI-DHA(WITH VIT K) ORAL CAPSULE 27 MG IRON-800 MCG-260 MG	Nivel 1	MO
PRENATAL MULTIVITAMINS ORAL TABLET 28 MG IRON- 800 MCG (pnv no.95-ferrous fumarate-fa)	Nivel 1	MO
PRENATAL ONE DAILY ORAL TABLET 27 MG IRON- 800 MCG	Nivel 1	MO
PRENATAL ORAL TABLET 28 MG IRON- 800 MCG (pnv no.95-ferrous fumarate-fa)	Nivel 1	MO
PRENATAL ORAL TABLET 28-800 MG- MCG	Nivel 1	MO
PRENATAL PLUS (CALCIUM CARB) ORAL TABLET 27 MG IRON- 1 MG (pnv,calcium 72-iron-folic acid)	Nivel 1	MO
PRENATAL PLUS DHA ORAL COMBO PACK 27 MG IRON-1 MG -312 MG-250 MG	Nivel 1	MO
PRENATAL PLUS ORAL TABLET 29 MG IRON- 1 MG (pnv,calcium 72-iron,carb- folic)	Nivel 1	MO
PRENATAL PLUS VITAMIN-MINERAL ORAL TABLET 27 MG IRON- 1 MG	Nivel 1	MO
PRENATAL TABLET ORAL TABLET 28 MG IRON- 800 MCG (prenatal vit-iron fum-folic ac)	Nivel 1	MO
<i>prenatal vit no.179-iron-folic oral tablet 28 mg iron- 800 mcg</i>	Nivel 1	MO
PRENATAL VITAMIN ORAL TABLET 27 MG IRON- 0.8 MG, 27 MG IRON- 800 MCG	Nivel 1	MO
PRENATAL VITAMIN PLUS LOW IRON ORAL TABLET 27 MG IRON- 1 MG (pnv,calcium 72-iron-folic acid)	Nivel 1	MO
PRENATAL VITAMIN WITH MINERALS ORAL TABLET 28 MG IRON- 800 MCG (prenatal vit-iron fum-folic ac)	Nivel 1	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>prenatal vit-iron fum-folic ac oral tablet</i> (Prenatal Tablet) 28 mg iron- 800 mcg	Nivel 1	MO
PRENATAL WITH DHA-FOLIC ACID ORAL TABLET,CHEWABLE 400-32.5 MCG-MG	Nivel 1	MO
PROVIDA OB ORAL CAPSULE 40 MG IRON- 1.25 MG	Nivel 1	MO
SE-NATAL 19 CHEWABLE ORAL TABLET,CHEWABLE 29 MG IRON- 1 MG	Nivel 1	MO
SE-NATAL 19 ORAL TABLET 29 MG IRON- 1 MG	Nivel 1	MO
SIMILAC PRENATAL ORAL COMBO PACK 27 MG IRON-800 MCG-200 MG	Nivel 1	MO
STUART ONE ORAL CAPSULE 27 MG IRON- 800 MCG-200 MG	Nivel 1	MO
THERANATAL COMPLETE ORAL COMBO PACK 27 MG IRON- 1 MG-150 MG	Nivel 1	MO
THERANATAL ONE ORAL CAPSULE 27 MG IRON-1000 MCG-300 MG	Nivel 1	MO
THERANATAL ORAL TABLET 27 MG IRON- 1 MG	Nivel 1	MO
THERANATAL PLUS ORAL COMBO PACK 27 MG IRON- 1 MG-300 MG	Nivel 1	MO
THRIVITE RX ORAL TABLET 29 MG IRON- 1 MG	Nivel 1	MO
TRICARE ORAL TABLET 27 MG IRON- 1 MG	Nivel 1	MO
TRINATAL RX 1 ORAL TABLET 60 MG IRON-1 MG	Nivel 1	MO
TRINATE ORAL TABLET 28 MG IRON- 1 MG	Nivel 1	MO
ULTRA PRENATAL PLUS DHA ORAL CAPSULE 27 MG-800 MCG- 250 MG- 200 MG	Nivel 1	MO
VITAFOL FE+ (WITH DOCUSATE) ORAL CAPSULE 90 MG IRON-1 MG - 50 MG-200 MG	Nivel 4	MO
VP-CH-PNV ORAL CAPSULE 30 MG IRON-1 MG -50 MG-260 MG	Nivel 2	MO
WESNATAL DHA COMPLETE ORAL COMBO PACK 29 MG IRON- 1 MG-200 MG	Nivel 1	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
WESTAB PLUS ORAL TABLET 27 MG IRON- 1 MG (pnv,calcium 72-iron-folic acid)	Nivel 1	MO
WOMEN'S PRENATAL PLUS DHA ORAL COMBO PACK 28 MG-975 MCG-200 MG	Nivel 1	MO
Preparados De Vitamina B		
B COMPLEX 100 INJECTION SOLUTION 100-2-100-2-2 MG/ML	Nivel 2	
B-COMPLEX INJECTION INJECTION SOLUTION 100-2-100-2-2 MG/ML	Nivel 2	
Preparados De Vitamina B1		
<i>thiamine hcl (vitamin b1) injection solution 100 mg/ml</i>	Nivel 2	
Preparados De Vitamina B12		
<i>cyanocobalamin (vitamin b-12) injection solution 1,000 mcg/ml</i> (Dodex)	Nivel 2	MO
<i>cyanocobalamin (vitamin b-12) nasal spray,non-aerosol 500 mcg/spray</i> (Nascobal)	Nivel 2	MO
DODEX INJECTION SOLUTION 1,000 MCG/ML (cyanocobalamin (vitamin b-12))	Nivel 2	MO
<i>hydroxocobalamin intramuscular solution 1,000 mcg/ml</i>	Nivel 2	
<i>mecobalamin (vitamin b12) injection recon soln 10,000 mcg</i>	Nivel 2	
Preparados De Vitamina B6		
<i>pyridoxine (vitamin b6) injection solution 100 mg/ml</i>	Nivel 2	
Preparados De Vitamina C		
ASCOR INTRAVENOUS SOLUTION 500 MG/ML	Nivel 4	
<i>ascorbic acid (vitamin c) injection solution 500 mg/ml</i>	Nivel 2	
Preparados De Vitamina D		
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	Nivel 2	MO
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	Nivel 2	MO
<i>ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit)</i> (Vitamin D2)	Nivel 2	MO
ROCALTROL ORAL SOLUTION 1 MCG/ML (calcitriol)	Nivel 4	MO
VITAMIN D2 ORAL CAPSULE 1,250 MCG (50,000 UNIT) (ergocalciferol (vitamin d2))	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Preparados Multivitamínicos		
FOLET ONE ORAL CAPSULE 38 MG IRON-1 MG -25 MG-225 MG	Nivel 4	MO
OBSTETRIX ONE ORAL CAPSULE 38 MG IRON-1 MG -25 MG-225 MG	Nivel 4	MO
TARON-PREX PRENATAL-DHA ORAL CAPSULE 30 MG IRON-1.2 MG-55 MG- 265 MG	Nivel 2	MO
Sustituto De Hierro		
ACCRUFER ORAL CAPSULE 30 MG	Nivel 4	
CITRANATAL BLOOM ORAL TABLET 90-1-12-50 MG-MG-MCG-MG	Nivel 4	
TRIFERIC HEMODIALYSIS POWDER IN PACKET 272 MG IRON	Nivel 4	MO
TRIFERIC HEMODIALYSIS SOLUTION 27.2 MG IRON/5 ML	Nivel 4	MO
Vitaminas Prenatales Si Hierro		
ALTRIXA OB ORAL TABLET 15 MG IRON- 1,750 MCG DFE	Nivel 1	MO
MATERVIA ORAL CAPSULE 6.5 MG IRON- 500 MCG	Nivel 1	MO
ONE-A-DAY PRENATAL ORAL TABLET,CHEWABLE 400 MCG- 25 MG	Nivel 1	MO
PRENATAL GUMMIES ORAL TABLET,CHEWABLE 400 MCG-35 MG- 25 MG-5 MG	Nivel 1	MO
PRENATAL GUMMIES(ZINC CHELATE) ORAL TABLET,CHEWABLE 180 MCG-35 MG- 25 MG-5 MG	Nivel 1	
PRENATAL ORAL TABLET,CHEWABLE 400 MCG	Nivel 1	MO
THERANATAL OVAVITE ORAL COMBO PACK 18-1-125 MG-MG-UNIT	Nivel 1	MO
VITAFOL GUMMIES ORAL TABLET,CHEWABLE 3.33 MG IRON- 0.33 MG	Nivel 1	MO
Deficiencia Hormonal		
BIJUVA ORAL CAPSULE 0.5-100 MG	Nivel 3	MO; QL (1 EA per 1 day)
BIJUVA ORAL CAPSULE 1-100 MG	Nivel 3	MO; QL (30 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>paroxetine mesylate(menop.sym) oral capsule 7.5 mg</i>	Nivel 2	MO; ST: Must meet any of the following requirements: Paroxetine HCL or Venlafaxine in 120 days; QL (1 EA per 1 day)
VEOZAH ORAL TABLET 45 MG	Nivel 4	MO
Agentes Androgénicos		
ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %) (testosterone)	Nivel 4	PA; MO; QL (5 GM per 1 day)
DEPO-TESTOSTERONE INTRAMUSCULAR OIL 100 MG/ML (testosterone cypionate)	Nivel 4	PA; MO; QL (10 ML per 28 days)
JATENZO ORAL CAPSULE 158 MG, 198 MG	Nivel 4	PA; MO; QL (4 EA per 1 day)
JATENZO ORAL CAPSULE 237 MG	Nivel 4	PA; MO; QL (2 EA per 1 day)
KYZATREX ORAL CAPSULE 100 MG	Nivel 4	PA; MO; QL (2 EA per 1 day)
KYZATREX ORAL CAPSULE 150 MG, 200 MG	Nivel 4	PA; MO; QL (4 EA per 1 day)
METHITEST ORAL TABLET 10 MG (methyltestosterone)	Nivel 4	PA; MO
<i>methyltestosterone oral capsule 10 mg</i>	Nivel 2	PA; MO
NATESTO NASAL GEL IN METERED-DOSE PUMP 5.5 MG/0.122 GRAM/ACTUATION	Nivel 4	PA; MO; QL (22 GM per 30 days)
TESTIM TRANSDERMAL GEL 50 MG/5 GRAM (1 %) (testosterone)	Nivel 4	PA; MO; QL (10 GM per 1 day)
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	Nivel 2	PA; MO; QL (10 ML per 28 days)
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	Nivel 2	PA; QL (5 ML per 28 days)
<i>testosterone transdermal gel 50 mg/5 gram (1 %)</i> (Testim)	Nivel 2	PA; MO; QL (10 GM per 1 day)
<i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i>	Nivel 2	PA; MO; QL (4 GM per 1 day)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	Nivel 2	PA; MO; QL (10 GM per 1 day)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	Nivel 2	PA; MO; QL (5 GM per 1 day)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1.62 % (40.5 mg/2.5 gram)</i>	Nivel 2	PA; MO; QL (5 GM per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>testosterone transdermal gel in packet 1 % (50 mg/5 gram)</i> (Vogelxo)	Nivel 2	PA; MO; QL (10 GM per 1 day)
<i>testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram)</i>	Nivel 2	PA; MO; QL (1.25 GM per 1 day)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	Nivel 2	PA; MO; QL (6 ML per 1 day)
TLANDO ORAL CAPSULE 112.5 MG	Nivel 4	PA; MO; QL (4 EA per 1 day)
VOGELXO TRANSDERMAL GEL 50 MG/5 GRAM (1 %) (testosterone)	Nivel 4	PA; MO; QL (10 GM per 1 day)
VOGELXO TRANSDERMAL GEL IN METERED-DOSE PUMP 12.5 MG/ 1.25 GRAM (1 %) (testosterone)	Nivel 4	PA; MO; QL (10 GM per 1 day)
VOGELXO TRANSDERMAL GEL IN PACKET 1 % (50 MG/5 GRAM) (testosterone)	Nivel 4	PA; MO; QL (10 GM per 1 day)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	Nivel 4	PA; MO; QL (2 ML per 28 days)
Agentes Estrogénicos		
ABIGALE LO ORAL TABLET 0.5-0.1 MG (estradiol-norethindrone acet)	Nivel 2	MO
ABIGALE ORAL TABLET 1-0.5 MG (estradiol-norethindrone acet)	Nivel 2	MO
ACTIVELLA ORAL TABLET 1-0.5 MG (estradiol-norethindrone acet)	Nivel 4	MO
CLIMARA PRO TRANSDERMAL PATCH WEEKLY 0.045-0.015 MG/24 HR	Nivel 4	MO; ST: Must meet the following requirement: Combipatch in 120 days; QL (1 EA per 7 days)
CLIMARA TRANSDERMAL PATCH WEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR (estradiol)	Nivel 4	MO; QL (1 EA per 7 days)
COMBIPATCH TRANSDERMAL PATCH SEMIWEEKLY 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR	Nivel 3	MO; QL (2 EA per 7 days)
DELESTROGEN INTRAMUSCULAR OIL 20 MG/ML (estradiol valerate)	Nivel 4	
DEPO-ESTRADIOL INTRAMUSCULAR OIL 5 MG/ML (estradiol cypionate)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
DIVIGEL TRANSDERMAL GEL IN PACKET 0.25 MG/0.25 GRAM (0.1 %), 0.5 MG/0.5 GRAM (0.1 %), 0.75 MG/0.75 GRAM (0.1%) (estradiol)	Nivel 4	MO; ST: Must meet any of the following requirements: generic Climara, Minivelle, Vivelle-Dot in 120 days; QL (30 EA per 30 days)
DIVIGEL TRANSDERMAL GEL IN PACKET 1 MG/GRAM (0.1 %) (estradiol)	Nivel 4	MO; ST: Must meet any of the following requirements: generic Climara, Minivelle, Vivelle-Dot in 120 days; QL (30 GM per 30 days)
DIVIGEL TRANSDERMAL GEL IN PACKET 1.25 MG/1.25 GRAM (0.1 %) (estradiol)	Nivel 4	MO; ST: Must meet any of the following requirements: generic Climara, Minivelle, Vivelle-Dot in 120 days; QL (37.5 GM per 30 days)
DOTTI TRANSDERMAL PATCH SEMIWEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR (estradiol)	Nivel 2	MO; QL (2 EA per 7 days)
ELESTRIN TRANSDERMAL GEL IN METERED-DOSE PUMP 0.87 GRAM/ACTUATION	Nivel 4	MO; ST: Must meet any of the following requirements: generic Climara, Minivelle, Vivelle-Dot in 120 days; QL (52 GM per 30 days)
estradiol oral tablet 0.5 mg, 1 mg, 2 mg	Nivel 2	MO
estradiol transdermal gel in metered-dose pump 1.25 gram/actuation (EstroGel)	Nivel 2	MO; ST: Must meet any of the following requirements: generic Climara, Minivelle, Vivelle-Dot in 120 days
estradiol transdermal gel in packet 0.25 mg/0.25 gram (0.1 %), 0.5 mg/0.5 gram (0.1 %), 0.75 mg/0.75 gram (0.1%) (Divigel)	Nivel 2	MO; ST: Must meet any of the following requirements: generic Climara, Minivelle, Vivelle-Dot in 120 days; QL (30 EA per 30 days)
estradiol transdermal gel in packet 1 mg/gram (0.1 %) (Divigel)	Nivel 2	MO; ST: Must meet any of the following requirements: generic Climara, Minivelle, Vivelle-Dot in 120 days; QL (30 GM per 30 days)
estradiol transdermal gel in packet 1.25 mg/1.25 gram (0.1 %) (Divigel)	Nivel 2	MO; ST: Must meet any of the following requirements: generic Climara, Minivelle, Vivelle-Dot in 120 days; QL (37.5 GM per 30 days)
estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (Dotti)	Nivel 2	MO; QL (2 EA per 7 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	Nivel 2	MO; QL (1 EA per 7 days)
<i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml</i> (Delestrogen)	Nivel 2	
<i>estradiol valerate intramuscular oil 40 mg/ml</i>	Nivel 2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Abigale Lo)	Nivel 2	MO
<i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i> (Abigale)	Nivel 2	MO
ESTROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 1.25 GRAM/ACTUATION (estradiol)	Nivel 4	MO; ST: Must meet any of the following requirements: generic Climara, Minivelle, Vivelle-Dot in 120 days
EVAMIST TRANSDERMAL SPRAY, NON-AEROSOL 1.53 MG/SPRAY (1.7%)	Nivel 4	MO; ST: Must meet any of the following requirements: generic Climara, Minivelle, Vivelle-Dot in 120 days; QL (16.2 ML per 30 days)
FYAVOLV ORAL TABLET 0.5-2.5 MG-MCG, 1-5 MG-MCG (norethindrone ac-eth estradiol)	Nivel 1	MO
JINTELI ORAL TABLET 1-5 MG-MCG (norethindrone ac-eth estradiol)	Nivel 1	MO
LYLLANA TRANSDERMAL PATCH SEMI-WEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR (estradiol)	Nivel 2	MO; QL (2 EA per 7 days)
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG	Nivel 4	MO
MENOSTAR TRANSDERMAL PATCH WEEKLY 14 MCG/24 HR	Nivel 4	MO; QL (1 EA per 7 days)
MIMVEY ORAL TABLET 1-0.5 MG (estradiol-norethindrone acet)	Nivel 2	MO
MINIVELLE TRANSDERMAL PATCH SEMI-WEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR (estradiol)	Nivel 4	MO; QL (2 EA per 7 days)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	Nivel 1	MO
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	Nivel 3	MO
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens)	Nivel 3	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	Nivel 3	MO
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	Nivel 3	MO
VIVELLE-DOT TRANSDERMAL PATCH (estradiol) SEMIWEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	Nivel 4	MO; QL (2 EA per 7 days)
Agentes Progestacionales		
CRINONE VAGINAL GEL 4 %	Nivel 3	
GALLIFREY ORAL TABLET 5 MG (norethindrone acetate)	Nivel 2	MO
medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg (Provera)	Nivel 2	MO
norethindrone acetate oral tablet 5 mg (Gallifrey)	Nivel 2	MO
progesterone intramuscular oil 50 mg/ml	Nivel 2	
progesterone micronized oral capsule 100 mg, 200 mg (Prometrium)	Nivel 2	MO
PROMETRIUM ORAL CAPSULE 100 MG, 200 MG (progesterone micronized)	Nivel 4	MO
PROVERA ORAL TABLET 10 MG, 2.5 MG, 5 MG (medroxyprogesterone)	Nivel 4	MO
Combinaciones De Estrógeno/Andrógeno		
COVARYX H.S. ORAL TABLET 0.625-1.25 MG (estrogens-methyltestosterone)	Nivel 2	MO
COVARYX ORAL TABLET 1.25-2.5 MG (estrogens-methyltestosterone)	Nivel 2	MO
EEMT HS ORAL TABLET 0.625-1.25 MG (estrogens-methyltestosterone)	Nivel 2	MO
EEMT ORAL TABLET 1.25-2.5 MG (estrogens-methyltestosterone)	Nivel 2	MO
ESTRATEST F.S. ORAL TABLET 1.25-2.5 MG (estrogens-methyltestosterone)	Nivel 2	MO
estrogens-methyltestosterone oral tablet 0.625-1.25 mg (Covaryx H.S.)	Nivel 2	MO
estrogens-methyltestosterone oral tablet 1.25-2.5 mg (Covaryx)	Nivel 2	MO
Estrógeno & Mod De Recept Selectivo De Estrógeno (Serm) Comb		
DUAVEE ORAL TABLET 0.45-20 MG	Nivel 3	MO
Estrógeno & Progestina Con Antagonista De La Aldosterona Cb		
ANGELIQ ORAL TABLET 0.25-0.5 MG, 0.5-1 MG	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Dermatología - Acné		
WINLEVI TOPICAL CREAM 1 %	Nivel 4	PA; QL (60 GM per 30 days)
Agentes De Acne, Sistémico		
ABSORICA LD ORAL CAPSULE 16 MG, 24 MG, 32 MG, 8 MG	Nivel 4	ST: Must meet the following requirement: Preferred generic Isotretinoin in 120 days
ACCUTANE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG (isotretinoin)	Nivel 2	
AMNESTEEM ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG (isotretinoin)	Nivel 2	
CLARAVIS ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG (isotretinoin)	Nivel 2	
isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg (Accutane)	Nivel 2	
isotretinoin oral capsule 25 mg, 35 mg (Absorica)	Nivel 2	ST: Must meet the following requirement: Preferred generic Isotretinoin in 120 days
ZENATANE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG (isotretinoin)	Nivel 2	
Agentes De Acne, Tópicos		
ACANYA TOPICAL GEL WITH PUMP 1.2-2.5 % (clindamycin-benzoyl peroxide)	Nivel 4	ST: Must meet the following requirement: generic Clindamycin/Benzoyl Peroxide gel in 120 days
ACIOXIAY TOPICAL CREAM 15-4 % (azelaic acid-niacinamide)	Nivel 4	
ACZONE TOPICAL GEL 5 % (dapsone)	Nivel 4	
ACZONE TOPICAL GEL WITH PUMP 7.5 % (dapsone)	Nivel 4	
ADAINZOXIA TOPICAL GEL 0.3-2.5-4 % (adapalene-benzoyl perox-niacin)	Nivel 4	
ADALINA TOPICAL GEL 5-4 % (spironolactone-niacinamide)	Nivel 4	
adapalene-benzoyl peroxide topical gel with pump 0.1-2.5 % (Epiduo)	Nivel 2	
adapalene-benzoyl peroxide topical gel with pump 0.3-2.5 % (Epiduo Forte)	Nivel 2	
ADEINZDE TOPICAL GEL 0.1-2.5-1 %	Nivel 4	
ADERMICA HP TOPICAL GEL 0.05-2.5-1-2 %	Nivel 4	

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ADERMICA TOPICAL GEL 0.025-2.5-1-2 %	(tretinoin-benzoyl-clinda-niac)	Nivel 4	
ADMIRAZOL HP TOPICAL CREAM 8.5-5-2 %		Nivel 4	
ADMIRAZOL TOPICAL CREAM 6-5-2 %		Nivel 4	
ALIXI HP TOPICAL CREAM 8.5-4 %		Nivel 4	
ALIXI TOPICAL CREAM 6-4 %		Nivel 4	
ALOMIRA HP TOPICAL GEL 0.1-5-1-2 %		Nivel 4	
ALOMIRA LP TOPICAL GEL 0.025-5-1-2 %	(tretinoin-benzoyl-clinda-niac)	Nivel 4	
ALOMIRA TOPICAL GEL 0.05-5-1-2 %	(tretinoin-benzoyl-clinda-niac)	Nivel 4	
ALURIS HP PLUS TOPICAL CREAM 0.1-0.5-4 %	(tretinoin-hyaluronate-niacin)	Nivel 4	
ALURIS HP TOPICAL CREAM 0.1-4 %		Nivel 4	
ALURIS LP PLUS TOPICAL CREAM 0.025-0.5-4 %	(tretinoin-hyaluronate-niacin)	Nivel 4	
ALURIS LP TOPICAL CREAM 0.025-4 %	(tretinoin-niacinamide)	Nivel 4	
ALURIS PLUS TOPICAL CREAM 0.05-0.5-4 %	(tretinoin-hyaluronate-niacin)	Nivel 4	
ALURIS TOPICAL CREAM 0.05-4 %	(tretinoin-niacinamide)	Nivel 4	
ALURIS TOPICAL GEL 0.05-4 %	(tretinoin-niacinamide)	Nivel 4	
ALUXOF HP TOPICAL GEL 0.1-10-2-4-4 %		Nivel 4	
ALUXOF TOPICAL GEL 0.05-10-2-4-4 %		Nivel 4	
APEXOL HP TOPICAL SUSPENSION 5-10 %	(salicylic acid-sulfacetamide)	Nivel 4	
APEXOL TOPICAL SUSPENSION 2-8 %	(salicylic acid-sulfacetamide)	Nivel 4	
APHORIA TOPICAL GEL 0.3-2.5-4 %	(adapalene-benzoyl perox-niacin)	Nivel 4	
APORIX TOPICAL GEL 1-4 %	(clindamycin-niacinamide)	Nivel 4	
APORIX TOPICAL LOTION 1-4 %	(clindamycin-niacinamide)	Nivel 4	
ARTILIS HP TOPICAL GEL 5-1-4 %	(benzoyl per-clindamycin-niacin)	Nivel 4	
ARTILIS TOPICAL GEL 2.5-1-4 %	(benzoyl per-clindamycin-niacin)	Nivel 2	
AUGUSTIL TOPICAL GEL 0.025-1-2-4 %	(tretinoin-clinda-spiron-niacin)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
AVIDORA HP TOPICAL CREAM 0.05-1-4 %	Nivel 4	
AVIDORA TOPICAL CREAM 0.025-1-4 % (tretinoin-clindamycin-niacin)	Nivel 4	
AVIDORA TOPICAL SOLUTION 0.025-1-4 %	Nivel 4	
AWANIS TOPICAL CREAM 0.025-8.5-2 %	Nivel 4	
AZALTA HP TOPICAL GEL 0.05-5-2 % (tretinoin-spironolact-niacin)	Nivel 4	
AZALTA TOPICAL GEL 0.025-5-2 % (tretinoin-spironolact-niacin)	Nivel 4	
AZELEX TOPICAL CREAM 20 %	Nivel 4	ST: Must meet any of the following requirements: generic topicals: Adapalene+/-Benzoyl Peroxide, Clindamycin+/-Benzoyl Peroxide, Erythromycin+/-Benzoyl Peroxide, Sulfacetamide+/-Sulfur, or Tretinoin in 120 days
CABTREO TOPICAL GEL 0.15-3.1-1.2 %	Nivel 4	PA
clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 % (Neuac)	Nivel 2	
clindamycin-benzoyl peroxide topical gel 1-5 %	Nivel 2	
clindamycin-benzoyl peroxide topical gel with pump 1.2 %(1 % base) -3.75 % (Onexton)	Nivel 2	
clindamycin-benzoyl peroxide topical gel with pump 1.2-2.5 % (Acanya)	Nivel 2	ST: Must meet the following requirement: generic Clindamycin/Benzoyl Peroxide gel in 120 days
clindamycin-benzoyl peroxide topical gel with pump 1-5 %	Nivel 2	
clindamycin-tretinoin topical gel 1.2-0.025 % (Veltin)	Nivel 2	ST: Must meet the following requirement: Clindamycin gel or Tretinoin 0.025% gel in 120 days
dapsone topical gel 5 % (Aczone)	Nivel 2	
dapsone topical gel 7.5 %	Nivel 2	
dapsone topical gel with pump 7.5 % (Aczone)	Nivel 2	

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
DEOXIA TOPICAL GEL 1-4 %	(clindamycin-niacinamide)	Nivel 4	
DEOXIA TOPICAL LOTION 1-4 %	(clindamycin-niacinamide)	Nivel 4	
DEOXIADENTAR TOPICAL GEL 0.025-1-2-4 %	(tretinoin-clinda-spiro-niacin)	Nivel 4	
DEOXIATAR TOPICAL SOLUTION 0.025-1-4 %		Nivel 4	
DEOXIATAR TOPICAL CREAM 0.05-1-4 %		Nivel 4	
DIADIMAXIA TOPICAL CREAM 6-5-2 %		Nivel 4	
DIADIMAXIA TOPICAL GEL 6-5-2 %	(dapsone-spiro-niacin)	Nivel 4	
DIAOXIA TOPICAL CREAM 6-4 %		Nivel 4	
DIAOXIA TOPICAL GEL 6-4 %	(dapsone-niacinamide)	Nivel 4	
DIASAXIATAR TOPICAL CREAM 0.025-8.5-2 %		Nivel 4	
DIASAXIATAR TOPICAL GEL 0.025-8.5-2 %		Nivel 4	
DIASDIMAXIA TOPICAL CREAM 8.5-5-2 %		Nivel 4	
DIASDIMAXIA TOPICAL GEL 8.5-5-2 %	(dapsone-spiro-niacin)	Nivel 4	
DIASOXIA TOPICAL CREAM 8.5-4 %		Nivel 4	
DIASOXIA TOPICAL GEL 8.5-4 %	(dapsone-niacinamide)	Nivel 4	
DIMOXIA TOPICAL GEL 5-4 %	(spironolactone-niacinamide)	Nivel 4	
DRAXACE TOPICAL SUSPENSION 2-8 %	(salicylic acid-sulfacetamide)	Nivel 4	
DRAXACEY TOPICAL SUSPENSION 2-8 %	(salicylic acid-sulfacetamide)	Nivel 4	
DRIXECE TOPICAL SUSPENSION 5-10 %	(salicylic acid-sulfacetamide)	Nivel 4	
EPIDUO FORTE TOPICAL GEL WITH PUMP 0.3-2.5 %	(adapalene-benzoyl peroxide)	Nivel 4	
EPIDUO TOPICAL GEL WITH PUMP 0.1-2.5 %	(adapalene-benzoyl peroxide)	Nivel 4	
IDYYXIATAR TOPICAL GEL 0.025-5 %		Nivel 4	
INZDEAXIATAR TOPICAL GEL 0.025-2.5-1-2 %	(tretinoin-benzoyl-clinda-niac)	Nivel 4	
INZDEAXIATAR TOPICAL GEL 0.05-2.5-1-2 %		Nivel 4	
INZDEOXIA TOPICAL GEL 2.5-1-4 %	(benzoyl per-clindamycin-niacin)	Nivel 4	

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
KLARON TOPICAL SUSPENSION 10 %	(sulfacetamide sodium (acne))	Nivel 4	
LOUNZDOMDIOXIATAR TOPICAL GEL 0.05-10-2-4-4 %		Nivel 4	
NEUAC KIT TOPICAL COMBO PACK, CREAM AND GEL 1.2-5 %		Nivel 4	
NEUAC TOPICAL GEL 1.2 % (1 % BASE) -5 %	(clindamycin-benzoyl peroxide)	Nivel 2	
ONEXTON TOPICAL GEL WITH PUMP 1.2 % (1 % BASE) -3.75 %	(clindamycin-benzoyl peroxide)	Nivel 4	
ONZDEAXIADEMTAR TOPICAL GEL 0.025-5-1-2-2 %		Nivel 4	
ONZDEAXIADEMVAR TOPICAL GEL 0.05-5-1-2-2 %		Nivel 4	
ONZDEAXIATAR TOPICAL GEL 0.025-5-1-2 %	(tretinoin-benzoyl-clindamycin)	Nivel 4	
ONZDEAXIAVAR TOPICAL GEL 0.05-5-1-2 %	(tretinoin-benzoyl-clindamycin)	Nivel 4	
ONZDEAXIAZAR TOPICAL GEL 0.1-5-1-2 %		Nivel 4	
ONZDEOXIA TOPICAL GEL 5-1-4 %	(benzoyl per-clindamycin-niacin)	Nivel 4	
OXIATAR TOPICAL CREAM 0.025-0.5-4 %	(tretinoin-hyaluronate-niacin)	Nivel 4	
OXIAVARRY TOPICAL CREAM 0.05-0.5-4 %	(tretinoin-hyaluronate-niacin)	Nivel 4	
OXIAVARY TOPICAL CREAM 0.1-4 %		Nivel 4	
OXIAZAR TOPICAL CREAM 0.1-0.5-4 %	(tretinoin-hyaluronate-niacin)	Nivel 4	
RUMILO TOPICAL CREAM 15-4 %	(azelaic acid-niacinamide)	Nivel 4	
SAROXIA TOPICAL CREAM 0.05-4 %	(tretinoin-niacinamide)	Nivel 4	
SIRVANA TOPICAL GEL 0.025-5 %		Nivel 4	
SORIXIA TOPICAL CREAM 0.05-4 %	(tretinoin-niacinamide)	Nivel 4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	(Klaron)	Nivel 2	
TARDEOXIA TOPICAL CREAM 0.025-1-4 %	(tretinoin-clindamycin-niacin)	Nivel 4	
TARDIMAXIA TOPICAL GEL 0.025-5-2 %	(tretinoin-spironolactone-niacin)	Nivel 4	
TAROXIA TOPICAL CREAM 0.025-4 %	(tretinoin-niacinamide)	Nivel 4	
TAROXIA TOPICAL GEL 0.025-4 %	(tretinoin-niacinamide)	Nivel 4	
TWYNEO TOPICAL CREAM 0.1-3 %		Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
UNZDOMDIOXIAZAR TOPICAL GEL 0.1-10-2-4-4 %	Nivel 4	
VARDIMAXIA TOPICAL GEL 0.05-5-2 % (tretinoin-spironolact-niacin)	Nivel 4	
VAROXIA TOPICAL CREAM 0.05-4 % (tretinoin-niacinamide)	Nivel 4	
VAROXIA TOPICAL GEL 0.05-4 % (tretinoin-niacinamide)	Nivel 4	
Agentes De Rosácea, Tópicos		
AVEIDA TOPICAL GEL 1-1 %	Nivel 4	
AVEIDAOXIA TOPICAL GEL 1-1-4 % (ivermectin-metronidazol-niacin)	Nivel 4	
<i>azelaic acid topical gel 15 %</i>	Nivel 2	
BAXONIL TOPICAL OINTMENT 1-2 %	Nivel 4	
<i>brimonidine topical gel with pump 0.33 %</i> (Mirvaso)	Nivel 2	
DAZAVEIDAOXIA TOPICAL GEL 0.25-1-1-4 %	Nivel 4	
DAZOMON TOPICAL GEL 0.25 %	Nivel 4	
EPSOLAY TOPICAL CREAM 5 %	Nivel 4	ST: Must meet the following requirement: generic topical Metronidazole in 120 days; QL (30 GM per 30 days); Age (Min 18 Years)
FINACEA TOPICAL FOAM 15 %	Nivel 3	
IDARAN TOPICAL OINTMENT 1-2 %	Nivel 4	
<i>ivermectin topical cream 1 %</i> (Soolantra)	Nivel 2	ST: Must meet the following requirement: Finacea gel or foam in 120 days
METROCREAM TOPICAL CREAM 0.75 % (metronidazole)	Nivel 4	
METROGEL TOPICAL GEL 1 % (metronidazole)	Nivel 4	
METROLOTION TOPICAL LOTION 0.75 % (metronidazole)	Nivel 4	
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	Nivel 2	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	Nivel 2	
<i>metronidazole topical gel 1 %</i> (Metrogel)	Nivel 2	
<i>metronidazole topical gel with pump 1 %</i>	Nivel 2	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	Nivel 2	
MIRVASO TOPICAL GEL WITH PUMP 0.33 % (brimonidine)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
NORITATE TOPICAL CREAM 1 %	Nivel 4	ST: Must meet the following requirement: generic Metronidazole 0.75% gel, lotion or cream in 120 days
REMYDA TOPICAL GEL 0.25 %	Nivel 4	
RESTIMO TOPICAL GEL 1-1 %	Nivel 4	
RHOFADE TOPICAL CREAM 1 %	Nivel 4	
ROSADAN TOPICAL CREAM 0.75 % (metronidazole)	Nivel 2	
ROSADAN TOPICAL GEL 0.75 % (metronidazole)	Nivel 4	
ROSADAN TOPICAL KIT, CLEANSER AND GEL 0.75 %	Nivel 4	
ROSADAN TOPICAL KIT, CLEANSER AND CREAM 0.75 %	Nivel 4	
ROSITARA TOPICAL GEL 1-1-4 % (ivermectin-metronidazole-niacin)	Nivel 4	
ROVIS TOPICAL GEL 0.25-1-1-4 %	Nivel 4	
SOOLANTRA TOPICAL CREAM 1 % (ivermectin)	Nivel 4	ST: Must meet the following requirement: Finacea gel or foam in 120 days
Combinaciones Queratolítica-Glucocorticoides		
VANOXIDE-HC TOPICAL SUSPENSION 5-0.5 %	Nivel 3	
Derivados De Vitamina A		
<i>adapalene topical cream 0.1 %</i> (Differin)	Nivel 2	
<i>adapalene topical gel 0.3 %</i>	Nivel 2	
<i>adapalene topical gel with pump 0.3 %</i> (Differin)	Nivel 2	
<i>adapalene topical lotion 0.1 %</i> (Differin)	Nivel 2	Age (Max 39 Years)
<i>adapalene topical solution 0.1 %</i>	Nivel 2	ST: Must meet the following requirement: Adapalene 0.1% gel in 120 days
<i>adapalene topical swab 0.1 %</i>	Nivel 2	ST: Must meet the following requirement: Adapalene 0.1% gel in 120 days; QL (1 EA per 1 day)
ALTRENO TOPICAL LOTION 0.05 %	Nivel 4	
ATRALIN TOPICAL GEL 0.05 % (tretinoin)	Nivel 4	
AVITA TOPICAL CREAM 0.025 % (tretinoin)	Nivel 2	
AVITA TOPICAL GEL 0.025 % (tretinoin)	Nivel 2	
DIFFERIN TOPICAL CREAM 0.1 % (adapalene)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
DIFFERIN TOPICAL GEL WITH PUMP 0.3 % (adapalene)	Nivel 4	
DIFFERIN TOPICAL LOTION 0.1 % (adapalene)	Nivel 4	Age (Max 39 Years)
RETIN-A MICRO PUMP TOPICAL GEL WITH PUMP 0.04 %, 0.1 % (tretinoin microspheres)	Nivel 4	Age (Max 39 Years)
RETIN-A MICRO PUMP TOPICAL GEL WITH PUMP 0.06 %	Nivel 4	ST: Must meet the following requirements: Generic Tretinoin Microspheres 0.04% and 0.10% in 365 days; Age (Max 39 Years)
RETIN-A MICRO PUMP TOPICAL GEL WITH PUMP 0.08 % (tretinoin microspheres)	Nivel 4	ST: Must meet the following requirements: Generic Tretinoin Microspheres 0.04% and 0.10% in 365 days; Age (Max 39 Years)
RETIN-A MICRO TOPICAL GEL 0.04 %, 0.1 % (tretinoin microspheres)	Nivel 4	Age (Max 39 Years)
RETIN-A TOPICAL CREAM 0.025 %, 0.05 %, 0.1 % (tretinoin)	Nivel 4	
RETIN-A TOPICAL GEL 0.01 %, 0.025 % (tretinoin)	Nivel 4	
<i>tretinoin microspheres topical gel 0.04 %, 0.1 %</i> (Retin-A Micro)	Nivel 2	Age (Max 39 Years)
<i>tretinoin microspheres topical gel with pump 0.04 %, 0.1 %</i> (Retin-A Micro Pump)	Nivel 2	Age (Max 39 Years)
<i>tretinoin microspheres topical gel with pump 0.08 %</i> (Retin-A Micro Pump)	Nivel 2	ST: Must meet the following requirements: Generic Tretinoin Microspheres 0.04% and 0.10% in 365 days; Age (Max 39 Years)
<i>tretinoin topical cream 0.025 %</i> (Avita)	Nivel 2	
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	Nivel 2	
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	Nivel 2	
<i>tretinoin topical gel 0.025 %</i> (Avita)	Nivel 2	
<i>tretinoin topical gel 0.05 %</i> (Atralin)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Derivados De Vitamina A, Agentes Tópicos De Acne		
AKLIEF TOPICAL CREAM 0.005 %	Nivel 4	ST: Must meet any of the following requirements: generic topicals: Adapalene (gel, cream, lotion, or solution), Tazarotene, or Tretinoin in 120 days; Age (Max 39 Years)
ALVOX HP TOPICAL CREAM 0.1-4 % (tazarotene-niacinamide)	Nivel 4	
ALVOX TOPICAL CREAM 0.05-4 % (tazarotene-niacinamide)	Nivel 4	
ARAZLO TOPICAL LOTION 0.045 %	Nivel 4	ST: Must meet any of the following requirements: generic topicals: Adapalene (gel, cream, lotion, or solution), Tazarotene, or Tretinoin in 120 days
ETHOXIA TOPICAL CREAM 0.05-4 % (tazarotene-niacinamide)	Nivel 4	
ITHOXIA TOPICAL CREAM 0.1-4 % (tazarotene-niacinamide)	Nivel 4	
tazarotene topical foam 0.1 % (Fabior)	Nivel 2	ST: Must meet any of the following requirements: generic topicals: Adapalene (gel, cream, lotion, or solution), Tazarotene, or Tretinoin in 120 days
Preparados Tópicos, Antibacteriales		
ALCORTIN A TOPICAL GEL IN PACKET 2-1-1 %	Nivel 4	
BASADROX TOPICAL GEL IN PACKET	Nivel 4	
DERMAZENE TOPICAL CREAM IN PACKET 1-1 %	Nivel 4	
hydrocortisone-iodoquinol-aloe2 topical gel 2-1-1 % (Alcortin A)	Nivel 2	
hydrocortisone-iodoquinol topical cream 1-1 % (Corti-Sav)	Nivel 2	
hydrocortisone-iodoquinol-aloe topical cream in packet 1.9-1 % (Vytone)	Nivel 2	
IODOFLEX TOPICAL PADS, MEDICATED 0.9 %	Nivel 4	
IODOSORB TOPICAL GEL 0.9 %	Nivel 4	
LUGOLS TOPICAL SOLUTION 5-10 % (iodine-potassium iodide)	Nivel 2	
NORMLGEL AG TOPICAL GEL 0.11 %	Nivel 4	
QUINJA TOPICAL GEL 1.25-1 %	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>silver nitrate topical solution 0.5 %, 25 %, 50 %</i>	Nivel 2	
SILVRSTAT TOPICAL GEL 32 PPM	Nivel 4	
SOLOX GEL TOPICAL GEL 55 PPM (silver nitrate)	Nivel 4	
STRONG IODINE TOPICAL SOLUTION 5-10 % (iodine-potassium iodide)	Nivel 2	
VYTONE TOPICAL CREAM IN PACKET 1.9-1 % (hydrocortisone-iodoquinol-aloe)	Nivel 4	
Dermatología - Antiinfecciosos		
DAZINIA TOPICAL CREAM 2-1-2.5 % (ketoconazole-iodoquinol-hc)	Nivel 4	
PHEODOYO TOPICAL CREAM 2-1-2.5 % (ketoconazole-iodoquinol-hc)	Nivel 4	
Agente De Esteroides Tópico Antifúngico/Antiinflamatorio		
CLOBEZIN TOPICAL COMBO PACK 1-0.05-0.44 %	Nivel 4	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	Nivel 2	
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	Nivel 2	
DELIBON TOPICAL CREAM 2-2.5 % (ketoconazole-hydrocortisone)	Nivel 4	
DERMACINRX THERAZOLE PAK TOPICAL COMBO PACK 1-0.05-20 %	Nivel 4	
DIONARIS TOPICAL SHAMPOO 0.77-0.05-3 % (ciclopirox-clobetasol-salicyl)	Nivel 4	
DIVENDO TOPICAL SHAMPOO 0.77-0.05 % (ciclopirox-clobetasol)	Nivel 4	
HAXCHLO TOPICAL SHAMPOO 0.77-0.05 % (ciclopirox-clobetasol)	Nivel 4	
HAXCHLODREX TOPICAL SHAMPOO 0.77-0.05-3 % (ciclopirox-clobetasol-salicyl)	Nivel 4	
PHEYO TOPICAL CREAM 2-2.5 % (ketoconazole-hydrocortisone)	Nivel 4	
Agente Esteroideo, Antivirales tópicos/Antiinflamatorios		
XERESE TOPICAL CREAM 5-1 %	Nivel 4	ST: Must meet any of the following requirements: oral Acyclovir, Famciclovir, or Valacyclovir in 120 days; QL (10 GM per 365 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Agentes De Tratamiento De Verruga Genital-Hpv Tópicos		
VEREGEN TOPICAL OINTMENT 15 %	Nivel 4	ST: Must meet the following requirements: Imiquimod 5% cream packets and Podofilox 0.5% solution in 365 days; QL (30 GM per 1 FILL)
Antibióticos Tópicos		
AMZEEQ TOPICAL FOAM 4 %	Nivel 4	ST: Must meet 2 of the following requirements: generic topicals: Adapalene+/-Benzoyl Peroxide, Clindamycin+/-Benzoyl Peroxide, Erythromycin+/-Benzoyl Peroxide, Sulfacetamide+/-Sulfur, or Tretinoin in 365 days; Age (Min 9 Years)
BATIZIA TOPICAL OINTMENT 2-2 % (mupirocin-lidocaine)	Nivel 4	
BENZAMYCIN TOPICAL GEL 3-5 % (erythromycin-benzoyl peroxide)	Nivel 4	
CENTANY AT TOPICAL OINTMENT KIT 2 %	Nivel 4	
CENTANY TOPICAL OINTMENT 2 % (mupirocin)	Nivel 4	QL (90 GM per 1 FILL)
CLEOCIN T TOPICAL LOTION 1 % (clindamycin phosphate)	Nivel 4	
CLEOCIN T TOPICAL SOLUTION 1 % (clindamycin phosphate)	Nivel 4	QL (180 ML per 1 FILL)
CLINDACIN ETZ TOPICAL KIT 1 %	Nivel 4	
CLINDACIN ETZ TOPICAL SWAB 1 % (clindamycin phosphate)	Nivel 4	
CLINDACIN P TOPICAL SWAB 1 % (clindamycin phosphate)	Nivel 4	
CLINDACIN PAC TOPICAL KIT 1 %	Nivel 4	
CLINDACIN TOPICAL FOAM 1 % (clindamycin phosphate)	Nivel 4	
CLINDAGEL TOPICAL GEL, ONCE DAILY 1 % (clindamycin phosphate)	Nivel 4	ST: Must meet the following requirement: Clindamycin Phosphate 1% gel in 120 days
clindamycin phosphate topical foam 1 % (Clindacin)	Nivel 2	
clindamycin phosphate topical gel 1 %	Nivel 2	
clindamycin phosphate topical gel, once daily 1 % (Clindagel)	Nivel 2	ST: Must meet the following requirement: Clindamycin Phosphate 1% gel in 120 days
clindamycin phosphate topical lotion 1 % (Cleocin T)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>clindamycin phosphate topical solution 1 %</i>	Nivel 2	QL (180 ML per 1 FILL)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	Nivel 2	
ERY PADS TOPICAL SWAB 2 % (erythromycin with ethanol)	Nivel 2	
ERYGEL TOPICAL GEL 2 % (erythromycin with ethanol)	Nivel 4	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	Nivel 2	
<i>erythromycin with ethanol topical solution 2 %</i>	Nivel 2	QL (180 ML per 1 FILL)
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Benzamycin)	Nivel 2	
EVOCLIN TOPICAL FOAM 1 % (clindamycin phosphate)	Nivel 4	
<i>gentamicin topical cream 0.1 %</i>	Nivel 2	QL (90 GM per 1 FILL)
<i>gentamicin topical ointment 0.1 %</i>	Nivel 2	QL (90 GM per 1 FILL)
<i>mupirocin calcium topical cream 2 %</i>	Nivel 2	QL (90 GM per 1 FILL)
<i>mupirocin topical ointment 2 %</i> (Centany)	Nivel 2	QL (90 GM per 1 FILL)
NANRAN TOPICAL OINTMENT 2-2 % (mupirocin-lidocaine)	Nivel 4	
XEPI TOPICAL CREAM 1 %	Nivel 4	ST: Must meet the following requirement: Mupirocin ointment in 120 days
ZILXI TOPICAL FOAM 1.5 %	Nivel 4	ST: Must meet the following requirement: generic topical Metronidazole in 120 days; QL (30 GM per 30 days)
Antifúngicos Tópicos		
CICLODAN KIT TOPICAL COMBO PACK 0.77 %	Nivel 4	
CICLODAN KIT TOPICAL SOLUTION 8 % (ciclopirox-ure-camph-menth-euc)	Nivel 4	QL (19.8 ML per 1 FILL)
CICLODAN TOPICAL CREAM 0.77 % (ciclopirox)	Nivel 4	QL (180 GM per 1 FILL)
CICLODAN TOPICAL SOLUTION 8 % (ciclopirox)	Nivel 4	QL (19.8 ML per 1 FILL)
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	Nivel 2	QL (180 GM per 1 FILL)
<i>ciclopirox topical gel 0.77 %</i>	Nivel 2	
<i>ciclopirox topical shampoo 1 %</i>	Nivel 2	
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	Nivel 2	QL (19.8 ML per 1 FILL)
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	Nivel 2	QL (180 ML per 1 FILL)
<i>ciclopirox-ure-camph-menth-euc topical solution 8 %</i> (Ciclodan Kit)	Nivel 2	QL (19.8 ML per 1 FILL)
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	Nivel 2	
<i>clotrimazole topical solution 1 %</i> (Athlete's Foot (clotrimazole))	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
DAFILOR TOPICAL SHAMPOO 0.77-2 % (ciclopirox-salicylic acid)	Nivel 4	
DENVITA TOPICAL CREAM 2-4 % (ketoconazole-niacinamide)	Nivel 4	
DIFMETIOXRIME TOPICAL SOLUTION 4-2-1-4 % (flucona-ibuprof-itracon-terbin)	Nivel 4	
econazole nitrate topical cream 1 %	Nivel 2	QL (170 GM per 1 FILL)
ECOZA TOPICAL FOAM 1 % (econazole nitrate)	Nivel 4	
ERTACZO TOPICAL CREAM 2 %	Nivel 4	
EXELDERM TOPICAL CREAM 1 % (sulconazole)	Nivel 3	
EXELDERM TOPICAL SOLUTION 1 % (sulconazole)	Nivel 3	
EXODERM TOPICAL LOTION 25-1 %	Nivel 2	
FENOVIA TOPICAL SOLUTION 4-2-1-4 % (flucona-ibuprof-itracon-terbin)	Nivel 4	
FERVINA TOPICAL LOTION 3-5-20 %	Nivel 4	
FIDILA TOPICAL SHAMPOO 2-2 %	Nivel 4	
FILOMA TOPICAL SOLUTION 8-1-1 %	Nivel 4	
FRIVO TOPICAL CREAM 1-4 % (econazole-niacinamide)	Nivel 4	
HAXDRAX TOPICAL SHAMPOO 0.77-2 % (ciclopirox-salicylic acid)	Nivel 4	
HEXIOUNYL TOPICAL LOTION 3-5-20 %	Nivel 4	
HIXDEFRIMA TOPICAL SOLUTION 8-1-1 %	Nivel 4	
IMIOXIA TOPICAL CREAM 1-4 % (econazole-niacinamide)	Nivel 4	
JUBLIA TOPICAL SOLUTION WITH APPLICATOR 10 %	Nivel 4	PA
ketoconazole topical cream 2 %	Nivel 2	QL (180 GM per 1 FILL)
ketoconazole topical foam 2 % (Ketodan)	Nivel 2	ST: Must meet the following requirement: Ketoconazole 2% cream or shampoo in 120 days
ketoconazole topical shampoo 2 %	Nivel 2	QL (360 ML per 1 FILL)
KETODAN KIT TOPICAL COMBO PACK 2 %	Nivel 4	
KETODAN TOPICAL FOAM 2 % (ketoconazole)	Nivel 2	ST: Must meet the following requirement: Ketoconazole 2% cream or shampoo in 120 days
KLAYESTA TOPICAL POWDER 100,000 UNIT/GRAM (nystatin)	Nivel 2	
LOPROX (AS OLAMINE) TOPICAL CREAM 0.77 % (ciclopirox)	Nivel 4	QL (180 GM per 1 FILL)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
LOPROX (AS OLAMINE) TOPICAL SUSPENSION 0.77 % (ciclopirox)	Nivel 4	QL (180 ML per 1 FILL)
LOPROX KIT TOPICAL COMBO PACK 0.77 %	Nivel 4	
LOPROX KIT TOPICAL KIT, SUSPENSION AND CLEANSER 0.77 %	Nivel 4	
<i>luliconazole topical cream 1 %</i> (Luzu)	Nivel 2	ST: Must meet the following requirement: Ketoconazole and Clotrimazole cream in 365 days; QL (60 GM per 28 days)
LUZU TOPICAL CREAM 1 % (luliconazole)	Nivel 4	ST: Must meet the following requirement: Ketoconazole and Clotrimazole cream in 365 days; QL (60 GM per 28 days)
<i>miconazole nitrate-zinc ox-pet topical ointment 0.25-15-81.35 %</i> (Vusion)	Nivel 2	
<i>naftifine topical cream 1 %</i>	Nivel 2	
<i>naftifine topical cream 2 %</i>	Nivel 2	QL (180 GM per 1 FILL)
<i>naftifine topical gel 2 %</i> (Naftin)	Nivel 2	
NAFTIN TOPICAL GEL 2 % (naftifine)	Nivel 4	
NYAMYC TOPICAL POWDER 100,000 UNIT/GRAM (nystatin)	Nivel 2	
<i>nystatin topical cream 100,000 unit/gram</i>	Nivel 2	
<i>nystatin topical ointment 100,000 unit/gram</i>	Nivel 2	QL (90 GM per 1 FILL)
<i>nystatin topical powder 100,000 unit/gram</i> (Klayesta)	Nivel 2	
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	Nivel 2	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	Nivel 2	QL (180 GM per 1 FILL)
NYSTOP TOPICAL POWDER 100,000 UNIT/GRAM (nystatin)	Nivel 2	
<i>oxiconazole topical cream 1 %</i>	Nivel 2	QL (180 GM per 1 FILL)
OXISTAT TOPICAL LOTION 1 %	Nivel 4	
PHEDRAX TOPICAL SHAMPOO 2-2 %	Nivel 4	
PHEOXIA TOPICAL CREAM 2-4 % (ketoconazole-niacinamide)	Nivel 4	
<i>sulconazole topical cream 1 %</i> (Exelderm)	Nivel 2	
<i>sulconazole topical solution 1 %</i> (Exelderm)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>tavaborole topical solution with applicator 5 %</i>	Nivel 2	PA
VUSION TOPICAL OINTMENT 0.25-15-81.35 % (miconazole nitrate-zinc ox-pet)	Nivel 4	
XOLEGEL TOPICAL GEL 2 %	Nivel 4	ST: Must meet the following requirement: Ketoconazole 2% cream or shampoo in 120 days
Antiparásicos Tópicos		
CROTAN TOPICAL LOTION 10 %	Nivel 4	
ELIMITE TOPICAL CREAM 5 % (permethrin)	Nivel 4	
EURAX TOPICAL CREAM 10 %	Nivel 4	
EURAX TOPICAL LOTION 10 %	Nivel 4	
<i>malathion topical lotion 0.5 %</i> (Ovide)	Nivel 2	
NATROBA TOPICAL SUSPENSION 0.9 % (spinosad)	Nivel 4	
OVIDE TOPICAL LOTION 0.5 % (malathion)	Nivel 4	
<i>permethrin topical cream 5 %</i> (Elimite)	Nivel 2	
PRURADIK TOPICAL LOTION 10 %	Nivel 4	
<i>spinosad topical suspension 0.9 %</i> (Natroba)	Nivel 2	
ULESFIA TOPICAL LOTION 5 %	Nivel 4	
Antivirales Tópicos		
<i>acyclovir topical cream 5 %</i> (Zovirax)	Nivel 2	ST: Must meet 2 of the following requirements: Acyclovir, Famciclovir, or Valacyclovir HCL in 365 days
<i>acyclovir topical ointment 5 %</i> (Zovirax)	Nivel 2	
<i>penciclovir topical cream 1 %</i> (Denavir)	Nivel 2	
ZOVIRAX TOPICAL OINTMENT 5 % (acyclovir)	Nivel 4	
Derivados De Pleuromutilina Tópica		
ALTABAX TOPICAL OINTMENT 1 %	Nivel 4	ST: Must meet the following requirement: Mupirocin ointment in 120 days
Sulfomanidas Tópicas		
ABENOR HP TOPICAL LOTION 15-4 %	Nivel 4	
ABENOR TOPICAL CREAM 10-4 % (sulfacetamide-niacinamide)	Nivel 4	
AVAR LS TOPICAL CLEANSER 10-2 % (sulfacetamide sodium-sulfur)	Nivel 4	
AVAR TOPICAL CLEANSER 10-5 % (W/W) (sulfacetamide sodium-sulfur)	Nivel 4	QL (1419 GM per 1 FILL)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
BP 10-1 TOPICAL CLEANSER 10-1 %	(sulfacetamide sodium-sulfur)	Nivel 2	
CLEANSING WASH TOPICAL CLEANSER 10-4-10 %	(sulfacetamide sod-sulfur-urea)	Nivel 2	
ECEOXIA TOPICAL CREAM 10-4 %	(sulfacetamide-niacinamide)	Nivel 4	
<i>mafenide acetate topical packet 50 gram</i>	(Sulfamylon)	Nivel 2	
OXIAICE TOPICAL LOTION 15-4 %		Nivel 4	
PLEXION CLEANSING CLOTHS TOPICAL PADS, MEDICATED 9.8-4.8 %	(sulfacetamide sodium-sulfur)	Nivel 4	
PLEXION TOPICAL CLEANSER 9.8-4.8 %	(sulfacetamide sodium-sulfur)	Nivel 4	
ROSULA CLEANSING CLOTHS TOPICAL PADS, MEDICATED 10-5 %	(sulfacetamide sodium-sulfur)	Nivel 2	
ROSULA TOPICAL CLEANSER 10-4.5 %		Nivel 4	
SILVADENE TOPICAL CREAM 1 %	(silver sulfadiazine)	Nivel 4	
<i>silver sulfadiazine topical cream 1 %</i>	(SSD)	Nivel 2	
SSD TOPICAL CREAM 1 %	(silver sulfadiazine)	Nivel 2	
SSS 10-5 TOPICAL CREAM 10-5 % (W/W)	(sulfacetamide sodium-sulfur)	Nivel 2	
SSS 10-5 TOPICAL FOAM 10-5 %	(sulfacetamide sodium-sulfur)	Nivel 2	
<i>sulfacetamide sodium-sulfur topical cleanser 10-2 %</i>	(Avar LS)	Nivel 2	
<i>sulfacetamide sodium-sulfur topical cleanser 10-5 % (w/w)</i>	(Avar)	Nivel 2	QL (1419 GM per 1 FILL)
<i>sulfacetamide sodium-sulfur topical cleanser 8-4 %</i>		Nivel 2	
<i>sulfacetamide sodium-sulfur topical cleanser 9.8-4.8 %</i>	(Plexion)	Nivel 2	
<i>sulfacetamide sodium-sulfur topical cleanser 9-4 %</i>	(Sumaxin)	Nivel 2	
<i>sulfacetamide sodium-sulfur topical cleanser 9-4.5 %</i>	(Sumadan)	Nivel 2	
<i>sulfacetamide sodium-sulfur topical cream 10-2 %</i>		Nivel 2	
<i>sulfacetamide sodium-sulfur topical cream 10-5 % (w/w)</i>	(SSS 10-5)	Nivel 2	
<i>sulfacetamide sodium-sulfur topical cream 9.8-4.8 %</i>	(Plexion)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
sulfacetamide sodium-sulfur topical lotion 10-5 % (w/v), 10-5 % (w/w)	Nivel 2	
sulfacetamide sodium-sulfur topical lotion 9.8-4.8 % (Plexion)	Nivel 2	
sulfacetamide sodium-sulfur topical pads, medicated 10-4 % (Sumaxin)	Nivel 2	
sulfacetamide sodium-sulfur topical suspension 10-5 %	Nivel 2	
sulfacetamide sodium-sulfur topical suspension 8-4 % (SulfaCleanse 8-4)	Nivel 2	
sulfacetamide sodium-sulfur topical suspension 9-4.25 % (Clenia Plus)	Nivel 2	
sulfacetamide sod-sulfur-urea topical cleanser 10-5-10 %	Nivel 2	QL (1419 ML per 1 FILL)
SULFACLEANSE 8-4 TOPICAL SUSPENSION 8-4 % (sulfacetamide sodium-sulfur)	Nivel 2	
SULFAMYLON TOPICAL CREAM 85 MG/G	Nivel 4	
SULFAMYLON TOPICAL PACKET 50 GRAM (mafenide acetate)	Nivel 4	
SUMADAN TOPICAL CLEANSER 9-4.5 % (sulfacetamide sodium-sulfur)	Nivel 4	
SUMADAN TOPICAL KIT 9-4.5 % (sulfacetamide-sulfur-cleansr23)	Nivel 4	
SUMADAN XLT TOPICAL COMBO PACK,CLEANSER AND CREAM 9 %-4.5 % -SPF 25 (sulfact na-sul-avobnz-otn-ocsa)	Nivel 4	
SUMAXIN CP TOPICAL KIT 10-4 %	Nivel 4	
SUMAXIN TOPICAL CLEANSER 9-4 % (sulfacetamide sodium-sulfur)	Nivel 4	
ZMA CLEAR TOPICAL SUSPENSION 9-4.5 %	Nivel 2	
Dermatología - Antiinflamatorio		
ADBRY SUBCUTANEOUS AUTO-INJECTOR 300 MG/2 ML	Nivel 4	PA; MO
ADBRY SUBCUTANEOUS SYRINGE 150 MG/ML	Nivel 4	PA; MO
ANZUPGO TOPICAL CREAM 2 %	Nivel 4	PA; QL (60 GM per 30 days)
EBGLYSS PEN SUBCUTANEOUS PEN INJECTOR 250 MG/2 ML	Nivel 4	PA; MO
EBGLYSS SYRINGE SUBCUTANEOUS SYRINGE 250 MG/2 ML	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
NEMLUVIO SUBCUTANEOUS PEN INJECTOR 30 MG	Nivel 5	PA; MO
OPZELURA TOPICAL CREAM 1.5 %	Nivel 3	PA; QL (60 GM per 30 days)
Antibióticos		
Tópicos/Antiinflamatorio, Esteroides		
NEO-SYNALAR KIT TOPICAL CREAM 0.5 % (0.35 % BASE)-0.025 %	Nivel 4	ST: Must meet the following requirement: generic Fluocinolone Acetonide cream/oil/ointment/solution in 120 days
NEO-SYNALAR TOPICAL CREAM 0.5 % (0.35 % BASE)-0.025 %	Nivel 4	ST: Must meet the following requirement: generic Fluocinolone Acetonide cream/oil/ointment/solution in 120 days
Antiinflamatorio Esteroides Tópico		
ACIOXIA TOPICAL GEL 0.1-0.5 %	Nivel 4	
ADVANCED ALLERGY COLLECT KIT TOPICAL KIT 2.5 %	Nivel 2	
ALA-CORT TOPICAL CREAM 1 % (hydrocortisone)	Nivel 2	
ALA-SCALP TOPICAL LOTION 2 % (hydrocortisone)	Nivel 2	ST: Must meet the following requirement: Generic Hydrocortisone 2.5% lotion in 120 days
<i>alclometasone topical cream 0.05 %</i>	Nivel 2	
<i>alclometasone topical ointment 0.05 %</i>	Nivel 2	
<i>amcinonide topical cream 0.1 %</i>	Nivel 2	ST: Must meet any of the following requirements: Betamethasone 0.1% ointment, Fluticasone 0.005% ointment, Mometasone 0.1% ointment, or Triamcinolone 0.5% ointment or cream in 120 days
<i>amcinonide topical ointment 0.1 %</i>	Nivel 2	
ANUSOL-HC TOPICAL CREAM WITH PERINEAL APPLICATOR 2.5 % (hydrocortisone)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
APEXICON E TOPICAL CREAM 0.05 %	Nivel 4	ST: Must meet any of the following requirements: Betamethasone 0.05% ointment or augmented cream, Desoximetasone (cream, gel, ointment), or Fluocinonide 0.05% (gel, ointment, solution, cream) in 120 days; QL (180 GM per 30 days)
BESER KIT TOPICAL KIT, LOTION AND CREAM, EMOLLIENT 0.05 %	Nivel 4	
BESER TOPICAL LOTION 0.05 % (fluticasone propionate)	Nivel 4	
<i>betamethasone dipropionate topical cream 0.05 %</i>	Nivel 2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	Nivel 2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	Nivel 2	
<i>betamethasone valerate topical cream 0.1 %</i>	Nivel 2	
<i>betamethasone valerate topical foam 0.12 %</i> (Luxiq)	Nivel 2	
<i>betamethasone valerate topical lotion 0.1 %</i>	Nivel 2	
<i>betamethasone valerate topical ointment 0.1 %</i>	Nivel 2	
<i>betamethasone, augmented topical cream 0.05 %</i>	Nivel 2	
<i>betamethasone, augmented topical gel 0.05 %</i>	Nivel 2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	Nivel 2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
BRYHALI TOPICAL LOTION 0.01 %	Nivel 4	ST: Must meet any of the following requirements: Betamethasone augmented 0.05% (cream, gel, lotion, ointment), Clobetasol (except foam, shampoo), Desoximetasone (cream, gel, ointment), Fluocinonide (cream, gel), or Halobetasol (ointment, cream) in 120 days; QL (400 GM per 1 FILL)
CAPEX TOPICAL SHAMPOO 0.01 %	Nivel 4	
CHLOHUX TOPICAL SHAMPOO 0.05-2 % (clobetasol-levocetirizine)	Nivel 4	
CHLOOXIA TOPICAL CREAM 0.05-4 % (clobetasol-niacinamide)	Nivel 4	
CHLOOXIA TOPICAL OINTMENT 0.05-4 % (clobetasol-niacinamide)	Nivel 4	
CHLOOXIA TOPICAL SOLUTION 0.05-4 % (clobetasol-niacinamide)	Nivel 4	
<i>clobetasol scalp solution 0.05 %</i>	Nivel 2	
<i>clobetasol topical cream 0.025 %</i> (Impoyz)	Nivel 2	ST: Must meet any of the following requirements: Betamethasone 0.05% ointment or augmented cream, Desoximetasone (cream, gel, ointment), or Fluocinonide 0.05% (gel, ointment, solution, cream) in 120 days; QL (200 GM per 30 days)
<i>clobetasol topical cream 0.05 %</i>	Nivel 2	
<i>clobetasol topical foam 0.05 %</i> (Olux)	Nivel 2	
<i>clobetasol topical gel 0.05 %</i>	Nivel 2	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	Nivel 2	
<i>clobetasol topical ointment 0.05 %</i>	Nivel 2	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	Nivel 2	
<i>clobetasol topical spray, non-aerosol 0.05 %</i> (Clobex)	Nivel 2	
<i>clobetasol-emollient topical cream 0.05 %</i>	Nivel 2	
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	Nivel 2	
CLOBEX TOPICAL LOTION 0.05 % (clobetasol)	Nivel 4	
CLOBEX TOPICAL SHAMPOO 0.05 % (clobetasol)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CLOBEX TOPICAL SPRAY, NON-AEROSOL 0.05 % (clobetasol)	Nivel 4	
<i>clocortolone pivalate topical cream 0.1 %</i>	Nivel 2	ST: Must meet any of the following requirements: Mometasone 0.1% cream/solution or Triamcinolone 0.1 % cream/ointment in 120 days
CLODAN KIT TOPICAL KIT, SHAMPOO AND CLEANSER 0.05 %	Nivel 4	
CLODAN TOPICAL SHAMPOO 0.05 % (clobetasol)	Nivel 4	
CORDRAN TAPE LARGE ROLL TOPICAL TAPE 4 MCG/CM2	Nivel 4	ST: Must meet any of the following requirements: Betamethasone augmented (ointment, gel, lotion), Fluocinonide 0.1% cream, Clobetasol (spray, lotion, gel, ointment, cream, solution) or Halobetasol 0.05% (cream, ointment) in 120 days; QL (2 EA per 30 days)
CORDRAN TOPICAL CREAM 0.025 %	Nivel 4	ST: Must meet the following requirement: Topical Corticosteroid in 120 days
CORDRAN TOPICAL CREAM 0.05 % (flurandrenolide)	Nivel 4	ST: Must meet any of the following requirements: Betamethasone (0.05% lotion, 0.1% cream), Desonide 0.05% ointment, Fluticasone 0.05% cream, Hydrocortisone 0.2% cream, or Triamcinolone (0.1% lotion, 0.025% ointment) in 120 days
CORDRAN TOPICAL LOTION 0.05 % (flurandrenolide)	Nivel 4	
CORDRAN TOPICAL OINTMENT 0.05 % (flurandrenolide)	Nivel 4	ST: Must meet any of the following requirements: Mometasone 0.1% cream/solution or Triamcinolone 0.1 % cream/ointment in 120 days; QL (180 GM per 30 days)
DERMA-SMOOTH/FS BODY OIL TOPICAL OIL 0.01 % (fluocinolone)	Nivel 4	

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
DERMA-SMOOTH/FS SCALP OIL	(fluocinolone and shower cap)	Nivel 4	
SCALP OIL 0.01 %			
<i>desonide topical cream 0.05 %</i>		Nivel 2	
<i>desonide topical gel 0.05 %</i>		Nivel 2	ST: Must meet any of the following requirements: Betamethasone (0.05% lotion, 0.1% cream), Desonide 0.05% ointment, Fluticasone 0.05% cream, Hydrocortisone 0.2% cream, or Triamcinolone (0.1% lotion, 0.025% ointment) in 120 days
<i>desonide topical lotion 0.05 %</i>		Nivel 2	
<i>desonide topical ointment 0.05 %</i>		Nivel 2	
DESOWEN TOPICAL CREAM 0.05 %	(desonide)	Nivel 4	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i>	(Topicort)	Nivel 2	
<i>desoximetasone topical gel 0.05 %</i>	(Topicort)	Nivel 2	
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i>	(Topicort)	Nivel 2	
<i>desoximetasone topical spray, non-aerosol 0.25 %</i>	(Topicort)	Nivel 2	ST: Must meet any of the following requirements: Betamethasone augmented 0.05% (cream, gel, lotion, ointment), Clobetasol (except foam, shampoo), Desoximetasone (cream, gel, ointment), Fluocinonide (cream, gel), or Halobetasol (ointment, cream) in 120 days
<i>diflorasone topical cream 0.05 %</i>		Nivel 2	ST: Must meet any of the following requirements: Betamethasone 0.05% ointment or augmented cream, Desoximetasone (cream, gel, ointment), or Fluocinonide 0.05% (gel, ointment, solution, cream) in 120 days; QL (180 GM per 30 days)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>diflorasone topical ointment 0.05 %</i>		Nivel 2	ST: Must meet any of the following requirements: Betamethasone augmented 0.05% (cream, gel, lotion, ointment), Clobetasol (except foam, shampoo), Desoximetasone (cream, gel, ointment), Fluocinonide (cream, gel), or Halobetasol (ointment, cream) in 120 days; QL (180 GM per 30 days)
DIPROLENE (AUGMENTED) TOPICAL OINTMENT 0.05 %	(betamethasone, augmented)	Nivel 4	
DIVINIX TOPICAL CREAM 0.05-4 %	(clobetasol-niacinamide)	Nivel 4	
DIVINIX TOPICAL OINTMENT 0.05-4 %	(clobetasol-niacinamide)	Nivel 4	
DIVINIX TOPICAL SOLUTION 0.05-4 %	(clobetasol-niacinamide)	Nivel 4	
DOMELA TOPICAL CREAM 0.01-4 %	(fluocinolone-niacinamide)	Nivel 4	
DYNOMA TOPICAL CREAM 0.05-4 %		Nivel 4	
ELLZIA PAK TOPICAL KIT, OINTMENT AND CREAM 0.1-5 %		Nivel 2	
<i>fluocinolone and shower cap scalp oil 0.01 %</i>	(Derma-Smoothe/FS Scalp Oil)	Nivel 2	
<i>fluocinolone topical cream 0.01 %</i>		Nivel 2	
<i>fluocinolone topical cream 0.025 %</i>	(Synalar)	Nivel 2	
<i>fluocinolone topical oil 0.01 %</i>	(Derma-Smoothe/FS Body Oil)	Nivel 2	
<i>fluocinolone topical ointment 0.025 %</i>	(Synalar)	Nivel 2	
<i>fluocinolone topical solution 0.01 %</i>	(Synalar)	Nivel 2	
<i>fluocinonide topical cream 0.05 %</i>		Nivel 2	
<i>fluocinonide topical cream 0.1 %</i>	(Vanos)	Nivel 2	
<i>fluocinonide topical gel 0.05 %</i>		Nivel 2	
<i>fluocinonide topical ointment 0.05 %</i>		Nivel 2	
<i>fluocinonide topical solution 0.05 %</i>		Nivel 2	
FLUOCINONIDE-E TOPICAL CREAM 0.05 %	(fluocinonide-emollient)	Nivel 2	
<i>fluocinonide-emollient topical cream 0.05 %</i>	(Fluocinonide-E)	Nivel 2	
FLUOPAR TOPICAL KIT 0.1-5 %		Nivel 4	
FLUOVIX PLUS TOPICAL KIT 0.1 %		Nivel 4	
FLUOVIX TOPICAL KIT 0.1 %		Nivel 4	
FLUOXIA TOPICAL CREAM 0.05-4 %		Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>flurandrenolide topical cream 0.05 %</i>	Nivel 2	ST: Must meet any of the following requirements: Betamethasone (0.05% lotion, 0.1% cream), Desonide 0.05% ointment, Fluticasone 0.05% cream, Hydrocortisone 0.2% cream, or Triamcinolone (0.1% lotion, 0.025% ointment) in 120 days
<i>flurandrenolide topical lotion 0.05 %</i>	Nivel 2	
<i>flurandrenolide topical ointment 0.05 %</i>	Nivel 2	ST: Must meet any of the following requirements: Mometasone 0.1% cream/solution or Triamcinolone 0.1 % cream/ointment in 120 days; QL (180 GM per 30 days)
<i>fluticasone propionate topical cream 0.05 %</i>	Nivel 2	
<i>fluticasone propionate topical lotion 0.05 %</i> (Beser)	Nivel 2	
<i>fluticasone propionate topical ointment 0.005 %</i>	Nivel 2	
<i>halcinonide topical cream 0.1 %</i> (Halog)	Nivel 2	ST: Must meet any of the following requirements: Betamethasone 0.05% ointment or augmented cream, Desoximetasone (cream, gel, ointment), or Fluocinonide 0.05% (gel, ointment, solution, cream) in 120 days
<i>halcinonide topical solution 0.1 %</i>	Nivel 2	ST: Must meet any of the following requirements: Betamethasone 0.05% ointment or augmented cream, Desoximetasone (cream, gel, ointment), or Fluocinonide 0.05% (gel, ointment, solution, cream) in 120 days
<i>halobetasol propionate topical cream 0.05 %</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>halobetasol propionate topical foam 0.05 %</i> (Lexette)	Nivel 2	ST: Must meet the following requirement: Clobetasol foam or generic Halobetasol cream/ointment in 120 days; QL (100 GM per 1 FILL)
<i>halobetasol propionate topical ointment 0.05 %</i>	Nivel 2	
HALOG TOPICAL CREAM 0.1 % (halcinonide)	Nivel 4	ST: Must meet any of the following requirements: Betamethasone 0.05% ointment or augmented cream, Desoximetasone (cream, gel, ointment), or Fluocinonide 0.05% (gel, ointment, solution, cream) in 120 days
HALOG TOPICAL OINTMENT 0.1 %	Nivel 4	ST: Must meet any of the following requirements: Betamethasone 0.05% ointment or augmented cream, Desoximetasone (cream, gel, ointment), or Fluocinonide 0.05% (gel, ointment, solution, cream) in 120 days
HALOG TOPICAL SOLUTION 0.1 % (halcinonide)	Nivel 4	ST: Must meet any of the following requirements: Betamethasone 0.05% ointment or augmented cream, Desoximetasone (cream, gel, ointment), or Fluocinonide 0.05% (gel, ointment, solution, cream) in 120 days
<i>hydrocortisone acetate topical cream with perineal applicator 2.5 %</i> (MiCort-HC)	Nivel 2	
<i>hydrocortisone butyrate topical cream 0.1 %</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>hydrocortisone butyrate topical lotion 0.1 %</i>	Nivel 2	ST: Must meet any of the following requirements: Betamethasone (0.05% lotion, 0.1% cream), Desonide 0.05% ointment, Fluticasone 0.05% cream, Hydrocortisone 0.2% cream, or Triamcinolone (0.1% lotion, 0.025% ointment) in 120 days; QL (236 ML per 30 days)
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	Nivel 2	ST: Must meet any of the following requirements: Betamethasone (0.05% lotion, 0.1% cream), Desonide 0.05% ointment, Fluticasone 0.05% cream, Hydrocortisone 0.2% cream, or Triamcinolone (0.1% lotion, 0.025% ointment) in 120 days
<i>hydrocortisone butyrate topical solution 0.1 %</i>	Nivel 2	
HYDROCORTISONE LOTION COMPLETE TOPICAL COMBO PACK 2 %	Nivel 4	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	Nivel 2	
<i>hydrocortisone topical cream 2.5 %</i>	Nivel 2	
<i>hydrocortisone topical cream with perineal applicator 1 %</i>	Nivel 2	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	Nivel 2	
<i>hydrocortisone topical lotion 2 %</i> (Ala-Scalp)	Nivel 2	ST: Must meet the following requirement: Generic Hydrocortisone 2.5% lotion in 120 days
<i>hydrocortisone topical lotion 2.5 %</i>	Nivel 2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	Nivel 2	
<i>hydrocortisone topical ointment 2.5 %</i>	Nivel 2	
<i>hydrocortisone topical solution 2.5 %</i> (Texacort)	Nivel 2	ST: Must meet the following requirement: Generic Hydrocortisone 2.5% lotion in 120 days
<i>hydrocortisone valerate topical cream 0.2 %</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>hydrocortisone valerate topical ointment</i> 0.2 %	Nivel 2	ST: Must meet any of the following requirements: Mometasone 0.1% cream/solution or Triamcinolone 0.1 % cream/ointment in 120 days
HYDROXYM TOPICAL GEL 2 %	Nivel 4	
ILEXOR TOPICAL SHAMPOO 0.05-2 % (clobetasol-levocetirizine)	Nivel 4	
IMPOYZ TOPICAL CREAM 0.025 % (clobetasol)	Nivel 4	ST: Must meet any of the following requirements: Betamethasone 0.05% ointment or augmented cream, Desoximetasone (cream, gel, ointment), or Fluocinonide 0.05% (gel, ointment, solution, cream) in 120 days; QL (200 GM per 30 days)
KENALOG TOPICAL AEROSOL 0.147 MG/GRAM (triamcinolone acetonide)	Nivel 4	
LEXETTE TOPICAL FOAM 0.05 % (halobetasol propionate)	Nivel 4	ST: Must meet any of the following requirements: Generic Halobetasol Cream/Ointment or Clobetasol Foam in 120 days; QL (100 GM per 1 FILL)
LOCOID LIPOCREAM TOPICAL CREAM 0.1 %	Nivel 4	
LOCOID TOPICAL LOTION 0.1 % (hydrocortisone butyrate)	Nivel 4	ST: Must meet any of the following requirements: Betamethasone (0.05% lotion, 0.1% cream), Desonide 0.05% ointment, Fluticasone 0.05% cream, Hydrocortisone 0.2% cream, or Triamcinolone (0.1% lotion, 0.025% ointment) in 120 days; QL (236 ML per 30 days)
LUXIQ TOPICAL FOAM 0.12 % (betamethasone valerate)	Nivel 4	
MICORT-HC TOPICAL CREAM WITH PERINEAL APPLICATOR 2.5 % (hydrocortisone acetate)	Nivel 2	
<i>mometasone topical cream 0.1 %</i>	Nivel 2	
<i>mometasone topical ointment 0.1 %</i>	Nivel 2	
<i>mometasone topical solution 0.1 %</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
NOXIPAK TOPICAL KIT 0.01-20 %	Nivel 4	
NUCORT TOPICAL LOTION 2 % (hydrocortisone acet-aloe vera)	Nivel 4	
OLUX TOPICAL FOAM 0.05 % (clobetasol)	Nivel 4	
OLUX-E TOPICAL FOAM 0.05 % (clobetasol-emollient)	Nivel 4	
PANDEL TOPICAL CREAM 0.1 %	Nivel 4	ST: Must meet any of the following requirements: Betamethasone (0.05% lotion, 0.1% cream), Desonide 0.05% ointment, Fluticasone 0.05% cream, Hydrocortisone 0.2% cream, or Triamcinolone (0.1% lotion, 0.025% ointment) in 120 days; QL (160 GM per 30 days)
<i>prednicarbate topical cream 0.1 %</i>	Nivel 2	
<i>prednicarbate topical ointment 0.1 %</i>	Nivel 2	
PROCTOCORT TOPICAL CREAM 1 % (hydrocortisone)	Nivel 4	
PROCTO-MED HC TOPICAL CREAM WITH PERINEAL APPLICATOR 2.5 % (hydrocortisone)	Nivel 2	
PROCTOSOL HC TOPICAL CREAM WITH PERINEAL APPLICATOR 2.5 % (hydrocortisone)	Nivel 2	
PROCTOZONE-HC TOPICAL CREAM WITH PERINEAL APPLICATOR 2.5 % (hydrocortisone)	Nivel 2	
QUINIXIL TOPICAL CREAM 0.1-5 %	Nivel 4	
SANADERMRX TOPICAL KIT 0.1-5 %	Nivel 2	QL (1 EA per 30 days)
SCALACORT DK TOPICAL COMBO PACK 2-2-2 %	Nivel 3	
SCALACORT TOPICAL LOTION 2 % (hydrocortisone)	Nivel 4	ST: Must meet the following requirement: Generic Hydrocortisone 2.5% lotion in 120 days
SERNIVO TOPICAL SPRAY WITH PUMP 0.05 %	Nivel 4	ST: Must meet any of the following requirements: Mometasone 0.1% cream/solution or Triamcinolone 0.1 % cream/ointment in 120 days
SYNALAR CREAM KIT TOPICAL CREAM 0.025 %	Nivel 4	QL (375 GM per 30 days)
SYNALAR OINTMENT KIT TOPICAL COMBO PACK,OINTMENT AND CREAM 0.025 %	Nivel 4	QL (375 GM per 30 days)
SYNALAR TOPICAL CREAM 0.025 % (fluocinolone)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SYNALAR TOPICAL OINTMENT 0.025 % (fluocinolone)	Nivel 4	
SYNALAR TOPICAL SOLUTION 0.01 % (fluocinolone)	Nivel 4	
SYNALAR TS TOPICAL KIT 0.01 %	Nivel 4	
TELIORA TOPICAL GEL 0.1-0.5 %	Nivel 4	
TETOXIA TOPICAL CREAM 0.01-4 % (fluocinolone-niacinamide)	Nivel 4	
TEXACORT TOPICAL SOLUTION 2.5 % (hydrocortisone)	Nivel 4	ST: Must meet the following requirement: Generic Hydrocortisone 2.5% lotion in 120 days
TOPICORT TOPICAL CREAM 0.05 %, 0.25 % (desoximetasone)	Nivel 4	
TOPICORT TOPICAL GEL 0.05 % (desoximetasone)	Nivel 4	
TOPICORT TOPICAL OINTMENT 0.05 %, 0.25 % (desoximetasone)	Nivel 4	
TOPICORT TOPICAL SPRAY, NON-AEROSOL 0.25 % (desoximetasone)	Nivel 4	ST: Must meet any of the following requirements: Betamethasone augmented 0.05% (cream, gel, lotion, ointment), Clobetasol (except foam, shampoo), Desoximetasone (cream, gel, ointment), Fluocinonide (cream, gel), or Halobetasol (ointment, cream) in 120 days
TOVET EMOLLIENT TOPICAL FOAM 0.05 % (clobetasol-emollient)	Nivel 4	
TOVET KIT TOPICAL COMBO PACK 0.05 %	Nivel 4	
<i>triamcinolone acetonide topical aerosol 0.147 mg/gram</i> (Kenalog)	Nivel 2	
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>	Nivel 2	
<i>triamcinolone acetonide topical cream 0.5 %</i> (Triderm)	Nivel 2	QL (454 GM per 30 days)
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	Nivel 2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	Nivel 2	
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	Nivel 2	QL (430 GM per 30 days)
TRIANEX TOPICAL OINTMENT 0.05 % (triamcinolone acetonide)	Nivel 2	QL (430 GM per 30 days)
TRIASIL TOPICAL KIT 0.1 %- 4" X 4"	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
TRIDERM TOPICAL CREAM 0.5 % (triamcinolone acetonide)	Nivel 2	QL (454 GM per 30 days)
ULTRAVATE TOPICAL LOTION 0.05 %	Nivel 4	ST: Must meet any of the following requirements: Betamethasone augmented (ointment, gel, lotion), Fluocinonide 0.1% cream, Clobetasol (spray, lotion, gel, ointment, cream, solution) or Halobetasol 0.05% (cream, ointment) in 120 days; QL (120 ML per 30 days)
VANOS TOPICAL CREAM 0.1 % (fluocinonide)	Nivel 4	
VERDESO TOPICAL FOAM 0.05 %	Nivel 4	ST: Must meet the following requirement: Fluocinolone Acetonide 0.01% body oil in 120 days
WHYTEDEDERM TDKIT TOPICAL KIT 0.1-2 %	Nivel 4	
WHYTEDEDERM TRILASIL PAK TOPICAL KIT 0.1-2 %	Nivel 4	
XILAPAK TOPICAL KIT 0.01 %	Nivel 4	
Antiinflamatorio Tópico, Nsaids		
CAPSFENAC PAK TOPICAL KIT, CREAM AND SOLUTION 1.5-0.025 %	Nivel 4	
CAPSINAC TOPICAL COMBO PACK, SOLUTION AND CREAM 1.5-0.025 %	Nivel 4	
DERMACINRX LEXITRAL TOPICAL COMBO PACK, SOLUTION AND CREAM 1.5-0.025 %	Nivel 4	
<i>diclofenac epolamine transdermal patch</i> (Flector) 12 hour 1.3 %	Nivel 2	
<i>diclofenac sodium topical drops</i> 1.5 %	Nivel 2	MO
<i>diclofenac sodium topical gel</i> 1 % (Arthritis Pain (diclofenac))	Nivel 2	MO
<i>diclofenac sodium topical solution in metered-dose pump</i> 20 mg/gram <i>lactation</i> (2 %)	Nivel 2	
DICLOFEX DC TOPICAL COMBO PACK, SOLUTION AND CREAM 1.5-0.025 %	Nivel 4	
DICLOFONO TOPICAL GEL IN PACKET 1.6 %	Nivel 4	
DICLOGEN TOPICAL KIT 1.5-10-4 %	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
DICLOPR TOPICAL COMBO PACK, CREAM AND GEL 1-30-10 %	Nivel 4	
DICLOSAICIN TOPICAL COMBO PACK, SOLUTION AND CREAM 1.5- 0.025 %	Nivel 4	
DICLOTRAL TOPICAL COMBO PACK, SOLUTION AND CREAM 1.5- 0.025 %	Nivel 4	
DICLOTREX TOPICAL KIT 1.5-10-4 %	Nivel 4	
DIMENTHO TOPICAL KIT 1.5-10 %	Nivel 4	
DITHOL TOPICAL COMBO PACK 1.5- 10 %	Nivel 4	
FENOVAR TOPICAL KIT, CREAM AND SOLUTION 1.5-15-10 %	Nivel 4	
FLECTOR TRANSDERMAL PATCH 12 (diclofenac epolamine) HOUR 1.3 %	Nivel 4	
FROTEK TOPICAL CREAM IN PACKET 10 %	Nivel 4	
FROTEK TOPICAL CREAM, METERED-DOSE APPLICATOR 10 %	Nivel 4	
ICLOFENAC CP TOPICAL COMBO PACK, SOLUTION AND CREAM 1.5- 0.025 %	Nivel 4	
INFLAMMA-K TOPICAL KIT, PATCH, SOLUTION DROPS 1.5-10-6-3.1 %	Nivel 4	
KERAXA TOPICAL GEL 3-2-4 % (diclofenac-hyaluronate- niacin)	Nivel 4	
LICART TRANSDERMAL PATCH 24 HOUR 1.3 %	Nivel 4	ST: Must meet the following requirement: generic Flector patch in 120 days; QL (1 EA per 1 day)
ORTHAPHEN TOPICAL KIT, CREAM AND SOLUTION 1.5-15-10 %	Nivel 4	
PROFINAC TOPICAL KIT 1.5 %	Nivel 4	
ROAOXIA TOPICAL GEL 3-2-4 % (diclofenac-hyaluronate- niacin)	Nivel 4	
SURE RESULT DSS PREMIUM PACK TOPICAL COMBO PACK, SOLUTION AND CREAM 1.5-0.025 %	Nivel 4	
VAROPHEN (DICLOFENAC) TOPICAL KIT, CREAM AND SOLUTION 1.5-15-10 %	Nivel 4	
VENNGEL II TOPICAL KIT 1 %	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
VENNGEL ONE TOPICAL KIT 1 %	Nivel 2	
XRYLIX (DICLOFENAC-KINES TAPE) TOPICAL KIT 1.5 %	Nivel 4	
ZICLOCIN TOPICAL KIT, CREAM AND SOLUTION 1.5-0.025 %	Nivel 4	
ZICLOPRO TOPICAL COMBO PACK, SOLUTION AND CREAM 1.5-0.025 %	Nivel 4	
Top. Antiinflamatorio, Inhib De Fosfodiesterasa-4 (Pde4)		
EUCRISA TOPICAL OINTMENT 2 %	Nivel 3	PA; QL (100 GM per 30 days)
ZORYVE TOPICAL CREAM 0.15 %	Nivel 3	PA; QL (60 GM per 30 days)
ZORYVE TOPICAL FOAM 0.3 %	Nivel 3	PA; QL (60 GM per 30 days)
Dermatología - Medicamentos Antipruriginosos		
Antiprurítico, Tópico		
doxepin topical cream 5 % (Prudoxin)	Nivel 2	ST: Must meet the following requirement: Topical Corticosteroid in 120 days
LEVICYN ANTIPRURITIC TOPICAL GEL	Nivel 4	
Dermatología - Misceláneo		
DICLOVIX TOPICAL KIT, PATCH, SOLUTION DROPS 1.5-2.5-4-2 %	Nivel 4	
Agentes Antiseborreico		
LOUTREX TOPICAL CREAM	Nivel 2	
MICURADERM TOPICAL EMULSION	Nivel 4	
OVACE PLUS SHAMPOO TOPICAL (sulfacetamide sodium) SHAMPOO 10 %	Nivel 3	
OVACE PLUS TOPICAL CLEANSER 10 % (sulfacetamide sodium)	Nivel 4	
OVACE PLUS TOPICAL CREAM 10 %	Nivel 4	
OVACE PLUS TOPICAL LOTION 9.8 %	Nivel 4	ST: Must meet the following requirement: Ciclopirox (shampoo or gel) or Ketoconazole (shampoo or cream) in 120 days
OVACE PLUS WASH TOPICAL (sulfacetamide sodium) CLEANSER, GEL 10 %	Nivel 4	
OVACE TOPICAL CLEANSER 10 % (sulfacetamide sodium)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PLEXION NS TOPICAL SHAMPOO 9.8 % (sulfacetamide sodium)	Nivel 4	
PROMISEB TOPICAL CREAM	Nivel 4	
selenium sulfide topical lotion 2.5 %	Nivel 2	
selenium sulfide topical shampoo 2.25 %, 2.3 %	Nivel 2	
sod sulfacetamide 10% shampoo (Ovace Plus Shampoo)	Nivel 2	
sulfacetamide sodium topical cleanser 10 % (Ovace)	Nivel 2	
sulfacetamide sodium topical cleanser, gel 10 % (Ovace Plus Wash)	Nivel 2	
sulfacetamide sodium topical shampoo 9.8 % (Plexion NS)	Nivel 2	
TERSI FOAM TOPICAL FOAM 2.25 %	Nivel 4	
Agentes Oxidantes		
ATRAPRO DERMAL SPRAY TOPICAL SPRAY, NON-AEROSOL 0.003-0.004 %	Nivel 4	
DELUXO TOPICAL SPRAY, NON-AEROSOL 0.018 %-0.004 %-0.06 %	Nivel 4	
EPICYN TOPICAL SPRAY, NON-AEROSOL	Nivel 4	
HYCLODEX TOPICAL SPRAY, NON-AEROSOL 0.012 %-0.002 %-0.046 %	Nivel 4	
HYPOCYN ANTIPRURITIC TOPICAL SPRAY GEL 0.012 %	Nivel 4	
HYPOCYN DERMAL TOPICAL SPRAY, NON-AEROSOL 0.012 %-0.002 %-0.046 %	Nivel 4	
LEVICYN DERMAL TOPICAL SPRAY, NON-AEROSOL 0.009 %	Nivel 4	
MICROCYN TOPICAL SPRAY, NON-AEROSOL 0.003 %-0.004 %-0.023 %	Nivel 4	
RENOVAR IRRIGATION IRRIGATION SOLUTION	Nivel 4	
RENOVAR TOPICAL SOLUTION	Nivel 4	
Agentes Tópicos Antineoplásicos & Lesiones Premalignas		
bexarotene topical gel 1 % (Targretin)	Nivel 4	PA
CARAC TOPICAL CREAM 0.5 % (fluorouracil)	Nivel 4	PA
diclofenac sodium topical gel 3 %	Nivel 2	QL (100 GM per 1 FILL)
EFUDEX TOPICAL CREAM 5 % (fluorouracil)	Nivel 4	
fluorouracil topical cream 0.5 % (Carac)	Nivel 2	PA
fluorouracil topical cream 5 % (Efudex)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>fluorouracil topical solution 2 %, 5 %</i>	Nivel 2	
KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %	Nivel 4	QL (5 EA per 1 FILL)
KLISYRI (350 MG) TOPICAL OINTMENT IN PACKET 1 %	Nivel 4	QL (5 EA per 1 FILL)
PANRETIN TOPICAL GEL 0.1 %	Nivel 5	QL (60 GM per 28 days)
TARGRETIN TOPICAL GEL 1 % (bexarotene)	Nivel 5	PA
TOLAK TOPICAL CREAM 4 %	Nivel 3	
VALCHLOR TOPICAL GEL 0.016 %	Nivel 4	PA; MO
Anestésico Local Antiinflamatorio		
Esteroides Tópicos		
ANALPRAM-HC TOPICAL LOTION 2.5-1 %	Nivel 3	
EPIFOAM TOPICAL FOAM 1-1 %	Nivel 4	ST: Must meet the following requirement: Hydrocortisone/Pramoxine 2.5%-1% cream in 120 days
<i>hydrocortisone-pramoxine topical cream 2.35-1 %, 2.5-1 %</i>	Nivel 2	
<i>lidocaine hcl-hydrocortison ac topical cream 3-0.5 %</i> (Lidocort)	Nivel 2	
NOVACORT TOPICAL GEL WITH PERINEAL APPLICATOR 2-1 %	Nivel 4	
PRAMOSONE TOPICAL CREAM 1-1 % (hydrocortisone-pramoxine)	Nivel 3	ST: Must meet the following requirement: Hydrocortisone/Pramoxine 2.5%-1% cream in 120 days
PRAMOSONE TOPICAL LOTION 1-1 %, 2.5-1 %	Nivel 3	
PRAMOSONE TOPICAL OINTMENT 1-1 %	Nivel 3	ST: Must meet the following requirement: Hydrocortisone/Pramoxine 2.5%-1% cream in 120 days
PRAMOSONE TOPICAL OINTMENT 2.5-1 % (hydrocortisone-pramoxine)	Nivel 3	
Anestésicos Locales Tópicos		
ANACAINE TOPICAL OINTMENT 10 %	Nivel 4	
ANASTIA TOPICAL LOTION 2.75 %	Nivel 4	
ANODYNE LPT TOPICAL KIT 2.5-2.5 % (lidocaine-prilocaine)	Nivel 2	
ASTERO TOPICAL GEL WITH PUMP 4 %	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CETACAINE TOPICAL AEROSOL,SPRAY 2 %-2 %-14 % (200 MG/SEC)	Nivel 4	
CRYODOSE TA MEDIUM STREAM SPR TOPICAL AEROSOL,SPRAY	Nivel 4	
CRYODOSE TA MIST SPRAY TOPICAL AEROSOL,SPRAY	Nivel 4	
DERMACINRX LIDOCAN TOPICAL (lidocaine) ADHESIVE PATCH,MEDICATED 5 %	Nivel 2	QL (90 EA per 30 days)
DERMACINRX LIDOGEL TOPICAL GEL 2.8 %	Nivel 4	
DERMACINRX LIDOREX TOPICAL GEL 2.8 %	Nivel 4	
DERMACINRX PHN PAK TOPICAL KIT, PATCH, MEDICATED, CREAM 5 %	Nivel 4	
DERMACINRX ZRM PAK TOPICAL KIT, PATCH, MEDICATED, CREAM 5-5 %	Nivel 4	
DERMALID TOPICAL COMBO PACK 5 %	Nivel 2	
DOLOTRANZ TOPICAL KIT,CREAM AND GEL 4-2.5-2.5 %	Nivel 4	
DYCLOPRO TOPICAL SOLUTION 0.5 %	Nivel 2	
ELEMAR TOPICAL KIT 5-6 %	Nivel 4	
ENZNONUTY TOPICAL OINTMENT 10-10-20 %	Nivel 4	
<i>ethyl chloride spray 100 %</i>	Nivel 4	
<i>ethyl chloride spray coarse spray 100 %</i>	Nivel 2	
<i>ethyl chloride spray fine stream 100 %</i>	Nivel 2	
<i>ethyl chloride spray fine-spray 100 %</i>	Nivel 2	
<i>ethyl chloride spray medium stream 100 %</i>	Nivel 2	
<i>ethyl chloride spray medium-spray 100 %</i>	Nivel 2	
HURRI-FREEZE TOPICAL AEROSOL,SPRAY	Nivel 4	
ILIDERM TOPICAL SPRAY, NON-AEROSOL	Nivel 4	
L.E.T. (LIDO-EPINEPH-TETRA) TOPICAL GEL 4-0.05-0.5 %	Nivel 2	
L.E.T. (LIDO-EPINEPH-TETRA) TOPICAL SOLUTION 4-0.05-0.5 % (lidocaine-racepinep-tetracaine)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
L.E.T.(LIDO-EPINEPH BIT-TETRA) TOPICAL GEL 4-0.09-0.5 %	Nivel 2	
L.E.T.(LIDO-EPINEPH BIT-TETRA) TOPICAL GEL 4-0.18-0.5 %	Nivel 4	
LDO PLUS TOPICAL GEL WITH PUMP 4 %	Nivel 4	
<i>lidocaine hcl laryngotracheal solution 4 %</i>	Nivel 2	
<i>lidocaine hcl topical cream 3 %</i> (Lidopin)	Nivel 2	
<i>lidocaine topical adhesive patch,medicated 5 %</i> (DermacinRx Lidocan)	Nivel 2	QL (90 EA per 30 days)
<i>lidocaine topical ointment 5 %</i>	Nivel 2	QL (240 GM per 30 days)
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	Nivel 2	
<i>lidocaine-prilocaine topical kit 2.5-2.5 %</i> (Anodyne LPT)	Nivel 2	
<i>lidocaine-racepinep-tetracaine topical solution 4-0.05-0.5 %</i> (L.E.T. (lido-epineph-tetra))	Nivel 2	
<i>lidocaine-tetracaine topical cream 7-7 %</i> (Pliaglis)	Nivel 2	
LIDOCAN III TOPICAL ADHESIVE PATCH,MEDICATED 5 % (lidocaine)	Nivel 2	QL (90 EA per 30 days)
LIDOCAN IV TOPICAL ADHESIVE PATCH,MEDICATED 5 % (lidocaine)	Nivel 2	QL (90 EA per 30 days)
LIDOCAN V TOPICAL ADHESIVE PATCH,MEDICATED 5 % (lidocaine)	Nivel 2	QL (90 EA per 30 days)
LIDODERM TOPICAL ADHESIVE PATCH,MEDICATED 5 % (lidocaine)	Nivel 4	QL (90 EA per 30 days)
LIDOPIN TOPICAL CREAM 3 % (lidocaine hcl)	Nivel 4	
LIDOPIN TOPICAL CREAM 3.25 %	Nivel 4	
LIDOPURE PATCH TOPICAL COMBO PACK 5 %	Nivel 2	
LIDORX TOPICAL GEL WITH PUMP 3 %	Nivel 4	
LIDTOPIC MAX TOPICAL CREAM, METERED-DOSE APPLICATOR 10 %	Nivel 4	
LIDTOPIC TOPICAL CREAM, METERED-DOSE APPLICATOR 7.5 %	Nivel 4	
LMR PLUS TOPICAL KIT 5-6 %	Nivel 4	
MENTHO-CAINE TOPICAL KIT,OINTMENT AND SPRAY 5-8 %	Nivel 4	
MOXICAINE TOPICAL KIT 5 %	Nivel 2	
NOBELA TOPICAL OINTMENT 10-10-20 %	Nivel 4	
NOLIRA TOPICAL CREAM 23-7 %	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
NUMBONEX TOPICAL LOTION 2.75 %	Nivel 4	
NYNUTEY TOPICAL CREAM 23-7 %	Nivel 4	
PAIN EASE MEDIUM STREAM SPRAY TOPICAL AEROSOL,SPRAY	Nivel 4	
PAIN EASE MIST SPRAY TOPICAL AEROSOL,SPRAY	Nivel 4	
PAINGO KFT TOPICAL CREAM 2.5- 2.5-30-10 %	Nivel 4	
PRAKETAMIDE TOPICAL CREAM, METERED-DOSE APPLICATOR 5 %	Nivel 4	
PRILO PATCH TOPICAL KIT, PATCH, MEDICATED, CREAM 5-2.5-2.5 %	Nivel 4	
PROXIVOL TOPICAL GEL 2 %	Nivel 4	
REGENECARE TOPICAL GEL 2 %	Nivel 4	
REGENECARE WITH ALOE TOPICAL GEL 2 %	Nivel 4	
SOLUPAK TOPICAL KIT,OINTMENT AND SPRAY 5-10-3 %	Nivel 4	
SPRAY AND STRETCH TOPICAL AEROSOL,SPRAY	Nivel 4	
SYNTERMA PLUS TOPICAL KIT 5-6 %	Nivel 4	
TRANZAREL TOPICAL GEL 4 %	Nivel 4	
WPR PLUS TOPICAL KIT,CREAM AND GEL 4-30-10 %	Nivel 4	
XYLIDERM TOPICAL KIT 5 %	Nivel 4	
ZILACAIN PATCH TOPICAL COMBO PACK 5 %	Nivel 4	
ZILOVAL TOPICAL KIT 5 %	Nivel 2	
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	Nivel 4	ST: Must meet the following requirement: Lidoderm 5% patch in 120 days; QL (90 EA per 30 days)
Antiperspirantes		
DRYSOL DAB-O-MATIC TOPICAL (aluminum chloride) SOLUTION 20 %	Nivel 3	
DRYSOL TOPICAL SOLUTION 20 % (aluminum chloride)	Nivel 3	
Antisépticos Del Yodo		
BETADINE OPHTHALMIC PREP (povidone-iodine) OPHTHALMIC (EYE) SOLUTION 5 %	Nivel 4	
<i>povidone-iodine ophthalmic (eye)</i> (Betadine Ophthalmic solution 5 % Prep)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Antisépticos, Misceláneos		
<i>guaiacol liquid</i>	Nivel 4	
Emolientes		
<i>ammonium lactate topical cream 12 %</i>	Nivel 2	
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	Nivel 2	
ATRAPRO CP TOPICAL COMBO PACK, CREAM AND GEL	Nivel 4	
ATRAPRO HYDROGEL TOPICAL GEL	Nivel 4	
AVO CREAM TOPICAL EMULSION	Nivel 2	
CELACYN TOPICAL GEL WITH PUMP	Nivel 4	
CERACADE TOPICAL EMULSION	Nivel 4	
CERAMAX TOPICAL CREAM	Nivel 4	
CERAMAX TOPICAL LOTION	Nivel 4	
DERMASO PLUS TOPICAL CREAM	Nivel 4	
DEXERYL TOPICAL CREAM	Nivel 4	
EMULSION SB TOPICAL EMULSION	Nivel 2	
ENTTY TOPICAL SPRAY, NON-AEROSOL	Nivel 4	
EPICERAM TOPICAL EMULSION, EXTENDED RELEASE	Nivel 4	
HALUCORT TOPICAL GEL	Nivel 4	
HAPRODERM TOPICAL GEL	Nivel 4	
HPR PLUS HYDROGEL TOPICAL KIT, CREAM AND GEL	Nivel 2	
HPR PLUS TOPICAL CREAM	Nivel 4	
HPR PLUS TOPICAL FOAM	Nivel 4	
HPR PLUS-MB HYDROGEL TOPICAL COMBO PACK, GEL AND FOAM 96.53-3-0.4 -0.066 %	Nivel 2	
HPR TOPICAL FOAM	Nivel 4	
KERASTAT TOPICAL CREAM	Nivel 4	
KERASTAT TOPICAL GEL 5 %	Nivel 4	
LEVICYN ANTIPRURITIC SG TOPICAL SPRAY GEL	Nivel 4	
LOYON TOPICAL SPRAY, NON-AEROSOL	Nivel 4	
LUXAMEND TOPICAL CREAM	Nivel 4	
MB HYDROGEL (CYCLOMETHICONE) TOPICAL KIT, CREAM AND GEL	Nivel 2	
MB HYDROGEL TOPICAL KIT, CREAM AND GEL 96.53-3-0.4 -0.066 %	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
NEOSALUS TOPICAL CREAM	Nivel 4	
NEOSALUS TOPICAL LOTION	Nivel 4	
NUTRASEB TOPICAL CREAM	Nivel 4	
PRESERA TOPICAL FOAM	Nivel 4	
PRUCLAIR TOPICAL CREAM	Nivel 2	
PRUMYX TOPICAL CREAM	Nivel 2	
SEBUDERM TOPICAL GEL	Nivel 4	
SONAFINE TOPICAL EMULSION	Nivel 2	
XCLAIR TOPICAL CREAM	Nivel 4	
Irrigantes		
<i>acetic acid irrigation solution 0.25 %</i>	Nivel 2	
<i>lactated ringers irrigation solution</i>	Nivel 4	
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	Nivel 2	
PHYSIOLYTE IRRIGATION SOLUTION 140-5-3-98 MEQ/L	Nivel 4	
PHYSIOSOL IRRIGATION IRRIGATION SOLUTION 140-5-3-98 MEQ/L	Nivel 4	
<i>ringer's irrigation solution</i>	Nivel 2	
<i>sodium chloride irrigation solution 0.9 %</i> (Sterile Saline)	Nivel 2	
<i>sorbitol irrigation solution 3 %</i>	Nivel 2	
<i>sorbitol-mannitol transurethral solution 2.7-0.54 gram/100 ml</i>	Nivel 2	
VASHE IRRIGATION IRRIGATION SOLUTION 0.033 %	Nivel 4	
<i>water for irrigation, sterile irrigation solution</i> (Curity Sterile Water)	Nivel 2	
Irritantes/Contraírritantes		
<i>cantharidin in acetone topical solution 0.7 %</i>	Nivel 2	
<i>methyl salicylate oil</i> (Wintergreen Oil)	Nivel 2	
<i>methyl salicylate topical liquid</i>	Nivel 2	
QUTENZA TOPICAL KIT 8 %	Nivel 4	PA
WINTERGREEN OIL OIL (methyl salicylate)	Nivel 2	
YCANTH TOPICAL SOLUTION WITH APPLICATOR 0.7 %	Nivel 4	PA
Preparados Tópicos, Varios		
KEFUNOVA TOPICAL CREAM 5-0.005 %	Nivel 4	
MEDIHONEY (HONEY) TOPICAL PASTE 100 %	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Protecciones		
DERMELLE TOPICAL GEL	Nivel 4	
DERPIXA TOPICAL GEL	Nivel 4	
GENADUR (WITH LEXINAL) KIT 2,500 MCG	Nivel 4	
GENADUR TOPICAL LIQUID	Nivel 4	
JUVAZIN TOPICAL GEL	Nivel 4	
PHARMABASE BARRIER TOPICAL OINTMENT 9.38 %	Nivel 2	
PR CREAM TOPICAL CREAM	Nivel 2	
PROSILK GEL TOPICAL GEL	Nivel 4	
RADIAPLEXRX TOPICAL GEL	Nivel 4	
RECEDO TOPICAL GEL	Nivel 4	
SAFRYCYN TOPICAL CREAM 0.2 %	Nivel 4	
SCARCARE TOPICAL KIT 2 X 5.5 "	Nivel 4	
SCARSILK GEL TOPICAL GEL	Nivel 4	
SCARTRATE TOPICAL CREAM 5-2.25 %	Nivel 4	
STRATAMARK TOPICAL GEL	Nivel 4	
STRATATRIZ TOPICAL GEL	Nivel 4	
VASELINE WHITE PETROLEUM TOPICAL OINTMENT IN PACKET (white petrolatum)	Nivel 2	
WOUNDGELHA MATRIX TOPICAL GEL 2.5 %	Nivel 4	
<i>zinc oxide topical ointment 20 %</i> (Endit (zinc oxide))	Nivel 2	
<i>zinc oxide topical paste 25 %</i>	Nivel 2	
Queratolíticos		
BENZEPRO (MICROSPHERES) TOPICAL CLEANSER 7 %	Nivel 2	
BENZEPRO TOPICAL TOWELETTE 6 %	Nivel 2	
<i>benzoyl peroxide topical cleanser 7 %</i> (Pacnex)	Nivel 2	
<i>benzoyl peroxide topical foam 9.8 %</i> (BenzePrO)	Nivel 2	
BPO TOPICAL GEL 8 % (benzoyl peroxide)	Nivel 2	
CEM-UREA TOPICAL GEL 45 % (urea)	Nivel 2	
CONDYLOX TOPICAL GEL 0.5 % (podofilox)	Nivel 4	ST: Must meet the following requirement: Podofilox 0.5% solution in 120 days; QL (0.5 GM per 1 day)
HYDRO 35 TOPICAL FOAM 35 % (urea)	Nivel 4	
HYDRO 40 TOPICAL FOAM 40 %	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
KERALYT TOPICAL SHAMPOO 6 % (salicylic acid)	Nivel 4	
METDRAY TOPICAL GEL 17-2 %	Nivel 4	
NENDRUX TOPICAL GEL 40-5 %	Nivel 4	
PACNEX HP TOPICAL PADS, MEDICATED 7 %	Nivel 4	
PACNEX LP TOPICAL PADS, MEDICATED 4.25 %	Nivel 4	
PODOCON TOPICAL LIQUID 25 %	Nivel 2	
podofilox topical gel 0.5 % (Condylox)	Nivel 2	ST: Must meet the following requirement: Podofilox 0.5% solution in 120 days; QL (0.5 GM per 1 day)
podofilox topical solution 0.5 %	Nivel 2	QL (0.5 ML per 1 day)
PR BENZOYL PEROXIDE TOPICAL CLEANSER 7 %	Nivel 2	
PRONAL TOPICAL GEL 10-40 %	Nivel 4	
RAYASAL TOPICAL CREAM 5.9 %	Nivel 4	
RYNODERM TOPICAL CREAM 37.5 %	Nivel 4	
SALICATE TOPICAL LIQUID 10 %	Nivel 4	
salicylic acid topical cream 6 % (Salimez)	Nivel 2	
salicylic acid topical cream,extended release 6 %	Nivel 2	
salicylic acid topical film forming liquid w/appl 27.5 % (Virasal)	Nivel 2	
salicylic acid topical film-forming soln er w/ appl 28.5 % (UltraSal-ER)	Nivel 2	
salicylic acid topical foam 6 % (Salvax)	Nivel 2	
salicylic acid topical gel 6 % (Salynta)	Nivel 2	
salicylic acid topical liquid 26 %	Nivel 2	
salicylic acid topical lotion 6 %	Nivel 2	
salicylic acid topical lotion,extended release 6 %	Nivel 2	
salicylic acid topical ointment 3 %	Nivel 2	
salicylic acid topical shampoo 6 % (Keralyt)	Nivel 2	
salicylic acid-ceramides no.1 topical kit,cleanser and cream er 6 %	Nivel 2	
SALIMEZ FORTE TOPICAL CREAM 10 %	Nivel 4	
SALIMEZ TOPICAL CREAM 6 % (salicylic acid)	Nivel 4	
SALVAX DUO PLUS TOPICAL FOAM 6-35 %	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SALVAX TOPICAL FOAM 6 % (salicylic acid)	Nivel 2	
SALYCIM TOPICAL CREAM 6 % (salicylic acid)	Nivel 4	
SALYNTRA TOPICAL GEL 6 % (salicylic acid)	Nivel 2	
silver nitrate applicators topical stick 75-25 %	Nivel 2	
silver nitrate topical solution 10 %	Nivel 2	
ULTRASAL-ER TOPICAL FILM-FORMING SOLN ER W/ APPL 28.5 % (salicylic acid)	Nivel 4	
URAMAXIN GT TOPICAL GEL 45 % (urea)	Nivel 4	
URAMAXIN GT TOPICAL KIT, CREAM AND GEL 45 %	Nivel 4	
URAMAXIN TOPICAL CREAM 45 % (urea)	Nivel 4	
URAMAXIN TOPICAL FOAM 20 %	Nivel 4	
URAMAXIN TOPICAL GEL 45 % (urea)	Nivel 4	
URAMAXIN TOPICAL LOTION 45 % (urea)	Nivel 4	
UREA NAIL STICK TOPICAL SOLUTION 50 % (urea)	Nivel 2	
urea topical cream 39 % (Xurea)	Nivel 2	
urea topical cream 39.5 %, 40 %, 41 %, 47 %	Nivel 2	
urea topical cream 45 % (Uramaxin)	Nivel 2	
urea topical cream 50 % (Ure-K)	Nivel 2	
urea topical foam 35 % (Hydro 35)	Nivel 2	
urea topical gel 45 % (CEM-Urea)	Nivel 2	
urea topical lotion 40 %	Nivel 2	
VIRASAL TOPICAL FILM FORMING LIQUID W/APPL 27.5 % (salicylic acid)	Nivel 4	
WAYZEN TOPICAL GEL 40-5 %	Nivel 4	
WELERIS TOPICAL GEL 17-2 %	Nivel 4	
XALIX TOPICAL FILM-FORMING SOLN ER W/ APPL 28 %	Nivel 4	
XIRUN TOPICAL GEL 10-40 %	Nivel 4	
XUREA TOPICAL CREAM 39 % (urea)	Nivel 4	
Tópico/Membrana Mucosa/Subcut. Enzimas		
NEXOBRID TOPICAL GEL 8.8 %	Nivel 4	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	Nivel 4	PA

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Dermatología - Soriasis/Eccema		
OMVOH PEN SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 200 MG/2 ML (100 MG/ML X 2), 300MG/3ML(100MG /ML-200 MG/2ML)	Nivel 4	PA; MO
OMVOH SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML (100 MG/ML X 2), 300MG/3ML(100MG /ML-200 MG/2ML)	Nivel 4	PA; MO
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	Nivel 4	PA; MO
TREMFYA ONE-PRESS SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	Nivel 4	PA; MO
TREMFYA PEN INDUCTION PK-CROHN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	Nivel 4	PA; MO
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 200 MG/2 ML	Nivel 4	PA; MO
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	Nivel 4	PA; MO
Agentes Antipsoriásicos		
<i>calcipotriene scalp solution 0.005 %</i>	Nivel 2	ST: Must meet the following requirement: Topical Corticosteroid in 120 days
<i>calcipotriene topical cream 0.005 %</i>	Nivel 2	ST: Must meet the following requirement: Topical Corticosteroid in 120 days
<i>calcipotriene topical foam 0.005 %</i> (Sorilux)	Nivel 2	ST: Must meet the following requirement: Topical Corticosteroid in 120 days
<i>calcipotriene topical ointment 0.005 %</i>	Nivel 2	ST: Must meet the following requirement: Topical Corticosteroid in 120 days
<i>calcitriol topical ointment 3 mcg/gram</i> (Vectical)	Nivel 2	ST: Must meet the following requirement: Topical Corticosteroid in 120 days
DIOOXIA TOPICAL CREAM 0.005-4 %	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
DRITHOCREME HP TOPICAL CREAM 1 %	Nivel 3	ST: Must meet the following requirement: Topical Corticosteroid in 120 days
DUOBRII TOPICAL LOTION 0.01-0.045 %	Nivel 4	ST: Must meet any of the following requirements: Betamethasone augmented 0.05% (cream, gel, lotion, ointment), Clobetasol (except foam, shampoo), Desoximetasone (cream, gel, ointment), Fluocinonide (cream, gel), or Halobetasol (ointment, cream) in 120 days; QL (200 GM per 28 days)
PURAZIL TOPICAL CREAM 0.005-4 %	Nivel 4	
SORILUX TOPICAL FOAM 0.005 % (calcipotriene)	Nivel 4	ST: Must meet the following requirement: Topical Corticosteroid in 120 days
tazarotene topical cream 0.05 % (Tazorac)	Nivel 2	Age (Max 39 Years)
tazarotene topical cream 0.1 % (Tazorac)	Nivel 2	
tazarotene topical gel 0.05 %, 0.1 % (Tazorac)	Nivel 2	Age (Max 39 Years)
TAZORAC TOPICAL CREAM 0.05 % (tazarotene)	Nivel 4	Age (Max 39 Years)
TAZORAC TOPICAL CREAM 0.1 % (tazarotene)	Nivel 4	
TAZORAC TOPICAL GEL 0.05 %, 0.1 % (tazarotene)	Nivel 4	Age (Max 39 Years)
TRIONEX TOPICAL KIT 0.005 %	Nivel 4	
VECTICAL TOPICAL OINTMENT 3 MCG/GRAM (calcitriol)	Nivel 4	ST: Must meet the following requirement: Topical Corticosteroid in 120 days
VTAMA TOPICAL CREAM 1 %	Nivel 3	PA; QL (60 GM per 30 days)
ZITHRANOL TOPICAL SHAMPOO 1 %	Nivel 4	ST: Must meet the following requirement: Topical Corticosteroid in 120 days
ZORYVE TOPICAL CREAM 0.3 %	Nivel 3	PA; QL (60 GM per 30 days)
Agentes Antipsoriáticos, Sistémicos		
acitretin oral capsule 10 mg, 17.5 mg, 25 mg	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
BIMZELX AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 160 MG/ML, 320 MG/2 ML	Nivel 4	PA; MO
BIMZELX SUBCUTANEOUS SYRINGE 160 MG/ML, 320 MG/2 ML	Nivel 4	PA; MO
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	Nivel 5	PA; MO
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	Nivel 5	PA; MO
COSENTYX PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML	Nivel 5	PA; MO
COSENTYX SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	Nivel 5	PA; MO
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	Nivel 5	PA; MO
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	Nivel 2	
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	Nivel 5	PA; MO
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	Nivel 4	PA; MO
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML	Nivel 4	PA; MO
SOTYKTU ORAL TABLET 6 MG	Nivel 4	PA; MO
SPEVIGO SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML	Nivel 5	MO
TALTZ AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	Nivel 4	PA; MO
TALTZ AUTOINJECTOR (3 PACK) SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	Nivel 4	PA; MO
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	Nivel 4	PA; MO
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 20 MG/0.25 ML, 40 MG/0.5 ML, 80 MG/ML	Nivel 4	PA; MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Agentes Inmunosupresores Tópicos			
ELIDEL TOPICAL CREAM 1 %	(pimecrolimus)	Nivel 4	ST: Must meet any of the following requirements: generic Mometasone (cream or ointment), Clobetasol (cream or ointment), Hydrocortisone (1% or 2.5% cream or ointment), or Triamcinolone (0.1% or 0.5% ointment) in 120 days
ELYZIA (WITH HYALURONATE) TOPICAL CREAM 0.1-1-4 %	(tacrolimus-hyaluronate-niacin)	Nivel 4	
ELYZIA TOPICAL OINTMENT 0.1-4 %	(tacrolimus-niacinamide)	Nivel 4	
HOVYN TOPICAL SOLUTION 0.1 %		Nivel 4	
HYFTOR TOPICAL GEL 0.2 %		Nivel 5	PA; MO
NUJO TOPICAL SOLUTION 0.1 %		Nivel 4	
NUJU TOPICAL CREAM 0.1 %	(tacrolimus-vehicle base no.238)	Nivel 4	
OXIANUJO (WITH HYALURONATE) TOPICAL CREAM 0.1-1-4 %	(tacrolimus-hyaluronate-niacin)	Nivel 4	
OXIANUJO TOPICAL OINTMENT 0.1-4 %	(tacrolimus-niacinamide)	Nivel 4	
<i>pimecrolimus topical cream 1 %</i>	(Elidel)	Nivel 2	ST: Must meet any of the following requirements: generic Mometasone (cream or ointment), Clobetasol (cream or ointment), Hydrocortisone (1% or 2.5% cream or ointment), or Triamcinolone (0.1% or 0.5% ointment) in 120 days
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>		Nivel 2	ST: Must meet any of the following requirements: generic Mometasone (cream or ointment), Clobetasol (cream or ointment), Hydrocortisone (1% or 2.5% cream or ointment), or Triamcinolone (0.1% or 0.5% ointment) in 120 days
VEVEN TOPICAL CREAM 0.1 %	(tacrolimus-vehicle base no.238)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Agentes Tópicos, Varios		
COLLATYL TOPICAL GEL 1 %	Nivel 4	
L-MESITRAN SOFT TOPICAL GEL 40 %	Nivel 4	
MEDIHONEY (HONEY) TOPICAL GEL 80 %	Nivel 4	
MUSCUSOLICE TOPICAL CREAM, METERED-DOSE APPLICATOR 2 %, 5 %	Nivel 4	
NEURAPTINE TOPICAL CREAM, METERED-DOSE APPLICATOR 10 %	Nivel 4	
OCM TOPICAL OINTMENT IN PACKET	Nivel 4	
OMEZA TOPICAL OINTMENT IN PACKET	Nivel 4	
<i>urea topical cream 20 %</i> (Gormel)	Nivel 2	
Vit D Tópica Análoga/Antiinflamatorio, Steroideo		
<i>calcipotriene-betamethasone topical ointment 0.005-0.064 %</i>	Nivel 2	ST: Must meet the following requirement: Topical Corticosteroid in 120 days
<i>calcipotriene-betamethasone topical suspension 0.005-0.064 %</i> (Taclonex)	Nivel 2	ST: Must meet the following requirement: Topical Corticosteroid in 120 days
DIOCHLOY TOPICAL SOLUTION 0.05-0.005 % (clobetasol-calcipotriene)	Nivel 4	
ENSTILAR TOPICAL FOAM 0.005-0.064 %	Nivel 3	
PLENURA TOPICAL SOLUTION 0.05-0.005 % (clobetasol-calcipotriene)	Nivel 4	
TACLONEX TOPICAL SUSPENSION 0.005-0.064 % (calcipotriene-betamethasone)	Nivel 4	ST: Must meet the following requirement: Topical Corticosteroid in 120 days
WYNZORA TOPICAL CREAM 0.005-0.064 %	Nivel 4	ST: Must meet the following requirement: generic Taclonex ointment in 120 days
Dermatología - Trastornos De Pigmentación		
Agentes De Hipopigmentación		
BLANCHE TOPICAL CREAM 4 % (hydroquinone)	Nivel 4	
<i>hydroquinone topical cream 4 %</i> (Obagi Elastiderm)	Nivel 2	

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
KATARAXAP TOPICAL EMULSION 4-0.025-0.025 %		Nivel 4	
KATARVIA TOPICAL EMULSION 4-0.025 %		Nivel 4	
KATARYA TOPICAL EMULSION 4-0.025-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
KATARYAXN TOPICAL EMULSION 4-0.025-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
KAXM TOPICAL EMULSION 4 %	(hydroquinone)	Nivel 4	
KEIDO TOPICAL EMULSION 6-1 %	(hydroquinone-hyaluronate)	Nivel 4	
KETARYA TOPICAL EMULSION 6-0.025-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
KEVARAXAP TOPICAL EMULSION 6-0.05-0.025 %		Nivel 4	
KEVARTIA TOPICAL EMULSION 6-0.05 %		Nivel 4	
KEVARYA TOPICAL EMULSION 6-0.05-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
KEXM TOPICAL EMULSION 6 %	(hydroquinone)	Nivel 4	
KEYA TOPICAL EMULSION 6-0.5 %	(hydroquinone-hydrocortisone)	Nivel 4	
KOTARAXAP TOPICAL EMULSION 5-0.025-0.025 %		Nivel 4	
KUTAR TOPICAL EMULSION 8-0.025 %		Nivel 4	
KUTARVIA TOPICAL EMULSION 8-0.025 %		Nivel 4	
KUTARYAXM TOPICAL EMULSION 8-0.025-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
KUTARYAXMPA TOPICAL EMULSION 8-0.025-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
KUTEA TOPICAL EMULSION 8 %	(hydroquinone)	Nivel 4	
KUVARYA TOPICAL EMULSION 8-0.05-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
KUVARYE TOPICAL EMULSION 8-0.05-1 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
KUXM TOPICAL EMULSION 8 %	(hydroquinone)	Nivel 4	
MAVILO HP TOPICAL EMULSION 6-0.05-0.025 %		Nivel 4	
MAVILO LP TOPICAL EMULSION 4-0.025-0.025 %		Nivel 4	

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
MAVILO TOPICAL EMULSION 5-0.025-0.025 %		Nivel 4	
MECORIX HP TOPICAL EMULSION 8-0.05-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
MECORIX PLUS TOPICAL EMULSION 8-0.025-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
MECORIX TOPICAL EMULSION 8-0.025-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
MEDORFA HP PLUS TOPICAL EMULSION 8 %	(hydroquinone)	Nivel 4	
MEDORFA HP TOPICAL EMULSION 8 %	(hydroquinone)	Nivel 4	
MEDORFA LP TOPICAL EMULSION 4 %	(hydroquinone)	Nivel 4	
MEDORFA PLUS TOPICAL EMULSION 6-1 %	(hydroquinone-hyaluronate)	Nivel 4	
MEDORFA TOPICAL EMULSION 6 %	(hydroquinone)	Nivel 4	
MEKAM HP TOPICAL EMULSION 6-0.05-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
MEKAM TOPICAL EMULSION 6-0.025-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
MELIDU TOPICAL EMULSION 4-0.025-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
MELONDIS PLUS TOPICAL EMULSION 4-0.025-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
MELONDIS TOPICAL EMULSION 4-0.025-0.5 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
MIMORA TOPICAL EMULSION 6-0.5 %	(hydroquinone-hydrocortisone)	Nivel 4	
MOKURA LP TOPICAL EMULSION 4-0.025 %		Nivel 4	
MOKURA MOD TOPICAL EMULSION 6-0.05 %		Nivel 4	
MOKURA PLUS TOPICAL EMULSION 8-0.025 %		Nivel 4	
MOKURA TOPICAL EMULSION 8-0.025 %		Nivel 4	
MOLEXI TOPICAL EMULSION 4-0.025-2.5 %		Nivel 4	
MYTHIUS TOPICAL EMULSION 8-0.05-1 %	(hydroquin-tretinoin-hydrocort)	Nivel 4	
MYVORI TOPICAL CREAM 10-4 %	(lactic acid-niacinamide)	Nivel 4	
OBAGI ELASTIDERM TOPICAL CREAM 4 %	(hydroquinone)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
OBAGI NU-DERM BLENDER TOPICAL (hydroquinone) CREAM 4 %	Nivel 2	
OBAGI NU-DERM CLEAR TOPICAL (hydroquinone) CREAM 4 %	Nivel 2	
OBAGI NU-DERM SUNFADER TOPICAL CREAM 4 %- SPF 15	Nivel 4	
OBAGI-C CLARIFYING SERUM TOPICAL LIQUID 4-10 %	Nivel 4	
OBAGI-C THERAPY NIGHT TOPICAL CREAM 4 %	Nivel 4	
PROOXIA TOPICAL CREAM 10-4 % (lactic acid-niacinamide)	Nivel 4	
TRI-LUMA TOPICAL CREAM 0.01-4-0.05 %	Nivel 4	
YAXATARXYN TOPICAL EMULSION 4-0.025-0.5 % (hydroquin-tretinoin-hydrocort)	Nivel 4	
YOKATAR TOPICAL EMULSION 4-0.025-2.5 %	Nivel 4	
Diabetes		
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	Nivel 3	PA; MO; QL (0.5 ML per 7 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 2.5 MG/0.5 ML	Nivel 3	PA; QL (0.5 ML per 7 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	Nivel 3	MO; QL (1 EA per 1 day)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	Nivel 3	MO; QL (2 EA per 1 day)
Antihiperoglucémicos - Agonistas De Receptor De Dopamina		
CYCLOSET ORAL TABLET 0.8 MG	Nivel 4	MO; ST: Must meet any of the following requirements: Glipizide/metformin (Metaglip), Glyburide/Metformin (Glucovance), Metformin (Glucophage), or Metformin ER in 180 days
Antihiperoglucémicos, De Tipo Análogo De Amilina		
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	Nivel 4	MO
Antihiperoglucémicos, Estimulante De Liberación De Insulina & Cmb De Biguanida		
<i>glipizide-metformin oral tablet 2.5-250 mg, 2.5-500 mg, 5-500 mg</i>	Nivel 2	MO
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	Nivel 2	MO
Antihiperoglucémicos, Inhib. De Alfa-Glucosidasa (N-S)		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	Nivel 2	MO
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	Nivel 2	MO
PRECOSE ORAL TABLET 100 MG, 25 MG, 50 MG (acarbose)	Nivel 4	MO
Antihiperoglucémicos, Inhibidor (Dpp-4) & Comb. De Biguanida		
<i>alogliptin-metformin oral tablet 12.5-1,000 mg, 12.5-500 mg</i> (Kazano)	Nivel 4	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (2 EA per 1 day)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	Nivel 3	MO; QL (2 EA per 1 day)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	Nivel 3	MO; QL (1 EA per 1 day)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	Nivel 3	MO; QL (2 EA per 1 day)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	Nivel 4	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (2 EA per 1 day)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	Nivel 4	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (2 EA per 1 day)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	Nivel 4	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
KAZANO ORAL TABLET 12.5-1,000 MG, 12.5-500 MG (alogliptin-metformin)	Nivel 4	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (2 EA per 1 day)
saxagliptin-metformin oral tablet, er multiphase 24 hr 2.5-1,000 mg	Nivel 2	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (2 EA per 1 day)
saxagliptin-metformin oral tablet, er multiphase 24 hr 5-1,000 mg, 5-500 mg	Nivel 2	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (1 EA per 1 day)
Antihiper glucémicos, Inhibidores Dpp-4		
alogliptin oral tablet 12.5 mg, 25 mg (Nesina)	Nivel 4	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (1 EA per 1 day)
alogliptin oral tablet 6.25 mg	Nivel 4	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (1 EA per 1 day)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	Nivel 3	MO; QL (1 EA per 1 day)
NESINA ORAL TABLET 12.5 MG, 25 MG (alogliptin)	Nivel 4	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (1 EA per 1 day)
saxagliptin oral tablet 2.5 mg, 5 mg	Nivel 2	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (1 EA per 1 day)
sitagliptin oral tablet 100 mg, 25 mg, 50 mg (Zituvio)	Nivel 4	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
TRADJENTA ORAL TABLET 5 MG	Nivel 4	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (1 EA per 1 day)
ZITUVIO ORAL TABLET 100 MG, 25 MG, 50 MG (sitagliptin)	Nivel 4	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (1 EA per 1 day)
Antihiperoglucémicos, Miméticos De Incretina (Glp-1 Agonistas De Recep.)		
BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR 2 MG/0.85 ML	Nivel 4	PA; MO; QL (0.85 ML per 7 days)
<i>exenatide subcutaneous pen injector 10 mcg/dose(250 mcg/ml) 2.4 ml</i>	Nivel 2	PA; MO; QL (2.4 ML per 30 days)
<i>exenatide subcutaneous pen injector 5 mcg/dose (250 mcg/ml) 1.2 ml</i>	Nivel 2	PA; MO; QL (1.2 ML per 30 days)
<i>liraglutide subcutaneous pen injector 0.6 mg/0.1 ml (18 mg/3 ml)</i> (Victoza 2-Pak)	Nivel 4	PA; MO; QL (9 ML per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	Nivel 3	PA; MO; QL (3 ML per 28 days)
RYBELSUS ORAL TABLET 1.5 MG, 3 MG	Nivel 3	PA; QL (1 EA per 1 day)
RYBELSUS ORAL TABLET 14 MG, 4 MG, 7 MG, 9 MG	Nivel 3	PA; MO; QL (1 EA per 1 day)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	Nivel 3	PA; MO; QL (2 ML per 28 days)
VICTOZA 2-PAK SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML) (liraglutide)	Nivel 4	PA; MO; QL (9 ML per 30 days)
VICTOZA 3-PAK SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML) (liraglutide)	Nivel 4	PA; MO; QL (9 ML per 30 days)
Antihiperoglucémicos, Potenciador De Resp.-Insul & Cmb Biguanida		
ACTOPLUS MET ORAL TABLET 15-850 MG (pioglitazone-metformin)	Nivel 4	MO; ST: Must meet any of the following requirements: Metformin, preferred Sulfonylurea or preferred Metformin/Sulfonylurea combination in 120 days

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	Nivel 2	MO; ST: Must meet any of the following requirements: Metformin, preferred Sulfonylurea or preferred Metformin/Sulfonylurea combination in 120 days
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	Nivel 2	MO; ST: Must meet any of the following requirements: Metformin, preferred Sulfonylurea or preferred Metformin/Sulfonylurea combination in 120 days
Antihiperoglucémicos, Potenciador De Respuestas De Insulina (N-S)		
ACTOS ORAL TABLET 15 MG, 30 MG, 45 MG (pioglitazone)	Nivel 4	MO
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	Nivel 2	MO
Antihiperoglucémicos, Respuesta-Insulina & Comb. De Liberación		
DUETACT ORAL TABLET 30-2 MG, 30-4 MG (pioglitazone-glimepiride)	Nivel 4	MO; ST: Must meet any of the following requirements: Metformin, preferred Sulfonylurea or preferred Metformin/Sulfonylurea combination in 120 days
<i>pioglitazone-glimepiride oral tablet 30-2 mg, 30-4 mg</i> (DUETACT)	Nivel 2	MO; ST: Must meet any of the following requirements: Metformin, preferred Sulfonylurea or preferred Metformin/Sulfonylurea combination in 120 days
Antihiperoglucémicos, Tipo De Biguanida (No-Sulfonilurea)		
DM2 COMBO PACK, TABLET AND STRIP 500 MG	Nivel 4	ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	Nivel 2	MO
<i>metformin oral tablet 1,000 mg, 500 mg, 625 mg, 750 mg, 850 mg</i>	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>metformin oral tablet extended release 24 hr 500 mg, 750 mg</i>	Nivel 2	MO
<i>metformin oral tablet extended release 24hr 1,000 mg, 500 mg</i>	Nivel 2	MO
<i>metformin oral tablet,er gast.retention 24 hr 1,000 mg, 500 mg</i>	Nivel 2	MO; ST: Must meet the following requirement: Metformin Hcl in 120 days
RIOMET ORAL SOLUTION 500 MG/5 ML (metformin)	Nivel 4	MO
Antihiperoglucémicos, Tipo De Estimulante De Liberación De Insulina		
<i>glimepiride oral tablet 1 mg, 2 mg, 3 mg, 4 mg</i>	Nivel 2	MO
<i>glipizide oral tablet 10 mg, 5 mg</i>	Nivel 2	MO
<i>glipizide oral tablet 2.5 mg</i>	Nivel 2	MO; QL (2 EA per 1 day)
<i>glipizide oral tablet extended release 24hr 10 mg, 2.5 mg, 5 mg</i>	Nivel 2	MO
GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 10 MG, 5 MG (glipizide)	Nivel 4	MO
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	Nivel 2	MO
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	Nivel 2	MO
<i>nateglinide oral tablet 120 mg, 60 mg</i>	Nivel 2	MO
<i>repaglinide oral tablet 0.5 mg, 1 mg, 2 mg</i>	Nivel 2	MO
Antihiperoglucémicos, Agonistas De Receptor De Insulina & Glp-1		
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	Nivel 3	MO; QL (30 ML per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	Nivel 3	MO; QL (15 ML per 28 days)
Antihiperoglucémicos, Dpp-4 Inhib De Enzima & Tiazolidinediona		
<i>alogliptin-pioglitazone oral tablet 12.5-30 mg, 25-45 mg</i> (Oseni)	Nivel 4	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>alogliptin-pioglitazone oral tablet 25-15 mg, 25-30 mg</i>	Nivel 4	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (1 EA per 1 day)
OSANI ORAL TABLET 12.5-30 MG, 25-45 MG (alogliptin-pioglitazone)	Nivel 4	MO; ST: Must meet any of the following requirements: Janumet, Janumet XR, or Januvia in 120 days; QL (1 EA per 1 day)
Antihiperoglucémicos-Bloqueador De Receptor De Glucocorticoides		
KORLYM ORAL TABLET 300 MG (mifepristone)	Nivel 4	PA; MO
<i>mifepristone oral tablet 300 mg</i> (Korlym)	Nivel 4	PA; MO
Antihiperoglucémicos-Sod/Gluc Cotransport2(SglT2)Inhib		
BRENZAVVY ORAL TABLET 20 MG (bexagliflozin)	Nivel 4	MO; ST: Must meet 2 of the following requirements: Farxiga, Jardiance, Synjardy XR, Synjardy, or Xigduo XR in 365 days; QL (1 EA per 1 day)
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	Nivel 3	MO; QL (1 EA per 1 day)
INPEFA ORAL TABLET 200 MG	Nivel 4	MO; ST: Must meet 2 of the following requirements: Farxiga, Jardiance, Synjardy XR, Synjardy, or Xigduo XR in 365 days; QL (2 EA per 1 day)
INPEFA ORAL TABLET 400 MG	Nivel 4	MO; ST: Must meet 2 of the following requirements: Farxiga, Jardiance, Synjardy XR, Synjardy, or Xigduo XR in 365 days; QL (1 EA per 1 day)
INVOKANA ORAL TABLET 100 MG, 300 MG	Nivel 4	MO; ST: Must meet 2 of the following requirements: Farxiga, Jardiance, Synjardy XR, Synjardy, or Xigduo XR in 365 days; QL (30 EA per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	Nivel 3	MO; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
STEGLATRO ORAL TABLET 15 MG, 5 MG	Nivel 4	MO; ST: Must meet 2 of the following requirements: Farxiga, Jardiance, Synjardy XR, Synjardy, or Xigduo XR in 365 days; QL (1 EA per 1 day)
Comb. De Inhibidor De Antihiperoglucémicos, Sglt-2 & Dpp-4		
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	Nivel 3	MO; QL (1 EA per 1 day)
QTERN ORAL TABLET 10-5 MG, 5-5 MG	Nivel 4	MO; ST: Must meet any of the following requirements: Farxiga, Janumet XR, Janumet, Januvia, Jardiance, Synjardy XR, Synjardy, or Xigduo XR in 120 days; QL (1 EA per 1 day)
STEGLUJAN ORAL TABLET 15-100 MG, 5-100 MG	Nivel 4	MO; ST: Must meet any of the following requirements: Farxiga, Janumet XR, Janumet, Januvia, Jardiance, Synjardy XR, Synjardy, or Xigduo XR in 120 days; QL (1 EA per 1 day)
Diagnósticos De Azúcar En Sangre		
ACCU-CHEK AVIVA PLUS TEST STRP (blood sugar diagnostic) STRIP	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
ACCU-CHEK GUIDE TEST STRIPS (blood sugar diagnostic) STRIP	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ACCU-CHEK SMARTVIEW TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
ACCUTREND GLUCOSE TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
ADVANCED GLUC METER TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
ADVOCATE REDI-CODE PLUS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
AGAMATRIX AMP TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
AGAMATRIX JAZZ TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
AGAMATRIX PRESTO TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
ASSURE 4 STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ASSURE PLATINUM TEST STRIP (blood sugar diagnostic) STRIP	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
ASSURE PRISM MULTI STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
BIONIME RIGHTEST TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
BLOOD GLUCOSE TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
BLULINK GLUCOSE TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
CARESENS N TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
CARETOUCH TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
CHOICEDM CLARUS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CLEVER CHOICE MICRO TEST STRIP (blood sugar diagnostic) STRIP	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
CLEVER CHOICE PRO STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
CLEVER CHOICE TALK TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
CLEVER CHOICE TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CLEVER CHOICE VOICE PLUS TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
CONTOUR NEXT TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
CONTOUR PLUS TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; QL (200 EA per 30 days)
CONTOUR TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; QL (200 EA per 30 days)
DIATRUE PLUS TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EASY PLUS II TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
EASY STEP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EASY TALK GLUCOSE TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EASY TALK PLUS II TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EASY TOUCH BLULINK TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
EASY TOUCH TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EASY TRAK GLUCOSE TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EASY TRAK II TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EASYGLUCO TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
EASYMAX 15 TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EASYMAX STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
ELEMENT COMPACT TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
ELEMENT TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
EMBRACE BLOOD GLUCOSE SYSTEM STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EMBRACE EVO TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EMBRACE PRO TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EMBRACE TALK TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
EMBRACE WAVE GLUCOSE TEST STRP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EVENCARE G2 STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EVENCARE G3 TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EVENCARE MINI GLUCOSE TEST STR STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
EVENCARE PROVIEW TEST STRIP (blood sugar diagnostic) STRIP	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EVENCARE TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EVOLUTION TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
EZ SMART PLUS TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
EZ SMART TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
FORA 6 CONNECT GLUCOSE STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
FORA 6CONN-GTEL-TN'G ADV STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
FORA D40-G31 TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
FORA G20 STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
FORA GD50 TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
FORA GTEL GLUCOSE TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
FORA TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
FORA TN'G ADVAN PRO TEST STRIP (blood sugar diagnostic) STRIP	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
FORA TN'G VOICE TEST STRIPS (blood sugar diagnostic) STRIP	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
FORA V10 STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
FORA V10-V12-D10-D20 STRIPS (blood sugar diagnostic) STRIP	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
FORACARE GD20 STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
FORACARE GD40 TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
FREESTYLE INSULINX STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
FREESTYLE INSULINX TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; QL (200 EA per 30 days)
FREESTYLE LITE STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
FREESTYLE PRECISION NEO STRIPS (blood sugar diagnostic) STRIP	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
FREESTYLE TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
GE100 BLOOD GLUCOSE TEST STRIP (blood sugar diagnostic) STRIP	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
GE333 BLOOD GLUCOSE TEST STRIP (blood sugar diagnostic) STRIP	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
GLUCO NAVII TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
GLUCOCARD 01 SENSOR PLUS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
GLUCOCARD EXPRESSION STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
GLUCOCARD SHINE TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
GLUCOCARD VITAL SENSOR STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
GLUCOCARD VITAL TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
GLUCOCOM GLUCOSE STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
GM100 STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
GOJJI BLOOD GLUCOSE TEST STRIP (blood sugar diagnostic) STRIP	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
HARMONY GLUCOSE TEST STRIP (blood sugar diagnostic) STRIP	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
HEALTHPRO TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
IHEALTH GLUCOSE TEST STRIP (blood sugar diagnostic) STRIP	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
INFINITY TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
MICRO BLOOD GLUCOSE STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
MICRODOT BLOOD GLUCOSE SYSTEM STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
MICRODOT XTRA BLOOD GLUCOSE STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
MYGLUCOHEALTH STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
NEUTEK 2TEK TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
NOVA MAX GLUCOSE TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
ON CALL EXPRESS TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ONETOUCH ULTRA TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
ONETOUCH VERIO TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
OPTIUM EZ STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
OPTIUM TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PHARMACIST CHOICE STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
PIP BLOOD GLUCOSE TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
PLATINUM TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
PRECISION PCX PLUS TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PRECISION PCX TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
PRECISION POINT OF CARE TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
PRECISION Q-I-D TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
PRECISION XTRA TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PREMIER TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
PREMIUM V10 STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
PRO VOICE V8-V9 TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
PRODIGY NO CODING STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
QUINTET AC STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
QUINTET GLUCOSE TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
REFUAH PLUS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
RELION CONFIRM-MICRO STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
RELION PRIME TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
RELION ULTIMA STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
REVEAL TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
RIGHTEST GS550 TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
RIGHTEST GT333 TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
SMART SENSE TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
SMARTEST TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
SOLUS V2 TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SURE-TEST EASYPLUS MINI STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
TELCARE TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
TEST N'GO TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
TRUE METRIX GLUCOSE TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
TRUETEST TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
TRUETRACK TEST STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
ULTIMA TEST STRIPS STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
ULTRATRAK STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ULTRATRAK ULTIMATE STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
UNISTRIPI TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
VIVAGUARD INO TEST STRIP STRIP (blood sugar diagnostic)	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
Equipod Médicos Duraderos, Misc. (Grupo 1)		
BLULINK BG SYSTEM REFILL KIT 32 GAUGE	Nivel 6	MO; ST: Must meet any of the following requirements: Contour Test Strip, Contour Next, Contour Plus, Freestyle Insulinx, Freestyle Lite, Freestyle Precision Neo, Freestyle Test Strips, or Precision Xtra in 120 days; QL (200 EA per 30 days)
Hiperglucémicos		
BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION	Nivel 3	QL (4 EA per 1 FILL)
diazoxide oral suspension 50 mg/ml (Proglycem)	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
GLUCAGON (HCL) EMERGENCY KIT (glucagon hcl) INJECTION RECON SOLN 1 MG	Nivel 4	ST: Must meet any of the following requirements: Baqsimi or Gvoke in 120 days; QL (4 EA per 1 FILL)
GLUCAGON EMERGENCY KIT (HUMAN) INJECTION RECON SOLN 1 MG	Nivel 2	ST: Must meet any of the following requirements: Baqsimi or Gvoke in 120 days; QL (4 EA per 1 FILL)
GVOKE HYPOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML	Nivel 3	QL (0.4 ML per 1 FILL)
GVOKE HYPOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 1 MG/0.2 ML	Nivel 3	QL (0.8 ML per 1 FILL)
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML	Nivel 3	QL (0.4 ML per 1 FILL)
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 1 MG/0.2 ML	Nivel 3	QL (0.8 ML per 1 FILL)
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	Nivel 3	QL (0.8 ML per 1 FILL)
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	Nivel 3	QL (0.8 ML per 1 FILL)
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	Nivel 3	QL (0.8 ML per 1 FILL)
PROGLYCEM ORAL SUSPENSION 50 (diazoxide) MG/ML	Nivel 4	MO
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	Nivel 4	ST: Must meet any of the following requirements: Baqsimi or Gvoke in 120 days; QL (2.4 ML per 1 FILL)
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	Nivel 4	ST: Must meet any of the following requirements: Baqsimi or Gvoke in 120 days; QL (2.4 ML per 1 FILL)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Inhibidor De Antihiper glucémicos-SglT2 & Comb De Biguanida		
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	Nivel 4	MO; ST: Must meet 2 of the following requirements: Farxiga, Jardiance, Synjardy XR, Synjardy, or Xigduo XR in 365 days; QL (2 EA per 1 day)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	Nivel 4	MO; ST: Must meet 2 of the following requirements: Farxiga, Jardiance, Synjardy XR, Synjardy, or Xigduo XR in 365 days; QL (2 EA per 1 day)
SEGLUROMET ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 7.5-1,000 MG, 7.5-500 MG	Nivel 4	MO; ST: Must meet 2 of the following requirements: Farxiga, Jardiance, Synjardy XR, Synjardy, or Xigduo XR in 365 days; QL (2 EA per 1 day)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	Nivel 3	MO; QL (2 EA per 1 day)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	Nivel 3	MO; QL (1 EA per 1 day)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	Nivel 3	MO; QL (2 EA per 1 day)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin)	Nivel 3	MO; QL (1 EA per 1 day)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG, 5-500 MG	Nivel 3	MO; QL (1 EA per 1 day)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	Nivel 3	MO; QL (2 EA per 1 day)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned-metformin)	Nivel 3	MO; QL (2 EA per 1 day)
Insulinas		
ADMELOG SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (insulin lispro)	Nivel 4	MO; ST: Must meet any of the following requirements: Fiasp, Lyumjev, Novolog, Insulin Lispro or Humalog U-200 in 120 days; QL (30 ML per 28 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ADMELOG U-100 INSULIN LISPRO (insulin lispro) SUBCUTANEOUS SOLUTION 100 UNIT/ML	Nivel 4	MO; ST: Must meet any of the following requirements: Fiasp, Lyumjev, Novolog, Insulin Lispro or Humalog U-200 in 120 days; QL (40 ML per 28 days)
AFREZZA INHALATION CARTRIDGE WITH INHALER 12 UNIT, 4 UNIT, 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60), 8 UNIT, 8 UNIT (90)/ 12 UNIT (90)	Nivel 4	PA; MO
APIDRA SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	Nivel 4	MO; ST: Must meet any of the following requirements: Fiasp, Lyumjev, Novolog, Insulin Lispro or Humalog U-200 in 120 days; QL (30 ML per 28 days)
APIDRA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	Nivel 4	MO; ST: Must meet any of the following requirements: Fiasp, Lyumjev, Novolog, Insulin Lispro or Humalog U-200 in 120 days; QL (40 ML per 28 days)
BASAGLAR KWIKPEN U-100 INSULIN (insulin glargine) SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	Nivel 4	MO; ST: Must meet any of the following requirements: Insulin Glargine-yfgn, Toujeo, or Tresiba in 120 days; QL (30 ML per 28 days)
BASAGLAR TEMPO PEN(U-100)INSLN SUBCUTANEOUS INSULIN PEN, SENSOR 100 UNIT/ML (3 ML)	Nivel 4	MO; ST: Must meet 2 of the following requirements: Insulin Glargine-yfgn, Toujeo or Tresiba in 365 days; QL (30 ML per 28 days)
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	Nivel 3	MO; QL (30 ML per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	Nivel 3	MO; QL (30 ML per 28 days)
FIASP PUMPCART SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (1.6 ML)	Nivel 3	MO; QL (40 ML per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	Nivel 3	MO; QL (40 ML per 28 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
HUMALOG JUNIOR KWIKPEN U-100 (insulin lispro) SUBCUTANEOUS INSULIN PEN, HALF-UNIT 100 UNIT/ML	Nivel 4	MO; QL (30 ML per 28 days)
HUMALOG KWIKPEN INSULIN (insulin lispro) SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	Nivel 4	MO; QL (30 ML per 28 days)
HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	Nivel 3	MO; QL (12 ML per 28 days)
HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (50-50)	Nivel 3	MO; QL (30 ML per 28 days)
HUMALOG MIX 75-25 KWIKPEN (insulin lispro protamin- SUBCUTANEOUS INSULIN PEN 100 lispro) UNIT/ML (75-25)	Nivel 4	MO; QL (30 ML per 28 days)
HUMALOG MIX 75-25(U-100)INSULN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (75-25)	Nivel 3	MO; QL (40 ML per 28 days)
HUMALOG TEMPO PEN(U- 100)INSULN SUBCUTANEOUS INSULIN PEN, SENSOR 100 UNIT/ML	Nivel 4	MO; ST: Must meet 2 of the following requirements: Insulin Lispro, Novolog, Fiasp, or Lyumjev (Non Tempo Version) in 365 days; QL (30 ML per 28 days)
HUMALOG U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	Nivel 3	MO; QL (30 ML per 28 days)
HUMALOG U-100 INSULIN (insulin lispro) SUBCUTANEOUS SOLUTION 100 UNIT/ML	Nivel 4	MO; QL (40 ML per 28 days)
HUMULIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	Nivel 3	MO; QL (40 ML per 28 days)
HUMULIN 70/30 U-100 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	Nivel 3	MO; QL (30 ML per 28 days)
HUMULIN N NPH INSULIN KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	Nivel 3	MO; QL (30 ML per 28 days)
HUMULIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	Nivel 3	MO; QL (40 ML per 28 days)
HUMULIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	Nivel 3	MO; QL (40 ML per 28 days)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML		Nivel 3	MO; QL (40 ML per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)		Nivel 3	MO; QL (24 ML per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i>	(Novolog Mix 70-30FlexPen U-100)	Nivel 4	MO; ST: Must meet any of the following requirements: generic Humalog Mix 75-25 in 120 days; QL (30 ML per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i>	(Novolog Mix 70-30 U-100 Insulin)	Nivel 4	MO; ST: Must meet any of the following requirements: generic Humalog Mix 75-25 in 120 days; QL (40 ML per 28 days)
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i>	(Novolog PenFill U-100 Insulin)	Nivel 4	MO; ST: Must meet any of the following requirements: Fiasp, Lyumjev, Novolog, Insulin Lispro or Humalog U-200 in 120 days; QL (30 ML per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Novolog FlexPen U-100 Insulin)	Nivel 4	MO; ST: Must meet any of the following requirements: Fiasp, Lyumjev, Novolog, Insulin Lispro or Humalog U-200 in 120 days; QL (30 ML per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	Nivel 4	MO; ST: Must meet any of the following requirements: Fiasp, Lyumjev, Novolog, Insulin Lispro or Humalog U-200 in 120 days; QL (40 ML per 28 days)
<i>insulin glargine-yfgn subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Semglee(insulin glarg-yfgn)Pen)	Nivel 3	MO; QL (30 ML per 28 days)
<i>insulin glargine-yfgn subcutaneous solution 100 unit/ml</i>	(Semglee(insulin glargine-yfgn))	Nivel 3	MO; QL (40 ML per 28 days)
<i>insulin lispro protamin-lispro subcutaneous insulin pen 100 unit/ml (75-25)</i>	(Humalog Mix 75-25 KwikPen)	Nivel 2	MO; QL (30 ML per 28 days)
<i>insulin lispro subcutaneous insulin pen 100 unit/ml</i>	(Admelog SoloStar U-100 Insulin)	Nivel 2	MO; QL (30 ML per 28 days)
<i>insulin lispro subcutaneous insulin pen, half-unit 100 unit/ml</i>	(Humalog Junior KwikPen U-100)	Nivel 2	MO; QL (30 ML per 28 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>insulin lispro subcutaneous solution 100 unit/ml</i> (Admelog U-100 Insulin lispro)	Nivel 2	MO; QL (40 ML per 28 days)
KIRSTY PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	Nivel 4	MO; QL (30 ML per 28 days)
KIRSTY SUBCUTANEOUS SOLUTION 100 UNIT/ML	Nivel 4	MO; QL (40 ML per 28 days)
LYUMJEV KWIKPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	Nivel 3	MO; QL (30 ML per 28 days)
LYUMJEV KWIKPEN U-200 INSULIN SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	Nivel 3	MO; QL (12 ML per 28 days)
LYUMJEV TEMPO PEN(U-100)INSULN SUBCUTANEOUS INSULIN PEN, SENSOR 100 UNIT/ML	Nivel 4	MO; ST: Must meet 2 of the following requirements: Insulin Lispro, Novolog, Fiasp, or Lyumjev (Non Tempo Version) in 365 days; QL (30 ML per 28 days)
LYUMJEV U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	Nivel 3	MO; QL (40 ML per 28 days)
MERILOG SOLOSTAR SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	Nivel 4	MO; ST: Must meet any of the following requirements: Fiasp, Lyumjev, Novolog, Insulin Lispro or Humalog U-200 in 120 days
MERILOG SUBCUTANEOUS SOLUTION 100 UNIT/ML	Nivel 4	MO; ST: Must meet any of the following requirements: Fiasp, Lyumjev, Novolog, Insulin Lispro or Humalog U-200 in 120 days
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	Nivel 3	MO; QL (40 ML per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	Nivel 3	MO; QL (30 ML per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	Nivel 3	MO; QL (30 ML per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	Nivel 3	MO; QL (40 ML per 28 days)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		Nivel 3	MO; QL (30 ML per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML		Nivel 3	MO; QL (40 ML per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin aspart u-100)	Nivel 3	MO; QL (30 ML per 28 days)
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	(insulin asp prt-insulin aspart)	Nivel 3	MO; QL (40 ML per 28 days)
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	(insulin asp prt-insulin aspart)	Nivel 3	MO; QL (30 ML per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	(insulin aspart u-100)	Nivel 3	MO; QL (30 ML per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin aspart u-100)	Nivel 3	MO; QL (40 ML per 28 days)
REZVOGLAR KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		Nivel 4	MO; ST: Must meet any of the following requirements: Insulin Glargine-yfgn, Toujeo, or Tresiba in 120 days; QL (30 ML per 28 days)
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine-yfgn)	Nivel 4	MO; ST: Must meet any of the following requirements: Insulin Glargine-yfgn, Toujeo, or Tresiba in 120 days; QL (40 ML per 28 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine-yfgn)	Nivel 4	MO; ST: Must meet any of the following requirements: Insulin Glargine-yfgn, Toujeo, or Tresiba in 120 days; QL (30 ML per 28 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	(insulin glargine u-300 conc)	Nivel 3	MO; QL (18 ML per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	(insulin glargine u-300 conc)	Nivel 3	MO; QL (13.5 ML per 28 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
TRESIBA FLEXTOUCH U-100 (insulin degludec) SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	Nivel 3	MO; QL (30 ML per 28 days)
TRESIBA FLEXTOUCH U-200 (insulin degludec) SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	Nivel 3	MO; QL (18 ML per 28 days)
TRESIBA U-100 INSULIN (insulin degludec) SUBCUTANEOUS SOLUTION 100 UNIT/ML	Nivel 3	MO; QL (40 ML per 28 days)
Preparados Para Úlcera Diabetica, Tópicos		
REGTRANEX TOPICAL GEL 0.01 %	Nivel 3	
Suministros Diabeticos		
2TEK GLUCOSE/BLOOD PRESSURE KIT	Nivel 6	MO
ACCU-CHEK GUIDE GLUCOSE (blood-glucose meter) METER	Nivel 6	MO
ACCU-CHEK GUIDE ME GLUCOSE (blood-glucose meter) MTR	Nivel 6	MO
ADVANCED ALL-IN-ONE METER KIT (blood-glucose meter)	Nivel 6	MO
ADVANCED GLUCOSE METER (blood-glucose meter)	Nivel 6	MO
ADVOCATE REDI-CODE PLUS (blood-glucose meter)	Nivel 6	MO
AGAMATRIX JAZZ WIRELESS 2 MNTR (blood-glucose meter) KIT	Nivel 6	MO
AGAMATRIX PRESTO SYSTEM (blood-glucose meter)	Nivel 6	MO
ALKALINE BATTERIES	Nivel 6	
ASSURE PLATINUM GLUCOSE (blood-glucose meter) METER	Nivel 6	MO
ASSURE PRISM MULTI METER (blood-glucose meter)	Nivel 6	MO
AUTOJECT 2 INJECTION DEVICE SUBCUTANEOUS INSULIN PEN	Nivel 6	MO
AUTOPEN 1 TO 21 UNITS SUBCUTANEOUS INSULIN PEN	Nivel 6	MO
AUTOPEN 2 TO 42 UNITS SUBCUTANEOUS INSULIN PEN	Nivel 6	MO
BIGFOOT UNITY KIT	Nivel 4	MO
BIGFOOT UNITY PEN CAP-ADMELOG DEVICE	Nivel 4	MO
BIGFOOT UNITY PEN CAP-APIDRA DEVICE	Nivel 4	MO
BIGFOOT UNITY PEN CAP-ASPART DEVICE	Nivel 4	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
BIGFOOT UNITY PEN CAP-BASAGLAR DEVICE		Nivel 4	MO
BIGFOOT UNITY PEN CAP-FIASP DEVICE		Nivel 4	MO
BIGFOOT UNITY PEN CAP-HUMALOG DEVICE		Nivel 4	MO
BIGFOOT UNITY PEN CAP-LANTUS DEVICE		Nivel 4	MO
BIGFOOT UNITY PEN CAP-LISPRO DEVICE		Nivel 4	MO
BIGFOOT UNITY PEN CAP-LYUMJEV DEVICE		Nivel 4	MO
BIGFOOT UNITY PEN CAP-NOVOLOG DEVICE		Nivel 4	MO
BIGFOOT UNITY PEN CAP-TOUJEO DEVICE		Nivel 4	MO
BIGFOOT UNITY PEN CAP-TOUJEOMX DEVICE		Nivel 4	MO
BIGFOOT UNITY PEN CAP-TRESIBA DEVICE		Nivel 4	MO
BIONIME RIGHTEST GM300 SYSTEM KIT	(blood-glucose meter)	Nivel 6	MO
BIOTEL CARE BGM-4 METER	(blood-glucose meter)	Nivel 6	MO
BLOOD GLUCOSE MONITORING KIT	(blood-glucose meter)	Nivel 6	MO
<i>blood-glucose meter</i>	(Accu-Chek Guide Glucose Meter)	Nivel 6	MO
<i>blood-glucose meter kit</i>	(Advanced All-in-One Meter)	Nivel 6	MO
BLULINK DIABETIC TEST BUNDLE KIT	(blood-glucose meter)	Nivel 6	MO
BLULINK GLUCOSE MONITOR SYSTEM	(blood-glucose meter)	Nivel 6	MO
CARESENS N	(blood-glucose meter)	Nivel 6	MO
CARESENS N FELIZ BT GLUC METER	(blood-glucose meter)	Nivel 6	MO
CARESENS N FELIZ GLUCOSE METER	(blood-glucose meter)	Nivel 6	MO
CARESENS N PLUS BT KIT	(blood-glucose meter)	Nivel 6	MO
CARESENS N VOICE	(blood-glucose meter)	Nivel 6	MO
CARETOUCH GLUCOSE MONITORING KIT	(blood-glucose meter)	Nivel 6	MO
CEQUR SIMPLICITY INSERTER		Nivel 6	QL (1 EA per 365 days)
CHEMSTRIP BG LOG BOOK		Nivel 6	
CHOICEDM CLARUS	(blood-glucose meter)	Nivel 6	MO
CLEVER CHEK BLOOD GLUCOSE	(blood-glucose meter)	Nivel 6	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CLEVER CHEK BLOOD GLUCOSE SYST KIT	(blood-glucose meter)	Nivel 6	MO
CLEVER CHOICE BLOOD GLUC SYS	(blood-glucose meter)	Nivel 6	MO
CLEVER CHOICE GLUCOSE MONITOR	(blood-glucose meter)	Nivel 6	MO
CLEVER CHOICE MICRO	(blood-glucose meter)	Nivel 6	MO
CLEVER CHOICE PRO	(blood-glucose meter)	Nivel 6	MO
CLEVER CHOICE TALK GLUCOSE SYS	(blood-glucose meter)	Nivel 6	MO
CONTOUR METER	(blood-glucose meter)	Nivel 6	MO
CONTOUR NEXT EZ METER	(blood-glucose meter)	Nivel 6	MO
CONTOUR NEXT GEN METER	(blood-glucose meter)	Nivel 6	MO
CONTOUR NEXT GEN METER KIT	(blood-glucose meter)	Nivel 6	MO
CONTOUR NEXT GLUCOSE METER KIT	(blood-glucose meter)	Nivel 6	MO
CONTOUR NEXT LINK 2.4 KIT		Nivel 6	MO
CONTOUR NEXT LINK KIT		Nivel 6	MO
CONTOUR NEXT METER	(blood-glucose meter)	Nivel 6	MO
CONTOUR NEXT ONE METER	(blood-glucose meter)	Nivel 6	MO
CONTOUR PLUS BLUE METER	(blood-glucose meter)	Nivel 6	MO
DEXCOM G6 RECEIVER		Nivel 6	MO; QL (1 EA per 365 days)
DEXCOM G6 SENSOR DEVICE		Nivel 6	MO; QL (3 EA per 30 days)
DEXCOM G6 TRANSMITTER DEVICE		Nivel 6	MO; QL (1 EA per 90 days)
DEXCOM G7 RECEIVER		Nivel 6	MO; HISTORY OF INSULIN USE OR SUBMIT A PA EXCEPTION REQUEST; QL (1 EA per 365 days)
DEXCOM G7 SENSOR DEVICE		Nivel 6	MO; QL (3 EA per 30 days)
DIATRUE PLUS BLOOD GLUCOSE MET	(blood-glucose meter)	Nivel 6	MO
EASY PLUS II BLOOD GLUCOSE MET	(blood-glucose meter)	Nivel 6	MO
EASY STEP BLOOD GLUCOSE METER	(blood-glucose meter)	Nivel 6	MO
EASY TALK BLOOD GLUCOSE METER	(blood-glucose meter)	Nivel 6	MO
EASY TOUCH BLULINK GLUC SYST	(blood-glucose meter)	Nivel 6	MO
EASY TOUCH GLUCOSE MONITOR	(blood-glucose meter)	Nivel 6	MO
EASY TRAK BLOOD GLUCOSE METER	(blood-glucose meter)	Nivel 6	MO
EASY TRAK II BLOOD GLUCOSE MTR	(blood-glucose meter)	Nivel 6	MO
EASYGLUCO METER KIT	(blood-glucose meter)	Nivel 6	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
EASYGLUCO MONITORING SYSTEM KIT	(blood-glucose meter)	Nivel 6	MO
EASYMAX NG	(blood-glucose meter)	Nivel 6	MO
EASYMAX NG KIT	(blood-glucose meter)	Nivel 6	MO
EASYMAX T1 KIT	(blood-glucose meter)	Nivel 6	MO
EASYMAX V SPEAKING GLUCOSE SYS	(blood-glucose meter)	Nivel 6	MO
EASY-TOUCH BLOOD GLUCOSE METER	(blood-glucose meter)	Nivel 6	MO
ELEMENT COMPACT GLUCOSE METER	(blood-glucose meter)	Nivel 6	MO
ELEMENT COMPACT V GLUCOSE MTR	(blood-glucose meter)	Nivel 6	MO
ELEMENT PLUS BLOOD GLUCOSE KIT KIT	(blood-glucose meter)	Nivel 6	MO
EMBRACE BLOOD GLUCOSE SYSTEM	(blood-glucose meter)	Nivel 6	MO
EMBRACE EVO BLOOD GLUCOSE KIT KIT	(blood-glucose meter)	Nivel 6	MO
EMBRACE EVO GLUCOSE MONITOR	(blood-glucose meter)	Nivel 6	MO
EMBRACE PRO GLUCOSE METER	(blood-glucose meter)	Nivel 6	MO
EMBRACE TALK BLOOD GLUCOSE SYS KIT	(blood-glucose meter)	Nivel 6	MO
EMBRACE TALK GLUCOSE MONITOR	(blood-glucose meter)	Nivel 6	MO
EMBRACE WAVE PLUS GLUCOSE MTR	(blood-glucose meter)	Nivel 6	MO
EVENCARE G2	(blood-glucose meter)	Nivel 6	MO
EVENCARE G3 GLUCOSE METER KIT	(blood-glucose meter)	Nivel 6	MO
EVENCARE KIT	(blood-glucose meter)	Nivel 6	MO
EVENCARE MINI MONITOR SYSTEM	(blood-glucose meter)	Nivel 6	MO
EVENCARE SOLUTION		Nivel 6	MO
EVERSENSE 365 SENSOR SUBCUTANEOUS DEVICE		Nivel 6	PA
EVERSENSE 365 TRANSMITTER DEVICE		Nivel 6	PA; MO
EVOLUTION BLOOD GLUCOSE METER KIT	(blood-glucose meter)	Nivel 6	MO
EZ SMART PLUS SYSTEM KIT	(blood-glucose meter)	Nivel 6	MO
EZ SMART SYSTEM KIT	(blood-glucose meter)	Nivel 6	MO
FORA D40D GLUCOSE-BP MONITOR DEVICE		Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
FORA D40G GLUCOSE-BP MONITOR DEVICE	Nivel 6	MO
FORA G20 KIT (blood-glucose meter)	Nivel 6	MO
FORA G30A (blood-glucose meter)	Nivel 6	MO
FORA GD50 BLOOD GLUCOSE SYSTEM (blood-glucose meter)	Nivel 6	MO
FORA GTEL MULTI-FUNCTN MONITOR DEVICE	Nivel 6	MO
FORA PREMIUM V10 GLUCOSE METER (blood-glucose meter)	Nivel 6	MO
FORA TEST N'GO VOICE METER (blood-glucose meter)	Nivel 6	MO
FORA TN'G ADV MOBILE MULTI MTR DEVICE	Nivel 6	MO
FORA TN'G ADVANCE PRO MONITOR DEVICE	Nivel 6	MO
FORA TN'G VOICE METER (blood-glucose meter)	Nivel 6	MO
FORA V12 BLOOD GLUCOSE SYSTEM (blood-glucose meter)	Nivel 6	MO
FORACARE GD20 GLUCOSE METER (blood-glucose meter)	Nivel 6	MO
FORACARE GD40B GLUCOSE METER (blood-glucose meter)	Nivel 6	MO
FREESTYLE FLASH SYSTEM KIT (blood-glucose meter)	Nivel 6	MO
FREESTYLE FREEDOM KIT (blood-glucose meter)	Nivel 6	MO
FREESTYLE FREEDOM LITE KIT (blood-glucose meter)	Nivel 6	MO
FREESTYLE INSULINX (blood-glucose meter)	Nivel 6	MO
FREESTYLE LIBRE 14 DAY READER	Nivel 6	MO; QL (1 EA per 365 days)
FREESTYLE LIBRE 14 DAY SENSOR KIT	Nivel 6	MO; QL (2 EA per 28 days)
FREESTYLE LIBRE 2 PLUS SENSOR DEVICE	Nivel 6	MO; QL (2 EA per 28 days)
FREESTYLE LIBRE 2 READER	Nivel 6	MO; QL (1 EA per 365 days)
FREESTYLE LIBRE 2 SENSOR KIT	Nivel 6	MO; QL (2 EA per 28 days)
FREESTYLE LIBRE 3 PLUS SENSOR DEVICE	Nivel 6	MO; QL (2 EA per 28 days)
FREESTYLE LIBRE 3 READER	Nivel 6	MO; QL (1 EA per 365 days)
FREESTYLE LIBRE 3 SENSOR DEVICE	Nivel 6	MO; QL (2 EA per 28 days)
FREESTYLE LITE METER KIT (blood-glucose meter)	Nivel 6	MO
FREESTYLE PRECISION NEO METER (blood-glucose meter)	Nivel 6	MO
FREESTYLE SIDEKICK II KIT (blood-glucose meter)	Nivel 6	MO
FREESTYLE SYSTEM KIT KIT (blood-glucose meter)	Nivel 6	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
GDRIVE KIT	(blood-glucose meter)	Nivel 6	MO
GE100 BLOOD GLUCOSE SYSTEM	(blood-glucose meter)	Nivel 6	MO
GE100 BLOOD GLUCOSE SYSTEM KIT	(blood-glucose meter)	Nivel 6	MO
GE333 BLOOD GLUCOSE SYSTEM	(blood-glucose meter)	Nivel 6	MO
GLUCO NAVII GLUCOSE MONITOR KIT	(blood-glucose meter)	Nivel 6	MO
GLUCOCARD 01 METER KIT	(blood-glucose meter)	Nivel 6	MO
GLUCOCARD EXPRESSION	(blood-glucose meter)	Nivel 6	MO
GLUCOCARD EXPRESSION KIT	(blood-glucose meter)	Nivel 6	MO
GLUCOCARD SHINE CONNEX METER	(blood-glucose meter)	Nivel 6	MO
GLUCOCARD SHINE EXPRESS METER	(blood-glucose meter)	Nivel 6	MO
GLUCOCARD SHINE METER	(blood-glucose meter)	Nivel 6	MO
GLUCOCARD SHINE METER KIT KIT	(blood-glucose meter)	Nivel 6	MO
GLUCOCARD SHINE XL METER	(blood-glucose meter)	Nivel 6	MO
GLUCOCARD VITAL KIT	(blood-glucose meter)	Nivel 6	MO
GLUCOCOM AUTOLINK		Nivel 6	
GLUCOCOM BLOOD GLUCOSE KIT	(blood-glucose meter)	Nivel 6	MO
GM100 KIT	(blood-glucose meter)	Nivel 6	MO
GOJJI MULTI-FUNCTIONAL METER DEVICE		Nivel 6	MO
GOJJI MULTI-FUNCTIONAL METER KIT		Nivel 6	MO
GUARDIAN 4 GLUCOSE SENSOR DEVICE		Nivel 6	PA; MO
GUARDIAN 4 TRANSMITTER DEVICE		Nivel 6	PA; MO
GUARDIAN CONNECT TRANSMITTER DEVICE		Nivel 6	PA; MO
GUARDIAN LINK 3 TRANSMITTER DEVICE		Nivel 6	PA; MO
GUARDIAN SENSOR 3 DEVICE		Nivel 6	PA; MO
HEALTHPRO GLUCOSE MONITOR	(blood-glucose meter)	Nivel 6	MO
IHEALTH GLUCO PLUS METER KIT	(blood-glucose meter)	Nivel 6	MO
ILET INFUSION KIT-INSET 23" COMBO PACK		Nivel 4	MO
ILET INFUSION KIT-INSET 32" COMBO PACK		Nivel 4	MO
ILET INFUSION-CONTACT DTCH 23" COMBO PACK		Nivel 4	MO
ILET STARTER KIT CONTACT KIT		Nivel 4	
ILET STARTER KIT-INSET KIT		Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
INFINITY METER KIT KIT (blood-glucose meter)	Nivel 6	MO
INFINITY STARTER KIT KIT (blood-glucose meter)	Nivel 6	MO
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	Nivel 6	MO
INPEN (FOR HUMALOG) GREY SUBCUTANEOUS INSULIN PEN	Nivel 6	MO
INPEN (FOR HUMALOG) PINK SUBCUTANEOUS INSULIN PEN	Nivel 6	MO
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	Nivel 6	MO
INPEN (NOVOLOG OR FIASP) GREY SUBCUTANEOUS INSULIN PEN	Nivel 6	MO
INPEN (NOVOLOG OR FIASP) PINK SUBCUTANEOUS INSULIN PEN	Nivel 6	MO
INSUL-CAP	Nivel 6	
INSUL-EZE	Nivel 6	
MEDISENSE MID CONTROL SOLUTION (blood glucose control, normal)	Nivel 6	MO
MICRODOT BLOOD GLUCOSE SYSTEM (blood-glucose meter)	Nivel 6	MO
MINIMED QUICK-SERTER (MMT-395)	Nivel 6	
MODD1 PATIENT WELCOME KIT KIT	Nivel 4	
MODD1 SUPPLY KIT COMBO PACK	Nivel 4	MO
MYGLUCOHEALTH KIT (blood-glucose meter)	Nivel 6	MO
NOVA MAX PLUS GLUC-KETON METER DEVICE	Nivel 6	MO
NOVA MAX PLUS GLUC-KETON METER KIT	Nivel 6	MO
NOVOPEN ECHO SUBCUTANEOUS INSULIN PEN	Nivel 6	MO
OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE	Nivel 3	MO
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE	Nivel 3	QL (1 EA per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	Nivel 3	MO
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE	Nivel 3	QL (1 EA per 365 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	Nivel 3	QL (1 EA per 365 days)
ON CALL EXPRESS METER (blood-glucose meter)	Nivel 6	MO
ON CALL EXPRESS METER KIT (blood-glucose meter)	Nivel 6	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ONETOUCH ULTRA CONTROL SOLUTION	(blood glucose control, normal)	Nivel 6	MO
ONETOUCH ULTRA2 METER	(blood-glucose meter)	Nivel 6	MO
ONETOUCH VERIO FLEX METER	(blood-glucose meter)	Nivel 6	MO
ONETOUCH VERIO REFLECT METER	(blood-glucose meter)	Nivel 6	MO
OVAL TAPE		Nivel 6	
PHARMACIST CHOICE GLUCOSE SYS	(blood-glucose meter)	Nivel 6	MO
PIP BLOOD GLUCOSE MONITOR	(blood-glucose meter)	Nivel 6	MO
PRECISION	(blood-glucose meter)	Nivel 6	MO
PRECISION XTRA KETONE-GLUCOSE KIT		Nivel 6	MO
PRECISION XTRA MONITOR	(blood-glucose meter)	Nivel 6	MO
PREMIER BLU GLUCOSE METER	(blood-glucose meter)	Nivel 6	MO
PREMIER CLASSIC GLUCOSE METER	(blood-glucose meter)	Nivel 6	MO
PREMIER COMPACT GLUCOSE METER KIT	(blood-glucose meter)	Nivel 6	MO
PREMIER VOICE GLUCOSE METER	(blood-glucose meter)	Nivel 6	MO
PREMIUM BLOOD GLUCOSE MONITOR	(blood-glucose meter)	Nivel 6	MO
PREMIUM V10	(blood-glucose meter)	Nivel 6	MO
PRO VOICE V9 GLUCOSE MONITOR	(blood-glucose meter)	Nivel 6	MO
PRODIGY AUTOCODE METER KIT	(blood-glucose meter)	Nivel 6	MO
PRODIGY AUTOCODE MONITOR SYST	(blood-glucose meter)	Nivel 6	MO
PRODIGY POCKET METER KIT	(blood-glucose meter)	Nivel 6	MO
PRODIGY VOICE GLUCOSE METER KIT	(blood-glucose meter)	Nivel 6	MO
QUINTET AC	(blood-glucose meter)	Nivel 6	MO
QUINTET BLOOD GLUCOSE METER	(blood-glucose meter)	Nivel 6	MO
REFUAH PLUS GLUCOSE MONITOR KIT	(blood-glucose meter)	Nivel 6	MO
RELION ALL-IN-ONE METER KIT	(blood-glucose meter)	Nivel 6	MO
RELION CONFIRM KIT	(blood-glucose meter)	Nivel 6	MO
RELION MICRO GLUCOSE MONITOR	(blood-glucose meter)	Nivel 6	MO
RELION MICRO GLUCOSE MONITOR KIT	(blood-glucose meter)	Nivel 6	MO
RELION PRIME METER	(blood-glucose meter)	Nivel 6	MO
REVEAL BLOOD GLUCOSE METER KIT	(blood-glucose meter)	Nivel 6	MO
RIGHTEST GM550 SYSTEM KIT	(blood-glucose meter)	Nivel 6	MO
RIGHTEST GT333 GLUCOSE METER	(blood-glucose meter)	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SIMPLERA SENSOR DEVICE	Nivel 6	PA; MO
SIMPLERA SYNC SENSOR DEVICE	Nivel 6	PA; MO
SMART SENSE MONITORING SYSTEM (blood-glucose meter)	Nivel 6	MO
SMARTEST EJECT KIT (blood-glucose meter)	Nivel 6	MO
SMARTEST PERSONA GLUCOSE METER (blood-glucose meter)	Nivel 6	MO
SMARTEST PERSONA STARTER KIT (blood-glucose meter)	Nivel 6	MO
SMARTEST PRONTO GLUCOSE METER (blood-glucose meter)	Nivel 6	MO
SMARTEST PRONTO STARTER KIT (blood-glucose meter)	Nivel 6	MO
SMARTEST PROTEGE KIT (blood-glucose meter)	Nivel 6	MO
SMARTEST SMART CODE METER KIT (blood-glucose meter)	Nivel 6	MO
SMARTEST TALKING METER KIT (blood-glucose meter)	Nivel 6	MO
SOLUS V2 AUDIBLE METER (blood-glucose meter)	Nivel 6	MO
SOLUS V2 AUDIBLE METER KIT (blood-glucose meter)	Nivel 6	MO
SURE-TEST EASYPLUS MINI METER (blood-glucose meter)	Nivel 6	MO
TANDEM MOBI AUTOSOFT 30 KT 23" COMBO PACK	Nivel 4	MO
TANDEM MOBI AUTOSOFT XC KIT 5" COMBO PACK	Nivel 4	MO
TANDEM MOBI AUTOSOFT XC KT 23" COMBO PACK	Nivel 4	MO
TANDEM MOBI AUTOSOFT30 14PK 23 COMBO PACK	Nivel 4	MO
TANDEM MOBI AUTOSOFTXC 14PK 23 COMBO PACK	Nivel 4	MO
TANDEM MOBI AUTOSOFTXC 14PK 5" COMBO PACK	Nivel 4	MO
TANDEM MOBI TRUSTEEL KIT 23" COMBO PACK	Nivel 4	MO
TANDEM T:SLIM ASFT 30 PK10 23" COMBO PACK	Nivel 4	MO
TANDEM T:SLIM ASFT 30 PK14 23" COMBO PACK	Nivel 4	MO
TANDEM T:SLIM ASFT XC PK10 23" COMBO PACK	Nivel 4	MO
TANDEM T:SLIM ASFT XC PK14 23" COMBO PACK	Nivel 4	MO
TANDEM T:SLIM TRUSTL PK10 23" COMBO PACK	Nivel 4	MO
TEMPO SMART BUTTON DEVICE	Nivel 4	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
TEMPO WELCOME KIT KIT		Nivel 4	
TEST N'GO BLOOD GLUCOSE SYSTEM (blood-glucose meter)		Nivel 6	MO
TRUE METRIX AIR GLUCOSE METER (blood-glucose meter)		Nivel 6	MO
TRUE METRIX AIR GLUCOSE METER KIT (blood-glucose meter)		Nivel 6	MO
TRUE METRIX GLUCOSE METER (blood-glucose meter)		Nivel 6	MO
TRUE METRIX GO GLUCOSE METER (blood-glucose meter)		Nivel 6	MO
TRUE2GO BLOOD GLUCOSE SYSTEM KIT (blood-glucose meter)		Nivel 6	MO
TRUERESULT BLOOD GLUCOSE SYSTM KIT (blood-glucose meter)		Nivel 6	MO
TRUETRACK BLOOD GLUCOSE SYSTEM KIT (blood-glucose meter)		Nivel 6	MO
TRUETRACK SMART SYSTEM KIT (blood-glucose meter)		Nivel 6	MO
TWIIST REFILL KT(CSST-NDL-SYR) KIT		Nivel 6	MO
TWIIST RFL(INFUS-CSST-NDL-SYR) KIT		Nivel 4	MO
TWIIST STARTER KIT KIT		Nivel 4	
ULTIMA MONITOR (blood-glucose meter)		Nivel 6	MO
ULTRATRAK GLUCOSE METER (blood-glucose meter)		Nivel 6	MO
ULTRATRAK GLUCOSE METER KIT (blood-glucose meter)		Nivel 6	MO
ULTRATRAK ULTIMATE (blood-glucose meter)		Nivel 6	MO
UNISTIK 2 DEVICE KIT (lancing device with lancets)		Nivel 6	MO
UNISTIK 2 EXTRA LANCET 21 GAUGE (lancets)		Nivel 6	MO
UNISTIK 2 NORMAL LANCET 21 GAUGE (lancets)		Nivel 6	MO
VIVAGUARD INO GLUCOSE METER (blood-glucose meter)		Nivel 6	MO
VIVAGUARD INO SMART GLUC METER (blood-glucose meter)		Nivel 6	MO
Enfermedad Cardiovascular - Agentes Misceláneos			
ATTRUBY ORAL TABLET 356 MG		Nivel 5	PA; MO
CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG		Nivel 5	PA; MO
LODOCO ORAL TABLET 0.5 MG		Nivel 4	MO
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG		Nivel 4	PA; MO
VYNDAMAX ORAL CAPSULE 61 MG		Nivel 5	PA; MO
VYNDAQEL ORAL CAPSULE 20 MG		Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Agentes Antianginas & Anti-Isquémicos, No Hemodinámicos		
ASPRUZYO SPRINKLE ORAL EXTEND RELEASE GRANULES, PACKET 1,000 MG, 500 MG	Nivel 4	PA; MO
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	Nivel 2	MO; QL (60 EA per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	Nivel 2	MO; QL (120 EA per 30 days)
Agentes Vasopresores Adrenérgicos		
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	Nivel 4	PA; MO
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	Nivel 2	
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG (droxidopa)	Nivel 5	PA; MO
Antihiperlip - Hmg-CoA & Bloqueador Cb De Canal Da Calcio		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	Nivel 2	MO; QL (1 EA per 1 day)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	Nivel 2	MO; QL (1 EA per 1 day)
CADUET ORAL TABLET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG (amlodipine-atorvastatin)	Nivel 4	MO; QL (1 EA per 1 day)
Inhibidor Antianginas, Reductor De Ritmo Cardíaco, I(F)		
CORLANOR ORAL SOLUTION 5 MG/5 ML	Nivel 3	MO; QL (20 ML per 1 day)
CORLANOR ORAL TABLET 5 MG, 7.5 MG (ivabradine)	Nivel 4	MO; ST: Must meet any of the following requirements: Bisoprolol, Carvedilol, or Metoprolol Succinate in 120 days; QL (2 EA per 1 day)
<i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)	Nivel 2	MO; ST: Must meet any of the following requirements: Bisoprolol, Carvedilol, or Metoprolol Succinate in 120 days; QL (2 EA per 1 day)
Recept De Angiotensina-Comb De Inhibidor De Neprilisina (Arni)		
ENTRESTO ORAL TABLET 24-26 MG (sacubitril-valsartan)	Nivel 3	MO; QL (6 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ENTRESTO ORAL TABLET 49-51 MG, (sacubitril-valsartan) 97-103 MG	Nivel 3	MO; QL (2 EA per 1 day)
ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG	Nivel 4	MO; QL (8 EA per 1 day)
<i>sacubitril-valsartan oral tablet 24-26 mg</i> (Entresto)	Nivel 2	MO; QL (6 EA per 1 day)
<i>sacubitril-valsartan oral tablet 49-51 mg,</i> (Entresto) <i>97-103 mg</i>	Nivel 2	MO; QL (2 EA per 1 day)
Enfermedad Cardiovascular - Arritmia		
Antiarrítmicos		
<i>amiodarone oral tablet 100 mg, 200 mg</i> (Pacerone)	Nivel 2	MO
<i>amiodarone oral tablet 400 mg</i>	Nivel 2	MO
<i>disopyramide phosphate oral capsule</i> (Norpace) <i>100 mg, 150 mg</i>	Nivel 2	MO
<i>dofetilide oral capsule 125 mcg, 250</i> (Tikosyn) <i>mcg, 500 mcg</i>	Nivel 2	MO
<i>flecainide oral tablet 100 mg, 150 mg, 50</i> <i>mg</i>	Nivel 2	MO
<i>mexiletine oral capsule 150 mg, 200 mg,</i> <i>250 mg</i>	Nivel 2	MO
MULTAQ ORAL TABLET 400 MG	Nivel 3	MO
NORPACE CR ORAL CAPSULE, EXTENDED RELEASE 100 MG	Nivel 3	MO
NORPACE CR ORAL CAPSULE, (disopyramide phosphate) EXTENDED RELEASE 150 MG	Nivel 3	MO
NORPACE ORAL CAPSULE 100 MG, (disopyramide phosphate) 150 MG	Nivel 4	MO
PACERONE ORAL TABLET 100 MG, (amiodarone) 200 MG, 400 MG	Nivel 2	MO
<i>propafenone oral capsule,extended</i> <i>release 12 hr 225 mg, 325 mg, 425 mg</i>	Nivel 2	MO
<i>propafenone oral tablet 150 mg, 225 mg,</i> <i>300 mg</i>	Nivel 2	MO
<i>quinidine gluconate oral tablet extended</i> <i>release 324 mg</i>	Nivel 2	MO
<i>quinidine sulfate oral tablet 200 mg, 300</i> <i>mg</i>	Nivel 2	MO
TIKOSYN ORAL CAPSULE 125 MCG, (dofetilide) 250 MCG, 500 MCG	Nivel 4	MO
Enfermedad Cardiovascular - Estimulante Cardíaco		
Agentes Adrenérgicos, Catecolaminas		
<i>epinephrine injection syringe 0.1 mg/ml</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Glucósidos Digitálicos		
DIGITEK ORAL TABLET 125 MCG (0.125 MG), 250 MCG (0.25 MG) (digoxin)	Nivel 2	MO
<i>digoxin oral solution 50 mcg/ml (0.05 mg/ml)</i>	Nivel 4	MO
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	Nivel 2	MO
<i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i> (Lanoxin)	Nivel 2	PA; MO
LANOXIN ORAL TABLET 125 MCG (0.125 MG), 250 MCG (0.25 MG) (digoxin)	Nivel 4	MO
LANOXIN ORAL TABLET 62.5 MCG (0.0625 MG) (digoxin)	Nivel 4	PA; MO
Enfermedad Cardiovascular - Hipertensión		
OPSYNVI ORAL TABLET 10-20 MG, 10-40 MG	Nivel 4	PA; MO
TRYVIO ORAL TABLET 12.5 MG	Nivel 5	PA; MO
VANRAFIA ORAL TABLET 0.75 MG	Nivel 5	PA; MO
WINREVAIR SUBCUTANEOUS KIT 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2)	Nivel 4	MO
Agentes Bloqueadores Alfa/Beta-Adrenérgicos		
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	Nivel 2	MO
<i>carvedilol phosphate oral capsule, er multiphase 24 hr 10 mg, 20 mg, 40 mg, 80 mg</i> (Coreg CR)	Nivel 2	MO; QL (1 EA per 1 day)
COREG CR ORAL CAPSULE, ER MULTIPHASE 24 HR 10 MG, 20 MG, 40 MG, 80 MG (carvedilol phosphate)	Nivel 4	MO; QL (1 EA per 1 day)
COREG ORAL TABLET 12.5 MG, 25 MG, 3.125 MG, 6.25 MG (carvedilol)	Nivel 4	MO
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg, 400 mg</i>	Nivel 2	MO
Agentes Bloqueadores Alfa-Adrenérgicos		
CARDURA ORAL TABLET 1 MG, 2 MG, 4 MG, 8 MG (doxazosin)	Nivel 4	MO
CARDURA XL ORAL TABLET EXTENDED RELEASE 24HR 4 MG, 8 MG	Nivel 4	MO
DIBENZYLINE ORAL CAPSULE 10 MG (phenoxybenzamine)	Nivel 5	PA

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	Nivel 2	MO
<i>phenoxybenzamine oral capsule 10 mg</i> (Dibenzylamine)	Nivel 4	PA
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	Nivel 2	MO
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	Nivel 2	MO
TEZRULY ORAL SOLUTION 1 MG/ML	Nivel 4	PA; MO
Agentes Bloqueadores Beta-Adrenérgicos		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	Nivel 2	MO
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	Nivel 2	MO
BETAPACE AF ORAL TABLET 120 MG, 160 MG, 80 MG (sotalol)	Nivel 4	MO
BETAPACE ORAL TABLET 120 MG, 160 MG, 240 MG, 80 MG (sotalol)	Nivel 4	MO
<i>betaxolol oral tablet 10 mg, 20 mg</i>	Nivel 2	MO
<i>bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg</i>	Nivel 2	MO
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG (nebivolol)	Nivel 4	MO
HEMANGEOL ORAL SOLUTION 4.28 MG/ML	Nivel 4	ST: Must meet the following requirement: Propranolol solution in 120 days if 1 year of age and older; QL (360 ML per 30 days)
INDERAL LA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 160 MG, 60 MG, 80 MG (propranolol)	Nivel 4	MO
INDERAL XL ORAL CAPSULE, EXTENDED RELEASE 24HR 120 MG, 80 MG	Nivel 4	MO; ST: Must meet the following requirement: Inderal LA in 120 days
INNOPRAN XL ORAL CAPSULE, EXTENDED RELEASE 24HR 120 MG, 80 MG	Nivel 4	MO; ST: Must meet the following requirement: Inderal LA in 120 days
KAPSPARGO SPRINKLE ORAL CAPSULE, SPRINKLE, ER 24HR 100 MG, 200 MG, 25 MG, 50 MG	Nivel 4	MO
LOPRESSOR ORAL SOLUTION 10 MG/ML	Nivel 4	PA; MO
LOPRESSOR ORAL TABLET 100 MG, 50 MG (metoprolol tartrate)	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
metoprolol succinate oral tablet (Toprol XL) extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg	Nivel 2	MO
metoprolol tartrate oral tablet 100 mg, 50 mg (Lopressor)	Nivel 2	MO
metoprolol tartrate oral tablet 25 mg, 37.5 mg, 75 mg	Nivel 2	MO
nadolol oral tablet 20 mg, 40 mg, 80 mg	Nivel 2	MO
nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Bystolic)	Nivel 2	MO
pindolol oral tablet 10 mg, 5 mg	Nivel 2	MO
propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg (Inderal LA)	Nivel 2	MO
propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)	Nivel 2	MO
propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg	Nivel 2	MO
SOTALOL AF ORAL TABLET 120 MG, 160 MG, 80 MG (sotalol)	Nivel 2	MO
sotalol oral tablet 120 mg, 160 mg, 80 mg (Sotalol AF)	Nivel 2	MO
sotalol oral tablet 240 mg (Betapace)	Nivel 2	MO
SOTYLIZE ORAL SOLUTION 5 MG/ML	Nivel 4	MO; ST: Must meet the following requirement: Sotalol tablets in 120 days
TENORMIN ORAL TABLET 100 MG, 25 MG, 50 MG (atenolol)	Nivel 4	MO
timolol maleate oral tablet 10 mg, 20 mg, 5 mg	Nivel 2	MO
TOPROL XL ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 200 MG, 25 MG, 50 MG (metoprolol succinate)	Nivel 4	MO
Agentes Bloqueadores Beta-Adrenérgicos/Tiazidas & Relacionados		
atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)	Nivel 2	MO
atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)	Nivel 2	MO
bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg	Nivel 2	MO
metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	Nivel 2	MO
TENORETIC 100 ORAL TABLET 100-25 MG (atenolol-chlorthalidone)	Nivel 4	MO
TENORETIC 50 ORAL TABLET 50-25 MG (atenolol-chlorthalidone)	Nivel 4	MO
Agentes Bloqueadores De Canal De Calcio		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	Nivel 2	MO
CARDIZEM CD ORAL CAPSULE,EXTENDED RELEASE 24HR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG (diltiazem hcl)	Nivel 4	MO
CARDIZEM LA ORAL TABLET EXTENDED RELEASE 24 HR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG (diltiazem hcl)	Nivel 4	MO
CARDIZEM ORAL TABLET 120 MG, 30 MG, 60 MG (diltiazem hcl)	Nivel 4	MO
CARTIA XT ORAL CAPSULE,EXTENDED RELEASE 24HR 120 MG, 180 MG, 240 MG, 300 MG (diltiazem hcl)	Nivel 2	MO
CONJUPRI ORAL TABLET 2.5 MG, 5 MG (levamlodipine)	Nivel 4	PA; MO
<i>diltiazem hcl oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (DILT-XR)	Nivel 2	MO
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	Nivel 2	MO
<i>diltiazem hcl oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Tiadyt ER)	Nivel 2	MO
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	Nivel 2	MO
<i>diltiazem hcl oral capsule,extended release 24hr 360 mg</i> (Cardizem CD)	Nivel 2	MO
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	Nivel 2	MO
<i>diltiazem hcl oral tablet 90 mg</i>	Nivel 2	MO
<i>diltiazem hcl oral tablet extended release 24 hr 120 mg</i> (Cardizem LA)	Nivel 2	MO
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Matzim LA)	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
DILT-XR ORAL CAPSULE,EXT.REL (diltiazem hcl) 24H DEGRADABLE 120 MG, 180 MG, 240 MG	Nivel 2	MO
<i>felodipine oral tablet extended release</i> 24 hr 10 mg, 2.5 mg, 5 mg	Nivel 2	MO
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	Nivel 2	MO
KATERZIA ORAL SUSPENSION 1 MG/ML	Nivel 4	PA; MO
<i>levamlodipine oral tablet 2.5 mg, 5 mg</i> (Conjupri)	Nivel 2	PA; MO
MATZIM LA ORAL TABLET EXTENDED RELEASE 24 HR 180 MG, 240 MG, 300 MG, 360 MG, 420 MG (diltiazem hcl)	Nivel 2	MO
<i>nicardipine oral capsule 20 mg, 30 mg</i>	Nivel 2	MO
<i>nifedipine oral capsule 10 mg, 20 mg</i>	Nivel 2	MO
<i>nifedipine oral tablet extended release</i> (Procardia XL) 24hr 30 mg, 60 mg, 90 mg	Nivel 2	MO
<i>nifedipine oral tablet extended release</i> 30 mg, 60 mg, 90 mg	Nivel 2	MO
<i>nimodipine oral capsule 30 mg</i>	Nivel 2	
<i>nimodipine oral solution 60 mg/20 ml</i>	Nivel 4	PA
<i>nisoldipine oral tablet extended release</i> (Sular) 24 hr 17 mg, 34 mg, 8.5 mg	Nivel 2	MO
<i>nisoldipine oral tablet extended release</i> 24 hr 20 mg, 25.5 mg, 30 mg, 40 mg	Nivel 2	MO
NORLIQVA ORAL SOLUTION 1 MG/ML	Nivel 4	PA; MO
NORVASC ORAL TABLET 10 MG, 2.5 MG, 5 MG (amlodipine)	Nivel 4	MO
NYMALIZE ORAL SOLUTION 60 MG/10 ML	Nivel 4	PA
NYMALIZE ORAL SYRINGE 30 MG/5 ML, 60 MG/10 ML	Nivel 4	PA
PROCARDIA XL ORAL TABLET EXTENDED RELEASE 24HR 30 MG, 60 MG, 90 MG (nifedipine)	Nivel 4	MO
SULAR ORAL TABLET EXTENDED RELEASE 24 HR 17 MG, 34 MG, 8.5 MG (nisoldipine)	Nivel 4	MO
TIADYLT ER ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG (diltiazem hcl)	Nivel 2	MO
TIAZAC ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG (diltiazem hcl)	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	Nivel 2	MO
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i>	Nivel 2	MO
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	Nivel 2	MO
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	Nivel 2	MO
Antag. De Receptores De Angiotensina/Comb. De Diurético Tiazídico		
ATACAND HCT ORAL TABLET 16-12.5 MG, 32-12.5 MG, 32-25 MG (candesartan-hydrochlorothiazid)	Nivel 4	MO
AVALIDE ORAL TABLET 150-12.5 MG, 300-12.5 MG (irbesartan-hydrochlorothiazide)	Nivel 4	MO
BENICAR HCT ORAL TABLET 20-12.5 MG, 40-12.5 MG, 40-25 MG (olmesartan-hydrochlorothiazide)	Nivel 4	MO
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	Nivel 2	MO
DIOVAN HCT ORAL TABLET 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG (valsartan-hydrochlorothiazide)	Nivel 4	MO
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	Nivel 4	MO; ST: Must meet any of the following requirements: An ACE-Inhibitor, ACE-Inhibitor combination, ARB, or ARB combination in 120 days
HYZAAR ORAL TABLET 100-12.5 MG, 100-25 MG, 50-12.5 MG (losartan-hydrochlorothiazide)	Nivel 4	MO
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	Nivel 2	MO
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	Nivel 2	MO
MICARDIS HCT ORAL TABLET 40-12.5 MG, 80-12.5 MG, 80-25 MG (telmisartan-hydrochlorothiazid)	Nivel 4	MO
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	Nivel 2	MO
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	Nivel 2	MO
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Antag. De Recept. Angioten./Bloq. De Canal De Cal./Cb De Tiazidas		
<i>amlodipine-valsartan-hcthiacid oral tablet</i> (Exforge HCT) 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg	Nivel 2	MO
EXFORGE HCT ORAL TABLET 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG (amlodipine-valsartan-hcthiacid)	Nivel 4	MO
<i>olmesartan-amlodipin-hcthiacid oral tablet</i> (Tribenzor) 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg	Nivel 2	MO
TRIBENZOR ORAL TABLET 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG (olmesartan-amlodipin-hcthiacid)	Nivel 4	MO
Antgnst De Receptor De Angiotensina & Bloq. De Canal De Calcio		
<i>amlodipine-olmesartan oral tablet</i> (Azor) 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg	Nivel 2	MO
<i>amlodipine-valsartan oral tablet</i> (Exforge) 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg	Nivel 2	MO
AZOR ORAL TABLET 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG (amlodipine-olmesartan)	Nivel 4	MO
EXFORGE ORAL TABLET 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG (amlodipine-valsartan)	Nivel 4	MO
<i>telmisartan-amlodipine oral tablet</i> (Telpres) 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg	Nivel 2	MO
Antihipertensivos Pulmonares, Prostaciclina-Tipo		
ORENITRAM MONTH 1 TITRATION KT ORAL TABLET EXTENDED REL,DOSE PACK 0.125 MG (126)- 0.25 MG (42)	Nivel 4	PA
ORENITRAM MONTH 2 TITRATION KT ORAL TABLET EXTENDED REL,DOSE PACK 0.125 MG (126)- 0.25 MG (210)	Nivel 4	PA
ORENITRAM MONTH 3 TITRATION KT ORAL TABLET EXTENDED REL,DOSE PACK 0.125 MG (126)- 0.25 MG(42)- 1MG	Nivel 4	PA
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG, 0.25 MG, 1 MG, 2.5 MG, 5 MG	Nivel 4	PA; MO
REMOTULIN INJECTION SOLUTION 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML (treprostinil sodium)	Nivel 5	PA

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	Nivel 4	PA
TYVASO DPI INHALATION CARTRIDGE WITH INHALER 16 MCG, 32 MCG, 48 MCG, 64 MCG	Nivel 4	PA; MO
TYVASO DPI INHALATION CARTRIDGE WITH INHALER 16(112)-32(112) -48(28) MCG	Nivel 4	PA
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	Nivel 4	PA; MO
TYVASO INSTITUTIONAL START KIT INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML	Nivel 4	PA
TYVASO REFILL KIT INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	Nivel 4	PA; MO
TYVASO STARTER KIT INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML	Nivel 4	PA
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG	Nivel 4	PA; MO
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	Nivel 4	PA
VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML, 20 MCG/ML	Nivel 5	PA; MO
YUTREPIA INHALATION CAPSULE, W/INHALATION DEVICE 106 MCG, 26.5 MCG, 53 MCG, 79.5 MCG	Nivel 5	PA; MO
Antihipertensivos, Antagonistas De Receptores De Angiotensina		
ARBLI ORAL SUSPENSION 10 MG/ML	Nivel 4	PA; MO
ATACAND ORAL TABLET 16 MG, 32 MG, 4 MG, 8 MG (candesartan)	Nivel 4	MO
AVAPRO ORAL TABLET 150 MG, 300 MG, 75 MG (irbesartan)	Nivel 4	MO
BENICAR ORAL TABLET 20 MG, 40 MG, 5 MG (olmesartan)	Nivel 4	MO
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	Nivel 2	MO
COZAAR ORAL TABLET 100 MG, 25 MG, 50 MG (losartan)	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
DIOVAN ORAL TABLET 160 MG, 320 MG, 40 MG, 80 MG (valsartan)	Nivel 4	MO
EDARBI ORAL TABLET 40 MG, 80 MG	Nivel 4	MO; ST: Must meet any of the following requirements: An ACE-Inhibitor, ACE-Inhibitor combination, ARB, or ARB combination in 120 days
<i>eprosartan oral tablet 600 mg</i>	Nivel 2	MO
<i>irbesartan oral tablet 150 mg, 300 mg</i> (Avapro)	Nivel 2	MO
<i>irbesartan oral tablet 75 mg</i>	Nivel 2	MO
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	Nivel 2	MO
MICARDIS ORAL TABLET 20 MG, 40 MG, 80 MG (telmisartan)	Nivel 4	MO
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	Nivel 2	MO
<i>telmisartan oral tablet 20 mg</i>	Nivel 2	MO
<i>telmisartan oral tablet 40 mg, 80 mg</i> (Micardis)	Nivel 2	MO
<i>valsartan oral solution 4 mg/ml</i>	Nivel 2	MO; ST: Must meet the following requirement: Valsartan tablets in 120 days
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	Nivel 2	MO
Antihipertensivos, Bloqueadores Ganglionar		
VECAMYL ORAL TABLET 2.5 MG	Nivel 5	PA
Antihipertensivos, Inhibidores Eca		
ACCUPRIL ORAL TABLET 10 MG, 20 MG, 40 MG, 5 MG (quinapril)	Nivel 4	MO
ALTACE ORAL CAPSULE 1.25 MG, 10 MG, 2.5 MG, 5 MG (ramipril)	Nivel 4	MO
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	Nivel 2	MO
<i>benazepril oral tablet 5 mg</i>	Nivel 2	MO
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	Nivel 2	MO
<i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)	Nivel 2	PA; MO
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	Nivel 2	MO
EPANED ORAL SOLUTION 1 MG/ML (enalapril maleate)	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	Nivel 2	MO
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	Nivel 2	MO
LOTENSIN ORAL TABLET 10 MG, 20 MG, 40 MG (benazepril)	Nivel 4	MO
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	Nivel 2	MO
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	Nivel 2	MO
QBRELIS ORAL SOLUTION 1 MG/ML	Nivel 4	PA; MO
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	Nivel 2	MO
<i>ramipril oral capsule 1.25 mg, 2.5 mg, 5 mg</i> (Altace)	Nivel 2	MO
<i>ramipril oral capsule 10 mg</i>	Nivel 2	MO
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	Nivel 2	MO
VASOTEC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG (enalapril maleate)	Nivel 4	MO
ZESTRIL ORAL TABLET 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG (lisinopril)	Nivel 4	MO
Antihipertensivos, Misceláneos		
DEMSEER ORAL CAPSULE 250 MG (metyrosine)	Nivel 5	PA
<i>metyrosine oral capsule 250 mg</i> (Demser)	Nivel 4	PA
Antihipertensivos, Simpatolíticos		
CATAPRES-TTS-1 TRANSDERMAL PATCH WEEKLY 0.1 MG/24 HR (clonidine)	Nivel 4	MO
CATAPRES-TTS-2 TRANSDERMAL PATCH WEEKLY 0.2 MG/24 HR (clonidine)	Nivel 4	MO
CATAPRES-TTS-3 TRANSDERMAL PATCH WEEKLY 0.3 MG/24 HR (clonidine)	Nivel 4	MO
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	Nivel 2	MO
<i>clonidine hcl oral tablet extended release 24 hr 0.17 mg</i> (Nexiclon XR)	Nivel 2	MO
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	Nivel 2	MO
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	Nivel 2	MO
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	Nivel 2	MO
<i>guanfacine oral tablet 1 mg, 2 mg</i>	Nivel 2	MO
<i>methyldopa oral tablet 250 mg, 500 mg</i>	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>methyldopa-hydrochlorothiazide oral tablet 250-15 mg, 250-25 mg</i>	Nivel 2	MO
Antihipertensivos, Vasodilatadores		
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	Nivel 2	MO
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	Nivel 2	MO
Anti-Htn Pulmonar, Antagonistas De Receptor De Endotelina		
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	Nivel 4	PA; MO
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	Nivel 4	PA; MO
<i>bosentan oral tablet for suspension 32 mg</i> (Tracleer)	Nivel 4	PA; MO
LETAIRIS ORAL TABLET 10 MG, 5 MG (ambrisentan)	Nivel 5	PA; MO
OPSUMIT ORAL TABLET 10 MG	Nivel 4	PA; MO
TRACLEER ORAL TABLET 125 MG, 62.5 MG (bosentan)	Nivel 5	PA; MO
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG (bosentan)	Nivel 4	PA; MO
Diurético De Asa		
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	Nivel 2	MO
EDECIN ORAL TABLET 25 MG (ethacrynic acid)	Nivel 4	PA; MO
<i>ethacrynic acid oral tablet 25 mg</i> (Edecrin)	Nivel 2	PA; MO
FUROSCIX SUBCUTANEOUS KIT 80 MG/10 ML	Nivel 5	PA
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	Nivel 2	MO
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	Nivel 2	MO
LASIX ORAL TABLET 20 MG, 40 MG, 80 MG (furosemide)	Nivel 4	MO
SOAANZ ORAL TABLET 40 MG	Nivel 4	PA; MO
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	Nivel 2	MO
Diuréticos Ahorradores De Potasio		
ALDACTONE ORAL TABLET 100 MG, 25 MG, 50 MG (spironolactone)	Nivel 4	MO
<i>amiloride oral tablet 5 mg</i>	Nivel 2	MO
CAROSPIR ORAL SUSPENSION 25 MG/5 ML (spironolactone)	Nivel 4	PA; MO
DYRENIUM ORAL CAPSULE 100 MG, 50 MG (triamterene)	Nivel 4	MO
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
INSPIRA ORAL TABLET 25 MG, 50 MG (eplerenone)	Nivel 4	MO
KERENDIA ORAL TABLET 10 MG, 20 MG, 40 MG	Nivel 4	PA; MO
spironolactone oral suspension 25 mg/5 ml (CaroSpir)	Nivel 2	PA; MO
spironolactone oral tablet 100 mg, 25 mg, 50 mg (Aldactone)	Nivel 2	MO
triamterene oral capsule 100 mg, 50 mg (Dyrenium)	Nivel 2	MO
Diuréticos Ahorradores De Potasio En Combinación		
amiloride-hydrochlorothiazide oral tablet 5-50 mg	Nivel 2	MO
spironolacton-hydrochlorothiaz oral tablet 25-25 mg	Nivel 2	MO
triamterene-hydrochlorothiazid oral capsule 37.5-25 mg	Nivel 2	MO
triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg	Nivel 2	MO
Inhibidor De Renina, Directo		
aliskiren oral tablet 150 mg, 300 mg (Tekturna)	Nivel 2	MO
TEKTURNA ORAL TABLET 150 MG, 300 MG (aliskiren)	Nivel 4	MO
Inhibidor Eca/Tiazidas & Diuréticos Tiazidicos		
ACCURETIC ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG (quinapril-hydrochlorothiazide)	Nivel 4	MO
benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Lotensin HCT)	Nivel 2	MO
benazepril-hydrochlorothiazide oral tablet 5-6.25 mg	Nivel 2	MO
captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg	Nivel 2	MO
enalapril-hydrochlorothiazide oral tablet 10-25 mg (Vaseretic)	Nivel 2	MO
enalapril-hydrochlorothiazide oral tablet 5-12.5 mg	Nivel 2	MO
fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg	Nivel 2	MO
lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Zestoretic)	Nivel 2	MO
LOTENSIN HCT ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG (benazepril-hydrochlorothiazide)	Nivel 4	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	(Accuretic)	Nivel 2	MO
VASERETIC ORAL TABLET 10-25 MG	(enalapril-hydrochlorothiazide)	Nivel 4	MO
ZESTORETIC ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG	(lisinopril-hydrochlorothiazide)	Nivel 4	MO
Inhibidores Eca/Combinación De Bloqueador De Canal De Calcio			
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i>	(Lotrel)	Nivel 2	MO
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>		Nivel 2	MO
LOTREL ORAL CAPSULE 10-20 MG, 10-40 MG, 5-10 MG, 5-20 MG	(amlodipine-benazepril)	Nivel 4	MO
PRESTALIA ORAL TABLET 14-10 MG, 3.5-2.5 MG, 7-5 MG		Nivel 4	MO; ST: Must meet the following requirements: Amlodipine and an ACE Inhibitor in 365 days; QL (1 EA per 1 day)
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>		Nivel 2	MO
Pulm Anti-Htn, Estimulante De Ciclasa De Guanilato Soluble			
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG		Nivel 4	PA; MO
Pulm. Anti-Htn, Sel. C-Gmp Inhib. De Fosfodiesterasa T5			
ADCIRCA ORAL TABLET 20 MG	(tadalafil (pulm. hypertension))	Nivel 5	PA; MO; QL (2 EA per 1 day)
ALYQ ORAL TABLET 20 MG	(tadalafil (pulm. hypertension))	Nivel 4	PA; MO; QL (2 EA per 1 day)
LIQREV ORAL SUSPENSION 10 MG/ML		Nivel 5	PA; MO
REVATIO ORAL TABLET 20 MG	(sildenafil (pulm. hypertension))	Nivel 4	PA; MO
<i>sildenafil (pulm. hypertension) oral suspension for reconstitution 10 mg/ml</i>		Nivel 2	PA; MO
<i>sildenafil (pulm. hypertension) oral tablet 20 mg</i>	(Revatio)	Nivel 2	PA; MO
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i>	(Alyq)	Nivel 4	PA; MO; QL (2 EA per 1 day)
TADLIQ ORAL SUSPENSION 20 MG/5 ML (4 MG/ML)		Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Tiazidas Y Diuréticos Relacionados		
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	Nivel 2	MO
DIURIL ORAL SUSPENSION 250 MG/5 ML	Nivel 4	MO
HEMICLOR ORAL TABLET 12.5 MG	Nivel 4	MO
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	Nivel 2	MO
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	Nivel 2	MO
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	Nivel 2	MO
INZIRQO ORAL SUSPENSION FOR RECONSTITUTION 10 MG/ML	Nivel 4	PA; MO
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	Nivel 2	MO
THALITONE ORAL TABLET 15 MG	Nivel 4	MO
Vasodilatadores, Combinación		
BIDIL ORAL TABLET 20-37.5 MG (isosorbide-hydralazine)	Nivel 4	MO
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	Nivel 2	MO
Enfermedad Cardiovascular - Irregularidad De Lípidos		
NEXLETOL ORAL TABLET 180 MG	Nivel 3	MO; ST: Must meet the following requirement: generic statin in 120 days
NEXLIZET ORAL TABLET 180-10 MG	Nivel 3	MO; ST: Must meet the following requirement: generic statin in 120 days
Antihiperlipidémicos - Inhibidor De Mtp		
JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 5 MG	Nivel 4	PA; MO
Antihiperlipidémicos - Inhibidor De Síntesis Apo B-100		
TRYNGOLZA SUBCUTANEOUS AUTO-INJECTOR 80 MG/0.8 ML	Nivel 5	PA; MO
Antihiperlipidémicos - Inhibidores De Pcsk9		
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	Nivel 4	MO; ST: Must meet the following requirement: Repatha in 120 days
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	Nivel 3	MO; ST: Must meet the following requirement: generic statin in 120 days

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	Nivel 3	MO; ST: Must meet the following requirement: generic statin in 120 days
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	Nivel 3	MO; ST: Must meet the following requirement: generic statin in 120 days
Antihiperlipidémicos - Inhibidores De Reductasa Hmg Coa		
ALTOPREV ORAL TABLET EXTENDED RELEASE 24 HR 20 MG, 40 MG, 60 MG	Nivel 4	MO; ST: Must meet 2 of the following requirements: Atorvastatin, Lovastatin, Pravastatin, or Simvastatin in 365 days; QL (1 EA per 1 day)
ATORVALIQ ORAL SUSPENSION 20 MG/5 ML (4 MG/ML)	Nivel 4	PA; MO
<i>atorvastatin oral tablet 10 mg, 20 mg</i> (Lipitor)	Nivel 1	MO; \$0 COPAY IF QUANTITY 1 IN 1 DAY, AGE 40-75 YEARS, AND NO HISTORY OF CARDIOVASCULAR DISEASE PREVENTION MEDICATIONS IN 120 DAYS; QL (1 EA per 1 day)
<i>atorvastatin oral tablet 40 mg, 80 mg</i> (Lipitor)	Nivel 2	MO; QL (1 EA per 1 day)
CRESTOR ORAL TABLET 10 MG, 20 MG, 40 MG, 5 MG (rosuvastatin)	Nivel 4	MO; QL (1 EA per 1 day)
EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG	Nivel 4	MO; ST: Must meet the following requirement: generic Rosuvastatin in 120 days; QL (1 EA per 1 day)
FLOLIPID ORAL SUSPENSION 20 MG/5 ML (4 MG/ML) (simvastatin)	Nivel 4	PA; MO
FLOLIPID ORAL SUSPENSION 40 MG/5 ML (8 MG/ML)	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>fluvastatin oral capsule 20 mg</i>	Nivel 1	MO; ST: Must meet 2 of the following requirements: Atorvastatin, Lovastatin, Pravastatin, or Simvastatin in 365 days; \$0 COPAY IF QUANTITY 1 IN 1 DAY, AGE 40-75 YEARS, AND NO HISTORY OF CARDIOVASCULAR DISEASE PREVENTION MEDICATIONS IN 120 DAYS; QL (2 EA per 1 day)
<i>fluvastatin oral capsule 40 mg</i>	Nivel 1	MO; ST: Must meet 2 of the following requirements: Atorvastatin, Lovastatin, Pravastatin, or Simvastatin in 365 days; \$0 COPAY IF QUANTITY 2 IN 1 DAY, AGE 40-75 YEARS, AND NO HISTORY OF CARDIOVASCULAR DISEASE PREVENTION MEDICATIONS IN 120 DAYS; QL (2 EA per 1 day)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	Nivel 1	MO; ST: Must meet 2 of the following requirements: Atorvastatin, Lovastatin, Pravastatin, or Simvastatin in 365 days; \$0 COPAY IF QUANTITY 1 IN 1 DAY, AGE 40-75 YEARS, AND NO HISTORY OF CARDIOVASCULAR DISEASE PREVENTION MEDICATIONS IN 120 DAYS; QL (1 EA per 1 day)
LIPITOR ORAL TABLET 10 MG, 20 MG, 40 MG, 80 MG (atorvastatin)	Nivel 4	MO; QL (1 EA per 1 day)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG (pitavastatin calcium)	Nivel 4	MO; QL (1 EA per 1 day)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	Nivel 1	MO; \$0 COPAY IF QUANTITY 1 IN 1 DAY, AGE 40-75 YEARS, AND NO HISTORY OF CARDIOVASCULAR DISEASE PREVENTION MEDICATIONS IN 120 DAYS; QL (2 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)	Nivel 1	MO; \$0 COPAY IF QUANTITY 1 IN 1 DAY, AGE 40-75 YEARS, AND NO HISTORY OF CARDIOVASCULAR DISEASE PREVENTION MEDICATIONS IN 120 DAYS; QL (1 EA per 1 day)
<i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	Nivel 1	MO; \$0 COPAY IF QUANTITY 1 IN 1 DAY, AGE 40-75 YEARS, AND NO HISTORY OF CARDIOVASCULAR DISEASE PREVENTION MEDICATIONS IN 120 DAYS; QL (1 EA per 1 day)
<i>rosuvastatin oral tablet 10 mg, 5 mg</i> (Crestor)	Nivel 1	MO; \$0 COPAY IF QUANTITY 1 IN 1 DAY, AGE 40-75 YEARS, AND NO HISTORY OF CARDIOVASCULAR DISEASE PREVENTION MEDICATIONS IN 120 DAYS; QL (1 EA per 1 day)
<i>rosuvastatin oral tablet 20 mg, 40 mg</i> (Crestor)	Nivel 2	MO; QL (1 EA per 1 day)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	Nivel 1	MO; \$0 COPAY IF QUANTITY 1 IN 1 DAY, AGE 40-75 YEARS, AND NO HISTORY OF CARDIOVASCULAR DISEASE PREVENTION MEDICATIONS IN 120 DAYS; QL (1 EA per 1 day)
<i>simvastatin oral tablet 5 mg</i>	Nivel 1	MO; \$0 COPAY IF QUANTITY 1 IN 1 DAY, AGE 40-75 YEARS, AND NO HISTORY OF CARDIOVASCULAR DISEASE PREVENTION MEDICATIONS IN 120 DAYS; QL (1 EA per 1 day)
<i>simvastatin oral tablet 80 mg</i>	Nivel 2	PA; MO; QL (1 EA per 1 day)
ZOCOR ORAL TABLET 10 MG, 20 MG, 40 MG (simvastatin)	Nivel 4	MO; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ZYPITAMAG ORAL TABLET 2 MG, 4 MG	Nivel 4	MO; ST: Must meet the following requirement: Livalo in 120 days; QL (1 EA per 1 day)
Antihiperlipidémicos.Hmg Coa Reduct Inhib&Colect.Ab.Inhib		
<i>ezetimibe-rosuvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-5 mg</i> (Roszet)	Nivel 2	MO; ST: Must meet the following requirements: Atorvastatin and Rosuvastatin tablets in 365 days; QL (1 EA per 1 day)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	Nivel 2	MO; QL (1 EA per 1 day)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	Nivel 2	MO; QL (1 EA per 1 day)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	Nivel 2	MO; QL (1 EA per 1 day)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	Nivel 2	PA; MO; QL (1 EA per 1 day)
ROSZET ORAL TABLET 10-10 MG, 10-20 MG, 10-40 MG, 10-5 MG (ezetimibe-rosuvastatin)	Nivel 4	MO; ST: Must meet the following requirements: Atorvastatin and Rosuvastatin tablets in 365 days; QL (1 EA per 1 day)
VYTORIN 10-10 ORAL TABLET 10-10 MG (ezetimibe-simvastatin)	Nivel 4	MO; QL (1 EA per 1 day)
VYTORIN 10-20 ORAL TABLET 10-20 MG (ezetimibe-simvastatin)	Nivel 4	MO; QL (1 EA per 1 day)
VYTORIN 10-40 ORAL TABLET 10-40 MG (ezetimibe-simvastatin)	Nivel 4	MO; QL (1 EA per 1 day)
VYTORIN 10-80 ORAL TABLET 10-80 MG (ezetimibe-simvastatin)	Nivel 4	PA; MO; QL (1 EA per 1 day)
Lipotrópicos		
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	Nivel 2	MO; QL (1 EA per 1 day)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg, 90 mg</i>	Nivel 2	MO
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	Nivel 2	MO
<i>fenofibrate oral capsule 150 mg, 50 mg</i> (Lipofen)	Nivel 2	MO
<i>fenofibrate oral tablet 120 mg, 160 mg, 40 mg, 54 mg</i>	Nivel 2	MO
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i>	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>fenofibric acid oral tablet 105 mg, 35 mg</i> (Fibricor)	Nivel 2	MO
FENOGLIDE ORAL TABLET 120 MG, 40 MG (fenofibrate)	Nivel 4	MO; ST: Must meet the following requirement: generic Fenofibrate or Gemfibrozil IN 120 DAYS
FIBRICOR ORAL TABLET 105 MG, 35 MG (fenofibric acid)	Nivel 4	MO
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	Nivel 2	MO
<i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)	Nivel 2	MO; QL (8 EA per 1 day)
<i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)	Nivel 2	MO; QL (4 EA per 1 day)
LIPOFEN ORAL CAPSULE 150 MG, 50 MG (fenofibrate)	Nivel 4	MO; ST: Must meet the following requirement: generic Fenofibrate or Gemfibrozil IN 120 DAYS
LOPID ORAL TABLET 600 MG (gemfibrozil)	Nivel 4	MO
LOVAZA ORAL CAPSULE 1 GRAM (omega-3 acid ethyl esters)	Nivel 4	MO; ST: Must meet any of the following requirements: generic Fenofibrate in 120 days; QL (4 EA per 1 day)
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	Nivel 2	MO
NIACOR ORAL TABLET 500 MG (niacin)	Nivel 2	MO
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	Nivel 2	MO; ST: Must meet any of the following requirements: generic Fenofibrate in 120 days; QL (4 EA per 1 day)
TRICOR ORAL TABLET 145 MG, 48 MG (fenofibrate nanocrystallized)	Nivel 4	MO
VASCEPA ORAL CAPSULE 0.5 GRAM (icosapent ethyl)	Nivel 4	MO; QL (8 EA per 1 day)
VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl)	Nivel 4	MO; QL (4 EA per 1 day)
ZETIA ORAL TABLET 10 MG (ezetimibe)	Nivel 4	MO; QL (1 EA per 1 day)
Preparados De Niacina		
<i>niacin oral tablet 500 mg</i> (Niacor)	Nivel 2	MO
Secuestradores De Sales Biliares		
<i>cholestyramine (with sugar) oral powder 4 gram</i> (Questran)	Nivel 2	MO
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	Nivel 2	MO
CHOLESTYRAMINE LIGHT ORAL POWDER 4 GRAM	Nivel 2	MO
CHOLESTYRAMINE LIGHT ORAL POWDER IN PACKET 4 GRAM	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	Nivel 2	MO
<i>colesevelam oral tablet 625 mg</i> (WelChol)	Nivel 2	MO
COLESTID ORAL GRANULES 5 GRAM (colestipol)	Nivel 4	MO
COLESTID ORAL TABLET 1 GRAM (colestipol)	Nivel 4	MO
<i>colestipol oral granules 5 gram</i> (Colestid)	Nivel 2	MO
<i>colestipol oral packet 5 gram</i>	Nivel 2	MO
<i>colestipol oral tablet 1 gram</i> (Colestid)	Nivel 2	MO
PREVALITE ORAL POWDER 4 GRAM	Nivel 2	MO
PREVALITE ORAL POWDER IN PACKET 4 GRAM	Nivel 2	MO
QUESTRAN LIGHT ORAL POWDER 4 GRAM	Nivel 4	MO
QUESTRAN ORAL POWDER 4 GRAM (cholestyramine (with sugar))	Nivel 4	MO
QUESTRAN ORAL POWDER IN PACKET 4 GRAM (cholestyramine (with sugar))	Nivel 4	MO
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM (colesevelam)	Nivel 4	MO
WELCHOL ORAL TABLET 625 MG (colesevelam)	Nivel 4	MO
Enfermedad Cardiovascular - Vasodilatación		
Diagnósticos Cardiovasculares- Radiopaco		
OMNIPAQUE ORAL SOLUTION 12 MG IODINE/ML, 9 MG IODINE/ML	Nivel 4	
Vasodilatadores, Coronario		
GONITRO SUBLINGUAL POWDER IN PACKET 400 MCG	Nivel 4	MO; ST: Must meet the following requirements: Two generic sublingual Nitroglycerin products in 365 days
ISORDIL ORAL TABLET 40 MG (isosorbide dinitrate)	Nivel 4	MO
ISORDIL TITRADOSE ORAL TABLET 5 MG (isosorbide dinitrate)	Nivel 4	MO
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	Nivel 2	MO
<i>isosorbide dinitrate oral tablet 40 mg</i> (Isordil)	Nivel 2	MO
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)	Nivel 2	MO
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	Nivel 2	MO
NITRO-BID TRANSDERMAL OINTMENT 2 % (nitroglycerin)	Nivel 3	MO
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.4 MG/HR, 0.6 MG/HR (nitroglycerin)	Nivel 4	MO
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR	Nivel 3	MO
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	Nivel 2	MO
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	Nivel 2	MO
<i>nitroglycerin translingual spray, non-aerosol 400 mcg/spray</i> (Nitrolingual)	Nivel 2	MO
NITROLINGUAL TRANSLINGUAL SPRAY, NON-AEROSOL 400 MCG/SPRAY (nitroglycerin)	Nivel 4	MO
NITROMIST TRANSLINGUAL AEROSOL, SPRAY 400 MCG/SPRAY (nitroglycerin)	Nivel 4	MO
NITROSTAT SUBLINGUAL TABLET 0.3 MG, 0.4 MG, 0.6 MG (nitroglycerin)	Nivel 4	MO
NITRO-TIME ORAL CAPSULE, EXTENDED RELEASE 2.5 MG, 6.5 MG, 9 MG (nitroglycerin)	Nivel 2	MO
Vasodilatadores, Periféricos		
<i>ergoloid oral tablet 1 mg</i>	Nivel 2	MO
<i>papaverine injection solution 30 mg/ml</i>	Nivel 2	
Enfermedad De Parkinson		
Inhibidores De Descarboxilasa		
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	Nivel 2	MO
LODOSYN ORAL TABLET 25 MG (carbidopa)	Nivel 4	MO
Medicamentos Antiparkinson, Anticolinérgicos		
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	Nivel 2	MO
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	Nivel 2	MO
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	Nivel 2	MO
Medicamentos Antiparkinson, Otros		
<i>amantadine hcl oral capsule 100 mg</i>	Nivel 2	MO
<i>amantadine hcl oral solution 50 mg/5 ml</i>	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>amantadine hcl oral tablet 100 mg</i>	Nivel 2	MO
APOKYN SUBCUTANEOUS (apomorphine) CARTRIDGE 10 MG/ML	Nivel 5	PA; MO
<i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN)	Nivel 4	PA; MO
AZILECT ORAL TABLET 0.5 MG, 1 MG (rasagiline)	Nivel 4	MO; QL (1 EA per 1 day)
<i>bromocriptine oral capsule 5 mg</i>	Nivel 2	MO
<i>bromocriptine oral tablet 2.5 mg</i>	Nivel 2	MO
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	Nivel 2	MO
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	Nivel 2	MO
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	Nivel 2	MO
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	Nivel 2	MO
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	Nivel 2	MO
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	Nivel 2	MO
CREXONT ORAL CAPSULE, IR - EXTEND REL, BIPHASE 35-140 MG	Nivel 4	MO; ST: Must meet the following requirement: generic Carbidopa/Levodopa ER in 120 days; QL (4 EA per 1 day)
CREXONT ORAL CAPSULE, IR - EXTEND REL, BIPHASE 52.5-210 MG	Nivel 4	MO; ST: Must meet the following requirement: generic Carbidopa/Levodopa ER in 120 days; QL (10 EA per 1 day)
CREXONT ORAL CAPSULE, IR - EXTEND REL, BIPHASE 70-280 MG	Nivel 4	MO; ST: Must meet the following requirement: generic Carbidopa/Levodopa ER in 120 days; QL (7 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CREXONT ORAL CAPSULE,IR - EXTEND REL,BIPHASE 87.5-350 MG	Nivel 4	MO; ST: Must meet the following requirement: generic Carbidopa/Levodopa ER in 120 days; QL (6 EA per 1 day)
DHIVY ORAL TABLET 25-100 MG (carbidopa-levodopa)	Nivel 4	MO
DUOPA J-TUBE INTESTINAL PUMP SUSPENSION 4.63-20 MG/ML	Nivel 5	PA; MO
<i>entacapone oral tablet 200 mg</i>	Nivel 2	MO
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG, 68.5 MG	Nivel 5	PA; MO
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	Nivel 5	PA; MO
MIRAPEX ER ORAL TABLET EXTENDED RELEASE 24 HR 1.5 MG, 2.25 MG, 3 MG, 3.75 MG (pramipexole)	Nivel 4	MO; ST: Must meet any of the following requirements: Immediate-release Pramipexole or immediate-release Ropinirole in 120 days; QL (1 EA per 1 day)
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	Nivel 3	MO; ST: Must meet any of the following requirements: Pramipexole IR or Ropinirole IR in 120 days; QL (1 EA per 1 day)
NOURIANZ ORAL TABLET 20 MG, 40 MG	Nivel 5	PA; MO
ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML	Nivel 5	PA; MO
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	Nivel 4	PA; MO
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG, 322 MG/DAY(129 MG X1-193MG X1)	Nivel 4	PA; MO
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	Nivel 2	MO
<i>pramipexole oral tablet extended release 24 hr 0.375 mg, 0.75 mg, 4.5 mg</i>	Nivel 2	MO; ST: Must meet any of the following requirements: Immediate-release Pramipexole or immediate-release Ropinirole in 120 days; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>pramipexole oral tablet extended release</i> (Mirapex ER) 24 hr 1.5 mg, 2.25 mg, 3 mg, 3.75 mg	Nivel 2	MO; ST: Must meet any of the following requirements: Immediate-release Pramipexole or immediate-release Ropinirole in 120 days; QL (1 EA per 1 day)
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	Nivel 2	MO; QL (1 EA per 1 day)
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	Nivel 2	MO
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	Nivel 2	MO; ST: Must meet any of the following requirements: Immediate-release Pramipexole or immediate-release Ropinirole in 120 days; QL (1 EA per 1 day)
RYTARY ORAL CAPSULE, EXTENDED RELEASE 23.75-95 MG, 36.25-145 MG, 48.75-195 MG, 61.25-245 MG	Nivel 4	MO; ST: Must meet the following requirement: generic Carbidopa/Levodopa ER in 120 days; QL (10 EA per 1 day)
<i>selegiline hcl oral capsule 5 mg</i>	Nivel 2	MO
<i>selegiline hcl oral tablet 5 mg</i>	Nivel 2	MO
SINEMET ORAL TABLET 10-100 MG, 25-100 MG (carbidopa-levodopa)	Nivel 4	MO
TASMAR ORAL TABLET 100 MG (tolcapone)	Nivel 4	MO; ST: Must meet the following requirement: Entacapone in 120 days; QL (3 EA per 1 day)
<i>tolcapone oral tablet 100 mg</i> (Tasmar)	Nivel 2	MO; ST: Must meet the following requirement: Entacapone in 120 days; QL (3 EA per 1 day)
VYALEV CONTIN. SUBCUTANEOUS INFUSION SOLUTION 12-240 MG/ML	Nivel 5	PA; MO
XADAGO ORAL TABLET 100 MG, 50 MG	Nivel 4	MO; ST: Must meet the following requirements: Carbidopa/Levodopa (Sinemet IR, Sinemet CR, Duopa, Parcopa, or Rytary) in 120 days; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ZELAPAR ORAL TABLET,DISINTEGRATING 1.25 MG	Nivel 4	MO; ST: Must meet the following requirement: generic Selegiline capsules or tablets in 120 days; QL (2 EA per 1 day)
Enfermedad Infecciosa - Bacteriana		
REBYOTA RECTAL ENEMA 150 ML	Nivel 5	PA
VOWST ORAL CAPSULE	Nivel 4	PA
XENLETA ORAL TABLET 600 MG	Nivel 4	PA
Betalactaminas		
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	Nivel 4	PA
Carbapenemas (Tienamicinas)		
ORLYNVAH ORAL TABLET 500-500 MG	Nivel 4	PA; QL (2 EA per 1 day)
Cefalosporinas - 1Era Generación		
<i>cefadroxil oral capsule 500 mg</i>	Nivel 2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	Nivel 2	
<i>cefadroxil oral tablet 1 gram</i>	Nivel 2	
<i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i>	Nivel 2	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	Nivel 2	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	Nivel 2	
Cefalosporinas - 2Da Generación		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	Nivel 2	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	Nivel 2	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	Nivel 2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	Nivel 2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	Nivel 2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	Nivel 2	
Cefalosporinas - 3Ra Generación		
<i>cefdinir oral capsule 300 mg</i>	Nivel 2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	Nivel 2	
<i>cefixime oral capsule 400 mg</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	Nivel 2	
<i>cefepodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	Nivel 2	
<i>cefepodoxime oral tablet 100 mg, 200 mg</i>	Nivel 2	
SPECTRACEF ORAL TABLET 400 MG	Nivel 4	
SUPRAX ORAL CAPSULE 400 MG (cefixime)	Nivel 4	
SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML (cefixime)	Nivel 4	
SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML	Nivel 3	
SUPRAX ORAL TABLET,CHEWABLE 100 MG, 200 MG	Nivel 3	
Derivados De Nitrofuranos		
FURADANTIN ORAL SUSPENSION 25 MG/5 ML (nitrofurantoin)	Nivel 4	PA
MACROBID ORAL CAPSULE 100 MG (nitrofurantoin monohyd/m-cryst)	Nivel 4	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	Nivel 2	
<i>nitrofurantoin macrocrystal oral capsule 25 mg</i>	Nivel 2	QL (4 EA per 1 day)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	Nivel 2	
<i>nitrofurantoin oral suspension 25 mg/5 ml</i> (Furadantin)	Nivel 2	PA
<i>nitrofurantoin oral suspension 50 mg/5 ml</i>	Nivel 2	
Macrólidos		
<i>azithromycin oral packet 1 gram</i>	Nivel 2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	Nivel 2	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	Nivel 2	
<i>azithromycin oral tablet 600 mg</i>	Nivel 2	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	Nivel 2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	Nivel 2	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	Nivel 2	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	Nivel 3	QL (10 ML per 1 day)
DIFICID ORAL TABLET 200 MG (fidaxomicin)	Nivel 2	QL (20 EA per 10 days)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
E.E.S. 400 MG TABLET	(erythromycin ethylsuccinate)	Nivel 2	
ERYPED 400 ORAL SUSPENSION FOR RECONSTITUTION 400 MG/5 ML	(erythromycin ethylsuccinate)	Nivel 4	
ERY-TAB ORAL TABLET, DELAYED RELEASE (DR/EC) 250 MG, 500 MG	(erythromycin)	Nivel 2	
ERY-TAB ORAL TABLET, DELAYED RELEASE (DR/EC) 333 MG	(erythromycin)	Nivel 4	
ERYTHROCIN (AS STEARATE) ORAL TABLET 250 MG	(erythromycin stearate)	Nivel 2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i>	(E.E.S. Granules)	Nivel 2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i>	(EryPed 400)	Nivel 2	
<i>erythromycin ethylsuccinate oral tablet 400 mg</i>	(E.E.S. 400)	Nivel 2	
<i>erythromycin oral capsule, delayed release(drlec) 250 mg</i>		Nivel 2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>		Nivel 2	
<i>erythromycin oral tablet, delayed release (drlec) 250 mg, 333 mg, 500 mg</i>	(Ery-Tab)	Nivel 2	
<i>fidaxomicin oral tablet 200 mg</i>	(Difcid)	Nivel 2	QL (20 EA per 10 days)
ZITHROMAX ORAL PACKET 1 GRAM	(azithromycin)	Nivel 4	
ZITHROMAX ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML, 200 MG/5 ML	(azithromycin)	Nivel 4	
ZITHROMAX ORAL TABLET 250 MG, 500 MG	(azithromycin)	Nivel 4	
ZITHROMAX TRI-PAK ORAL TABLET 500 MG	(azithromycin)	Nivel 4	
ZITHROMAX Z-PAK ORAL TABLET 250 MG	(azithromycin)	Nivel 4	
Oxazolidinonas			
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	(Zyvox)	Nivel 2	
<i>linezolid oral tablet 600 mg</i>	(Zyvox)	Nivel 2	
SIVEXTRO ORAL TABLET 200 MG		Nivel 3	PA
ZYVOX ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	(linezolid)	Nivel 4	
ZYVOX ORAL TABLET 600 MG	(linezolid)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Penicilinas		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	Nivel 2	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	Nivel 2	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	Nivel 2	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	Nivel 2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	Nivel 2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	Nivel 2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	Nivel 2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	Nivel 2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	Nivel 2	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	Nivel 2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	Nivel 2	
<i>ampicillin oral capsule 500 mg</i>	Nivel 2	
AUGMENTIN ES-600 ORAL SUSPENSION FOR RECONSTITUTION 600-42.9 MG/5 ML (amoxicillin-pot clavulanate)	Nivel 4	
AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML	Nivel 4	ST: Must meet the following requirement: generic Augmentin of different strength in 120 days; QL (150 ML per 30 days)
AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 250-62.5 MG/5 ML (amoxicillin-pot clavulanate)	Nivel 4	
AUGMENTIN ORAL TABLET 500-125 MG (amoxicillin-pot clavulanate)	Nivel 4	
AUGMENTIN XR ORAL TABLET EXTENDED RELEASE 12 HR 1,000-62.5 MG (amoxicillin-pot clavulanate)	Nivel 4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
MOXATAG ORAL TABLET, ER (amoxicillin) MULTIPHASE 24 HR 775 MG	Nivel 4	
<i>penicillin v potassium oral recon soln</i> 125 mg/5 ml, 250 mg/5 ml	Nivel 2	
<i>penicillin v potassium oral tablet 250 mg,</i> 500 mg	Nivel 2	
Quimioterapéuticos, Antibacterianos, Varios		
<i>fosfomycin tromethamine oral packet 3 gram</i>	Nivel 2	
<i>methenamine hippurate oral tablet 1 gram</i>	Nivel 2	
<i>methenamine mandelate oral tablet 0.5 gram, 1 gram</i>	Nivel 2	
<i>methen-sod phos-meth blue-hyos oral tablet 81.6-40.8-0.12 mg</i> (Urogesic-Blue)	Nivel 2	
MONUROL ORAL PACKET 3 GRAM (fosfomycin tromethamine)	Nivel 4	
PRIMSOL ORAL SOLUTION 50 MG/5 ML	Nivel 3	
<i>trimethoprim oral tablet 100 mg</i>	Nivel 2	
URELLE ORAL TABLET 81-10.8-40.8 MG	Nivel 4	
URETRON D-S ORAL TABLET 81.6-10.8-40.8 MG	Nivel 3	
URIBEL TABS ORAL TABLET 81.6-0.12-10.8 MG	Nivel 4	
URIMAR-T ORAL CAPSULE 120-10.8-40.8 MG	Nivel 4	
URIMAR-T ORAL TABLET 120-10.8-0.12 MG	Nivel 4	
URNEVA ORAL CAPSULE 120-10.8-40.8 MG	Nivel 4	
UROGESIC-BLUE ORAL TABLET 81.6-40.8-0.12 MG (methen-sod phos-meth blue-hyos)	Nivel 2	
URO-MP ORAL CAPSULE 118-10-40.8-36 MG	Nivel 2	
URO-SP ORAL CAPSULE 118-10-40.8-36 MG	Nivel 4	
URLY ORAL TABLET 81.6-40.8-0.12 MG (methen-sod phos-meth blue-hyos)	Nivel 4	
Quinolonas		
BAXDELA ORAL TABLET 450 MG	Nivel 4	PA

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CIPRO ORAL (ciprofloxacin) SUSPENSION,MICROCAPSULE RECON 250 MG/5 ML, 500 MG/5 ML	Nivel 3	
CIPRO ORAL TABLET 250 MG, 500 MG (ciprofloxacin hcl)	Nivel 4	
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	Nivel 2	
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	Nivel 2	
<i>ciprofloxacin oral suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	Nivel 2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	Nivel 2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	Nivel 2	
<i>moxifloxacin oral tablet 400 mg</i>	Nivel 2	
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	Nivel 2	
Sulfonamidas Absorbibles		
BACTRIM DS ORAL TABLET 800-160 MG (sulfamethoxazole-trimethoprim)	Nivel 4	
BACTRIM ORAL TABLET 400-80 MG (sulfamethoxazole-trimethoprim)	Nivel 4	
<i>sulfadiazine oral tablet 500 mg</i>	Nivel 2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	Nivel 2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	Nivel 2	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	Nivel 2	
SULFATRIM ORAL SUSPENSION 200-40 MG/5 ML (sulfamethoxazole-trimethoprim)	Nivel 2	
Tetraciclinas		
AVIDOXY DK KIT 100 MG-2 % -SPF 30	Nivel 4	ST: Must meet the following requirement: generic Doxycycline Monohydrate 100mg capsules in 120 days; QL (1 EA per 30 days)
AVIDOXY ORAL TABLET 100 MG (doxycycline monohydrate)	Nivel 4	QL (2 EA per 1 day)
BENZODOX 30 KIT, CLEANSER ER AND TABLET 100-4.4 MG-%	Nivel 4	ST: Must meet the following requirement: generic Doxycycline Monohydrate 100mg capsules in 120 days; QL (1 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
BENZODOX 60 KIT, CLEANSER ER AND TABLET 100-4.4 MG-%	Nivel 4	ST: Must meet the following requirement: generic Doxycycline Monohydrate 100mg capsules in 120 days; QL (1 EA per 30 days)
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	Nivel 2	
DORYX MPC ORAL TABLET, DELAYED RELEASE (DR/EC) 60 MG	Nivel 4	ST: Must meet any of the following requirements: Doxycycline Monohydrate/Hyclate 50mg/100mg IR tablets or capsules in 120 days; QL (2 EA per 1 day)
DORYX ORAL TABLET, DELAYED RELEASE (DR/EC) 80 MG (doxycycline hyclate)	Nivel 4	ST: Must meet the following requirement: generic Doxycycline Monohydrate 75mg tablets in 120 days; QL (2 EA per 1 day)
<i>doxycycline hyclate oral capsule 100 mg</i>	Nivel 2	QL (2 EA per 1 day)
<i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)	Nivel 2	QL (2 EA per 1 day)
<i>doxycycline hyclate oral tablet 100 mg</i>	Nivel 2	
<i>doxycycline hyclate oral tablet 150 mg</i>	Nivel 2	ST: Must meet the following requirement: generic Doxycycline Monohydrate 150mg tablets in 120 days; QL (2 EA per 1 day)
<i>doxycycline hyclate oral tablet 50 mg</i> (Targadox)	Nivel 2	ST: Must meet any of the following requirements: Doxycycline Hyclate 50mg capsules or Doxycycline Monohydrate 50mg capsules or tablets in 120 days; QL (4 EA per 1 day)
<i>doxycycline hyclate oral tablet 75 mg</i>	Nivel 2	ST: Must meet the following requirement: generic Doxycycline Monohydrate 75mg tablets in 120 days; QL (2 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg</i>	Nivel 2	ST: Must meet any of the following requirements: Doxycycline Monohydrate or Hyclate 100mg tablets or capsules in 120 days; QL (2 EA per 1 day)
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 150 mg</i>	Nivel 2	ST: Must meet the following requirement: generic Doxycycline Monohydrate 150mg tablets in 120 days; QL (2 EA per 1 day)
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg</i> (Doryx)	Nivel 2	ST: Must meet any of the following requirements: Doxycycline Monohydrate or Hyclate 100mg tablets or capsules in 120 days; QL (1 EA per 1 day)
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 50 mg</i>	Nivel 2	ST: Must meet any of the following requirements: Doxycycline Hyclate 50mg tablets or Doxycycline Monohydrate 50mg capsules or tablets in 120 days; QL (2 EA per 1 day)
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 75 mg</i>	Nivel 2	ST: Must meet the following requirement: generic Doxycycline Monohydrate 75mg tablets in 120 days; QL (2 EA per 1 day)
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 80 mg</i> (Doryx)	Nivel 2	ST: Must meet the following requirement: generic Doxycycline Monohydrate 75mg tablets in 120 days; QL (2 EA per 1 day)
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxylene NL)	Nivel 2	
<i>doxycycline monohydrate oral capsule 150 mg</i>	Nivel 2	QL (2 EA per 1 day)
<i>doxycycline monohydrate oral capsule 50 mg</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>doxycycline monohydrate oral capsule</i> (Mondoxylene NL) 75 mg	Nivel 2	ST: Must meet the following requirement: generic Doxycycline Monohydrate 75mg tablets in 120 days; QL (2 EA per 1 day)
<i>doxycycline monohydrate oral capsule,ir - delay rel,biphase</i> 40 mg (Oracea)	Nivel 2	PA
<i>doxycycline monohydrate oral suspension for reconstitution</i> 25 mg/5 ml	Nivel 2	
<i>doxycycline monohydrate oral tablet</i> 100 mg (Avidoxy)	Nivel 2	QL (2 EA per 1 day)
<i>doxycycline monohydrate oral tablet</i> 150 mg	Nivel 2	QL (2 EA per 1 day)
<i>doxycycline monohydrate oral tablet</i> 50 mg, 75 mg	Nivel 2	
EMROSI ORAL CAPSULE,IR -EXTEND REL,BIPHASE 40 MG	Nivel 4	PA
<i>minocycline oral capsule</i> 100 mg, 50 mg, 75 mg	Nivel 2	
<i>minocycline oral capsule,extended release</i> 24hr 135 mg, 45 mg, 90 mg (Ximino)	Nivel 2	ST: Must meet the following requirement: generic Minocycline IR in 120 days; QL (1 EA per 1 day); Age (Min 12 Years)
<i>minocycline oral tablet</i> 100 mg, 50 mg, 75 mg	Nivel 2	
<i>minocycline oral tablet extended release</i> 24 hr 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg	Nivel 2	ST: Must meet the following requirement: Generic immediate-release Minocycline in 120 days; QL (1 EA per 1 day); Age (Min 12 Years)
MONDOXYNE NL ORAL CAPSULE 100 MG (doxycycline monohydrate)	Nivel 2	
MONDOXYNE NL ORAL CAPSULE 75 MG (doxycycline monohydrate)	Nivel 2	ST: Must meet the following requirement: generic Doxycycline Monohydrate 75mg tablets in 120 days; QL (2 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
MORGIDOX 1X 50 KIT 50 MG	Nivel 4	ST: Must meet the following requirement: generic Doxycycline Monohydrate 100mg capsules in 120 days; QL (1 EA per 30 days)
MORGIDOX 1X100 KIT 100 MG	Nivel 4	ST: Must meet the following requirement: generic Doxycycline Monohydrate 100mg capsules in 120 days; QL (1 EA per 30 days)
MORGIDOX 2X100 KIT 100 MG	Nivel 4	ST: Must meet the following requirement: generic Doxycycline Monohydrate 100mg capsules in 120 days; QL (1 EA per 30 days)
MORGIDOX ORAL CAPSULE 50 MG (doxycycline hyclate)	Nivel 4	QL (2 EA per 1 day)
NUZYRA ORAL TABLET 150 MG	Nivel 4	PA
ORACEA ORAL CAPSULE,IR - DELAY REL,BIPHASE 40 MG (doxycycline monohydrate)	Nivel 4	PA
SEYSARA ORAL TABLET 100 MG, 150 MG, 60 MG	Nivel 4	ST: Must meet any of the following requirements: generic Doxycycline or Minocycline IR in 120 days; QL (1 EA per 1 day); Age (Min 9 Years)
TARGADOX ORAL TABLET 50 MG (doxycycline hyclate)	Nivel 4	ST: Must meet any of the following requirements: Doxycycline Hyclate 50mg capsules or Doxycycline Monohydrate 50mg capsules or tablets in 120 days; QL (4 EA per 1 day)
tetracycline oral capsule 250 mg, 500 mg	Nivel 2	
tetracycline oral tablet 250 mg, 500 mg	Nivel 2	
XIMINO ORAL CAPSULE,EXTENDED RELEASE 24HR 135 MG, 45 MG, 90 MG (minocycline)	Nivel 4	ST: Must meet the following requirement: generic Minocycline IR in 120 days; QL (1 EA per 1 day); Age (Min 12 Years)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Enfermedad Infecciosa - Fungosa		
Agentes Antifúngicos		
ANCOBON ORAL CAPSULE 250 MG, 500 MG (flucytosine)	Nivel 4	
<i>clotrimazole mucous membrane troche 10 mg</i>	Nivel 2	
CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG	Nivel 4	PA
DIFLUCAN ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML (fluconazole)	Nivel 4	
DIFLUCAN ORAL TABLET 100 MG (fluconazole)	Nivel 4	
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>	Nivel 2	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i> (Diflucan)	Nivel 2	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	Nivel 2	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	Nivel 2	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	Nivel 2	
<i>itraconazole oral solution 10 mg/ml</i>	Nivel 2	
<i>ketoconazole oral tablet 200 mg</i>	Nivel 2	
NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG	Nivel 4	PA
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML) (posaconazole)	Nivel 4	PA
NOXAFIL ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG (posaconazole)	Nivel 4	PA
ORAVIG BUCCAL MUCO-ADHESIVE BUCCAL TABLET 50 MG	Nivel 4	
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i> (Noxafil)	Nivel 2	PA
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i>	Nivel 2	PA
SPORANOX ORAL CAPSULE 100 MG (itraconazole)	Nivel 4	
SPORANOX ORAL SOLUTION 10 MG/ML (itraconazole)	Nivel 4	
<i>terbinafine hcl oral tablet 250 mg</i>	Nivel 2	
TOLSURA ORAL CAPSULE, SOLID DISPERSION 65 MG	Nivel 4	PA
VFEND ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML (40 MG/ML) (voriconazole)	Nivel 4	
VFEND ORAL TABLET 50 MG (voriconazole)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
VIVJOA ORAL CAPSULE 150 MG	Nivel 4	PA
voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml) (Vfend)	Nivel 2	
voriconazole oral tablet 200 mg, 50 mg	Nivel 2	
Antibióticos Antifúngicos		
BREXAFEMME ORAL TABLET 150 MG	Nivel 4	PA
FULVICIN P/G ORAL TABLET 165 MG (griseofulvin ultramicrosize)	Nivel 2	
griseofulvin microsize oral suspension 125 mg/5 ml	Nivel 2	
griseofulvin microsize oral tablet 500 mg	Nivel 2	
griseofulvin ultramicrosize oral tablet 125 mg, 165 mg, 250 mg	Nivel 2	
nystatin oral suspension 100,000 unit/ml	Nivel 2	
nystatin oral tablet 500,000 unit	Nivel 2	
Enfermedad Infecciosa - Miscelánea		
Agentes Antibacterianos, Misceláneos		
GLYCINE UROLOGIC IRRIGATION SOLUTION 1.5 % (glycine urologic solution)	Nivel 4	
glycine urologic solution irrigation solution 1.5 % (Glycine Urologic)	Nivel 2	
Agentes Antimycobacterium		
ethambutol oral tablet 100 mg, 400 mg	Nivel 2	
isoniazid oral solution 50 mg/5 ml	Nivel 2	
isoniazid oral tablet 100 mg, 300 mg	Nivel 2	
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	Nivel 4	
pyrazinamide oral tablet 500 mg	Nivel 2	
rifabutin oral capsule 150 mg	Nivel 2	
TRECTOR ORAL TABLET 250 MG	Nivel 4	
Aminoglicósidos		
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	Nivel 5	PA
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML (tobramycin)	Nivel 5	PA; MO
KITABIS PAK INHALATION SOLUTION FOR NEBULIZATION 300 MG/5 ML (tobramycin with nebulizer)	Nivel 5	PA; MO
neomycin oral tablet 500 mg	Nivel 2	
TOBI INHALATION SOLUTION FOR NEBULIZATION 300 MG/5 ML (tobramycin in 0.225 % nacl)	Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	Nivel 4	PA; MO
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	Nivel 4	PA; MO
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	Nivel 4	PA; MO
<i>tobramycin with nebulizer inhalation solution for nebulization 300 mg/5 ml</i> (Kitabis Pak)	Nivel 4	PA; MO
Antibióticos Antituberculosos		
<i>cycloserine oral capsule 250 mg</i>	Nivel 2	
<i>pretomanid oral tablet 200 mg</i>	Nivel 4	QL (1 EA per 1 day)
PRIFTIN ORAL TABLET 150 MG	Nivel 4	
<i>rifampin oral capsule 150 mg, 300 mg</i>	Nivel 2	
SIRTURO ORAL TABLET 100 MG, 20 MG	Nivel 5	PA
Antilepróticos		
<i>dapsone oral tablet 100 mg, 25 mg</i>	Nivel 2	MO
THALOMID ORAL CAPSULE 100 MG, 50 MG	Nivel 4	PA; MO
Lincosamidas		
CLEOCIN HCL ORAL CAPSULE 150 MG, 300 MG, 75 MG (clindamycin hcl)	Nivel 4	
CLEOCIN PEDIATRIC ORAL RECON SOLN 75 MG/5 ML (clindamycin palmitate hcl)	Nivel 4	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	Nivel 2	
<i>clindamycin palmitate hcl oral recon soln 75 mg/5 ml</i> (Clindamycin Pediatric)	Nivel 2	
CLINDAMYCIN PEDIATRIC ORAL RECON SOLN 75 MG/5 ML (clindamycin palmitate hcl)	Nivel 2	
Rifamicinas Y Antibióticos Derivados Relacionados		
XIFAXAN ORAL TABLET 200 MG	Nivel 4	PA
XIFAXAN ORAL TABLET 550 MG	Nivel 3	PA; MO
Vancomicina Y Derivados		
FIRVANQ ORAL RECON SOLN 25 MG/ML (vancomycin)	Nivel 4	QL (300 ML per 1 FILL)
FIRVANQ ORAL RECON SOLN 50 MG/ML (vancomycin)	Nivel 4	QL (600 ML per 1 FILL)
VANCOCIN ORAL CAPSULE 125 MG (vancomycin)	Nivel 4	QL (56 EA per 1 FILL)
VANCOCIN ORAL CAPSULE 250 MG (vancomycin)	Nivel 4	QL (112 EA per 1 FILL)
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	Nivel 2	QL (56 EA per 1 FILL)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	Nivel 2	QL (112 EA per 1 FILL)
<i>vancomycin oral recon soln 25 mg/ml</i> (Firvanq)	Nivel 2	QL (300 ML per 1 FILL)
<i>vancomycin oral recon soln 50 mg/ml</i> (Firvanq)	Nivel 2	QL (600 ML per 1 FILL)
Enfermedad Infecciosa - Parasitaria		
2Da Gen. Anaeróbico Antiprotosoario-Antibacterial		
SOLOSEC ORAL GRANULES DEL RELEASE IN PACKET 2 GRAM	Nivel 4	ST: Must meet 2 of the following requirements: Clindamycin, vaginal Clindamycin cream, oral Metronidazole, vaginal Metronidazole gel, or Tinidazole in 365 days; QL (1 EA per 30 days)
<i>tinidazole oral tablet 250 mg, 500 mg</i>	Nivel 2	
Agentes Anaeróbicos Antiprotosoario-Antibacterianos		
LIKMEZ ORAL SUSPENSION 500 MG/5 ML	Nivel 4	PA
<i>metronidazole oral capsule 375 mg</i>	Nivel 2	
<i>metronidazole oral tablet 125 mg, 250 mg, 500 mg</i>	Nivel 2	
Antihelmínticos		
<i>albendazole oral tablet 200 mg</i>	Nivel 2	
BILTRICIDE ORAL TABLET 600 MG (praziquantel)	Nivel 4	
EMVERM ORAL TABLET,CHEWABLE 100 MG (mebendazole)	Nivel 3	PA
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	Nivel 2	
<i>ivermectin oral tablet 6 mg</i>	Nivel 2	
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	Nivel 2	
STROMECTOL ORAL TABLET 3 MG (ivermectin)	Nivel 4	
Antiparasitarios		
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	Nivel 4	QL (50 ML per 1 day)
ALINIA ORAL TABLET 500 MG (nitazoxanide)	Nivel 4	QL (2 EA per 1 day)
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	Nivel 2	QL (2 EA per 1 day)
Mediamcentos Antipalúdicos		
ARAKODA ORAL TABLET 100 MG	Nivel 4	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	Nivel 2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>chloroquine phosphate oral tablet 250 mg</i>	Nivel 2	QL (36 EA per 16 days)
<i>chloroquine phosphate oral tablet 500 mg</i>	Nivel 2	QL (18 EA per 16 days)
COARTEM ORAL TABLET 20-120 MG	Nivel 4	
DARAPRIM ORAL TABLET 25 MG (pyrimethamine)	Nivel 5	PA
<i>hydroxychloroquine oral tablet 100 mg</i>	Nivel 2	MO; QL (180 EA per 30 days)
<i>hydroxychloroquine oral tablet 200 mg</i> (Sovuna)	Nivel 2	MO; QL (100 EA per 30 days)
<i>hydroxychloroquine oral tablet 300 mg</i> (Sovuna)	Nivel 2	MO; QL (60 EA per 30 days)
<i>hydroxychloroquine oral tablet 400 mg</i>	Nivel 2	MO; QL (60 EA per 30 days)
KRINTAFEL ORAL TABLET 150 MG	Nivel 3	QL (2 EA per 1 FILL)
MALARONE ORAL TABLET 250-100 MG (atovaquone-proguanil)	Nivel 4	
MALARONE PEDIATRIC ORAL TABLET 62.5-25 MG (atovaquone-proguanil)	Nivel 4	
<i>mefloquine oral tablet 250 mg</i>	Nivel 2	
PLAQUENIL ORAL TABLET 200 MG (hydroxychloroquine)	Nivel 4	MO; QL (100 EA per 30 days)
<i>primaquine oral tablet 26.3 mg (15 mg base)</i>	Nivel 3	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	Nivel 4	PA
QUALAQUIN ORAL CAPSULE 324 MG (quinine sulfate)	Nivel 4	
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	Nivel 2	
SOVUNA ORAL TABLET 200 MG (hydroxychloroquine)	Nivel 3	MO; QL (100 EA per 30 days)
SOVUNA ORAL TABLET 300 MG (hydroxychloroquine)	Nivel 4	MO; QL (60 EA per 30 days)
Medicamentos Antiprotozoarios, Misceláneos		
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	Nivel 2	
<i>benznidazole oral tablet 100 mg, 12.5 mg</i>	Nivel 2	
IMPAVIDO ORAL CAPSULE 50 MG	Nivel 3	PA
LAMPIT ORAL TABLET 120 MG, 30 MG	Nivel 4	
MEPRON ORAL SUSPENSION 750 MG/5 ML (atovaquone)	Nivel 4	
NEBUPENT INHALATION RECON SOLN 300 MG (pentamidine)	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	Nivel 2	MO
Enfermedad Infecciosa - Viral		
DOVATO ORAL TABLET 50-300 MG	Nivel 3	MO; QL (1 EA per 1 day)
LAGEVRIO (EUA) ORAL CAPSULE 200 MG	Nivel 2	QL (40 EA per 29 days); Age (Min 18 Years)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10), 150 MG (6)- 100 MG (5)	Nivel 3	QL (20 EA per 28 days); Age (Min 12 Years)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	Nivel 3	QL (30 EA per 28 days); Age (Min 12 Years)
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	Nivel 3	MO
SUNLENCA ORAL TABLET 300 MG	Nivel 3	
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	Nivel 3	MO
YEZTUGO ORAL TABLET 300 MG	Nivel 3	
YEZTUGO SUBCUTANEOUS SOLUTION 309 MG/ML	Nivel 3	MO
Agentes De Tratamiento De Hepatitis B		
<i>adefovir oral tablet 10 mg</i> (Hepsera)	Nivel 4	QL (1 EA per 1 day)
BARACLUDE ORAL SOLUTION 0.05 MG/ML	Nivel 4	MO; QL (630 ML per 30 days)
BARACLUDE ORAL TABLET 0.5 MG, 1 MG (entecavir)	Nivel 5	MO; QL (1 EA per 1 day)
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	Nivel 4	MO; QL (1 EA per 1 day)
HEPSERA ORAL TABLET 10 MG (adefovir)	Nivel 5	QL (1 EA per 1 day)
<i>lamivudine oral tablet 100 mg</i>	Nivel 2	MO; QL (1 EA per 1 day)
VEMLIDY ORAL TABLET 25 MG	Nivel 4	MO; QL (1 EA per 1 day)
Agentes De Tratamiento De Hepatitis C		
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	Nivel 4	PA
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	Nivel 4	PA
<i>ribavirin oral capsule 200 mg</i>	Nivel 2	
<i>ribavirin oral tablet 200 mg</i>	Nivel 2	
Anticuerpos Antivirales Monoclonales		
BEYFORTUS INTRAMUSCULAR SYRINGE 100 MG/ML, 50 MG/0.5 ML	Nivel 4	
Antiretrovirales-Inhibidor De Integrasa Y Comb. Nnrti		
JULUCA ORAL TABLET 50-25 MG	Nivel 3	MO; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Antiretrovirales-Nucleósido, Nucleótido, Proteasa, Inh.		
SYMTUZA ORAL TABLET 800-150-200-10 MG	Nivel 3	MO; QL (1 EA per 1 day)
Antivirales, Específicos Para Vih, Inhibidores De Proteasa		
<i>atazanavir oral capsule 150 mg</i>	Nivel 2	MO; QL (2 EA per 1 day)
<i>atazanavir oral capsule 200 mg</i> (Reyataz)	Nivel 2	MO; QL (2 EA per 1 day)
<i>atazanavir oral capsule 300 mg</i> (Reyataz)	Nivel 2	MO; QL (1 EA per 1 day)
EVOTAZ ORAL TABLET 300-150 MG	Nivel 3	MO; QL (1 EA per 1 day)
<i>fosamprenavir oral tablet 700 mg</i>	Nivel 2	MO; QL (4 EA per 1 day)
NORVIR ORAL CAPSULE 100 MG	Nivel 3	MO; QL (12 EA per 1 day)
NORVIR ORAL POWDER IN PACKET 100 MG	Nivel 3	MO; QL (12 EA per 1 day)
NORVIR ORAL TABLET 100 MG (ritonavir)	Nivel 4	MO; QL (12 EA per 1 day)
REYATAZ ORAL CAPSULE 200 MG (atazanavir)	Nivel 4	MO; QL (2 EA per 1 day)
REYATAZ ORAL CAPSULE 300 MG (atazanavir)	Nivel 4	MO; QL (1 EA per 1 day)
REYATAZ ORAL POWDER IN PACKET 50 MG	Nivel 3	MO; QL (5 EA per 1 day)
<i>ritonavir oral tablet 100 mg</i> (Norvir)	Nivel 2	MO; QL (12 EA per 1 day)
VIRACEPT ORAL TABLET 250 MG, 625 MG	Nivel 3	MO
Antivirales, Específicos Para Vih, No Nucleósido, Rti		
EDURANT ORAL TABLET 25 MG	Nivel 3	MO; QL (1 EA per 1 day)
EDURANT PED ORAL TABLET FOR SUSPENSION 2.5 MG	Nivel 3	QL (180 EA per 30 days)
<i>efavirenz oral tablet 600 mg</i>	Nivel 2	MO
<i>etravirine oral tablet 100 mg</i> (Intelence)	Nivel 2	MO; QL (4 EA per 1 day)
<i>etravirine oral tablet 200 mg</i> (Intelence)	Nivel 2	MO; QL (2 EA per 1 day)
INTELENCE ORAL TABLET 100 MG (etravirine)	Nivel 4	MO; QL (4 EA per 1 day)
INTELENCE ORAL TABLET 200 MG (etravirine)	Nivel 4	MO; QL (2 EA per 1 day)
INTELENCE ORAL TABLET 25 MG	Nivel 3	MO; QL (4 EA per 1 day)
<i>nevirapine oral suspension 50 mg/5 ml</i>	Nivel 2	MO; QL (1200 ML per 30 days)
<i>nevirapine oral tablet 200 mg</i>	Nivel 2	MO; QL (2 EA per 1 day)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	Nivel 2	MO; QL (3 EA per 1 day)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	Nivel 2	MO; QL (1 EA per 1 day)
PIFELTRO ORAL TABLET 100 MG	Nivel 4	MO; QL (2 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Antivirales, Específicos Para Vih, Nucleósido Análogos, Rti		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	Nivel 2	MO; QL (960 ML per 30 days)
<i>abacavir oral tablet 300 mg</i>	Nivel 2	MO; QL (2 EA per 1 day)
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	Nivel 1	MO; \$0 COPAY IF QUANTITY IS 1 IN 1 DAY AND NO HISTORY OF ANTIRETROVIRAL MEDICATION IN 120 DAYS; QL (1 EA per 1 day)
EMTRIVA ORAL CAPSULE 200 MG (emtricitabine)	Nivel 4	MO; QL (1 EA per 1 day)
EMTRIVA ORAL SOLUTION 10 MG/ML	Nivel 3	MO; QL (850 ML per 30 days)
EPIVIR ORAL SOLUTION 10 MG/ML (lamivudine)	Nivel 4	MO; QL (960 ML per 30 days)
EPIVIR ORAL TABLET 150 MG (lamivudine)	Nivel 4	MO; QL (2 EA per 1 day)
EPIVIR ORAL TABLET 300 MG (lamivudine)	Nivel 4	MO; QL (1 EA per 1 day)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	Nivel 2	MO; QL (960 ML per 30 days)
<i>lamivudine oral tablet 150 mg</i> (Epivir)	Nivel 2	MO; QL (2 EA per 1 day)
<i>lamivudine oral tablet 300 mg</i> (Epivir)	Nivel 2	MO; QL (1 EA per 1 day)
RETROVIR ORAL CAPSULE 100 MG (zidovudine)	Nivel 4	MO; QL (6 EA per 1 day)
RETROVIR ORAL SYRUP 10 MG/ML (zidovudine)	Nivel 4	MO; QL (1920 ML per 30 days)
<i>stavudine oral capsule 15 mg, 20 mg</i>	Nivel 2	MO; QL (2 EA per 1 day)
ZIAGEN ORAL SOLUTION 20 MG/ML (abacavir)	Nivel 4	MO; QL (960 ML per 30 days)
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	Nivel 2	MO; QL (6 EA per 1 day)
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	Nivel 2	MO; QL (1920 ML per 30 days)
<i>zidovudine oral tablet 300 mg</i>	Nivel 2	MO; QL (2 EA per 1 day)
Antivirales, General		
<i>acyclovir oral capsule 200 mg</i>	Nivel 2	MO
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	Nivel 2	MO
<i>acyclovir oral tablet 400 mg, 800 mg</i>	Nivel 2	MO
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	Nivel 2	MO
LIVTENCITY ORAL TABLET 200 MG	Nivel 4	PA
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	Nivel 2	QL (40 EA per 180 days)
<i>oseltamivir oral capsule 45 mg, 75 mg</i> (Tamiflu)	Nivel 2	QL (20 EA per 180 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	Nivel 2	QL (360 ML per 180 days)
PREVYMIS ORAL PELLETS IN PACKET 120 MG, 20 MG	Nivel 4	PA
PREVYMIS ORAL TABLET 240 MG, 480 MG	Nivel 4	PA
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	Nivel 4	QL (40 EA per 180 days)
<i>ribavirin inhalation recon soln 6 gram</i>	Nivel 2	
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	Nivel 2	
TAMIFLU ORAL CAPSULE 30 MG (oseltamivir)	Nivel 4	QL (40 EA per 180 days)
TAMIFLU ORAL CAPSULE 45 MG, 75 MG (oseltamivir)	Nivel 4	QL (20 EA per 180 days)
TAMIFLU ORAL SUSPENSION FOR RECONSTITUTION 6 MG/ML (oseltamivir)	Nivel 4	QL (360 ML per 180 days)
TEMBEXA ORAL SUSPENSION 10 MG/ML	Nivel 3	
TEMBEXA ORAL TABLET 100 MG	Nivel 3	
TPOXX (NATIONAL STOCKPILE) ORAL CAPSULE 200 MG	Nivel 3	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	Nivel 2	MO
VALCYTE ORAL RECON SOLN 50 MG/ML (valganciclovir)	Nivel 4	MO
VALCYTE ORAL TABLET 450 MG (valganciclovir)	Nivel 4	MO
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	Nivel 2	MO
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	Nivel 2	MO
VALTREX ORAL TABLET 1 GRAM, 500 MG (valacyclovir)	Nivel 4	MO
VIRAZOLE INHALATION RECON SOLN 6 GRAM (ribavirin)	Nivel 4	
XOFLUZA ORAL TABLET 40 MG	Nivel 3	QL (4 EA per 180 days)
XOFLUZA ORAL TABLET 80 MG	Nivel 3	QL (2 EA per 180 days)
ZOVIRAX ORAL SUSPENSION 200 MG/5 ML (acyclovir)	Nivel 4	MO
Antivirales, Específico-Vih, Ccr5 Antag. Co-Receptor		
<i>maraviroc oral tablet 150 mg</i> (Selzentry)	Nivel 2	MO; QL (2 EA per 1 day)
<i>maraviroc oral tablet 300 mg</i> (Selzentry)	Nivel 2	MO; QL (4 EA per 1 day)
SELZENTRY ORAL SOLUTION 20 MG/ML	Nivel 3	MO; QL (31 ML per 1 day)
SELZENTRY ORAL TABLET 150 MG (maraviroc)	Nivel 4	MO; QL (2 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SELZENTRY ORAL TABLET 300 MG (maraviroc)	Nivel 4	MO; QL (4 EA per 1 day)
Antivirales, Específico-Vih, Comb De Inhibidor De Proteasa		
KALETRA ORAL SOLUTION 400-100 MG/5 ML (lopinavir-ritonavir)	Nivel 4	MO; QL (480 ML per 30 days)
KALETRA ORAL TABLET 100-25 MG (lopinavir-ritonavir)	Nivel 4	MO; QL (10 EA per 1 day)
KALETRA ORAL TABLET 200-50 MG (lopinavir-ritonavir)	Nivel 4	MO; QL (4 EA per 1 day)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	Nivel 2	MO; QL (10 EA per 1 day)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	Nivel 2	MO; QL (4 EA per 1 day)
Antivirales, Específico-Vih, Inhibidores De Fusión		
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	Nivel 3	MO; QL (2 EA per 1 day)
Antivirales, Específico-Vih, Nucleótido Análogo, Rti		
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	Nivel 1	MO; \$0 COPAY IF QUANTITY IS 1 IN 1 DAY AND NO HISTORY OF ANTIRETROVIRAL MEDICATION IN 120 DAYS; QL (1 EA per 1 day)
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	Nivel 3	MO; QL (240 GM per 30 days)
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	Nivel 3	MO; QL (1 EA per 1 day)
VIREAD ORAL TABLET 300 MG (tenofovir disoproxil fumarate)	Nivel 4	MO; QL (1 EA per 1 day)
Antivirales, Spec-Vih, Inhib. De Proteasa No Peptídica		
APTIVUS ORAL CAPSULE 250 MG	Nivel 3	MO; QL (4 EA per 1 day)
<i>darunavir oral tablet 600 mg</i> (Prezista)	Nivel 2	MO; QL (2 EA per 1 day)
<i>darunavir oral tablet 800 mg</i> (Prezista)	Nivel 2	MO; QL (1 EA per 1 day)
PREZCOBIX ORAL TABLET 675-150 MG	Nivel 5	MO; QL (1 EA per 1 day)
PREZCOBIX ORAL TABLET 800-150 MG-MG	Nivel 4	MO; QL (1 EA per 1 day)
PREZISTA ORAL SUSPENSION 100 MG/ML	Nivel 3	MO; QL (400 ML per 30 days)
PREZISTA ORAL TABLET 150 MG	Nivel 3	MO; QL (8 EA per 1 day)
PREZISTA ORAL TABLET 600 MG (darunavir)	Nivel 4	MO; QL (2 EA per 1 day)
PREZISTA ORAL TABLET 75 MG	Nivel 3	MO; QL (16 EA per 1 day)
PREZISTA ORAL TABLET 800 MG (darunavir)	Nivel 4	MO; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Antivirales, Spec-Vih, Nucleósido Análogo, Comb Rti		
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	Nivel 2	MO; QL (1 EA per 1 day)
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	Nivel 2	MO; QL (2 EA per 1 day)
Antivirales, Spec-Vih, Nucleósido-Nucleótido Análogo		
CIMDUO ORAL TABLET 300-300 MG	Nivel 3	MO; QL (1 EA per 1 day)
DESCOVY ORAL TABLET 120-15 MG	Nivel 3	MO; QL (1 EA per 1 day)
DESCOVY ORAL TABLET 200-25 MG	Nivel 1	MO; \$0 COPAY IF QUANTITY IS 1 IN 1 DAY AND NO HISTORY OF ANTIRETROVIRAL MEDICATION IN 120 DAYS; QL (1 EA per 1 day)
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)	Nivel 2	MO; QL (1 EA per 1 day)
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	Nivel 1	MO; \$0 COPAY IF QUANTITY IS 1 IN 1 DAY AND NO HISTORY OF ANTIRETROVIRAL MEDICATION IN 120 DAYS; QL (1 EA per 1 day)
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG (emtricitabine-tenofovir (tdf))	Nivel 4	MO; QL (1 EA per 1 day)
Antivirales,Vih-1 Inhibidor De Trasferencia De Sepa De Integrasa		
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	Nivel 1	MO; \$0 COPAY IF QUANTITY 0.15 IN 1 DAY, FILL OF 7 IN 365 DAYS, AND NO HISTORY OF ANTIRETROVIRAL MEDICATION IN 120 DAYS; QL (21 ML per 365 days); Age (Min 12 Years)
ISENTRESS HD ORAL TABLET 600 MG	Nivel 3	MO; QL (2 EA per 1 day)
ISENTRESS ORAL POWDER IN PACKET 100 MG	Nivel 3	MO; QL (2 EA per 1 day)
ISENTRESS ORAL TABLET 400 MG	Nivel 3	MO; QL (2 EA per 1 day)
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	Nivel 3	MO; QL (6 EA per 1 day)
TIVICAY ORAL TABLET 50 MG	Nivel 3	MO; QL (2 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	Nivel 3	MO; QL (6 EA per 1 day)
Arv Cmb-Nrti,N(T)Rti, Inhibidor De Integrasa		
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	Nivel 3	MO; QL (1 EA per 1 day)
GENVOYA ORAL TABLET 150-150-200-10 MG	Nivel 3	MO; QL (1 EA per 1 day)
STRIBILD ORAL TABLET 150-150-200-300 MG	Nivel 3	MO; QL (1 EA per 1 day)
Cmb Artv De Nucleósido, Nucleótido,& No-Nucleósido Rti		
COMPLERA ORAL TABLET 200-25-300 MG (emtricitabine-tenofovir disoproxil fumarate)	Nivel 4	MO; QL (1 EA per 1 day)
DELSTRIGO ORAL TABLET 100-300-300 MG	Nivel 4	MO; QL (1 EA per 1 day)
efavirenz-emtricitabine-tenofovir disoproxil fumarate oral tablet 600-200-300 mg	Nivel 2	MO; QL (1 EA per 1 day)
efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg	Nivel 2	MO; QL (1 EA per 1 day)
efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg (Symfi)	Nivel 2	MO; QL (1 EA per 1 day)
emtricitabine-tenofovir disoproxil fumarate oral tablet 200-25-300 mg (Complera)	Nivel 2	MO; QL (1 EA per 1 day)
ODEFSEY ORAL TABLET 200-25-25 MG	Nivel 3	MO; QL (1 EA per 1 day)
SYMFI LO ORAL TABLET 400-300-300 MG (efavirenz-lamivudine-tenofovir disoproxil fumarate)	Nivel 4	MO; QL (1 EA per 1 day)
SYMFI ORAL TABLET 600-300-300 MG (efavirenz-lamivudine-tenofovir disoproxil fumarate)	Nivel 4	MO; QL (1 EA per 1 day)
Comb. De Inhibidor De Virus De Hepatitis C - Ns5a, Ns3/4A, Ns5b		
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	Nivel 5	
Hep C - Ns5a, Ns3/4A, Combinación Inhibidor De Nucleótido Ns5b		
VOSEVI ORAL TABLET 400-100-100 MG	Nivel 4	PA
Hep C Virus,Nucleótido Análogo Ns5b Inh De Polimerasa		
SOVALDI ORAL PELLETS IN PACKET 150 MG, 200 MG	Nivel 5	PA
SOVALDI ORAL TABLET 200 MG, 400 MG	Nivel 5	PA

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Inhibidor De Integrasa & Arv Comb-Nrtis		
TRIUMEQ ORAL TABLET 600-50-300 MG	Nivel 3	MO; QL (1 EA per 1 day)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	Nivel 3	MO; QL (6 EA per 1 day)
Inhibidores De Citocromo P450		
TYBOST ORAL TABLET 150 MG	Nivel 3	MO; QL (1 EA per 1 day)
Inhibidores De Polimerasa De Virus Hep C - Ns5a & Ns5b. Comb.		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG, 200-50 MG	Nivel 4	PA
EPCLUSA ORAL TABLET 200-50 MG	Nivel 4	PA
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	Nivel 4	PA
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG, 45-200 MG	Nivel 4	PA
HARVONI ORAL TABLET 45-200 MG	Nivel 4	PA
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	Nivel 4	PA
Virus De Hepatitis C- Comb De Inhib De Ns5a Y Ns3/4A		
MAVYRET ORAL PELLETS IN PACKET 50-20 MG	Nivel 5	PA
MAVYRET ORAL TABLET 100-40 MG	Nivel 5	PA
ZEPATIER ORAL TABLET 50-100 MG	Nivel 5	PA
Enfermedad Inflamatoria		
Agentes Antiartríticos Y Quelantes		
CUPRIMINE ORAL CAPSULE 250 MG (penicillamine)	Nivel 5	PA; MO
DEPEN TITRATABS ORAL TABLET 250 MG (penicillamine)	Nivel 5	PA; MO
D-PENAMINE ORAL TABLET 125 MG	Nivel 4	PA; MO
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	Nivel 4	PA; MO
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	Nivel 4	PA; MO
Agentes Antiinflamatorios/Antiartríticos, Misc.		
DUROLANE INTRA-ARTICULAR SYRINGE 60 MG/3 ML	Nivel 4	PA; QL (3 ML per 180 days)
EUFLEXXA INTRA-ARTICULAR SYRINGE 10 MG/ML(MW 2.4 -3.6 MILLION)	Nivel 3	PA; QL (6 ML per 180 days)
GEL-ONE INTRA-ARTICULAR SYRINGE 30 MG/3 ML	Nivel 4	PA; QL (3 ML per 180 days)
GELSYN-3 INTRA-ARTICULAR SYRINGE 16.8 MG/2 ML	Nivel 4	PA; QL (6 ML per 180 days)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
GENVISC 850 INTRA-ARTICULAR SYRINGE 10 MG/ML	(sodium hyaluronate (viscosup))	Nivel 4	PA; QL (12.5 ML per 180 days)
HYALGAN INTRA-ARTICULAR SOLUTION 10 MG/ML		Nivel 4	PA; QL (10 ML per 180 days)
HYALGAN INTRA-ARTICULAR SYRINGE 10 MG/ML	(sodium hyaluronate (viscosup))	Nivel 4	PA; QL (10 ML per 180 days)
HYMOVIS INTRA-ARTICULAR SYRINGE 24 MG/3 ML		Nivel 4	PA; QL (6 ML per 180 days)
MONOVISC INTRA-ARTICULAR SYRINGE 88 MG/4 ML		Nivel 4	PA; QL (4 ML per 180 days)
ORTHOVISC INTRA-ARTICULAR SYRINGE 30 MG/2 ML		Nivel 4	PA; QL (8 ML per 180 days)
SUPARTZ FX INTRA-ARTICULAR SYRINGE 10 MG/ML	(sodium hyaluronate (viscosup))	Nivel 4	PA; QL (12.5 ML per 180 days)
SYNOJOYNT INTRA-ARTICULAR SYRINGE 10 MG/ML	(sodium hyaluronate (viscosup))	Nivel 4	PA; QL (6 ML per 180 days)
SYNVISC INTRA-ARTICULAR SYRINGE 16 MG/2 ML		Nivel 3	PA; QL (6 ML per 180 days)
SYNVISC-ONE INTRA-ARTICULAR SYRINGE 48 MG/6 ML		Nivel 3	PA; QL (6 ML per 180 days)
TRILURON INTRA-ARTICULAR SYRINGE 10 MG/ML	(sodium hyaluronate (viscosup))	Nivel 4	PA; QL (6 ML per 180 days)
TRIVISC INTRA-ARTICULAR SYRINGE 10 MG/ML	(sodium hyaluronate (viscosup))	Nivel 4	PA; QL (7.5 ML per 180 days)
VISCO-3 INTRA-ARTICULAR SYRINGE 10 MG/ML	(sodium hyaluronate (viscosup))	Nivel 4	PA; QL (7.5 ML per 180 days)
Antagonistas De Receptor De Bradiquinina B2			
FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML	(icatibant)	Nivel 5	PA
<i>icatibant subcutaneous syringe 30 mg/3 ml</i>	(Sajazir)	Nivel 4	PA
SAJAZIR SUBCUTANEOUS SYRINGE 30 MG/3 ML	(icatibant)	Nivel 4	PA
Anti Artrítico, Agentes Antagonistas De Fólico			
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML		Nivel 3	MO; QL (0.8 ML per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 12.5 MG/0.25 ML		Nivel 3	MO; QL (1 ML per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 15 MG/0.3 ML		Nivel 3	MO; QL (1.2 ML per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 17.5 MG/0.35 ML		Nivel 3	MO; QL (1.4 ML per 28 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 20 MG/0.4 ML	Nivel 3	MO; QL (1.6 ML per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 22.5 MG/0.45 ML	Nivel 3	MO; QL (1.8 ML per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 25 MG/0.5 ML	Nivel 3	MO; QL (2 ML per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 30 MG/0.6 ML	Nivel 3	MO; QL (2.4 ML per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 7.5 MG/0.15 ML	Nivel 3	MO; QL (0.6 ML per 28 days)
Antiinflam. Antagonista De Receptor De Interleucina-1		
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	Nivel 5	PA; MO
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	Nivel 5	PA; MO
Antiinflamatorio, Inhibidor De Síntesis De Pirimidina		
ARAVA ORAL TABLET 10 MG, 20 MG (leflunomide)	Nivel 4	MO
LEFLUNICLO KIT,GEL AND TABLET 20 MG- 1 %	Nivel 4	
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	Nivel 2	MO
Antiinflamatorios, Sel.Costim.Mod., Inhibidor De Célula-T		
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	Nivel 5	PA; MO
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	Nivel 5	PA; MO
Ayudas Nasales, Cox No Selectiva, Analgésico Sistémico		
SPRIX NASAL SPRAY, NON-AEROSOL (ketorolac) 15.75 MG/SPRAY	Nivel 4	ST: Must meet the following requirement: generic nonsteroidal anti-inflammatory in 120 days; QL (5 EA per 30 days)
Comb. De Antagonistas De Receptor De Nsaid & Histamina H2		
<i>ibuprofen-famotidine oral tablet 800-26.6 mg</i>	Nivel 2	MO; ST: Must meet the following requirement: generic prescription strength Ibuprofen 400, 600, or 800mg in 120 days; QL (3 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Comb. De Nsaid Tópico Irritante & Anti-Irritante		
INFLAMMACIN KIT 75 MG- 0.025 %	Nivel 4	
INFLATHERM(DICLOFENAC- MENTHOL) KIT, GEL AND TABLET DELAY REL 75 MG-3 %- 3 %	Nivel 4	
NAPROXIN KIT 500 MG- 0.025 %	Nivel 4	
Crisoterapia		
<i>auranofin oral capsule 3 mg</i> (Ridaura)	Nivel 2	MO
RIDAURA ORAL CAPSULE 3 MG (auranofin)	Nivel 4	MO
Glucocorticoides		
AGAMREE ORAL SUSPENSION 40 MG/ML	Nivel 5	PA; MO
ALKINDI SPRINKLE ORAL CAPSULE, SPRINKLE 0.5 MG, 1 MG, 2 MG, 5 MG	Nivel 5	PA; MO
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	Nivel 2	
<i>budesonide oral tablet, delayed and ext. release 9 mg</i> (Uceris)	Nivel 2	ST: Must meet the following requirement: Balsalazide in 120 days
CORTEF ORAL TABLET 10 MG, 20 MG, 5 MG (hydrocortisone)	Nivel 4	MO
<i>cortisone oral tablet 25 mg</i>	Nivel 2	
<i>deflazacort oral suspension 22.75 mg/ml</i> (Emflaza)	Nivel 4	PA; MO
<i>deflazacort oral tablet 18 mg, 30 mg, 36 mg, 6 mg</i> (Jaythari)	Nivel 4	PA; MO
DEXABLISS ORAL TABLETS, DOSE PACK 1.5 MG (39 TABS)	Nivel 2	ST: Must meet the following requirement: generic Dexamethasone 1.5mg tablets in 120 days
DEXAMETHASONE INTENSOL ORAL DROPS 1 MG/ML	Nivel 4	
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	Nivel 2	
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	Nivel 2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	Nivel 2	
<i>dexamethasone oral tablets, dose pack 1.5 mg (21 tabs)</i> (TaperDex)	Nivel 2	ST: Must meet the following requirement: generic Dexamethasone 1.5mg tablets in 120 days

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>dexamethasone oral tablets,dose pack 1.5 mg (35 tabs), 1.5 mg (51 tabs)</i>	Nivel 2	ST: Must meet the following requirement: generic Dexamethasone 1.5mg tablets in 120 days
DEXONTO IONTOPHORETIC SOLUTION 0.4 %	Nivel 4	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML (deflazacort)	Nivel 5	PA; MO
EMFLAZA ORAL TABLET 18 MG, 30 MG, 36 MG, 6 MG (deflazacort)	Nivel 5	PA; MO
EOHILIA ORAL SUSPENSION IN PACKET 2 MG/10 ML	Nivel 5	PA
HEMADY ORAL TABLET 20 MG	Nivel 4	QL (2 EA per 1 day)
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	Nivel 2	MO
<i>hydrocortisone sod succinate injection recon soln 100 mg</i> (Solu-Cortef)	Nivel 2	
JAYTHARI ORAL TABLET 18 MG, 30 MG, 36 MG, 6 MG (deflazacort)	Nivel 4	PA; MO
KENALOG INJECTION SUSPENSION 10 MG/ML, 40 MG/ML (triamcinolone acetonide)	Nivel 4	
KENALOG-80 INJECTION SUSPENSION 80 MG/ML	Nivel 4	
KHINDIVI ORAL SOLUTION 1 MG/ML	Nivel 5	MO
MEDROL (PAK) ORAL TABLETS,DOSE PACK 4 MG (methylprednisolone)	Nivel 4	
MEDROL ORAL TABLET 16 MG, 4 MG, 8 MG (methylprednisolone)	Nivel 4	
MEDROL ORAL TABLET 2 MG	Nivel 3	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	Nivel 2	
<i>methylprednisolone oral tablet 32 mg</i>	Nivel 2	
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	Nivel 2	
ORAPRED ODT ORAL TABLET,DISINTEGRATING 10 MG, 15 MG, 30 MG (prednisolone sodium phosphate)	Nivel 4	
ORTIKOS ORAL CAPSULE, EXTENDED RELEASE 6 MG, 9 MG	Nivel 4	PA
PEDIAPRED ORAL SOLUTION 5 MG BASE/5 ML (6.7 MG/5 ML) (prednisolone sodium phosphate)	Nivel 4	
<i>prednisolone oral solution 15 mg/5 ml</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>prednisolone oral tablet 5 mg</i> (Millipred)	Nivel 2	ST: Must meet 2 of the following requirements: Methylprednisolone, Prednisolone, or Prednisone in 365 days
<i>prednisolone sodium phosphate oral solution 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 15 mg/5 ml (5 ml), 25 mg/5 ml (5 mg/ml)</i>	Nivel 2	
<i>prednisolone sodium phosphate oral solution 20 mg/5 ml (4 mg/ml)</i> (Veripred 20)	Nivel 2	
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	Nivel 2	
<i>prednisolone sodium phosphate oral tablet, disintegrating 10 mg, 15 mg, 30 mg</i> (Orapred ODT)	Nivel 2	
PREDNISONE INTENSOL ORAL CONCENTRATE 5 MG/ML	Nivel 3	
<i>prednisone oral solution 5 mg/5 ml</i>	Nivel 2	
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	Nivel 2	
<i>prednisone oral tablets, dose pack 10 mg, 5 mg</i>	Nivel 2	
RAYOS ORAL TABLET, DELAYED RELEASE (DR/EC) 1 MG, 2 MG, 5 MG	Nivel 4	PA
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	Nivel 4	
TAPERDEX ORAL TABLETS, DOSE PACK 1.5 MG (21 TABS) (dexamethasone)	Nivel 2	ST: Must meet the following requirement: generic Dexamethasone 1.5mg tablets in 120 days
TAPERDEX ORAL TABLETS, DOSE PACK 1.5 MG (27 TABS), 1.5 MG (49 TABS)	Nivel 2	ST: Must meet the following requirement: generic Dexamethasone 1.5mg tablets in 120 days
TARPEYO ORAL CAPSULE, DELAYED RELEASE (DR/EC) 4 MG	Nivel 5	PA
<i>triamcinolone acetonide injection suspension 10 mg/ml, 40 mg/ml</i> (Kenalog)	Nivel 2	
UCERIS ORAL TABLET, DELAYED AND EXT. RELEASE 9 MG (budesonide)	Nivel 4	ST: Must meet the following requirement: Balsalazide in 120 days

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
VERIPRED 20 ORAL SOLUTION 20 MG/5 ML (4 MG/ML) (prednisolone sodium phosphate)	Nivel 4	
ZCORT ORAL TABLETS,DOSE PACK 1.5 MG (25 TABS)	Nivel 4	ST: Must meet the following requirement: generic Dexamethasone 1.5mg tablets in 120 days
Inhib De Interleucina Humana-Anticuerpos Monoclonales 12/23		
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML (ustekinumab)	Nivel 5	PA; MO
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML (ustekinumab)	Nivel 5	PA; MO
STEQEYMA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	Nivel 4	PA; MO
YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	Nivel 4	PA; MO
YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	Nivel 4	PA; MO
Inhib. De Antiinflamatorio, Fosfodiesterasa-4(Pde4)		
OTEZLA ORAL TABLET 20 MG, 30 MG	Nivel 4	PA; MO
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47)	Nivel 4	PA
Inhibidor De Factor Antiinflamatorio De Necrosis De Tumor		
adalimumab-adaz subcutaneous pen injector 40 mg/0.4 ml (Hyrimoz(CF) Pen)	Nivel 4	PA; MO
adalimumab-adaz subcutaneous pen injector 80 mg/0.8 ml (Hyrimoz Pen Crohn's-UC Starter)	Nivel 4	PA; MO
adalimumab-adaz subcutaneous syringe 10 mg/0.1 ml, 20 mg/0.2 ml, 40 mg/0.4 ml (Hyrimoz(CF))	Nivel 4	PA; MO
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	Nivel 5	PA; MO
CIMZIA STARTER KIT SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	Nivel 5	PA; MO
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	Nivel 5	PA; MO
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	Nivel 4	PA; MO
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	Nivel 4	PA; MO
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	Nivel 4	PA; MO
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	Nivel 4	PA; MO
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	Nivel 4	PA; MO
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	Nivel 4	PA; MO
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	Nivel 4	PA
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	Nivel 4	PA; MO
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	Nivel 4	PA; MO
SIMLANDI(CF) AUTOINJECTOR (adalimumab-ryvk) SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML	Nivel 4	PA; MO
SIMLANDI(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML, 80 MG/0.8 ML	Nivel 4	PA; MO
SIMLANDI(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML (adalimumab-ryvk)	Nivel 4	PA; MO
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	Nivel 5	PA; MO
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	Nivel 5	PA; MO
ZYMFENTRA SUBCUTANEOUS PEN INJECTOR KIT 120 MG/ML	Nivel 5	PA; MO
ZYMFENTRA SUBCUTANEOUS SYRINGE KIT 120 MG/ML	Nivel 5	PA; MO
Inhibidores De Esterasa C1		
BERINERT INTRAVENOUS KIT 500 UNIT (10 ML)	Nivel 5	PA; MO
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT	Nivel 5	PA; MO
RUCONEST INTRAVENOUS RECON SOLN 2,100 UNIT	Nivel 5	PA
Inhibidores De Kallikrein De Plasma		
DAWNZERA SUBCUTANEOUS AUTO-INJECTOR 80 MG/0.8 ML	Nivel 5	PA; MO; QL (0.8 ML per 28 days)
EKTERLY ORAL TABLET 300 MG	Nivel 5	PA; QL (4 EA per 1 day)
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	Nivel 5	PA; MO
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	Nivel 5	PA; MO
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML (150 MG/ML)	Nivel 5	PA; MO
Inhibidores De Quinasa De Janus (Jak)		
CIBINQO ORAL TABLET 100 MG, 200 MG, 50 MG	Nivel 5	PA; MO
LEQSELVI ORAL TABLET 8 MG	Nivel 5	PA; MO
LITFULO ORAL CAPSULE 50 MG	Nivel 5	PA; MO
OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG	Nivel 5	PA; MO
RINVOQ LQ ORAL SOLUTION 1 MG/ML	Nivel 4	PA; MO
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	Nivel 4	PA; MO
XELJANZ ORAL SOLUTION 1 MG/ML	Nivel 4	PA; MO
XELJANZ ORAL TABLET 10 MG, 5 MG	Nivel 4	PA; MO
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	Nivel 4	PA; MO
Inhibidores De Receptor De Interleucina-6 (Il-6)		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	Nivel 5	PA; MO
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	Nivel 5	PA; MO
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	Nivel 5	PA; MO
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	Nivel 5	PA; MO
TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	Nivel 5	MO
TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	Nivel 5	MO
Inmunomodulador, Estimulante De B-Linfocito(Blys)-Spec Inhib		
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	Nivel 5	PA; MO
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	Nivel 5	PA; MO
Mineralocorticoides		
<i>fludrocortisone oral tablet 0.1 mg</i>	Nivel 2	MO
Nsaid, Cox Inhibidor-Tipo & Comb De Inhib Fde Bomba Proton		
<i>naproxen-esomeprazole oral tablet,ir,delayed rel,biphasic 375-20 mg</i>	Nivel 2	MO; ST: Must meet the following requirement: generic Naproxen in 120 days
<i>naproxen-esomeprazole oral tablet,ir,delayed rel,biphasic 500-20 mg</i> (Vimovo)	Nivel 2	MO; ST: Must meet the following requirement: generic Naproxen in 120 days
Nsaids (Cox Inhib No-Specifico)& Prostaglandina Cmb		
ARTHROTEC 50 ORAL (diclofenac-misoprostol) TABLET,IR,DELAYED REL,BIPHASIC 50-200 MG-MCG	Nivel 4	
ARTHROTEC 75 ORAL (diclofenac-misoprostol) TABLET,IR,DELAYED REL,BIPHASIC 75-200 MG-MCG	Nivel 4	
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50)	Nivel 2	
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75)	Nivel 2	
Nsaids, Inhibidor De Ciclooxygenasa 2 - Tipo		
CELEBREX ORAL CAPSULE 100 MG, (celecoxib) 200 MG, 400 MG, 50 MG	Nivel 4	MO
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Nsaids, Inhibidor De Ciclooxygenasa-Tipo		
ANAPROX DS ORAL TABLET 550 MG (naproxen sodium)	Nivel 4	MO
COXANTO ORAL CAPSULE 300 MG (oxaprozin)	Nivel 2	
DAYPRO ORAL TABLET 600 MG (oxaprozin)	Nivel 4	
<i>diclofenac potassium oral capsule 25 mg</i> (Zipsor)	Nivel 2	ST: Must meet the following requirements: Diclofenac Sodium in 120 days; QL (4 EA per 1 day)
<i>diclofenac potassium oral tablet 25 mg</i> (Lofena)	Nivel 2	QL (8 EA per 1 day)
<i>diclofenac potassium oral tablet 50 mg</i>	Nivel 2	
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	Nivel 2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>	Nivel 2	
<i>diclofenac submicronized oral capsule 35 mg</i> (Zorvolex)	Nivel 2	ST: Must meet the following requirements: Diclofenac Sodium in 120 days; QL (3 EA per 1 day)
EC-NAPROSYN ORAL TABLET, DELAYED RELEASE (DR/EC) 375 MG, 500 MG (naproxen)	Nivel 4	MO
EC-NAPROXEN ORAL TABLET, DELAYED RELEASE (DR/EC) 375 MG, 500 MG (naproxen)	Nivel 2	MO
<i>etodolac oral capsule 200 mg, 300 mg</i>	Nivel 2	MO
<i>etodolac oral tablet 400 mg</i> (Lodine)	Nivel 2	MO
<i>etodolac oral tablet 500 mg</i>	Nivel 2	MO
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>	Nivel 2	MO
FELDENE ORAL CAPSULE 20 MG (piroxicam)	Nivel 4	
<i>fenoprofen oral capsule 200 mg</i>	Nivel 2	
<i>fenoprofen oral capsule 400 mg</i> (Nalfon)	Nivel 2	
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	Nivel 2	
FENOPRON ORAL CAPSULE 300 MG	Nivel 4	
<i>flurbiprofen oral tablet 100 mg</i> (Lurbiro)	Nivel 2	
IBU ORAL TABLET 400 MG, 600 MG, 800 MG (ibuprofen)	Nivel 2	MO
IBUPAK ORAL KIT 600 MG	Nivel 4	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	Nivel 2	MO
<i>ibuprofen oral tablet 300 mg</i>	Nivel 2	MO
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>indomethacin oral capsule 25 mg, 50 mg</i>	Nivel 2	
<i>indomethacin oral capsule, extended release 75 mg</i>	Nivel 2	
<i>indomethacin oral suspension 25 mg/5 ml</i> (Indocin)	Nivel 2	
<i>indomethacin rectal suppository 100 mg</i>	Nivel 2	
<i>indomethacin rectal suppository 50 mg</i> (Indocin)	Nivel 2	
<i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i>	Nivel 2	
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	Nivel 2	
<i>ketorolac injection solution 15 mg/ml, 30 mg/ml, 30 mg/ml (1 ml)</i>	Nivel 2	
<i>ketorolac injection syringe 15 mg/ml, 30 mg/ml</i>	Nivel 2	
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	Nivel 2	
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	Nivel 2	
<i>ketorolac oral tablet 10 mg</i>	Nivel 2	QL (20 EA per 5 days)
KIPROFEN ORAL CAPSULE 25 MG (ketoprofen)	Nivel 2	
LODINE ORAL TABLET 400 MG (etodolac)	Nivel 4	MO
LOFENA ORAL TABLET 25 MG (diclofenac potassium)	Nivel 2	QL (8 EA per 1 day)
LURBIPR ORAL TABLET 100 MG (flurbiprofen)	Nivel 2	
LURBIRO ORAL TABLET 100 MG (flurbiprofen)	Nivel 2	
<i>meclofenamate oral capsule 100 mg, 50 mg</i>	Nivel 2	
<i>mefenamic acid oral capsule 250 mg</i>	Nivel 2	
<i>meloxicam oral suspension 7.5 mg/5 ml</i>	Nivel 2	MO
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	Nivel 2	MO
<i>meloxicam submicronized oral capsule 10 mg, 5 mg</i> (Vivlodex)	Nivel 2	MO; ST: Must meet 2 of the following requirements: generic Meloxicam and Diclofenac tablets in 365 days; QL (1 EA per 1 day)
<i>nabumetone oral tablet 500 mg, 750 mg</i>	Nivel 2	
NAPROSYN ORAL TABLET 500 MG (naproxen)	Nivel 4	MO
<i>naproxen oral suspension 125 mg/5 ml</i> (Naprosyn)	Nivel 2	MO
<i>naproxen oral tablet 250 mg, 375 mg</i>	Nivel 2	MO
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	Nivel 2	MO
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg, 500 mg</i> (EC-Naprosyn)	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>naproxen sodium oral tablet 275 mg</i>	Nivel 2	MO
<i>naproxen sodium oral tablet 550 mg</i> (Anaprox DS)	Nivel 2	MO
<i>naproxen sodium oral tablet, er multiphase 24 hr 375 mg, 500 mg, 750 mg</i> (Naprelan CR)	Nivel 2	MO
<i>oxaprozin oral capsule 300 mg</i> (Coxanto)	Nivel 2	
<i>oxaprozin oral tablet 600 mg</i>	Nivel 2	
<i>piroxicam oral capsule 10 mg</i>	Nivel 2	
<i>piroxicam oral capsule 20 mg</i> (Feldene)	Nivel 2	
RELAFEN DS ORAL TABLET 1,000 MG	Nivel 4	ST: Must meet the following requirement: generic Nabumetone tablets in 120 days; QL (2 EA per 1 day); Age (Min 18 Years)
<i>sulindac oral tablet 150 mg, 200 mg</i>	Nivel 2	
<i>tolmetin oral capsule 400 mg</i>	Nivel 2	
<i>tolmetin oral tablet 600 mg</i> (Tolectin 600)	Nivel 2	
TRESNI RECTAL SUPPOSITORY 100 MG	Nivel 4	
ZORVOLEX ORAL CAPSULE 18 MG	Nivel 4	ST: Must meet the following requirements: Diclofenac Sodium in 120 days; QL (3 EA per 1 day)
ZORVOLEX ORAL CAPSULE 35 MG (diclofenac submicronized)	Nivel 4	ST: Must meet the following requirements: Diclofenac Sodium in 120 days; QL (3 EA per 1 day)
Enfermedad Neoplásica		
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	Nivel 4	PA; MO
KRAZATI ORAL TABLET 200 MG	Nivel 4	PA; MO
LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG	Nivel 4	PA; MO
MODEYSO ORAL CAPSULE 125 MG	Nivel 5	PA; MO; QL (20 EA per 28 days)
TAZVERIK ORAL TABLET 200 MG	Nivel 4	PA; MO
WELIREG ORAL TABLET 40 MG	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (10 MG X 4), 40 MG/WEEK (40 MG X 1), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80MG TWICE WEEK (160 MG/WEEK)	Nivel 4	PA; MO
Agentes Alquilantes		
ALKERAN ORAL TABLET 2 MG (melphalan)	Nivel 4	
cyclophosphamide oral capsule 25 mg, 50 mg	Nivel 4	
cyclophosphamide oral tablet 25 mg, 50 mg	Nivel 4	
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG (lomustine)	Nivel 5	PA
HYDREA ORAL CAPSULE 500 MG (hydroxyurea)	Nivel 4	MO
hydroxyurea oral capsule 500 mg (Hydrea)	Nivel 2	MO
LEUKERAN ORAL TABLET 2 MG	Nivel 4	
MYLERAN ORAL TABLET 2 MG	Nivel 4	
temozolomide oral capsule 100 mg, 140 mg, 180 mg, 20 mg, 250 mg, 5 mg	Nivel 4	PA
Agentes Antiandrogénicos		
abiraterone oral tablet 250 mg (Abirtega)	Nivel 4	PA; MO
abiraterone oral tablet 500 mg (Zytiga)	Nivel 4	PA; MO
ABIRTEGA ORAL TABLET 250 MG (abiraterone)	Nivel 4	PA; MO
bicalutamide oral tablet 50 mg (Casodex)	Nivel 2	MO
CASODEX ORAL TABLET 50 MG (bicalutamide)	Nivel 4	MO
ERLEADA ORAL TABLET 240 MG, 60 MG	Nivel 4	PA; MO
NILANDRON ORAL TABLET 150 MG (nilutamide)	Nivel 5	MO; QL (2 EA per 1 day)
nilutamide oral tablet 150 mg (Nilandron)	Nivel 4	MO; QL (2 EA per 1 day)
NUBEQA ORAL TABLET 300 MG	Nivel 4	PA; MO
XTANDI ORAL CAPSULE 40 MG	Nivel 4	PA; MO
XTANDI ORAL TABLET 40 MG, 80 MG	Nivel 4	PA; MO
YONSA ORAL TABLET 125 MG	Nivel 5	PA; MO
ZYTIGA ORAL TABLET 250 MG, 500 MG (abiraterone)	Nivel 5	PA; MO
Agentes Antineoplásico Inmunomoduladores		
lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg (Revlimid)	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	Nivel 4	PA; MO
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG (lenalidomide)	Nivel 4	PA; MO
Agentes Intrapleurales Esclerosantes, Antineoplásico. Adj.		
SCLEROSOL INTRAPLEURAL INTRAPLEURAL AEROSOL POWDER 4 GRAM	Nivel 4	
<i>sterile talc intrapleural suspension for reconstitution 5 gram</i>	Nivel 2	
STERITALC INTRAPLEURAL AEROSOL POWDER 3 GRAM	Nivel 4	
STERITALC INTRAPLEURAL SUSPENSION FOR RECONSTITUTION 2 GRAM, 4 GRAM	Nivel 4	
Agentes Terapéuticos Radiactivos		
<i>sodium iodide-123 oral capsule 3.7 mbq (100 microci), 7.4 mbq (200 microci)</i>	Nivel 2	
Agonistas De Receptor De Retinoide Selectiva X (Rxr)		
<i>bexarotene oral capsule 75 mg</i> (Targretin)	Nivel 4	PA; MO
TARGRETIN ORAL CAPSULE 75 MG (bexarotene)	Nivel 5	PA; MO
Antagonistas De Antineoplásico Lhrh(Gnrh), Supresores Pituitarios		
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	Nivel 4	QL (2 EA per 365 days)
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	Nivel 4	MO; QL (1 EA per 30 days)
ORGOVYX ORAL TABLET 120 MG	Nivel 4	PA; MO
Antimetabolitos		
<i>capecitabine oral tablet 150 mg, 500 mg</i> (Xeloda)	Nivel 4	PA
INQOVI ORAL TABLET 35-100 MG	Nivel 4	PA; MO
JYLAMVO ORAL SOLUTION 2 MG/ML	Nivel 4	PA; MO
LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG	Nivel 4	PA
<i>mercaptopurine oral suspension 20 mg/ml</i> (Purixan)	Nivel 4	MO; ST: Must meet the following requirement: Mercaptopurine tablets in 120 days
<i>mercaptopurine oral tablet 50 mg</i>	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	Nivel 2	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	Nivel 2	
<i>methotrexate sodium injection solution 25 mg/ml</i>	Nivel 2	
<i>methotrexate sodium oral tablet 2.5 mg</i>	Nivel 2	MO
ONUREG ORAL TABLET 200 MG, 300 MG	Nivel 4	PA; MO
PURIXAN ORAL SUSPENSION 20 MG/ML (mercaptopurine)	Nivel 4	MO; ST: Must meet the following requirement: Mercaptopurine tablets in 120 days
TABLOID ORAL TABLET 40 MG (thioguanine)	Nivel 4	
TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG	Nivel 3	MO
XATMEP ORAL SOLUTION 2.5 MG/ML	Nivel 4	MO; ST: Must meet any of the following requirements: Methotrexate tablets or injection solution in 120 days if 12 years of age and older; QL (120 ML per 60 days)
XELODA ORAL TABLET 150 MG, 500 MG (capecitabine)	Nivel 5	PA
Antineoplásico - Inhibidor De La Vía Hedgehog		
DAURISMO ORAL TABLET 100 MG, 25 MG	Nivel 4	PA; MO
ERIVEDGE ORAL CAPSULE 150 MG	Nivel 4	PA; MO
ODOMZO ORAL CAPSULE 200 MG	Nivel 4	PA; MO
Antineoplásico - Inhibidores De Quinasa De Braf		
BRAFTOVI ORAL CAPSULE 75 MG	Nivel 4	PA; MO
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	Nivel 5	PA; MO
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)	Nivel 5	PA; MO
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	Nivel 4	PA; MO
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	Nivel 4	PA; MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ZELBORAF ORAL TABLET 240 MG		Nivel 4	PA; MO
Antineoplásico - Inhibidores De Quinasa De Janus (Jak)			
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG		Nivel 4	PA; MO; QL (2 EA per 1 day)
Antineoplásico - Inhibidores De Quinasa Mek1 Y Mek2			
COTELLIC ORAL TABLET 20 MG		Nivel 4	PA; MO
GOMEKLI ORAL CAPSULE 1 MG, 2 MG		Nivel 5	PA; MO
GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG		Nivel 5	PA; MO
KOSELUGO ORAL CAPSULE 10 MG, 25 MG		Nivel 4	PA; MO
MEKINIST ORAL RECON SOLN 0.05 MG/ML		Nivel 4	PA; MO
MEKINIST ORAL TABLET 0.5 MG, 2 MG		Nivel 4	PA; MO
MEKTOVI ORAL TABLET 15 MG		Nivel 4	PA; MO
Antineoplásico - Inhibidores De Quinasa Mtor			
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	(everolimus (antineoplastic))	Nivel 5	PA; MO
AFINITOR ORAL TABLET 10 MG, 2.5 MG, 5 MG, 7.5 MG	(everolimus (antineoplastic))	Nivel 5	PA; MO
<i>everolimus (antineoplastic) oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i>	(Torpenz)	Nivel 4	PA; MO
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i>	(Afinitor Disperz)	Nivel 4	PA; MO
TORPENZ ORAL TABLET 10 MG, 2.5 MG, 5 MG, 7.5 MG	(everolimus (antineoplastic))	Nivel 4	PA; MO
Antineoplásico - Inhibidores De Topoisomerasa I			
HYCANTIN ORAL CAPSULE 0.25 MG, 1 MG		Nivel 4	
Antineoplásico Inhibidores De Aromatasa			
<i>anastrozole oral tablet 1 mg</i>	(Arimidex)	Nivel 1	MO
ARIMIDEX ORAL TABLET 1 MG	(anastrozole)	Nivel 1	MO
AROMASIN ORAL TABLET 25 MG	(exemestane)	Nivel 1	MO
<i>exemestane oral tablet 25 mg</i>	(Aromasin)	Nivel 1	MO
FEMARA ORAL TABLET 2.5 MG	(letrozole)	Nivel 4	MO
<i>letrozole oral tablet 2.5 mg</i>	(Femara)	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Antineoplásico, Inhibidores De Histona Deacetilasa, Hdis		
ZOLINZA ORAL CAPSULE 100 MG	Nivel 4	
Antineoplásico, Misceláneos		
<i>etoposide oral capsule 50 mg</i>	Nivel 2	
LYSODREN ORAL TABLET 500 MG	Nivel 4	MO
MATULANE ORAL CAPSULE 50 MG	Nivel 4	
RYLAZE INTRAMUSCULAR SOLUTION 10 MG/0.5 ML	Nivel 5	
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	Nivel 4	
Antineoplásicos Antibióticos		
JELMYTO INTRA-PYELOCALYCEAL KIT 40 MG X 2	Nivel 5	PA
Antineoplásicos De Esteroides		
<i>megestrol oral tablet 20 mg, 40 mg</i>	Nivel 2	
Fotoactivados, Antineopls. & Lesiones Premalignas		
AMELUZ TOPICAL GEL 10 %	Nivel 4	
LEVULAN TOPICAL SOLUTION 20 %	Nivel 4	
Inhibidores De Antineoplásico-B Célular De Linfoma-2 (Bcl-2)		
VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG	Nivel 4	PA; MO
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG-100 MG	Nivel 4	PA
Inhibidores De Antineoplásico-Isocitrato Deshidrogenasa		
IDHIFA ORAL TABLET 100 MG, 50 MG	Nivel 5	PA; MO
REZLIDHIA ORAL CAPSULE 150 MG	Nivel 4	PA; MO
TIBSOVO ORAL TABLET 250 MG	Nivel 4	PA; MO
VORANIGO ORAL TABLET 10 MG, 40 MG	Nivel 4	PA; MO
Inhibidores De Enzima Antineoplásico Sistémico		
ALECENSA ORAL CAPSULE 150 MG	Nivel 4	PA; MO
ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG	Nivel 5	PA; MO
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	Nivel 5	PA
AUGTYRO ORAL CAPSULE 160 MG, 40 MG	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	Nivel 4	PA; MO
BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG	Nivel 4	PA; MO
BOSULIF ORAL CAPSULE 100 MG, 50 MG	Nivel 4	PA; MO
BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG	Nivel 4	PA; MO
BRUKINSA ORAL CAPSULE 80 MG	Nivel 4	PA; MO
BRUKINSA ORAL TABLET 160 MG	Nivel 4	PA; MO
CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG	Nivel 4	PA; MO
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	Nivel 4	PA; MO
CAPRELSA ORAL TABLET 100 MG, 300 MG (vandetanib)	Nivel 5	PA; MO
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	Nivel 4	PA; MO
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	Nivel 5	PA; MO
DANZITEN ORAL TABLET 71 MG, 95 MG	Nivel 4	PA; MO
<i>dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg</i> (Sprycel)	Nivel 4	PA; MO
ENSACOVE ORAL CAPSULE 100 MG, 25 MG	Nivel 5	PA; MO
<i>erlotinib oral tablet 100 mg, 150 mg, 25 mg</i>	Nivel 4	PA; MO
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	Nivel 4	PA; MO
FRUZAQLA ORAL CAPSULE 1 MG, 5 MG	Nivel 4	PA; MO
GAVRETO ORAL CAPSULE 100 MG	Nivel 4	PA; MO
<i>gefitinib oral tablet 250 mg</i> (Iressa)	Nivel 4	PA
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	Nivel 4	PA; MO
GLEEVEC ORAL TABLET 100 MG, 400 MG (imatinib)	Nivel 5	PA; MO
HERNEXEOS ORAL TABLET 60 MG	Nivel 5	PA; MO; QL (3 EA per 1 day)
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	Nivel 5	PA; MO
IBTROZI ORAL CAPSULE 200 MG	Nivel 5	PA; MO
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	Nivel 4	PA; MO
<i>imatinib oral tablet 100 mg, 400 mg</i> (Gleevec)	Nivel 4	PA; MO
IMBRUVICA ORAL CAPSULE 140 MG, 70 MG	Nivel 4	PA; MO
IMBRUVICA ORAL SUSPENSION 70 MG/ML	Nivel 4	PA; MO
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG	Nivel 4	PA; MO
IMKELDI ORAL SOLUTION 80 MG/ML	Nivel 5	PA; MO
INLYTA ORAL TABLET 1 MG, 5 MG	Nivel 4	PA; MO
INREBIC ORAL CAPSULE 100 MG	Nivel 5	PA; MO; QL (4 EA per 1 day)
IRESSA ORAL TABLET 250 MG (gefitinib)	Nivel 5	PA
ITOVEBI ORAL TABLET 3 MG, 9 MG	Nivel 4	PA; MO
IWILFIN ORAL TABLET 192 MG	Nivel 4	PA; MO
JAYPIRCA ORAL TABLET 100 MG, 50 MG	Nivel 5	PA; MO
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)	Nivel 4	PA; MO
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	Nivel 4	PA; MO
LAZCLUZE ORAL TABLET 240 MG, 80 MG	Nivel 5	PA; MO
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY (10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X 2), 20 MG/DAY (10 MG X 2), 24 MG/DAY (10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	Nivel 4	PA; MO
LORBRENA ORAL TABLET 100 MG, 25 MG	Nivel 4	PA; MO
LYNPARZA ORAL TABLET 100 MG, 150 MG	Nivel 4	PA; MO
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	Nivel 4	PA; MO
NERLYNX ORAL TABLET 40 MG	Nivel 4	PA
NEXAVAR ORAL TABLET 200 MG (sorafenib)	Nivel 5	PA

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>nilotinib hcl oral capsule 150 mg, 200 mg, 50 mg</i> (Tasigna)	Nivel 4	PA; MO
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	Nivel 4	PA; MO
OGSIVEO ORAL TABLET 100 MG, 150 MG, 50 MG	Nivel 5	PA; MO
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	Nivel 4	PA; MO
<i>pazopanib oral tablet 200 mg</i> (Votrient)	Nivel 4	PA; MO
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	Nivel 4	PA; MO
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	Nivel 4	PA; MO
QINLOCK ORAL TABLET 50 MG	Nivel 4	PA; MO
RETEVMO ORAL TABLET 120 MG, 160 MG, 40 MG, 80 MG	Nivel 4	PA; MO
REVUFORJ ORAL TABLET 110 MG, 160 MG, 25 MG	Nivel 5	PA; MO
ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG	Nivel 5	PA
ROZLYTREK ORAL CAPSULE 100 MG, 200 MG	Nivel 4	PA; MO
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	Nivel 4	PA; MO
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	Nivel 5	PA; MO
RYDAPT ORAL CAPSULE 25 MG	Nivel 4	PA; MO
SCSEMBLIX ORAL TABLET 100 MG, 20 MG, 40 MG	Nivel 4	PA; MO
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	Nivel 4	PA
SPRYCEL ORAL TABLET 100 MG, 140 MG, 20 MG, 50 MG, 70 MG, 80 MG (dasatinib)	Nivel 5	PA; MO
STIVARGA ORAL TABLET 40 MG	Nivel 4	PA
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	Nivel 4	PA
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG (sunitinib malate)	Nivel 5	PA
TABRECTA ORAL TABLET 150 MG, 200 MG	Nivel 4	PA; MO
TAGRISSO ORAL TABLET 40 MG, 80 MG	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	Nivel 4	PA
TARCEVA ORAL TABLET 100 MG (erlotinib)	Nivel 5	PA; MO
TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG (nilotinib hcl)	Nivel 5	PA; MO
TEPMETKO ORAL TABLET 225 MG	Nivel 4	PA; MO
TRUQAP ORAL TABLET 160 MG, 200 MG	Nivel 4	PA; MO
TUKYSA ORAL TABLET 150 MG, 50 MG	Nivel 4	PA; MO
TURALIO ORAL CAPSULE 125 MG	Nivel 4	PA; MO
TYKERB ORAL TABLET 250 MG (lapatinib)	Nivel 5	PA; MO
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	Nivel 4	PA; MO
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	Nivel 4	PA; MO
VITRAKVI ORAL CAPSULE 100 MG, 25 MG	Nivel 4	PA; MO
VITRAKVI ORAL SOLUTION 20 MG/ML	Nivel 4	PA; MO
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	Nivel 4	PA; MO
VONJO ORAL CAPSULE 100 MG	Nivel 5	PA; QL (4 EA per 1 day)
VOTRIENT ORAL TABLET 200 MG (pazopanib)	Nivel 5	PA; MO
WAYRILZ ORAL TABLET 400 MG	Nivel 5	PA; MO
XALKORI ORAL CAPSULE 200 MG, 250 MG	Nivel 4	PA; MO
XALKORI ORAL PELLET 150 MG, 20 MG, 50 MG	Nivel 4	PA; MO
XOSPATA ORAL TABLET 40 MG	Nivel 4	PA; MO
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	Nivel 4	PA; MO
ZYDELIG ORAL TABLET 100 MG, 150 MG	Nivel 4	PA; MO
ZYKADIA ORAL TABLET 150 MG	Nivel 4	PA; MO
Moduladores Selectivos De Receptores De Estrógeno (Serm)		
FARESTON ORAL TABLET 60 MG (toremifene)	Nivel 5	PA; MO
ORSERDU ORAL TABLET 345 MG, 86 MG	Nivel 5	PA; MO
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	Nivel 1	MO
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	Nivel 1	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>toremifene oral tablet 60 mg</i> (Fareston)	Nivel 4	PA; MO
Rescate De Quimioterapia/Agentes Antídotos		
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	Nivel 2	
<i>mesna oral tablet 400 mg</i> (Mesnex)	Nivel 2	
MESNEX ORAL TABLET 400 MG (mesna)	Nivel 4	
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	Nivel 4	QL (24 EA per 14 days)
Enfermedad Neurológica - Miscelánea		
DAYBUE ORAL SOLUTION 200 MG/ML	Nivel 5	PA; MO
MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG	Nivel 4	PA; MO
NULIBRY INTRAVENOUS RECON SOLN 9.5 MG	Nivel 5	PA; MO
SKYCLARYS ORAL CAPSULE 50 MG	Nivel 5	PA; MO
VELSIPITY ORAL TABLET 2 MG	Nivel 5	PA; MO
ZEPOSIA ORAL CAPSULE 0.92 MG	Nivel 5	PA; MO
ZEPOSIA STARTER KIT (28-DAY) ORAL CAPSULE,DOSE PACK 0.23 MG-0.46 MG -0.92 MG (21)	Nivel 5	PA
ZEPOSIA STARTER PACK (7-DAY) ORAL CAPSULE,DOSE PACK 0.23 MG (4)- 0.46 MG (3)	Nivel 5	PA
Agentes De Efecto Pseudobulbar (Pba), Antagonistas De Nmda		
NUDEXTA ORAL CAPSULE 20-10 MG	Nivel 4	PA
Agentes De Esclerosis Lateral Amiotrófica		
RADICAVA ORS ORAL SUSPENSION 105 MG/5 ML	Nivel 5	MO
RADICAVA ORS STARTER KIT SUSP ORAL SUSPENSION 105 MG/5 ML	Nivel 5	MO
RILUTEK ORAL TABLET 50 MG (riluzole)	Nivel 4	MO
<i>riluzole oral tablet 50 mg</i>	Nivel 2	MO
TEGLUTIK ORAL SUSPENSION 50 MG/10 ML	Nivel 5	PA; MO
TIGLUTIK ORAL SUSPENSION 50 MG/10 ML	Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Agentes De Fibromialgia,Serotonina-Noradrenalina Ru Inhib		
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	Nivel 4	MO; ST: Must meet 2 of the following requirements: Amitriptyline tablets, Cyclobenzaprine IR tablets, Duloxetine (20, 30, 60mg) capsules, generic Gabapentin IR tablets and capsules, or Pregabalin IR capsules in 365 days; QL (2 EA per 1 day)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	Nivel 4	ST: Must meet 2 of the following requirements: Amitriptyline tablets, Cyclobenzaprine IR tablets, Duloxetine (20, 30, 60mg) capsules, generic Gabapentin IR tablets and capsules, or Pregabalin IR capsules in 365 days; QL (2 EA per 1 day)
Agentes De Neuralgia Postherpética		
<i>gabapentin oral tablet extended release</i> (Gralise) 24 hr 300 mg	Nivel 2	ST: Must meet the following requirements: Gabapentin immediate release in 120 days; QL (1 EA per 1 day)
<i>gabapentin oral tablet extended release</i> (Gralise) 24 hr 600 mg	Nivel 2	ST: Must meet the following requirements: Gabapentin immediate release in 120 days; QL (2 EA per 1 day)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 450 MG	Nivel 4	ST: Must meet the following requirements: Gabapentin immediate release in 120 days; QL (1 EA per 1 day)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 750 MG, 900 MG	Nivel 4	ST: Must meet the following requirements: Gabapentin immediate release in 120 days; QL (2 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Agentes Neuropáticos		
LYRICA CR ORAL TABLET EXTENDED (pregabalin) RELEASE 24 HR 165 MG, 82.5 MG	Nivel 4	MO; ST: Must meet 2 of the following requirements: Amitriptyline HCL, Desipramine HCL, Divalproex Sodium, Doxepin HCL, Drizalma Sprinkle, Duloxetine HCL, Gabapentin, Gralise, Imipramine HCL, Imipramine Pamoate, Maprotiline HCL, Neuraptine, Nortriptyline HCL, Pregabalin, Sodium Valproate, Valproic Acid (as Sodium Salt), Valproic Acid, or Venlafaxine HCL in 365 days; QL (3 EA per 1 day)
LYRICA CR ORAL TABLET EXTENDED (pregabalin) RELEASE 24 HR 330 MG	Nivel 4	MO; ST: Must meet 2 of the following requirements: Amitriptyline HCL, Desipramine HCL, Divalproex Sodium, Doxepin HCL, Drizalma Sprinkle, Duloxetine HCL, Gabapentin, Gralise, Imipramine HCL, Imipramine Pamoate, Maprotiline HCL, Neuraptine, Nortriptyline HCL, Pregabalin, Sodium Valproate, Valproic Acid (as Sodium Salt), Valproic Acid, or Venlafaxine HCL in 365 days; QL (2 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>pregabalin oral tablet extended release</i> (Lyrica CR) 24 hr 165 mg, 82.5 mg	Nivel 2	MO; ST: Must meet 2 of the following requirements: Amitriptyline HCL, Desipramine HCL, Divalproex Sodium, Doxepin HCL, Drizalma Sprinkle, Duloxetine HCL, Gabapentin, Gralise, Imipramine HCL, Imipramine Pamoate, Maprotiline HCL, Neuraptine, Nortriptyline HCL, Pregabalin, Sodium Valproate, Valproic Acid (as Sodium Salt), Valproic Acid, or Venlafaxine HCL in 365 days; QL (3 EA per 1 day)
<i>pregabalin oral tablet extended release</i> (Lyrica CR) 24 hr 330 mg	Nivel 2	MO; ST: Must meet 2 of the following requirements: Amitriptyline HCL, Desipramine HCL, Divalproex Sodium, Doxepin HCL, Drizalma Sprinkle, Duloxetine HCL, Gabapentin, Gralise, Imipramine HCL, Imipramine Pamoate, Maprotiline HCL, Neuraptine, Nortriptyline HCL, Pregabalin, Sodium Valproate, Valproic Acid (as Sodium Salt), Valproic Acid, or Venlafaxine HCL in 365 days; QL (2 EA per 1 day)
Agentes Para Trata Esclerosis Múltiple		
AUBAGIO ORAL TABLET 14 MG, 7 MG (teriflunomide)	Nivel 5	PA; MO
AVONEX INTRAMUSCULAR PEN INJECTOR 30 MCG/0.5 ML	Nivel 4	PA; MO
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	Nivel 4	PA; MO
AVONEX INTRAMUSCULAR SYRINGE 30 MCG/0.5 ML	Nivel 4	PA; MO
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
BAFIERTAM ORAL CAPSULE,DELAYED RELEASE(DR/EC) 95 MG	Nivel 5	PA; MO
BETASERON SUBCUTANEOUS KIT 0.3 MG	Nivel 4	PA; MO
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML (glatiramer)	Nivel 5	PA; MO
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML (glatiramer)	Nivel 4	PA; MO
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	Nivel 4	PA
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg, 240 mg</i> (Tecfidera)	Nivel 4	PA; MO
<i>fingolimod oral capsule 0.5 mg</i> (Gilenya)	Nivel 4	PA; MO
GILENYA ORAL CAPSULE 0.25 MG	Nivel 5	PA; MO
GILENYA ORAL CAPSULE 0.5 MG (fingolimod)	Nivel 5	PA; MO
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Glatopa)	Nivel 4	PA; MO
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	Nivel 4	PA; MO
GLATOPA SUBCUTANEOUS SYRINGE 20 MG/ML, 40 MG/ML (glatiramer)	Nivel 4	PA; MO
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	Nivel 4	PA; MO
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	Nivel 4	PA; MO
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	Nivel 4	PA; MO
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	Nivel 4	PA; MO
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	Nivel 4	PA; MO
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	Nivel 4	PA; MO
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	Nivel 4	PA; MO
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	Nivel 4	PA; MO
MAYZENT ORAL TABLET 0.25 MG, 1 MG, 2 MG	Nivel 4	PA; MO
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	Nivel 4	PA

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	Nivel 4	PA
PLEGRIDY INTRAMUSCULAR SYRINGE 125 MCG/0.5 ML	Nivel 4	PA; MO
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	Nivel 4	PA; MO
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	Nivel 4	PA
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	Nivel 4	PA; MO
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	Nivel 4	PA
PONVORY 14-DAY STARTER PACK ORAL TABLETS,DOSE PACK 2 MG (2) - 10 MG (3)	Nivel 5	PA
PONVORY ORAL TABLET 20 MG	Nivel 5	PA; MO
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	Nivel 4	PA; MO
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	Nivel 4	PA; MO
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	Nivel 4	PA
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	Nivel 4	PA
TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG, 0.5 MG	Nivel 5	PA; MO
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46) (dimethyl fumarate)	Nivel 5	PA
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG, 240 MG (dimethyl fumarate)	Nivel 5	PA; MO
teriflunomide oral tablet 14 mg, 7 mg (Aubagio)	Nivel 4	PA; MO
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Agts Tx Dis Transmisión Neuromusc,Bloq Can-Pot		
AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR 10 MG (dalfampridine)	Nivel 5	PA; MO
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	Nivel 4	PA; MO
FIRDAPSE ORAL TABLET 10 MG	Nivel 5	PA; MO
Trastornos De Movimiento (Terapia Con Medicamentos)		
AUSTEDO ORAL TABLET 12 MG, 9 MG	Nivel 4	PA; MO; QL (4 EA per 1 day)
AUSTEDO ORAL TABLET 6 MG	Nivel 4	PA; MO; QL (2 EA per 1 day)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 18 MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG	Nivel 4	PA; MO; QL (1 EA per 1 day)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG	Nivel 4	PA
HORIZANT ORAL TABLET EXTENDED RELEASE 300 MG	Nivel 4	MO; ST: Must meet any of the following requirements: Gabapentin, Pramipexole IR, or Ropinirole IR in 120 days; QL (30 EA per 30 days)
HORIZANT ORAL TABLET EXTENDED RELEASE 600 MG	Nivel 4	MO; ST: Must meet any of the following requirements: Gabapentin, Pramipexole IR, or Ropinirole IR in 120 days; QL (2 EA per 1 day)
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	Nivel 4	PA; QL (1 EA per 1 day)
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	Nivel 4	PA; MO; QL (1 EA per 1 day)
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG	Nivel 4	PA; MO; QL (1 EA per 1 day)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	Nivel 4	PA; MO
XENAZINE ORAL TABLET 12.5 MG, 25 MG (tetrabenazine)	Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Inmunización		
COMIRNATY 2025-2026(5-11Y)(PF) INTRAMUSCULAR SUSPENSION 10 MCG/0.3 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
COMIRNATY 2025-26 (12Y UP)(PF) INTRAMUSCULAR SYRINGE 30 MCG/0.3 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
MNEXSPIKE 2025-2026 (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.2 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
MODERNA COVID 24-25(6M-11Y)PF INTRAMUSCULAR SYRINGE 25 MCG/0.25 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
NOVAVAX COVID 2024-25(PF)(EUA) INTRAMUSCULAR SYRINGE 5 MCG/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
NUVAXOVID 2025-2026 (PF) INTRAMUSCULAR SYRINGE 5 MCG/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
SPIKEVAX 2024-2025(12Y UP)(PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
SPIKEVAX 2025-2026(12Y UP)(PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
SPIKEVAX 2025-26 (6M-11Y) (PF) INTRAMUSCULAR SYRINGE 25 MCG/0.25 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
Antisuero		
CUTAQUIG SUBCUTANEOUS SOLUTION 16.5 %	Nivel 5	PA; MO
CUVITRU SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %), 8 GRAM/40 ML (20 %)	Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	Nivel 4	PA; MO
GAMMAKED INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %)	Nivel 5	PA; MO
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	Nivel 4	PA; MO
HIZENTRA SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	Nivel 5	PA; MO
HIZENTRA SUBCUTANEOUS SYRINGE 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	Nivel 5	PA; MO
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	Nivel 5	PA; MO
XEMBIFY SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	Nivel 5	PA; MO
Vacunas Cocos Gramnegativas		
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	Nivel 4	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	Nivel 4	
Vacunas De Virus Entéricos		
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	Nivel 4	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	Nivel 4	
Vacunas Gram (-) Bacilli (No-Entérica)		
VIVOTIF ORAL CAPSULE, DELAYED RELEASE(DR/EC) 2 BILLION UNIT	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Vacunas Para Bacilli Productora De Toxinas/Toxoides		
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	Nivel 4	
Vacunas Para Virus De Influenza		
AFLURIA 2025-2026 (3YR UP)(PF) INTRAMUSCULAR SYRINGE 45 MCG (15 MCG X 3)/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
AFLURIA 2025-2026 (6MO UP) INTRAMUSCULAR SUSPENSION 45 MCG (15 MCG X 3)/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
AUDENZ (NATIONAL STOCKPILE) INTRAMUSCULAR EMULSION 7.5 MCG/0.5 ML	Nivel 3	
AUDENZ(PF)(NATIONAL STOCKPILE) INTRAMUSCULAR SYRINGE 7.5 MCG/0.5 ML	Nivel 3	
FLUAD 2025-2026 (65 YR UP)(PF) INTRAMUSCULAR SYRINGE 45 MCG (15 MCG X 3)/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
FLUARIX 2025-2026 (PF) INTRAMUSCULAR SYRINGE 45 MCG (15 MCG X 3)/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
FLUBLOK 2025-2026 (PF) INTRAMUSCULAR SYRINGE 135 MCG (45 MCG X 3)/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
FLUCELVAX 2025-2026 (PF) INTRAMUSCULAR SYRINGE 45 MCG (15 MCG X 3)/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
FLUCELVAX 2025-2026 INTRAMUSCULAR SUSPENSION 45 MCG (15 MCG X 3)/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
FLULAVAL 2025-2026 (PF) INTRAMUSCULAR SYRINGE 45 MCG (15 MCG X 3)/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
FLUMIST 2025-2026 NASAL NASAL SPRAY SYRINGE 10EXP6.5-7.5 FF UNIT/0.2 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
FLUMIST HOME 2025-2026 NASAL (HOME ADMIN) NASAL SPRAY SYRINGE 10EXP6.5-7.5 FF UNIT/0.2 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
FLUZONE 2025-2026 (PF) INTRAMUSCULAR SYRINGE 45 MCG (15 MCG X 3)/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
FLUZONE 2025-2026 INTRAMUSCULAR SUSPENSION 45 MCG (15 MCG X 3)/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
FLUZONE HIGH-DOSE 2025-26 (PF) INTRAMUSCULAR SYRINGE 180 MCG/0.5 ML	Nivel 1	\$0 COPAY WITH RESTRICTIONS THAT APPLY ACCORDING TO CDC GUIDANCE
Vacunas Virales/Tumorigénicas		
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	Nivel 4	
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	Nivel 4	
Inmunosupresión/Modulación		
REZUROCK ORAL TABLET 200 MG	Nivel 4	PA; MO
Inmunomoduladores		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	Nivel 5	PA
ALFERON N INJECTION SOLUTION 5 MILLION UNIT/ML	Nivel 5	
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	Nivel 5	PA; MO
<i>imiquimod topical cream in metered-dose pump 3.75 %</i> (Zyclara)	Nivel 2	
<i>imiquimod topical cream in packet 3.75 %</i> (Zyclara)	Nivel 2	
<i>imiquimod topical cream in packet 5 %</i>	Nivel 2	QL (2 EA per 1 day)
KAZURI TOPICAL GEL 5-0.05-1 % (imiquimod-tretinoin-levocetir)	Nivel 4	
KERIDA TOPICAL GEL 5-0.1-30 %	Nivel 4	

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
KYNARA TOPICAL GEL 5-1-2 %	(imiquimod-levocetirizina-niacin)	Nivel 4	
QUIDROXZAR TOPICAL GEL 5-0.1-30 %		Nivel 4	
QUIHOXAXIA TOPICAL GEL 5-1-2 %	(imiquimod-levocetirizina-niacin)	Nivel 4	
QUIHOXVAR TOPICAL GEL 5-0.05-1 %	(imiquimod-tretinoin-levocetir)	Nivel 4	
ZYCLARA TOPICAL CREAM IN METERED-DOSE PUMP 2.5 %		Nivel 4	
Inmunosupresores			
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	(tacrolimus)	Nivel 4	MO; ST: Must meet the following requirement: generic Tacrolimus in 120 days
AZASAN ORAL TABLET 100 MG, 75 MG	(azathioprine)	Nivel 4	MO
<i>azathioprine oral tablet 100 mg, 75 mg</i>	(Azasan)	Nivel 2	MO
<i>azathioprine oral tablet 50 mg</i>	(Imuran)	Nivel 2	MO
CELLCEPT ORAL CAPSULE 250 MG	(mycophenolate mofetil)	Nivel 4	MO
CELLCEPT ORAL SUSPENSION FOR RECONSTITUTION 200 MG/ML	(mycophenolate mofetil)	Nivel 4	MO
CELLCEPT ORAL TABLET 500 MG	(mycophenolate mofetil)	Nivel 4	MO
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i>	(Gengraf)	Nivel 2	MO
<i>cyclosporine modified oral capsule 50 mg</i>		Nivel 2	MO
<i>cyclosporine modified oral solution 100 mg/ml</i>	(Gengraf)	Nivel 2	MO
<i>cyclosporine oral capsule 100 mg, 25 mg</i>	(Sandimmune)	Nivel 2	MO
ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG		Nivel 4	MO; ST: Must meet the following requirement: generic Tacrolimus in 120 days
<i>everolimus (immunosuppressive) oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i>	(Zortress)	Nivel 2	MO
GENGRAF ORAL CAPSULE 100 MG, 25 MG	(cyclosporine modified)	Nivel 2	MO
GENGRAF ORAL SOLUTION 100 MG/ML	(cyclosporine modified)	Nivel 2	MO
IMURAN ORAL TABLET 50 MG	(azathioprine)	Nivel 4	MO
LUPKYNIS ORAL CAPSULE 7.9 MG		Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	Nivel 2	MO
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	Nivel 2	MO
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	Nivel 2	MO
<i>mycophenolate sodium oral tablet, delayed release (drlec) 180 mg, 360 mg</i> (Myfortic)	Nivel 2	MO
MYFORTIC ORAL TABLET, DELAYED RELEASE (DR/EC) 180 MG, 360 MG (mycophenolate sodium)	Nivel 4	MO
MYHIBBIN ORAL SUSPENSION 200 MG/ML	Nivel 4	PA; MO
NEORAL ORAL CAPSULE 100 MG, 25 MG (cyclosporine modified)	Nivel 4	MO
NEORAL ORAL SOLUTION 100 MG/ML (cyclosporine modified)	Nivel 4	MO
PROGRAF ORAL CAPSULE 0.5 MG, 1 MG, 5 MG (tacrolimus)	Nivel 4	MO
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	Nivel 3	MO
SANDIMMUNE ORAL CAPSULE 100 MG, 25 MG (cyclosporine)	Nivel 4	MO
<i>sirolimus oral solution 1 mg/ml</i>	Nivel 2	MO
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	Nivel 2	MO
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	Nivel 2	MO
ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG, 1 MG (everolimus (immunosuppressive))	Nivel 4	MO
La Gota Y Enfermedades Relacionadas		
Agentes Uricosúricos		
<i>probenecid oral tablet 500 mg</i>	Nivel 2	MO
<i>probenecid-colchicine tablet 500-0.5 mg</i>	Nivel 2	MO
Colchicina		
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	Nivel 2	MO; QL (2 EA per 1 day)
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	Nivel 2	MO; QL (4 EA per 1 day)
COLCRYS ORAL TABLET 0.6 MG (colchicine)	Nivel 4	MO; QL (4 EA per 1 day)
GLOPERBA ORAL SOLUTION 0.6 MG/5 ML	Nivel 4	MO; ST: Must meet the following requirement: Colchicine capsules or tablets in 120 days; QL (10 ML per 1 day)
MITIGARE ORAL CAPSULE 0.6 MG (colchicine)	Nivel 4	MO; QL (2 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Hiperuricemia Tx - Inhibidores De Purina		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	Nivel 2	MO
<i>allopurinol oral tablet 200 mg, 300 mg</i>	Nivel 2	MO
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	Nivel 2	MO; ST: Must meet the following requirement: Allopurinol in 120 days; QL (30 EA per 30 days)
ULORIC ORAL TABLET 40 MG, 80 MG (febuxostat)	Nivel 4	MO; ST: Must meet the following requirement: Allopurinol in 120 days; QL (30 EA per 30 days)
ZYLOPRIM ORAL TABLET 100 MG (allopurinol)	Nivel 4	MO
Manejo De Dolor - Analgésicos		
<i>carisoprodol-aspirin-codeine oral tablet 200-325-16 mg</i>	Nivel 2	QL (8 EA per 1 day); Age (Min 12 Years)
COMBOGESIC ORAL TABLET 97.5-325 MG	Nivel 4	
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	Nivel 3	PA; QL (3 ML per 30 days)
<i>lofexidine oral tablet 0.18 mg</i> (Lucemyra)	Nivel 2	
LUCEMYRA ORAL TABLET 0.18 MG (lofexidine)	Nivel 4	
Agentes De Terapia De Abstinencia De Narcóticos		
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	Nivel 2	
<i>buprenorphine-naloxone sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	Nivel 2	MO
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	Nivel 2	MO
SUBOXONE SUBLINGUAL FILM 12-3 MG, 2-0.5 MG, 4-1 MG (buprenorphine-naloxone)	Nivel 4	MO
SUBOXONE SUBLINGUAL FILM 8-2 MG (buprenorphine-naloxone)	Nivel 3	MO
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG, 8.6-2.1 MG	Nivel 3	MO
Analgésicos Narcóticos & Comb. De Analgésicos No Salicilatos		
<i>acetaminophen-codeine oral solution 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml</i>	Nivel 2	QL (150 ML per 1 day); Age (Min 12 Years)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>acetaminophen-codeine oral solution 300 mg-30 mg /12.5 ml</i>		Nivel 2	Age (Min 12 Years)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>		Nivel 2	QL (12 EA per 1 day); Age (Min 12 Years)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>		Nivel 2	QL (6 EA per 1 day); Age (Min 12 Years)
APADAZ ORAL TABLET 4.08-325 MG, 6.12-325 MG, 8.16-325 MG	(benzhydrocodone-acetaminophen)	Nivel 4	ST: Must meet the following requirement: generic Norco (Hydrocodone/APAP) tablets in 120 days; QL (12 EA per 1 day)
<i>benzhydrocodone-acetaminophen oral tablet 4.08-325 mg, 6.12-325 mg, 8.16-325 mg</i>	(Apadaz)	Nivel 2	ST: Must meet the following requirement: generic Norco (Hydrocodone/APAP) tablets in 120 days; QL (12 EA per 1 day)
ENDOCET ORAL TABLET 10-325 MG, 2.5-325 MG, 5-325 MG, 7.5-325 MG	(oxycodone-acetaminophen)	Nivel 2	QL (12 EA per 1 day)
<i>hydrocodone-acetaminophen oral solution 10-300 mg/15 ml</i>		Nivel 2	QL (200 ML per 1 day)
<i>hydrocodone-acetaminophen oral solution 10-325 mg/15 ml, 10-325 mg/15 ml(15 ml), 7.5-325 mg/15 ml</i>		Nivel 2	QL (184 ML per 1 day)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 5-300 mg, 7.5-300 mg</i>		Nivel 2	QL (13 EA per 1 day)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>		Nivel 2	QL (12 EA per 1 day)
NALOCET ORAL TABLET 2.5-300 MG	(oxycodone-acetaminophen)	Nivel 2	ST: Must meet the following requirements: generic Oxycodone IR and Oxycodone/Acetaminophen 325mg tablets in 365 days; QL (12 EA per 1 day)
<i>oxycodone-acetaminophen oral solution 10-300 mg/5 ml</i>	(Prolate)	Nivel 2	QL (66 ML per 1 day)
<i>oxycodone-acetaminophen oral solution 5-325 mg/5 ml</i>		Nivel 2	QL (61 ML per 1 day)
<i>oxycodone-acetaminophen oral tablet 10-300 mg</i>	(Primlev)	Nivel 2	ST: Must meet the following requirements: generic Oxycodone IR and Oxycodone/Acetaminophen 325mg tablets in 365 days; QL (13 EA per 1 day)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>oxycodone-acetaminophen oral tablet</i> 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg	(Endocet)	Nivel 2	QL (12 EA per 1 day)
<i>oxycodone-acetaminophen oral tablet</i> 2.5-300 mg	(Nalocet)	Nivel 2	ST: Must meet the following requirements: generic Oxycodone IR and Oxycodone/Acetaminophen 325mg tablets in 365 days; QL (12 EA per 1 day)
<i>oxycodone-acetaminophen oral tablet</i> 5-300 mg, 7.5-300 mg	(Prolate)	Nivel 2	ST: Must meet the following requirements: generic Oxycodone IR and Oxycodone/Acetaminophen 325mg tablets in 365 days; QL (13 EA per 1 day)
PERCOCET ORAL TABLET 10-325 MG, 2.5-325 MG, 5-325 MG, 7.5-325 MG	(oxycodone-acetaminophen)	Nivel 2	QL (12 EA per 1 day)
PRIMLEV ORAL TABLET 10-300 MG	(oxycodone-acetaminophen)	Nivel 2	ST: Must meet the following requirements: generic Oxycodone IR and Oxycodone/Acetaminophen 325mg tablets in 365 days; QL (13 EA per 1 day)
PRIMLEV ORAL TABLET 5-300 MG, 7.5-300 MG	(oxycodone-acetaminophen)	Nivel 4	ST: Must meet the following requirements: generic Oxycodone IR and Oxycodone/Acetaminophen 325mg tablets in 365 days; QL (13 EA per 1 day)
PROLATE ORAL SOLUTION 10-300 MG/5 ML	(oxycodone-acetaminophen)	Nivel 4	QL (66 ML per 1 day)
PROLATE ORAL TABLET 10-300 MG, 5-300 MG, 7.5-300 MG	(oxycodone-acetaminophen)	Nivel 2	ST: Must meet the following requirements: generic Oxycodone IR and Oxycodone/Acetaminophen 325mg tablets in 365 days; QL (13 EA per 1 day)
<i>tramadol-acetaminophen oral tablet</i> 37.5-325 mg		Nivel 2	QL (10 EA per 1 day); Age (Min 12 Years)
Analgésicos Narcóticos & Salicilato, Barb.& Xantina			
ASCOMP WITH CODEINE ORAL CAPSULE 30-50-325-40 MG	(codeine-butalbital-asa-caff)	Nivel 2	QL (6 EA per 1 day); Age (Min 12 Years)
<i>codeine-butalbital-asa-caff oral capsule</i> 30-50-325-40 mg	(Ascomp with Codeine)	Nivel 2	QL (6 EA per 1 day); Age (Min 12 Years)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Analgésicos, Agonistas Narcóticos Y Combinación Nsaid		
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	Nivel 2	
SEGLENTIS ORAL TABLET 44-56 MG	Nivel 4	
Analgésicos, Narcóticos		
BELBUCA BUCCAL FILM 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG (buprenorphine hcl)	Nivel 3	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (2 EA per 1 day)
<i>belladonna alkaloids-opium rectal suppository 16.2-30 mg, 16.2-60 mg</i>	Nivel 2	
<i>buprenorphine hcl injection solution 0.3 mg/ml</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> (Butrans)	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (4 EA per 28 days)
<i>butorphanol injection solution 1 mg/ml, 2 mg/ml</i>	Nivel 2	
<i>butorphanol nasal spray, non-aerosol 10 mg/ml</i>	Nivel 2	
BUTRANS TRANSDERMAL PATCH WEEKLY 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR (buprenorphine)	Nivel 4	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (4 EA per 28 days)
<i>codeine sulfate oral tablet 15 mg, 30 mg</i>	Nivel 2	QL (12 EA per 1 day); Age (Min 12 Years)
<i>codeine sulfate oral tablet 60 mg</i>	Nivel 2	QL (6 EA per 1 day); Age (Min 12 Years)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
DEMEROL (PF) INJECTION SYRINGE 100 MG/ML, 25 MG/ML, 50 MG/ML, 75 MG/ML	Nivel 4	
DEMEROL INJECTION SOLUTION 50 MG/ML (meperidine)	Nivel 4	
DILAUDID (PF) INJECTION SYRINGE 0.5 MG/0.5 ML, 1 MG/ML, 2 MG/ML, 4 MG/ML (hydromorphone (pf))	Nivel 4	
DILAUDID ORAL LIQUID 1 MG/ML (hydromorphone)	Nivel 4	
DILAUDID ORAL TABLET 2 MG, 4 MG, 8 MG (hydromorphone)	Nivel 4	
DISKETS ORAL TABLET, SOLUBLE 40 MG (methadone)	Nivel 4	QL (1 EA per 1 day)
DSUVIA SUBLINGUAL TABLET IN APPLICATOR 30 MCG	Nivel 4	PA
<i>fentanyl (pf)-bupivacaine-nacl epidural prefilled pump reservoir 2 mcg/ml- 0.1 %, 2 mcg/ml- 0.125 %</i>	Nivel 2	
<i>fentanyl (pf)-bupivacaine-nacl epidural syringe 2 mcg/ml- 0.125 %</i>	Nivel 2	
<i>fentanyl citrate (pf) intravenous patient control analgesia soln 1,500 mcg/30 ml (50 mcg/ml)</i>	Nivel 2	
<i>fentanyl citrate (pf)-0.9%nacl intravenous pt controlled analgesia syringe 1,000 mcg/50 ml (20 mcg/ml), 500 mcg/50 ml (10 mcg/ml)</i>	Nivel 2	
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 200 mcg</i>	Nivel 2	PA
<i>fentanyl citrate buccal tablet, effervescent 400 mcg, 600 mcg, 800 mcg</i>	Nivel 2	PA
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour</i>	Nivel 2	PA; ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription
<i>fentanyl-ropivacaine-nacl (pf) epidural prefilled pump reservoir 2-0.2 mcg/ml-%</i>	Nivel 2	
<i>fentanyl-ropivacaine-nacl (pf) epidural solution 2-0.1 mcg/ml-%, 2-0.125 mcg/ml-%</i>	Nivel 2	
<i>fentanyl-ropivacaine-nacl (pf) epidural syringe 100 mcg/50 ml (2 mcg/ml)-0.1%, 100 mcg/50 ml (2mcg/ml)-0.15%</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>hydrocodone bitartrate oral capsule, oral only, er 12hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (2 EA per 1 day)
<i>hydrocodone bitartrate oral tablet, oral only, ext. rel. 24 hr 100 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (Hysingla ER)	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (1 EA per 1 day)
<i>hydrocodone bitartrate oral tablet, oral only, ext. rel. 24 hr 120 mg</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (1 EA per 1 day)
<i>hydromorphone (pf) injection syringe 0.5 mg/0.5 ml, 1 mg/ml</i> (Dilaudid (PF))	Nivel 2	
<i>hydromorphone (pf)-0.9 % nacl intravenous pt controlled analgesia syring 30 mg/30 ml (1 mg/ml)</i>	Nivel 2	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	Nivel 2	
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	Nivel 2	
<i>hydromorphone oral tablet extended release 24 hr 12 mg, 16 mg, 32 mg, 8 mg</i>	Nivel 2	PA; ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription
<i>hydromorphone rectal suppository 3 mg</i>	Nivel 2	
<i>HYSINGLA ER ORAL TABLET, ORAL ONLY, EXT. REL. 24 HR 100 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG</i> (hydrocodone bitartrate)	Nivel 4	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (1 EA per 1 day)
<i>levorphanol tartrate oral tablet 2 mg, 3 mg</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription
<i>meperidine (pf) injection solution 100 mg/ml, 25 mg/ml, 50 mg/ml</i>	Nivel 2	
<i>meperidine oral solution 50 mg/5 ml</i>	Nivel 2	QL (30 ML per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>meperidine oral tablet 50 mg</i>	Nivel 2	QL (6 EA per 1 day)
<i>methadone injection solution 10 mg/ml</i>	Nivel 2	QL (4 ML per 1 day)
METHADONE INTENSOL ORAL (methadone) CONCENTRATE 10 MG/ML	Nivel 2	QL (4 ML per 1 day)
<i>methadone oral concentrate 10 mg/ml</i> (Methadone Intensol)	Nivel 2	QL (4 ML per 1 day)
<i>methadone oral solution 10 mg/5 ml</i>	Nivel 2	QL (20 ML per 1 day)
<i>methadone oral solution 5 mg/5 ml</i>	Nivel 2	QL (40 ML per 1 day)
<i>methadone oral tablet 10 mg</i>	Nivel 2	QL (4 EA per 1 day)
<i>methadone oral tablet 5 mg</i>	Nivel 2	QL (8 EA per 1 day)
<i>methadone oral tablet,soluble 40 mg</i> (Methadose)	Nivel 2	QL (1 EA per 1 day)
METHADOSE ORAL CONCENTRATE (methadone) 10 MG/ML	Nivel 4	QL (4 ML per 1 day)
METHADOSE ORAL (methadone) TABLET,SOLUBLE 40 MG	Nivel 2	QL (1 EA per 1 day)
<i>morphine (pf) intravenous syringe 1 mg/2 ml</i>	Nivel 2	
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	Nivel 2	PA
<i>morphine in 0.9 % sodium chlor intravenous solution 1 mg/ml, 5 mg/ml</i>	Nivel 2	
<i>morphine intramuscular pen injector 10 mg/0.7 ml</i>	Nivel 2	
<i>morphine oral capsule, er multiphase 24 hr 120 mg</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (2 EA per 1 day)
<i>morphine oral capsule, er multiphase 24 hr 30 mg, 45 mg, 60 mg, 75 mg, 90 mg</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (1 EA per 1 day)
<i>morphine oral capsule,extend.release pellets 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (2 EA per 1 day)
<i>morphine oral solution 10 mg/5 ml, 20 mg/5 ml (4 mg/ml)</i>	Nivel 2	
<i>morphine oral tablet 15 mg</i>	Nivel 4	
<i>morphine oral tablet 30 mg</i>	Nivel 3	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>morphine oral tablet extended release 100 mg, 200 mg</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (3 EA per 1 day)
<i>morphine oral tablet extended release 15 mg, 30 mg, 60 mg</i> (MS Contin)	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (3 EA per 1 day)
<i>morphine rectal suppository 10 mg, 20 mg, 30 mg, 5 mg</i>	Nivel 2	
MS CONTIN ORAL TABLET (morphine) EXTENDED RELEASE 100 MG, 15 MG, 200 MG, 30 MG, 60 MG	Nivel 4	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (3 EA per 1 day)
<i>nalbuphine injection solution 10 mg/ml, 20 mg/ml</i>	Nivel 2	
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	Nivel 3	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (2 EA per 1 day)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	Nivel 4	QL (6 EA per 1 day)
<i>oxycodone oral capsule 5 mg</i>	Nivel 2	
<i>oxycodone oral concentrate 20 mg/ml</i>	Nivel 2	PA
<i>oxycodone oral solution 5 mg/5 ml</i>	Nivel 2	
<i>oxycodone oral tablet 10 mg, 20 mg, 5 mg</i>	Nivel 2	
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	Nivel 2	
<i>oxycodone oral tablet, oral only 10 mg, 15 mg, 30 mg, 5 mg</i> (RoxyBond)	Nivel 2	
<i>oxycodone oral tablet, oral only, ext.rel. 12 hr 10 mg, 20 mg, 40 mg</i> (OxyContin)	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (2 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 80 mg</i> (OxyContin)	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (4 EA per 1 day)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG (oxycodone)	Nivel 4	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (2 EA per 1 day)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 80 MG (oxycodone)	Nivel 4	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (4 EA per 1 day)
<i>oxymorphone oral tablet 10 mg, 5 mg</i>	Nivel 2	
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 5 mg, 7.5 mg</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (2 EA per 1 day)
<i>oxymorphone oral tablet extended release 12 hr 30 mg, 40 mg</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (4 EA per 1 day)
<i>pentazocine-naloxone oral tablet 50-0.5 mg</i>	Nivel 2	
QDOLO ORAL SOLUTION 5 MG/ML (tramadol)	Nivel 4	PA
ROXICODONE ORAL TABLET 15 MG, 30 MG (oxycodone)	Nivel 4	
ROXYBOND ORAL TABLET, ORAL ONLY 10 MG, 15 MG, 30 MG, 5 MG (oxycodone)	Nivel 4	
<i>tramadol oral capsule,er biphasic 24 hr 17-83 300 mg</i> (ConZip)	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (1 EA per 1 day); Age (Min 12 Years)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>tramadol oral capsule,er biphase 24 hr</i> (ConZip) 25-75 100 mg, 200 mg	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (1 EA per 1 day); Age (Min 12 Years)
<i>tramadol oral solution 5 mg/ml</i> (Qdolo)	Nivel 2	PA
<i>tramadol oral tablet 100 mg</i>	Nivel 2	QL (4 EA per 1 day); Age (Min 12 Years)
<i>tramadol oral tablet 25 mg, 75 mg</i>	Nivel 2	
<i>tramadol oral tablet 50 mg</i>	Nivel 2	QL (8 EA per 1 day); Age (Min 12 Years)
<i>tramadol oral tablet extended release 24 hr 100 mg</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (3 EA per 1 day); Age (Min 12 Years)
<i>tramadol oral tablet extended release 24 hr 200 mg, 300 mg</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (1 EA per 1 day); Age (Min 12 Years)
<i>tramadol oral tablet, er multiphase 24 hr 100 mg</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (3 EA per 1 day); Age (Min 12 Years)
<i>tramadol oral tablet, er multiphase 24 hr 200 mg, 300 mg</i>	Nivel 2	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (1 EA per 1 day); Age (Min 12 Years)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	Nivel 3	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (2 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	Nivel 3	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (4 EA per 1 day)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	Nivel 3	ST: Must meet the following requirement: 7 consecutive days therapy of current short-acting opioid prescription; QL (8 EA per 1 day)
Analgésicos, No Narcóticos		
<i>clonidine (pf) epidural solution 1,000 mcg/10 ml (100 mcg/ml)</i> (Duraclon (PF))	Nivel 2	
<i>clonidine (pf) epidural solution 5,000 mcg/10 ml</i>	Nivel 2	
DURACLON (PF) EPIDURAL SOLUTION 1,000 MCG/10 ML (100 MCG/ML) (clonidine (pf))	Nivel 4	
JOURNAVX ORAL TABLET 50 MG	Nivel 4	PA
Analgésicos, No Salicilato, Barbitúrico & Xanthine Cmb		
<i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i> (Fioricet)	Nivel 2	
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>	Nivel 2	
<i>butalbital-acetaminophen-caff oral solution 50-325-40 mg/15 ml</i>	Nivel 2	
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	Nivel 2	
ESGIC ORAL TABLET 50-325-40 MG (butalbital-acetaminophen-caff)	Nivel 4	
FIORICET ORAL CAPSULE 50-300-40 MG (butalbital-acetaminophen-caff)	Nivel 2	
Analgésicos, Salicilato, Barbitúrico & Xanthine Cmb		
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	Nivel 2	
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	Nivel 2	
Analgésicos/Antipiréticos, Salicilado		
<i>aspirin oral tablet 325 mg</i> (Bayer Aspirin)	Nivel 1	MO
<i>aspirin oral tablet, delayed release (dr/ec) 325 mg</i> (Bayer Aspirin)	Nivel 1	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
BAYER ASPIRIN ORAL TABLET 325 MG (aspirin)	Nivel 1	MO
BAYER ASPIRIN ORAL TABLET, DELAYED RELEASE (DR/EC) 325 MG (aspirin)	Nivel 1	MO
<i>choline, magnesium salicylate oral liquid 500 mg/5 ml</i>	Nivel 2	
<i>diflunisal oral tablet 500 mg</i>	Nivel 2	
DISALCID ORAL TABLET 500 MG, 750 MG (salsalate)	Nivel 4	
DOLOBID ORAL TABLET 250 MG (diflunisal)	Nivel 4	
DOLOBID ORAL TABLET 375 MG	Nivel 2	
ECOTRIN ORAL TABLET, DELAYED RELEASE (DR/EC) 325 MG (aspirin)	Nivel 1	MO
<i>salsalate oral tablet 500 mg, 750 mg</i> (Disalcid)	Nivel 2	
Analgesio Narcótico, No-Salicilato, Comb De Xantina		
<i>acetaminophen-caff-dihydrocod oral capsule 320.5-30-16 mg</i> (Trezix)	Nivel 2	ST: Must meet the following requirement: Acetaminophen/Codeine tablets in 120 days; QL (10 EA per 1 day); Age (Min 12 Years)
Comb. De Analgésico, No-Salicilado & Barbitúrico		
<i>butalbital-acetaminophen oral capsule 50-300 mg</i>	Nivel 2	QL (6 EA per 1 day)
<i>butalbital-acetaminophen oral tablet 50-300 mg</i>	Nivel 2	ST: Must meet the following requirement: Generic Butalbital/acetaminophen 50mg-325mg combination product in 120 days; QL (6 EA per 1 day)
<i>butalbital-acetaminophen oral tablet 50-325 mg</i> (Tencon)	Nivel 2	
TENCON ORAL TABLET 50-325 MG (butalbital-acetaminophen)	Nivel 2	
Narc. & No-Sal. Analgésico, Barbitúrico & Xantina Cmb		
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg</i> (Fioricet with Codeine)	Nivel 2	QL (6 EA per 1 day); Age (Min 12 Years)
<i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>	Nivel 2	QL (6 EA per 1 day); Age (Min 12 Years)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
FIORICET WITH CODEINE ORAL CAPSULE 50-300-40-30 MG (butalbital-acetaminop-caf-cod)	Nivel 4	QL (6 EA per 1 day); Age (Min 12 Years)
Preparaciones Antimigraña		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	Nivel 3	PA; MO; QL (1 ML per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	Nivel 3	PA; MO; QL (1.5 ML per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	Nivel 3	PA; MO; QL (1.5 ML per 30 days)
<i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i>	Nivel 2	ST: Must meet the following requirement: Oral Sumatriptan or Rizatriptan in 180 days; QL (18 EA per 30 days)
<i>diclofenac potassium oral powder in packet 50 mg</i>	Nivel 2	
<i>dihydroergotamine injection solution 1 mg/ml</i>	Nivel 2	QL (15 ML per 14 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	Nivel 2	ST: Must meet the following requirement: Oral Sumatriptan or Rizatriptan in 180 days; QL (8 ML per 28 days)
<i>eletriptan oral tablet 20 mg, 40 mg</i> (Relpax)	Nivel 2	ST: Must meet the following requirement: Oral Sumatriptan or Rizatriptan in 180 days; QL (18 EA per 30 days)
ELYXYB ORAL SOLUTION 120 MG/4.8 ML (25 MG/ML)	Nivel 4	PA
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	Nivel 3	PA; MO; QL (1 ML per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	Nivel 3	PA; MO; QL (1 ML per 30 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	Nivel 4	QL (10 EA per 7 days)
<i>ergotamine-caffeine oral tablet 1-100 mg</i>	Nivel 2	QL (10 EA per 7 days)
FROVA ORAL TABLET 2.5 MG (frovatriptan)	Nivel 4	ST: Must meet the following requirement: Oral Sumatriptan or Rizatriptan in 180 days; QL (18 EA per 30 days)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>frovatriptan oral tablet 2.5 mg</i>	(Frova)	Nivel 2	ST: Must meet the following requirement: Oral Sumatriptan or Rizatriptan in 180 days; QL (18 EA per 30 days)
IMITREX ORAL TABLET 100 MG, 25 MG, 50 MG	(sumatriptan succinate)	Nivel 4	QL (18 EA per 30 days)
IMITREX STATDOSE PEN SUBCUTANEOUS PEN INJECTOR 4 MG/0.5 ML, 6 MG/0.5 ML	(sumatriptan succinate)	Nivel 4	QL (18 ML per 30 days)
IMITREX STATDOSE REFILL SUBCUTANEOUS CARTRIDGE 4 MG/0.5 ML, 6 MG/0.5 ML	(sumatriptan succinate)	Nivel 4	QL (18 ML per 30 days)
MAXALT ORAL TABLET 10 MG	(rizatriptan)	Nivel 4	QL (27 EA per 30 days)
MAXALT-MLT ORAL TABLET,DISINTEGRATING 10 MG	(rizatriptan)	Nivel 4	QL (27 EA per 30 days)
MIGERGOT RECTAL SUPPOSITORY 2-100 MG		Nivel 4	PA
MIGRANAL NASAL SPRAY,NON-AEROSOL 0.5 MG/PUMP ACT. (4 MG/ML)	(dihydroergotamine)	Nivel 4	ST: Must meet the following requirement: Oral Sumatriptan or Rizatriptan in 180 days; QL (8 ML per 28 days)
MIGRANOW KIT,GEL AND TABLET 50 MG- 10 %-4 %		Nivel 4	
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>		Nivel 2	QL (18 EA per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG		Nivel 3	PA; QL (18 EA per 30 days)
ONZETRA XSAIL NASAL AEROSOL POWDR BREATH ACTIVATED 11 MG		Nivel 4	ST: Must meet the following requirement: generic Sumatriptan nasal spray in 180 days; QL (32 EA per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG		Nivel 3	PA; MO; QL (1 EA per 1 day)
RELPAK ORAL TABLET 20 MG, 40 MG	(eletriptan)	Nivel 4	ST: Must meet the following requirement: Oral Sumatriptan or Rizatriptan in 180 days; QL (18 EA per 30 days)
REYVOW ORAL TABLET 100 MG, 50 MG		Nivel 3	PA; QL (8 EA per 30 days)
<i>rizatriptan oral tablet 10 mg</i>	(Maxalt)	Nivel 2	QL (27 EA per 30 days)
<i>rizatriptan oral tablet 5 mg</i>		Nivel 2	QL (27 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT)	Nivel 2	QL (27 EA per 30 days)
<i>rizatriptan oral tablet, disintegrating 5 mg</i>	Nivel 2	QL (27 EA per 30 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation</i>	Nivel 2	QL (18 EA per 30 days)
<i>sumatriptan nasal spray, non-aerosol 5 mg/actuation</i>	Nivel 2	QL (36 EA per 30 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> (Imitrex)	Nivel 2	QL (18 EA per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	Nivel 2	QL (18 ML per 30 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	Nivel 2	QL (18 ML per 30 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	Nivel 2	QL (18 ML per 30 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	Nivel 2	QL (18 ML per 30 days)
<i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet)	Nivel 2	ST: Must meet any of the following requirements: Almotriptan Malate, Eletriptan Hydrobromide, Frovatriptan Succinate, Naratriptan HCL, Onzetra Xsail, Rizatriptan Benzoate, Sumatriptan Succ/naproxen Sodium, Sumatriptan Succinate, Sumatriptan, Tosymra, Zembrace Symtouch, or Zolmitriptan in 180 days; QL (18 EA per 30 days)
SYMBRAVO ORAL TABLET 10-20 MG	Nivel 4	
TOSYMRA NASAL SPRAY, NON-AEROSOL 10 MG/ACTION	Nivel 4	ST: Must meet the following requirement: Oral Sumatriptan or Rizatriptan in 180 days; QL (24 EA per 30 days)
TRUDHESA NASAL SPRAY, NON-AEROSOL 0.725 MG/PUMP ACT. (4 MG/ML)	Nivel 4	ST: Must meet the following requirement: Oral Sumatriptan or Rizatriptan in 180 days; QL (12 ML per 28 days); Age (Min 18 Years)
UBRELVY ORAL TABLET 100 MG, 50 MG	Nivel 3	PA; QL (16 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ZAVZPRET NASAL SPRAY, NON-AEROSOL 10 MG/ACTUATION	Nivel 4	PA; QL (8 EA per 30 days)
ZEMBRACE SYMTOUCH SUBCUTANEOUS PEN INJECTOR 3 MG/0.5 ML	Nivel 4	ST: Must meet the following requirement: generic Sumatriptan injection in 120 days; QL (18 ML per 30 days)
<i>zolmitriptan nasal spray, non-aerosol 2.5 mg, 5 mg</i> (Zomig)	Nivel 2	ST: Must meet the following requirement: Oral Sumatriptan or Rizatriptan in 180 days; QL (18 EA per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	Nivel 2	ST: Must meet the following requirement: Oral Sumatriptan or Rizatriptan in 180 days; QL (18 EA per 30 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	Nivel 2	ST: Must meet the following requirement: Oral Sumatriptan or Rizatriptan in 180 days; QL (18 EA per 30 days)
ZOMIG NASAL SPRAY, NON-AEROSOL (zolmitriptan) 2.5 MG, 5 MG	Nivel 4	ST: Must meet the following requirement: Oral Sumatriptan or Rizatriptan in 180 days; QL (18 EA per 30 days)
ZOMIG ORAL TABLET 2.5 MG, 5 MG (zolmitriptan)	Nivel 2	ST: Must meet the following requirement: Oral Sumatriptan or Rizatriptan in 180 days; QL (18 EA per 30 days)

Oído - Trastornos Generales

Preparados Antiinflamatorios Para El Oído

DERMOTIC OIL OTIC (EAR) DROPS 0.01 % (fluocinolone acetonide oil)	Nivel 4	
FLAC OTIC OIL OTIC (EAR) DROPS 0.01 % (fluocinolone acetonide oil)	Nivel 4	
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)	Nivel 2	

Preparados Óticos, Antiinflamatorio-Antibióticos

CIPRO HC OTIC (EAR) DROPS, SUSPENSION 0.2-1 %	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	Nivel 2	
<i>ciprofloxacin-fluocinolone otic (ear) solution 0.3-0.025 % (0.25 ml)</i> (Otovel)	Nivel 2	
OTOVEL OTIC (EAR) SOLUTION 0.3-0.025 % (0.25 ML) (ciprofloxacin-fluocinolone)	Nivel 4	
Preparados Para El Oído, Antibióticos		
CETRAXAL OTIC (EAR) DROPPERETTE 0.2 % (ciprofloxacin hcl)	Nivel 4	
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i> (Cetraxal)	Nivel 2	
CORTISPORIN-TC OTIC (EAR) DROPS,SUSPENSION 3.3-3-10-0.5 MG/ML	Nivel 4	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	Nivel 2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	Nivel 2	
<i>ofloxacin 0.3% ear drops</i>	Nivel 2	
Preparados Para El Oído, Misc. Antiinfecciosos		
<i>acetic acid otic (ear) solution 2 %</i>	Nivel 2	
CORTANE-B TOPICAL LOTION 1-1-0.1 %	Nivel 4	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	Nivel 2	
Ojo - Glaucoma		
Agentes Oftálmicos Antifibróticos		
<i>mitomycin (pf) in water ophthalmic (eye) syringe 0.2 mg/ml, 0.4 mg/ml</i>	Nivel 4	
Inhibidores De Anhidrasa Carbónica		
<i>acetazolamide oral capsule, extended release 500 mg</i>	Nivel 2	MO
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	Nivel 2	MO
<i>methazolamide oral tablet 25 mg, 50 mg</i>	Nivel 2	MO
Midriáticos		
<i>atropine ophthalmic (eye) drops 0.01 %, 0.025 %, 0.05 %</i>	Nivel 2	MO
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	Nivel 2	MO
<i>atropine sulfate (pf) ophthalmic (eye) dropperette 1 %</i>	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CYCLOGYL OPHTHALMIC (EYE) (cyclopentolate) DROPS 0.5 %, 1 %, 2 %	Nivel 4	
CYCLOMYDRIL OPHTHALMIC (EYE) DROPS 0.2-1 %	Nivel 4	
<i>cyclopentolate ophthalmic (eye) drops 1 %</i> (Cyclogyl)	Nivel 2	
<i>cyclophen-tropic-phenyleph-watr ophthalmic (eye) drops 1-1-2.5 %</i>	Nivel 2	
<i>cyclopent-tropic-phen-ketr-wat ophthalmic (eye) drops 1 %-1 %-2.5 %-0.5 %</i>	Nivel 2	
<i>cyclop-trop-propa-phen-ket-wat ophthalmic (eye) drops 1 %-1 %-0.1 %-2.5 %-0.4 %</i>	Nivel 2	
HOMATROPAIRE OPHTHALMIC (EYE) (homatropine hbr) DROPS 5 %	Nivel 2	MO
MYDCOMBI OPHTHALMIC (EYE) CARTRIDGE 2.5-1 %	Nivel 4	
MYDRIACYL OPHTHALMIC (EYE) (tropicamide) DROPS 1 %	Nivel 4	
<i>phenyleph-tropicamide in water ophthalmic (eye) drops 2.5-1 %</i>	Nivel 2	
<i>tropic 1%-cyclopent 1%-pe 10%-ktrlc 0.5% eye drop (cmpd-rx) 1 %-1 %-10 %-0.5 %</i>	Nivel 2	
<i>tropicamide ophthalmic (eye) drops 0.5 %</i>	Nivel 2	
<i>tropicamide ophthalmic (eye) drops 1 %</i> (Mydriacyl)	Nivel 2	
Mioticos/Otros Intraoc. Reductores De Presión		
ALPHAGAN P OPHTHALMIC (EYE) (brimonidine) DROPS 0.1 %, 0.15 %	Nivel 4	MO
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	Nivel 2	
AZOPT OPHTHALMIC (EYE) (brinzolamide) DROPS,SUSPENSION 1 %	Nivel 4	MO
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	Nivel 2	MO
BETIMOL OPHTHALMIC (EYE) DROPS 0.25 %	Nivel 4	MO
BETIMOL OPHTHALMIC (EYE) DROPS (timolol) 0.5 %	Nivel 4	MO
BETOPTIC S OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	Nivel 2	MO; QL (1 ML per 12 days)
<i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> (Alphagan P)	Nivel 2	MO
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	Nivel 2	MO
<i>brimonidine-dorzolamide (pf) ophthalmic (eye) drops 0.15-2 %</i>	Nivel 2	MO
<i>brimonidine-dorzolamide ophthalmic (eye) drops 0.1-2 %</i>	Nivel 2	MO
<i>brimonidine-dorzol-bimatoprost ophthalmic (eye) drops 0.1-2-0.01 %</i>	Nivel 2	MO
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	Nivel 2	MO
<i>brinzolamide ophthalmic (eye) drops,suspension 1 %</i> (Azopt)	Nivel 2	MO
<i>carteolol ophthalmic (eye) drops 1 %</i>	Nivel 2	MO
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 % (brimonidine-timolol)	Nivel 4	MO
COSOPT (PF) OPHTHALMIC (EYE) DROPPERETTE 2-0.5 % (dorzolamide-timolol (pf))	Nivel 4	MO; ST: Must meet the following requirement: Dorzolamide/Timolol in 120 days; QL (2 EA per 1 day)
COSOPT OPHTHALMIC (EYE) DROPS 22.3-6.8 MG/ML (dorzolamide-timolol)	Nivel 4	MO
<i>dorzolamide (pf) ophthalmic (eye) drops 2 %</i>	Nivel 2	MO
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	Nivel 2	MO
<i>dorzolamide-timolol (pf) ophthalmic (eye) dropperette 2-0.5 %</i> (Cosopt (PF))	Nivel 2	MO; ST: Must meet the following requirement: Dorzolamide/Timolol in 120 days; QL (2 EA per 1 day)
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	Nivel 2	MO
IOPIDINE OPHTHALMIC (EYE) DROPPERETTE 1 %	Nivel 4	
ISTALOL OPHTHALMIC (EYE) DROPS, ONCE DAILY 0.5 % (timolol maleate)	Nivel 4	MO
IYUZEH (PF) OPHTHALMIC (EYE) DROPPERETTE 0.005 %	Nivel 4	MO; ST: Must meet 2 of the following requirements: generic Prostaglandin Analog and Lumigan in 365 days; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	Nivel 2	MO
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	Nivel 2	MO
LUMIGAN OPTHALMIC (EYE) DROPS 0.01 %	Nivel 3	MO; QL (2.5 ML per 25 days)
PHOSPHOLINE IODIDE OPTHALMIC (EYE) DROPS 0.125 %	Nivel 5	MO
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	Nivel 2	MO
<i>pilocarpine hcl ophthalmic (eye) drops 1.25 %</i> (Vuity)	Nivel 2	MO; QL (10 ML per 30 days)
QLOSI OPTHALMIC (EYE) DROPPERETTE 0.4 %	Nivel 4	ST: Must meet the following requirement: generic Pilocarpine Ophthalmic Solution in 120 days; QL (2 EA per 1 day)
RHOPRESSA OPTHALMIC (EYE) DROPS 0.02 %	Nivel 4	MO; ST: Must meet the following requirements: Latanoprost and one of the following: Alphagan P 0.1%, Azopt, Combigan, Lumigan 0.01%, Simbrinza, or Travoprost in 365 days; QL (2.5 ML per 30 days)
ROCKLATAN OPTHALMIC (EYE) DROPS 0.02-0.005 %	Nivel 4	MO; ST: Must meet the following requirements: Latanoprost and one of the following: Alphagan P 0.1%, Azopt, Brimonidine 0.2%, Combigan, Lumigan 0.1%, Simbrinza, or Travatan Z in 365 days; QL (2.5 ML per 25 days)
SIMBRINZA OPTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	Nivel 3	MO
<i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i> (Zioptan (PF))	Nivel 2	MO; QL (1 EA per 1 day)
<i>timol-brimon-dorzol-bimato(pf) ophthalmic (eye) drops 0.5 %-0.15 %- 2 %-0.01 %</i>	Nivel 2	MO
<i>timolol maleate (pf) ophthalmic (eye) dropperette 0.25 %, 0.5 %</i> (Timoptic Ocudose (PF))	Nivel 2	MO; QL (2 EA per 1 day)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>timolol maleate ophthalmic (eye) drops, once daily 0.5 %</i> (Istalol)	Nivel 2	MO
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	Nivel 2	MO
<i>timolol ophthalmic (eye) drops 0.5 %</i> (Betimol)	Nivel 2	MO
<i>timolol-bimatoprost ophthalmic (eye) drops 0.5-0.01 %</i>	Nivel 2	MO
<i>timolol-brimon-dorzol-bimatop ophthalmic (eye) drops 0.5-0.1-2-0.01 %</i>	Nivel 2	MO
<i>timolol-brimonidi-dorzolam(pf) ophthalmic (eye) drops 0.5-0.15-2 %</i>	Nivel 2	MO
<i>timolol-brimonidine-dorzolamid ophthalmic (eye) drops 0.5-0.1-2 %</i>	Nivel 2	MO
<i>timolol-dorzolam-bimatopro(pf) ophthalmic (eye) drops 0.5-2-0.01 %</i>	Nivel 2	MO
<i>timolol-dorzolamide-bimatopros ophthalmic (eye) drops 0.5-2-0.01 %</i>	Nivel 2	MO
TIMOPTIC OCUDOSE (PF) OPTHALMIC (EYE) DROPPERETTE 0.25 %, 0.5 % (timolol maleate (pf))	Nivel 4	MO; QL (2 EA per 1 day)
TRAVATAN Z OPTHALMIC (EYE) DROPS 0.004 % (travoprost)	Nivel 4	MO; QL (2.5 ML per 25 days)
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	Nivel 2	MO; QL (2.5 ML per 25 days)
VIZZ OPTHALMIC (EYE) DROPPERETTE 1.44 %	Nivel 4	QL (1 EA per 1 day)
VUITY OPTHALMIC (EYE) DROPS 1.25 % (pilocarpine hcl)	Nivel 4	MO; QL (10 ML per 30 days)
VYZULTA OPTHALMIC (EYE) DROPS 0.024 %	Nivel 4	MO; ST: Must meet 2 of the following requirements: generic Prostaglandin Analog and Lumigan in 365 days; QL (2.5 ML per 30 days)
XALATAN OPTHALMIC (EYE) DROPS 0.005 % (latanoprost)	Nivel 4	MO
XELPROS OPTHALMIC (EYE) DROPS, EMULSION 0.005 %	Nivel 4	MO; ST: Must meet 2 of the following requirements: generic Prostaglandin Analog and Lumigan in 365 days; QL (2.5 ML per 25 days)
ZIOPTAN (PF) OPTHALMIC (EYE) DROPPERETTE 0.0015 % (tafluprost (pf))	Nivel 4	MO; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Ojo - Misceláneos		
Agentes Diagnosticos Para Los Ojos		
BIOGLO OPHTHALMIC (EYE) STRIP 1 MG (fluorescein)	Nivel 2	
<i>fluorescein ophthalmic (eye) strip 1 mg</i> (BioGlo)	Nivel 2	
GLOSTRIPS OPHTHALMIC (EYE) STRIP 1 MG (fluorescein)	Nivel 2	
GREEN GLO OPHTHALMIC (EYE) STRIP 1.5 MG (lissamine green)	Nivel 2	
Agentes Para Entrecruzamiento Corneal De Colágeno		
PHOTREXA CROSS-LINKING KIT OPHTHALMIC (EYE) COMBO, DROPS AND DROPS VISCOUS 0.146 % -0.146 %	Nivel 5	
Agentes Reductores De Cistina Oftálmica		
CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 %	Nivel 4	PA; MO
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	Nivel 4	PA; MO
Combinaciones Midriática Y Nsaid De Ojos		
MYDRIATIC4(TROP-PROP-PE-KTRLC) OPHTHALMIC (EYE) DROPS 1-0.5-2.5-0.5 % (tropic-proparacai-pe-ketor-wat)	Nivel 2	
Lágrimas Artificiales		
KLARITY (CHONDROITIN) (PF) OPHTHALMIC (EYE) DROPS 0.25 %	Nivel 4	
MIEBO (PF) OPHTHALMIC (EYE) DROPS 100 %	Nivel 3	
Preparados Para Los Ojos, Varios (Venta Libre)		
GELFILM OPHTHALMIC (EYE) FILM	Nivel 4	
Ojo - Trastornos Generales		
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	Nivel 4	
OXERVATE OPHTHALMIC (EYE) DROPS 0.002 %	Nivel 5	PA
<i>prednisoln sp-moxiflox-bromfen ophthalmic (eye) drops 1-0.5-0.075 %</i>	Nivel 2	
<i>prednisolone-moxiflo-nepafenac ophthalmic (eye) drops,suspension 1-0.5-0.1 %</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>prednisolone-moxiflox-bromfen ophthalmic (eye) drops,suspension 1-0.5-0.075 %</i>	Nivel 2	
<i>prednisolon-moxiflox-ketorolac ophthalmic (eye) drops 1-0.5-0.5 %</i>	Nivel 2	
TYRVAYA NASAL SPRAY, METERED, NON-AEROSOL 0.03 MG/SPRAY	Nivel 3	PA; MO
XDEMVI OPHTHALMIC (EYE) DROPS 0.25 %	Nivel 5	PA
Agentes Antiinflamatorios Para Los Ojos		
ACULAR LS OPHTHALMIC (EYE) DROPS 0.4 % (ketorolac)	Nivel 4	
ACULAR OPHTHALMIC (EYE) DROPS 0.5 % (ketorolac)	Nivel 4	QL (20 ML per 30 days)
ACUVAIL (PF) OPHTHALMIC (EYE) DROPPERETTE 0.45 %	Nivel 4	ST: Must meet the following requirements: Ilevro 0.3% and one of the following: Diclofenac 0.1% or Ketorolac 0.5% in 365 days; QL (60 EA per 15 days)
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 % (loteprednol etabonate)	Nivel 4	ST: Must meet any of the following requirements: generic ophthalmic Fluorometholone 0.1%, Dexamethasone 0.1%, or Prednisolone 1% in 120 days; QL (10 ML per 14 days)
<i>bromfenac ophthalmic (eye) drops 0.07 %</i> (Prolensa)	Nivel 2	ST: Must meet any of the following requirements: generic Ketorolac or Diclofenac ophthalmic drops in 120 days; QL (3 ML per 16 days)
<i>bromfenac ophthalmic (eye) drops 0.075 %</i> (BromSite)	Nivel 2	ST: Must meet any of the following requirements: generic Ketorolac or Diclofenac ophthalmic drops in 120 days; QL (5 ML per 16 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	Nivel 2	ST: Must meet any of the following requirements: generic Ketorolac or Diclofenac ophthalmic drops in 120 days; QL (3.4 ML per 16 days)
BROMSITE OPHTHALMIC (EYE) (bromfenac) DROPS 0.075 %	Nivel 4	ST: Must meet any of the following requirements: generic Ketorolac or Diclofenac ophthalmic drops in 120 days; QL (5 ML per 16 days)
<i>clobetasol ophthalmic (eye) drops,suspension 0.05 %</i>	Nivel 2	ST: Must meet any of the following requirements: generic ophthalmic Fluorometholone 0.1%, Dexamethasone 0.1%, or Prednisolone 1% in 120 days; QL (3.5 ML per 14 days)
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	Nivel 2	QL (15 ML per 14 days)
DEXTENZA INTRACANALICULAR INSERT 0.4 MG	Nivel 4	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	Nivel 2	QL (10 ML per 14 days)
<i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol)	Nivel 2	QL (10 ML per 14 days)
DUREZOL OPHTHALMIC (EYE) (difluprednate) DROPS 0.05 %	Nivel 4	QL (10 ML per 14 days)
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	Nivel 4	PA
FLAREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	Nivel 4	ST: Must meet any of the following requirements: generic ophthalmic Fluorometholone 0.1%, Dexamethasone 0.1%, or Prednisolone 1% in 120 days; QL (15 ML per 14 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	Nivel 2	QL (10 ML per 14 days)
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
FML FORTE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	Nivel 4	ST: Must meet any of the following requirements: generic ophthalmic Fluorometholone 0.1%, Dexamethasone 0.1%, or Prednisolone 1% in 120 days; QL (10 ML per 14 days)
FML LIQUIFILM OPHTHALMIC (EYE) (fluorometholone) DROPS,SUSPENSION 0.1 %	Nivel 4	QL (10 ML per 14 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	Nivel 3	QL (3.4 ML per 16 days)
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	Nivel 4	ST: Must meet any of the following requirements: generic ophthalmic Fluorometholone 0.1%, Dexamethasone 0.1%, or Prednisolone 1% in 120 days; QL (5.6 ML per 14 days)
<i>ketorolac ophthalmic (eye) drops 0.4 %</i> (Acular LS)	Nivel 2	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	Nivel 2	QL (20 ML per 30 days)
LOTEMAX OPHTHALMIC (EYE) (loteprednol etabonate) DROPS,GEL 0.5 %	Nivel 4	QL (10 GM per 14 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	Nivel 3	QL (7 GM per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	Nivel 3	QL (10 GM per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	Nivel 2	QL (10 GM per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)	Nivel 2	ST: Must meet any of the following requirements: generic ophthalmic Fluorometholone 0.1%, Dexamethasone 0.1%, or Prednisolone 1% in 120 days; QL (10 ML per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>	Nivel 2	QL (20 ML per 14 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
MAXIDEX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	Nivel 4	ST: Must meet any of the following requirements: generic ophthalmic Fluorometholone 0.1%, Dexamethasone 0.1%, or Prednisolone 1% in 120 days; QL (25 ML per 14 days)
NEVANAC OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	Nivel 4	ST: Must meet the following requirements: Ilevro 0.3% and one of the following: Diclofenac 0.1% or Ketorolac 0.5% in 365 days; QL (9 ML per 16 days)
PRED FORTE OPHTHALMIC (EYE) (prednisolone acetate) DROPS,SUSPENSION 1 %	Nivel 4	QL (20 ML per 14 days)
PRED MILD OPHTHALMIC (EYE) DROPS,SUSPENSION 0.12 %	Nivel 4	ST: Must meet any of the following requirements: generic ophthalmic Fluorometholone 0.1%, Dexamethasone 0.1%, or Prednisolone 1% in 120 days; QL (20 ML per 14 days)
<i>prednisolone acetate (pf) ophthalmic (eye) drops,suspension 1 %</i>	Nivel 2	QL (20 ML per 14 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	Nivel 2	QL (20 ML per 14 days)
<i>prednisolone acetate-bromfenac ophthalmic (eye) drops,suspension 1-0.075 %</i>	Nivel 2	
<i>prednisolone acetate-nepafenac ophthalmic (eye) drops,suspension 1-0.1 %</i>	Nivel 2	
<i>prednisolone sod ph-bromfenac ophthalmic (eye) drops 1-0.075 %</i>	Nivel 2	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	Nivel 2	QL (20 ML per 14 days)
PROLENSA OPHTHALMIC (EYE) (bromfenac) DROPS 0.07 %	Nivel 4	ST: Must meet any of the following requirements: generic Ketorolac or Diclofenac ophthalmic drops in 120 days; QL (3 ML per 16 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Anestesia Local Para Los Ojos		
AKTEN (PF) OPHTHALMIC (EYE) GEL 3.5 %	Nivel 4	
ALCAINE OPHTHALMIC (EYE) DROPS (proparacaine) 0.5 %	Nivel 2	
ALTACAIN OPHTHALMIC (EYE) DROPS 0.5 % (tetracaine hcl)	Nivel 2	
ALTAFLUOR BENOX OPHTHALMIC (EYE) DROPS 0.25-0.4 % (fluorescein-benoxinate)	Nivel 2	
<i>fluorescein-benoxinate ophthalmic (eye) drops 0.3-0.4 %</i>	Nivel 2	
<i>fluorescein-proparacaine ophthalmic (eye) drops 0.25-0.5 %</i>	Nivel 2	
IHEEZO (PF) OPHTHALMIC (EYE) DROPPERETTE, GEL 3 %	Nivel 4	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	Nivel 2	
<i>tetracaine hcl (pf) ophthalmic (eye) drops 0.5 %</i>	Nivel 2	
<i>tetracaine hcl ophthalmic (eye) drops 0.5 %</i> (Altacaine)	Nivel 2	
Antibióticos Oftálmicos		
AZASITE OPHTHALMIC (EYE) DROPS 1 %	Nivel 4	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	Nivel 2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	Nivel 2	
BESIVANCE OPHTHALMIC (EYE) DROPS, SUSPENSION 0.6 %	Nivel 3	
CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 %	Nivel 3	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	Nivel 2	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	Nivel 2	
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>	Nivel 2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	Nivel 2	
<i>levofloxacin ophthalmic (eye) drops 0.5 %, 1.5 %</i>	Nivel 2	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>moxifloxacin ophthalmic (eye) drops, viscous 0.5 %</i>	Nivel 2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	Nivel 2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	Nivel 2	
NEO-POLYCIN OPHTHALMIC (EYE) OINTMENT 3.5-400-10,000 MG-UNIT-UNIT/G (neomycin-bacitracin-polymyxin)	Nivel 2	
OCUFLOX OPHTHALMIC (EYE) DROPS 0.3 % (ofloxacin)	Nivel 4	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	Nivel 2	
POLYCIN OPHTHALMIC (EYE) OINTMENT 500-10,000 UNIT/GRAM (bacitracin-polymyxin b)	Nivel 2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	Nivel 2	
<i>tobramycin 0.3% eye drop</i>	Nivel 2	
<i>tobramycin-vancomycin ophthalmic (eye) drops 1.5-5 %</i>	Nivel 2	
TOBREX OPHTHALMIC (EYE) OINTMENT 0.3 %	Nivel 3	
VIGAMOX OPHTHALMIC (EYE) DROPS 0.5 % (moxifloxacin)	Nivel 4	
Antihistamínicos Para Ojos		
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	Nivel 2	QL (12 ML per 30 days)
<i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i> (Bepreve)	Nivel 2	ST: Must meet any of the following requirements: generic ophthalmic antihistamine (Azelastine, Epinastine, or Olopatadine) in 120 days; QL (10 ML per 30 days)
BEPREVE OPHTHALMIC (EYE) DROPS 1.5 % (bepotastine besilate)	Nivel 4	ST: Must meet any of the following requirements: generic ophthalmic antihistamine (Azelastine, Epinastine, or Olopatadine) in 120 days; QL (10 ML per 30 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	Nivel 2	QL (10 ML per 30 days)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>olopatadine ophthalmic (eye) drops 0.1 %</i>	(Eye Allergy Itch-Redness Rlf)	Nivel 2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i>	(Advanced Eye Relief (olopatad))	Nivel 2	QL (3 ML per 30 days)
ZERVIAE OPHTHALMIC (EYE) DROPPERETTE 0.24 %		Nivel 4	QL (60 EA per 30 days)
Antivirales Para Los Ojos			
<i>trifluridine ophthalmic (eye) drops 1 %</i>		Nivel 2	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %		Nivel 4	ST: Must meet any of the following requirements: oral Acyclovir, Famciclovir, or Valacyclovir in 120 days
Combinaciones Antibióticos-Corticoides Para Los Ojos			
MAXITROL OPHTHALMIC (EYE) DROPS,SUSPENSION 3.5MG/ML-10,000 UNIT/ML-0.1 %	(neomycin-polymyxin b-dexameth)	Nivel 4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(Neo-Polycin HC)	Nivel 2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	(Maxitrol)	Nivel 2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	(Maxitrol)	Nivel 2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>		Nivel 2	
NEO-POLYCIN HC OPHTHALMIC (EYE) OINTMENT 3.5-400-10,000 MG-UNIT/G-1%	(neomycin-bacitracin-poly-hc)	Nivel 2	
PRED-G S.O.P. OPHTHALMIC (EYE) OINTMENT 0.3-0.6 %		Nivel 4	
<i>prednisolone sod ph-moxiflox ophthalmic (eye) drops 1-0.5 %</i>		Nivel 2	
<i>prednisolone-moxifloxacin hcl ophthalmic (eye) drops,suspension 1-0.5 %</i>		Nivel 2	
TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 %		Nivel 3	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 %	Nivel 4	ST: Must meet the following requirement: generic ophthalmic Tobramycin/Dexamethasone drops in 120 days
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	Nivel 2	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	Nivel 4	
Estabilizadores De Mastocitos Oftálmicos		
<i>cromolyn ophthalmic (eye) drops 4 %</i>	Nivel 2	QL (50 ML per 30 days)
Inmunomodulador Antiinflamatorio Oftálmico-Tipo		
CEQUA OPHTHALMIC (EYE) DROPPERETTE 0.09 %	Nivel 4	MO; ST: Must meet two of the following requirements: Miebo, Restasis/Cyclosporine, Tyrvaya, or Xiidra in 365 days; QL (60 EA per 30 days)
CYCLOSPORINE IN KLARITY OPHTHALMIC (EYE) DROPS 0.1-0.25 %	Nivel 2	MO
<i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> (Restasis)	Nivel 2	MO; QL (60 EA per 30 days)
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %	Nivel 3	MO; QL (5.5 ML per 30 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 % (cyclosporine)	Nivel 2	MO; QL (60 EA per 30 days)
VERKAZIA OPHTHALMIC (EYE) DROPPERETTE 0.1 %	Nivel 4	PA; MO
VEVYE OPHTHALMIC (EYE) DROPS 0.1 %	Nivel 4	PA; MO
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	Nivel 3	MO; QL (60 EA per 30 days)
Preparados Oftálmicos, Varios		
ACUICYN TOPICAL SPRAY,NON-AEROSOL 0.01 %	Nivel 4	
AMVISC INTRAOCULAR SYRINGE 12 MG/ML	Nivel 4	
AMVISC PLUS INTRAOCULAR SYRINGE 16 MG/ML	Nivel 4	
AVENOVA TOPICAL SPRAY,NON-AEROSOL 0.01 %	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
BIOLON INTRAOCULAR SYRINGE 10 MG/ML	Nivel 4	
HEALON GV PRO INTRAOCULAR SYRINGE 18 MG/ML	Nivel 4	
HEALON PRO INTRAOCULAR SYRINGE 10 MG/ML	Nivel 4	
HEALON5 PRO INTRAOCULAR SYRINGE 23 MG/ML	Nivel 4	
PROVISC INTRAOCULAR SYRINGE 10 MG/ML	Nivel 4	
TOTALVISC INTRAOCULAR SYRINGE 2.5 % (1 ML) 1 % (1 ML)	Nivel 4	
Sulfomanidas Para Los Ojos		
BLEPHAMIDE S.O.P. OPHTHALMIC (EYE) OINTMENT 10-0.2 %	Nivel 3	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	Nivel 2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	Nivel 2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	Nivel 2	
Vasoconstrictores Para Los Ojos (Rx Solamente)		
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	Nivel 2	
UPNEEQ (PF) OPHTHALMIC (EYE) DROPPERETTE 0.1 %	Nivel 4	PA
Otros Medicamentos		
ANDEMBRY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 200 MG/1.2 ML	Nivel 5	PA; MO
AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG	Nivel 5	PA; MO
BD VERITOR SARS-COV-2, FLU A-B KIT	Nivel 1	
BD VERITOR SYSTEM SARS-COV-2 KIT	Nivel 1	
BINAXNOW COVID-19 AG CARD KIT	Nivel 1	
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	Nivel 5	MO; ST: Must meet the following requirements: Inhaled 7% Sodium Chloride solution in 120 days; QL (20 EA per 1 day); Age (Min 18 Years)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG	Nivel 4	MO; ST: Must meet any of the following requirements: generic atypical antipsychotic, Rexulti, or Vraylar in 120 days; QL (2 EA per 1 day)
COBENFY ORAL CAPSULE 50-20 MG	Nivel 4	ST: Must meet any of the following requirements: generic atypical antipsychotic, Rexulti, or Vraylar in 120 days; QL (2 EA per 1 day)
COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG	Nivel 4	ST: Must meet any of the following requirements: generic atypical antipsychotic, Rexulti, or Vraylar in 120 days
CONSENSI ORAL TABLET 10-200 MG, 2.5-200 MG, 5-200 MG	Nivel 4	MO
CORDX TYFAST FLU-COVID-19 TEST KIT	Nivel 1	
<i>covid19 test adm.by pharmacist</i>	Nivel 1	
DUVYZAT ORAL SUSPENSION 8.86 MG/ML	Nivel 5	PA; MO
<i>eua patient assessment</i>	Nivel 1	
EXEM INTRAUTERINE INFUSION FOAM IN SYRINGE	Nivel 4	
FASTEP COVID-19 AG HOME TEST KIT	Nivel 1	
FLOWFLEX PLUS COVID-19 AND FLU KIT	Nivel 1	
GLEOLAN ORAL RECON SOLN 30 MG/ML	Nivel 4	
ID NOW COVID-19 TEST KIT KIT	Nivel 1	
<i>midazolam (pf) injection solution 5 mg/ml</i>	Nivel 2	
<i>midazolam injection solution 5 mg/ml</i>	Nivel 2	
<i>moxifloxacin-bromfenac ophthalmic (eye) drops 0.5-0.075 %</i>	Nivel 2	
PIXEL COVID19 HOME COLLECT KIT (covid-19 test specimen collect)	Nivel 1	
QUICKVUE SARS ANTIGEN KIT	Nivel 1	
RAPIDGO FLU AND COVID-19 TEST KIT	Nivel 1	
SOFIA SARS ANTIGEN FIA KIT	Nivel 1	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SOFIA2 FLU-SARS ANTIGEN FIA KIT	Nivel 1	
SPEEDYSWAB COVID-19 AND FLU KIT	Nivel 1	
T.R.U.E. TEST ALLERGEN TOPICAL ADHESIVE PATCH,MEDICATED	Nivel 4	
TRYPTYR OPHTHALMIC (EYE) DROPPERETTE 0.003 %	Nivel 4	PA; MO
VYKAT XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 25 MG, 75 MG	Nivel 5	PA; MO
ZELSUVMI TOPICAL GEL 10.3 %	Nivel 4	PA
Adhesivos De Tejido/Herida		
ARTISS TOPICAL SYRINGE 2.5 TO 6.5 UNIT/ML (10ML), 2.5 TO 6.5 UNIT/ML (2 ML), 2.5 TO 6.5 UNIT/ML (4 ML)	Nivel 4	
TISSEEL VHSD (APROTININ, SYN) TOPICAL KIT 10 ML, 2 ML, 4 ML	Nivel 4	
TISSEEL VHSD (APROTININ, SYN) TOPICAL SYRINGE 10 ML, 2 ML, 4 ML	Nivel 4	
Agentes Colorantes Y Tintes		
<i>methylene blue (bulk-solid) powder</i>	Nivel 4	
Agentes Criopreservativos		
CRYOSERV SOLUTION 99 %	Nivel 4	
Agentes De Deficiencia Metabólica		
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	Nivel 4	PA; MO
CARNITOR (SUGAR-FREE) ORAL SOLUTION 100 MG/ML (levocarnitine)	Nivel 4	MO
CARNITOR ORAL SOLUTION 100 MG/ML (levocarnitine (with sugar))	Nivel 4	MO
CARNITOR ORAL TABLET 330 MG (levocarnitine)	Nivel 4	MO
CYSTADANE ORAL POWDER 1 GRAM/SCOOP (betaine)	Nivel 5	PA; MO
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	Nivel 2	MO
<i>levocarnitine oral solution 100 mg/ml</i> (Carnitor (sugar-free))	Nivel 2	MO
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	Nivel 2	MO
Agentes De Mucositis Oral/Estomatitis		
GELCLAIR MUCOUS MEMBRANE GEL IN PACKET	Nivel 4	
MUGARD MUCOUS MEMBRANE SOLUTION	Nivel 4	
ORAMAGICRX MUCOUS MEMBRANE MOUTHWASH	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ORAPEUTIC MUCOUS MEMBRANE GEL	Nivel 4	
Agentes De Suspensión		
GELFILM IMPLANT FILM	Nivel 4	
<i>hydroxypropyl cellulose powder</i>	Nivel 4	
Agentes Estimulantes De Saliva		
NUMOISYN MUCOUS MEMBRANE LOZENGE 0.3 GRAM	Nivel 4	
Agentes Generales De Inhalación		
HYPER-SAL INHALATION SOLUTION FOR NEBULIZATION 3.5 %	Nivel 4	
HYPER-SAL INHALATION SOLUTION (sodium chloride) FOR NEBULIZATION 7 %	Nivel 4	
NEBUSAL INHALATION SOLUTION (sodium chloride) FOR NEBULIZATION 3 %	Nivel 2	
NEBUSAL INHALATION SOLUTION FOR NEBULIZATION 6 %	Nivel 4	
PULMOSAL INHALATION SOLUTION (sodium chloride) FOR NEBULIZATION 7 %	Nivel 4	
<i>sodium chloride inhalation solution for nebulization 0.9 %, 10 %</i>	Nivel 2	
<i>sodium chloride inhalation solution for nebulization 3 %</i> (NebuSal)	Nivel 2	
<i>sodium chloride inhalation solution for nebulization 7 %</i> (Hyper-Sal)	Nivel 2	
Agentes Para Uso Estomatológico		
DEBACTEROL MUCOUS MEMBRANE SOLUTION 30-50 %	Nivel 4	
PROTHELIAL MUCOUS MEMBRANE PASTE 1 GRAM/10 ML	Nivel 4	
Agentes Sanadores De Heridas, Locales		
<i>balsam peru-castor oil topical ointment</i> (BPCO)	Nivel 2	
<i>balsam peru-castor oil topical ointment in packet</i> (Venelex)	Nivel 2	
BPCO TOPICAL OINTMENT (balsam peru-castor oil)	Nivel 2	
DERMACINRX CLORHEXACIN TOPICAL KIT 2-4-5 %	Nivel 4	
DERMACINRX SURGICAL PHARMAPAK TOPICAL KIT 2-4-5 %	Nivel 4	
DERMAWERX SURGICAL PLUS PAK TOPICAL KIT 2-4-5 %	Nivel 4	
DERMULCERA TOPICAL OINTMENT (balsam peru-castor oil)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
FILSUVEZ TOPICAL GEL 10 %	Nivel 5	PA; MO
VENELEX TOPICAL OINTMENT (balsam peru-castor oil)	Nivel 4	
VENELEX TOPICAL OINTMENT IN PACKET (balsam peru-castor oil)	Nivel 4	
WHYTEDERM SURGIPAK TOPICAL KIT 2-4-2 %	Nivel 4	
Agentes Somatostáticos		
MYCAPSSA ORAL CAPSULE, DELAYED RELEASE (DR/EC) 20 MG	Nivel 5	PA; MO
octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml	Nivel 4	MO
octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml, 500 mcg/ml (Sandostatin)	Nivel 4	MO
octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)	Nivel 4	MO
SANDOSTATIN INJECTION SOLUTION 100 MCG/ML, 50 MCG/ML, 500 MCG/ML (octreotide acetate)	Nivel 5	MO
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	Nivel 5	PA; MO
Agentes Sustitutos De Saliva		
AQUORAL MUCOUS MEMBRANE AEROSOL, SPRAY	Nivel 4	
CAPHOSOL MUCOUS MEMBRANE SOLUTION	Nivel 4	
MUCOSITISRX MUCOUS MEMBRANE POWDER IN PACKET 351 MG	Nivel 4	
NUMOISYN MUCOUS MEMBRANE LIQUID	Nivel 4	
SALIVAMAX MUCOUS MEMBRANE POWDER IN PACKET 351 MG	Nivel 4	
Anestesia General, Inhalante		
desflurane inhalation liquid 100 % (Suprane)	Nivel 2	
FORANE INHALATION LIQUID 99.9 % (isoflurane)	Nivel 4	
isoflurane inhalation liquid 99.9 % (Terrell)	Nivel 2	
sevoflurane inhalation liquid 99.97 % (Ultane)	Nivel 2	
SUPRANE INHALATION LIQUID 100 % (desflurane)	Nivel 4	
TERRELL INHALATION LIQUID 99.9 % (isoflurane)	Nivel 2	
ULTANE INHALATION LIQUID 99.97 % (sevoflurane)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Antagonista De Receptor De Abortivos, Progesterona		
MIFEPREX ORAL TABLET 200 MG (mifepristone)	Nivel 4	
<i>mifepristone oral tablet 200 mg</i> (Mifeprex)	Nivel 2	
Antagonistas De Receptor Muscarínico		
ATROPEN INTRAMUSCULAR PEN INJECTOR 0.5 MG/0.7 ML, 1 MG/0.7 ML	Nivel 4	
Antivenenos		
ANASCORP INTRAVENOUS RECON SOLN 120 MG	Nivel 4	
Condomes		
AIMSCO LATEX CONDOM DEVICE	Nivel 1	
DUREX AVANTI BARE REAL FEEL	Nivel 1	
DUREX EXTRA SENSITIVE CONDOM DEVICE	Nivel 1	
DUREX TROPICAL CONDOM DEVICE	Nivel 1	
FANTASY CONDOM DEVICE	Nivel 1	
FC2 FEMALE CONDOM	Nivel 1	
KIMONO LUBRICATED CONDOMS DEVICE	Nivel 1	
KIMONO MICROTHIN AQUA LUBE CON DEVICE	Nivel 1	
KIMONO MICROTHIN CONDOMS DEVICE	Nivel 1	
KIMONO MICROTHIN LARGE CONDOMS DEVICE	Nivel 1	
KIMONO TEXTURED CONDOMS DEVICE	Nivel 1	
KIMONO THIN LUBRICATED CONDOMS DEVICE	Nivel 1	
TROJAN ULTRA RIBBED CONDOM DEVICE	Nivel 1	
TRUE COVER CONDOM DEVICE	Nivel 1	
TRUSTEX LATEX CONDOM DEVICE	Nivel 1	
TRUSTEX LUBRICATED CONDOMS DEVICE	Nivel 1	
TRUSTEX NON-LUB CONDOMS DEVICE	Nivel 1	
TRUSTEX-RIA LUB/SPERMICIDE DEVICE	Nivel 1	
TRUSTEX-RIA LUBRICATED CONDOMS DEVICE	Nivel 1	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
TRUSTEX-RIA NON-LUB CONDOMS DEVICE	Nivel 1	
Diagnósticos De Función Metabólica		
METOPIRONE ORAL CAPSULE 250 MG	Nivel 5	
Diagnósticos De Radiopaco Del Tracto Urinario		
CYSTO-CONRAY II URETHRAL SOLUTION 17.2 %	Nivel 4	
CYSTOGRAFIN URETHRAL SOLUTION 30 %	Nivel 4	
CYSTOGRAFIN-DILUTE URETHRAL SOLUTION 18 %	Nivel 4	
Diagnósticos Radiactivos, General		
XENON XE-133 INHALATION GAS 370 MBQ (10 MCI), 740 MBQ (20 MCI)	Nivel 4	
Diagnósticos Radiopaco Gastrointestinal		
<i>diatrizoate meg-diatrizoat sod oral solution 66-10 %</i> (MD-Gastroview)	Nivel 2	
ENTERO VU ORAL SUSPENSION 24 %	Nivel 4	
E-Z DISK ORAL TABLET 700 MG	Nivel 4	
E-Z-HD BARIUM ORAL SUSPENSION FOR RECONSTITUTION 98 %	Nivel 4	
E-Z-PAQUE ORAL SUSPENSION FOR RECONSTITUTION 96 % (W/W)	Nivel 4	
E-Z-PASTE ORAL CREAM 60 %	Nivel 4	
GASTROGRAFIN ORAL SOLUTION 66-10 % (diatrizoate meg-diatrizoat sod)	Nivel 4	
GASTROMARK ORAL SUSPENSION 175 MCG/ML IRON	Nivel 4	
LIQUID E-Z PAQUE ORAL SUSPENSION 60 % (W/V)	Nivel 4	
LIQUID POLIBAR PLUS ORAL SUSPENSION 105 % (W/V), 58 % (W/W)	Nivel 4	
MD-GASTROVIEW ORAL SOLUTION 66-10 % (diatrizoate meg-diatrizoat sod)	Nivel 2	
NEULUMEX ORAL SUSPENSION 0.1 %	Nivel 4	
POLIBAR ACB RECTAL ENEMA 96 %	Nivel 4	
READI-CAT 2 ORAL SUSPENSION 2 % (W/V)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SITZMARKS FOR KIDS ORAL CAPSULE 24 MARKERS	Nivel 4	
SITZMARKS ORAL CAPSULE 24 MARKERS	Nivel 4	
TAGITOL V ORAL SUSPENSION 40 % (W/V)	Nivel 4	
VARIBAR HONEY ORAL SUSPENSION 40 % (W/V) 29% (W/W)	Nivel 4	
VARIBAR NECTAR ORAL SUSPENSION 40 % (W/V)	Nivel 4	
VARIBAR PUDDING ORAL PASTE 40 % (W/V), 30% (W/W)	Nivel 4	
VARIBAR THIN HONEY ORAL SUSPENSION 40 % (W/V), 29% (W/W) (1500 CPS)	Nivel 4	
VARIBAR THIN LIQUID ORAL POWDER 81 % (W/W)	Nivel 4	
Dispositivos Con Aguja/Sin Aguja		
1ST TIER UNIFINE PENTIPS NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" (pen needle, diabetic)	Nivel 6	MO
1ST TIER UNIFINE PENTIPS PLUS NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" (pen needle, diabetic)	Nivel 6	MO
ADVOCATE PEN NEEDLE NEEDLE 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" (pen needle, diabetic)	Nivel 6	MO
AQINJECT PEN NEEDLE NEEDLE 31 GAUGE X 3/16", 32 GAUGE X 5/32" (pen needle, diabetic)	Nivel 6	MO
ASSURE ID DUO PRO SFTY PEN NDL NEEDLE 31 GAUGE X 3/16" (pen needle, diabetic, safety)	Nivel 6	MO
ASSURE ID PEN NEEDLE NEEDLE 30 GAUGE X 5/16"	Nivel 6	MO
ASSURE ID PRO PEN NEEDLE NEEDLE 30 GAUGE X 3/16"	Nivel 6	MO
AUTOSHIELD DUO PEN NEEDLE NEEDLE 30 GAUGE X 3/16"	Nivel 6	MO
CAREFINE PEN NEEDLE NEEDLE 29 GAUGE X 1/2", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/32" (pen needle, diabetic)	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CARETOUCH PEN NEEDLE NEEDLE (pen needle, diabetic) 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 3/16", 32 GAUGE X 5/32"	Nivel 6	MO
CLICKFINE PEN NEEDLE NEEDLE 31 (pen needle, diabetic) GAUGE X 1/4", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	Nivel 6	MO
COMFORT EZ PEN NEEDLES NEEDLE (pen needle, diabetic) 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 1/4", 33 GAUGE X 3/16", 33 GAUGE X 5/32"	Nivel 6	MO
COMFORT EZ PEN NEEDLES NEEDLE 33 GAUGE X 5/16"	Nivel 6	MO
COMFORT EZ PRO SAFETY PEN NDL NEEDLE 30 GAUGE X 5/16"	Nivel 6	MO
COMFORT EZ PRO SAFETY PEN NDL (pen needle, diabetic, NEEDLE 31 GAUGE X 3/16", 31 safety) GAUGE X 5/32"	Nivel 6	MO
COMFORT TOUCH PEN NEEDLE (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 31 GAUGE X 5/32", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 1/4", 33 GAUGE X 3/16", 33 GAUGE X 5/32"	Nivel 6	MO
DROPLET MICRON PEN NEEDLE NEEDLE 34 GAUGE X 9/64"	Nivel 6	MO
DROPLET PEN NEEDLE NEEDLE 29 (pen needle, diabetic) GAUGE X 1/2", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32"	Nivel 6	MO
DROPLET PEN NEEDLE NEEDLE 29 GAUGE X 3/8"	Nivel 6	MO
DROPSAFE PEN NEEDLE NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	Nivel 6	MO
DROPSAFE PEN NEEDLE NEEDLE 31 (pen needle, diabetic, GAUGE X 3/16" safety)	Nivel 6	MO
EASY COMFORT PEN NEEDLES NEEDLE 29 GAUGE X 3/16", 29 GAUGE X 5/32"	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
EASY COMFORT PEN NEEDLES (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 1/4", 33 GAUGE X 3/16", 33 GAUGE X 5/32"	Nivel 6	MO
EASY COMFORT SAFETY PEN NEEDLE 31 GAUGE X 1/4", 32 GAUGE X 5/32"	Nivel 6	MO
EASY COMFORT SAFETY PEN (pen needle, diabetic, safety) NEEDLE 31 GAUGE X 3/16"	Nivel 6	MO
EASY GLIDE PEN NEEDLE (pen needle, diabetic) 33 GAUGE X 5/32"	Nivel 6	MO
EASY TOUCH NEEDLE (pen needle, diabetic) 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/32"	Nivel 6	MO
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 30 GAUGE X 5/16"	Nivel 6	MO
EASY TOUCH SAFETY PEN NEEDLE 29 GAUGE X 3/16", 29 GAUGE X 5/16", 30 GAUGE X 1/4", 30 GAUGE X 3/16", 30 GAUGE X 5/16"	Nivel 6	MO
EMBRACE PEN NEEDLE (pen needle, diabetic) 29 GAUGE X 1/2", 30 GAUGE X 3/16", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	Nivel 6	MO
HEALTHWISE PEN NEEDLE (pen needle, diabetic) 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	Nivel 6	MO
INCONTROL PEN NEEDLE (pen needle, diabetic) 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	Nivel 6	MO
INSUPEN PEN NEEDLE (pen needle, diabetic) 29 GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32"	Nivel 6	MO
MAXICOMFORT II PEN NEEDLE (pen needle, diabetic) 31 GAUGE X 1/4"	Nivel 6	MO
MAXICOMFORT SAFETY PEN NEEDLE 29 GAUGE X 3/16", 29 GAUGE X 5/16"	Nivel 6	MO
MINI ULTRA-THIN II NEEDLE (pen needle, diabetic) 31 GAUGE X 3/16"	Nivel 6	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
NANO 2ND GEN PEN NEEDLE NEEDLE 32 GAUGE X 5/32"	(pen needle, diabetic)	Nivel 6	MO
NANO PEN NEEDLE NEEDLE 32 GAUGE X 5/32"	(pen needle, diabetic)	Nivel 6	MO
NOVOFINE 32 NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	Nivel 6	MO
NOVOFINE PLUS NEEDLE 32 GAUGE X 1/6"		Nivel 6	MO
PEN NEEDLE NEEDLE 29 GAUGE X 1/2", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	(pen needle, diabetic)	Nivel 6	MO
<i>pen needle, diabetic needle 29 gauge x 1/2", 31 gauge x 1/4", 31 gauge x 3/16", 31 gauge x 5/16", 32 gauge x 5/32"</i>	(1st Tier Unifine Pentips)	Nivel 6	MO
<i>pen needle, diabetic needle 29 gauge x 15/32", 31 gauge x 1/3", 31 gauge x 1/6", 31 gauge x 13/64", 31 gauge x 15/64"</i>		Nivel 6	MO
<i>pen needle, diabetic needle 30 gauge x 3/16"</i>	(Embrace Pen Needle)	Nivel 6	MO
<i>pen needle, diabetic needle 30 gauge x 5/16", 32 gauge x 1/4", 32 gauge x 3/16"</i>	(CareFine Pen Needle)	Nivel 6	MO
<i>pen needle, diabetic needle 31 gauge x 5/32"</i>	(Comfort Touch Pen Needle)	Nivel 6	MO
<i>pen needle, diabetic needle 32 gauge x 5/16", 33 gauge x 1/4", 33 gauge x 3/16"</i>	(Comfort EZ Pen Needles)	Nivel 6	MO
<i>pen needle, diabetic needle 33 gauge x 5/32"</i>	(Advocate Pen Needle)	Nivel 6	MO
<i>pen needle, diabetic, safety needle 31 gauge x 3/16"</i>	(Assure ID Duo Pro Sfty Pen Ndl)	Nivel 6	MO
<i>pen needle, diabetic, safety needle 31 gauge x 5/32"</i>	(Comfort EZ PRO Safety Pen Ndl)	Nivel 6	MO
PENTIPS PEN NEEDLE NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32"	(pen needle, diabetic)	Nivel 6	MO
PIP PEN NEEDLE NEEDLE 31 GAUGE X 3/16", 32 GAUGE X 5/32"	(pen needle, diabetic)	Nivel 6	MO
PREVENT DROPSAFE PEN NEEDLE NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"		Nivel 6	MO
PRO COMFORT PEN NEEDLE NEEDLE 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/32"	(pen needle, diabetic)	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PURE COMFORT PEN NEEDLE (pen needle, diabetic) NEEDLE 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32"	Nivel 6	MO
PURE COMFORT SAFETY PEN NEEDLE NEEDLE 31 GAUGE X 1/4", 32 GAUGE X 5/32"	Nivel 6	MO
PURE COMFORT SAFETY PEN (pen needle, diabetic, safety) NEEDLE NEEDLE 31 GAUGE X 3/16"	Nivel 6	MO
SAFETY PEN NEEDLE NEEDLE 31 (pen needle, diabetic, safety) GAUGE X 3/16"	Nivel 6	MO
SECURESAFE PEN NEEDLE NEEDLE 30 GAUGE X 5/16"	Nivel 6	MO
SIMPLI PEN NEEDLE NEEDLE 32 (pen needle, diabetic) GAUGE X 5/32"	Nivel 6	MO
SKY SAFETY PEN NEEDLE NEEDLE 30 GAUGE X 3/16", 30 GAUGE X 5/16"	Nivel 6	MO
SURE COMFORT PEN NEEDLE (pen needle, diabetic) NEEDLE 29 GAUGE X 1/2", 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32"	Nivel 6	MO
SURE COMFORT SAFETY PEN NEEDLE NEEDLE 31 GAUGE X 1/4", 32 GAUGE X 5/32"	Nivel 6	MO
SURE-FINE PEN NEEDLES NEEDLE (pen needle, diabetic) 29 GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16"	Nivel 6	MO
TECHLITE PEN NEEDLE NEEDLE 29 (pen needle, diabetic) GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32"	Nivel 6	MO
TECHLITE PLUS PEN NEEDLE (pen needle, diabetic) NEEDLE 32 GAUGE X 5/32"	Nivel 6	MO
TOPCARE CLICKFINE NEEDLE 31 (pen needle, diabetic) GAUGE X 1/4", 31 GAUGE X 5/16"	Nivel 6	MO
TRUE COMFORT PEN NEEDLE (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/32", 33 GAUGE X 1/4", 33 GAUGE X 3/16", 33 GAUGE X 5/32"	Nivel 6	MO
TRUE COMFORT SAFETY PEN NEEDLE NEEDLE 31 GAUGE X 1/4", 32 GAUGE X 5/32"	Nivel 6	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
TRUE COMFORT SAFETY PEN NEEDLE 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	Nivel 6	MO
TRUEPLUS PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	(pen needle, diabetic)	Nivel 6	MO
ULTICARE PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32"	(pen needle, diabetic)	Nivel 6	MO
ULTICARE SAFETY PEN NEEDLE 30 GAUGE X 3/16", 30 GAUGE X 5/16"		Nivel 6	MO
ULTIGUARD SAFEPAK-PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32"		Nivel 6	MO
ULTILET PEN NEEDLE 29 GAUGE		Nivel 6	MO
ULTILET PEN NEEDLE 32 GAUGE X 5/32"	(pen needle, diabetic)	Nivel 6	MO
ULTRA FLO PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32"	(pen needle, diabetic)	Nivel 6	MO
ULTRA THIN PEN NEEDLE 32 GAUGE X 5/32"	(pen needle, diabetic)	Nivel 6	MO
ULTRACARE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32"	(pen needle, diabetic)	Nivel 6	MO
ULTRA-FINE PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4"	(pen needle, diabetic)	Nivel 6	MO
ULTRA-THIN II (SHORT) PEN NDL NEEDLE 31 GAUGE X 5/16"	(pen needle, diabetic)	Nivel 6	MO
ULTRA-THIN II INS PEN NEEDLES 29 GAUGE X 1/2"	(pen needle, diabetic)	Nivel 6	MO
UNIFINE OTC PEN NEEDLE 31 GAUGE X 3/16", 32 GAUGE X 5/32"	(pen needle, diabetic)	Nivel 6	MO
UNIFINE PENTIPS MAXFLOW NEEDLE 30 GAUGE X 3/16"	(pen needle, diabetic)	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
UNIFINE PENTIPS NEEDLE 29 GAUGE (pen needle, diabetic) X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32", 33 GAUGE X 5/32"	Nivel 6	MO
UNIFINE PENTIPS PLUS MAXFLOW NEEDLE 30 GAUGE X 3/16" (pen needle, diabetic)	Nivel 6	MO
UNIFINE PENTIPS PLUS NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" (pen needle, diabetic)	Nivel 6	MO
UNIFINE PROTECT NEEDLE 30 GAUGE X 3/16", 30 GAUGE X 5/16", 32 GAUGE X 5/32"	Nivel 6	MO
UNIFINE SAFECONTROL PEN NEEDLE NEEDLE 30 GAUGE X 3/16", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	Nivel 6	MO
UNIFINE SAFECONTROL PEN NEEDLE NEEDLE 31 GAUGE X 3/16" (pen needle, diabetic, safety)	Nivel 6	MO
UNIFINE ULTRA PEN NEEDLE NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" (pen needle, diabetic)	Nivel 6	MO
VERIFINE PEN NEEDLE NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32" (pen needle, diabetic)	Nivel 6	MO
VERIFINE PLUS PEN NEEDLE NEEDLE 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" (pen needle, diabetic)	Nivel 6	MO
VERIFINE PLUS PEN NEEDLE-SHARP NEEDLE 32 GAUGE X 5/32"	Nivel 6	MO
Elementos Radiofarmacéuticos		
INDICLOR SOLUTION 5 MCI/0.5 ML (185 MBQ) (indium-111 chloride)	Nivel 4	
Envenenamiento Por Metales,Agentes Para Tratar		
CHEMET ORAL CAPSULE 100 MG	Nivel 4	
CUVRIOR ORAL TABLET 300 MG	Nivel 5	PA; MO
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	Nivel 4	PA; MO
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)	Nivel 4	PA; MO
<i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox)	Nivel 4	PA; MO
<i>deferoxamine injection recon soln 2 gram</i>	Nivel 2	PA
<i>deferoxamine injection recon soln 500 mg</i> (Desferal)	Nivel 2	PA
DEFERAL INJECTION RECON SOLN 500 MG (deferoxamine)	Nivel 4	PA
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG (deferasirox)	Nivel 5	PA; MO
FERRIPROX (2 TIMES A DAY) ORAL TABLET, MODIFIED RELEASE 1,000 MG	Nivel 5	PA; MO
FERRIPROX ORAL SOLUTION 100 MG/ML	Nivel 5	PA; MO
FERRIPROX ORAL TABLET 1,000 MG, 500 MG (deferiprone)	Nivel 5	PA; MO
GALZIN ORAL CAPSULE 25 MG (ZINC), 50 MG (ZINC)	Nivel 4	
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG (deferasirox)	Nivel 5	PA; MO
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG (deferasirox)	Nivel 5	PA; MO
RADIOGARDASE ORAL CAPSULE 0.5 GRAM	Nivel 4	
SYPRINE ORAL CAPSULE 250 MG (trientine)	Nivel 5	PA; MO
<i>trientine oral capsule 250 mg</i> (Syprine)	Nivel 4	PA; MO
<i>trientine oral capsule 500 mg</i>	Nivel 4	PA; MO
Estimulante De Apetito Para Anorexia, Caquexia, Sind. De Desperdicios		
<i>megestrol oral suspension 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml)</i>	Nivel 2	MO
<i>megestrol oral suspension 625 mg/5 ml (125 mg/ml)</i>	Nivel 2	MO; ST: Must meet the following requirement: Megestrol Acetate 40mg/mL suspension in 120 days
Mediamcentos Para Tratar Tirosinemia Hereditaria		
HARLIKU ORAL TABLET 2 MG	Nivel 5	PA; MO
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	Nivel 4	PA; MO
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG (nitisinone)	Nivel 4	PA; MO
ORFADIN ORAL SUSPENSION 4 MG/ML	Nivel 4	PA; MO
Medicamentos Homeopáticos		
AURUMHEEL ORAL DROPS	Nivel 4	
CANTHARIS COMPOSITUM ORAL DROPS	Nivel 4	
CRALONIN ORAL DROPS	Nivel 4	
EYE ORAL TABLET,SOLUBLE	Nivel 4	
LAMIOFLUR ORAL DROPS	Nivel 4	
PLANTAGO-HOMACCORD ORAL DROPS	Nivel 4	
POPULUS COMPOSITUM ORAL DROPS	Nivel 4	
PSORINOHEEL ORAL DROPS	Nivel 4	
RENEEL ORAL TABLET,SOLUBLE	Nivel 4	
SABAL-HOMACCORD ORAL DROPS	Nivel 4	
SYZYGIUM COMPOSITUM ORAL DROPS	Nivel 4	
VERTIGOHEEL ORAL DROPS	Nivel 4	
VERTIGOHEEL ORAL TABLET,SOLUBLE	Nivel 4	
Medicamentos Para Tratar Gaucher Dx-Tipo 1, Reductor De Sustratos		
CERDELGA ORAL CAPSULE 84 MG	Nivel 4	MO
<i>miglustat oral capsule 100 mg</i> (Yargesa)	Nivel 4	PA; MO
OPFOLDA ORAL CAPSULE 65 MG	Nivel 5	PA; MO
YARGESA ORAL CAPSULE 100 MG (miglustat)	Nivel 4	PA; MO
ZAVESCA ORAL CAPSULE 100 MG (miglustat)	Nivel 5	PA; MO
Preparados Diagnósticos, Misc.		
ADVANCED DNA MEDICATED COLLECT MUCOUS MEMBRANE KIT 2 %	Nivel 4	
ARIDOL BRONCHIAL CHALLENGE INHALATION CAPSULE, W/INHALATION DEVICE 0-5-10-20-40 MG	Nivel 4	
<i>kit for tc 99m-sod thiosulfate recon soln 2 mg</i>	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>methacholine chloride inhalation solution</i> (Provocholine) <i>for nebulization 0 to 48 mg/3 ml</i>	Nivel 2	
PRO DNA COLLECTION MUCOUS MEMBRANE KIT 2 %	Nivel 4	
PROVOCHOLINE INHALATION RECON SOLN 100 MG	Nivel 4	
TOXICOLOGY SALIVA COLLECTION ORAL KIT 600 MG	Nivel 4	
VUEBLU SOLUTION 0.5 %	Nivel 4	
XENOVUE PREPARATION GAS BLEND INHALATION GAS 1,000 ML	Nivel 4	
Pruebas De Acetona En Orina		
KETONE CARE STRIP	Nivel 4	MO
KETONE URINE TEST STRIP	Nivel 4	MO
KETOSTIX STRIP	Nivel 4	MO
TRUEPLUS KETONE STRIP	Nivel 4	MO
Químicos Al Granel		
<i>alum, ammonium (bulk) powder</i>	Nivel 4	
<i>ascorbic acid(vitamin c)(bulk) granules</i> <i>100 %</i>	Nivel 4	
<i>benzoin (bulk) topical tincture</i>	Nivel 4	
TRI-CHLOR TOPICAL SOLUTION 80 %	Nivel 4	
<i>trichloroacetic acid topical recon soln</i> <i>100 %, 20 %, 25 %, 30 %, 35 %, 40 %, 50 %, 75 %, 80 %, 90 %</i>	Nivel 4	
Reactiva. De Colinesterasa & Antídoto Antg. De Muscarínico		
DUODOTE INTRAMUSCULAR PEN INJECTOR 600-2.1 MG/2ML-MG/0.7ML	Nivel 4	
Reactivación De Colinesterasa, Organofosforados. Antídotos		
<i>pralidoxime intramuscular pen injector</i> <i>600 mg/2 ml</i>	Nivel 4	
Soluciones Cardioplégicas		
CARDIOPLEGIA DEL NIDO FORMULA PERFUSION SOLUTION 26 MEQ/1,052.8 ML (POTASSIUM)	Nivel 2	
CARDIOPLEGIA DEL NIDO-ISOLYT S PERFUSION SOLUTION 26 MEQ/1,052.8 ML (POTASSIUM)	Nivel 4	
CARDIOPLEGIA HIGH POTASSIUM PERFUSION SOLUTION 108 MEQ/500 ML (POTASSIUM)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CARDIOPLEGIA IND 4:1 PLASMALYT PERFUSION SOLUTION 30 MEQ/542 ML (POTASSIUM)	Nivel 2	
CARDIOPLEGIA IND 8:1 NON-ENRCH PERFUSION SOLUTION 70 MEQ/300 ML (POTASSIUM)	Nivel 2	
CARDIOPLEGIA INDUCTION 4:1 PERFUSION SOLUTION 30 MEQ/415 ML (POTASSIUM)	Nivel 2	
CARDIOPLEGIA MAINTENANCE 4:1 PERFUSION SOLUTION 20 MEQ/810 ML (POTASSIUM), 36 MEQ/L (POTASSIUM)	Nivel 2	
CARDIOPLEGIA REPERFUSATE 4:1 PERFUSION SOLUTION 15 MEQ/477.5 ML (POTASSIUM)	Nivel 2	
CARDIOPLEGIA WARM INDUCT 4:1 PERFUSION SOLUTION 40 MEQ/500 ML (POTASSIUM)	Nivel 4	
<i>cardioplegic no.17(induct 4:1) perfusion solution 50 meq/500 ml (potassium)</i>	Nivel 2	
<i>cardioplegic no.19 (maint 4:1) perfusion solution 40 meq/l (potassium)</i>	Nivel 2	
<i>cardioplegic soln perfusion solution 16 meq/l (= k+)</i> (Plegisol)	Nivel 2	
<i>cardioplegic solution no.25 perfusion solution 29 mmol/l (potassium)</i>	Nivel 2	
<i>microplegic solution no.1 perfusion solution 7.84 %-8.56 % (0.92 molar)</i>	Nivel 2	
PLEGISOL PERFUSION SOLUTION 16 MEQ/L (= K+) (cardioplegic soln)	Nivel 4	
Soluciones Diluyentes		
DILUTING MEDIUM FOR NOVOLOG INJECTION SOLUTION	Nivel 4	MO
Solventes		
<i>isopropyl alcohol solution 70 %</i> (Alcohol, Rubbing)	Nivel 4	
<i>isopropyl alcohol solution 91 %, 99 %</i>	Nivel 4	
MURI-LUBE OIL	Nivel 4	
Suplementos Orales Lípidos		
DOJOLVI ORAL LIQUID 8.3 KCAL/ML	Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Sustituto De Enzima De Enfermedad Metabólica, Hipofosfatasa		
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	Nivel 4	PA; MO
Sustituto De Enzima Dx Metabólica,Sev.Comb.De Inmuno Def.		
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	Nivel 5	PA; MO
Sustituto De Proteína		
AQNEURSA ORAL GRANULES IN PACKET 1 GRAM	Nivel 4	PA; MO
Ungüento/Basesa De Cremas		
RADIAGEL TOPICAL GEL	Nivel 4	
Otros Trastornos Respiratorios		
BRINSUPRI ORAL TABLET 10 MG, 25 MG	Nivel 5	PA; MO; QL (1 EA per 1 day)
Comb. De Potenciadores De Fibrosis Quística & Corrector		
ALYFTREK ORAL TABLET 10-50-125 MG, 4-20-50 MG	Nivel 4	PA; MO
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	Nivel 4	PA; MO
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	Nivel 4	PA; MO
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	Nivel 4	PA; MO
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)	Nivel 4	PA; MO
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	Nivel 4	PA; MO
Fibrosis Pulmonar - Inhibidores De Enzima Sistémico		
OFEV ORAL CAPSULE 100 MG, 150 MG	Nivel 4	PA; MO
Mucolíticos		
acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PULMOZYME INHALATION SOLUTION 1 MG/ML	Nivel 4	PA; MO
Potenciador De Fib. Quítica.Transmemb Conduct.Reg.(Cftr)		
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	Nivel 4	PA; MO
KALYDECO ORAL TABLET 150 MG	Nivel 4	PA; MO
Surfactantes De Pulmón		
CUROSURF INTRATRACHEAL SUSPENSION 120 MG/1.5 ML, 240 MG/3 ML	Nivel 4	
INFASURF INTRATRACHEAL SUSPENSION 35 MG/ML	Nivel 4	
SURVANTA INTRATRACHEAL SUSPENSION 25 MG/ML	Nivel 4	
Terapia Antifibrótica - Análogos De Piridona		
ESBRIET ORAL CAPSULE 267 MG (pirfenidone)	Nivel 5	PA; MO
ESBRIET ORAL TABLET 267 MG, 801 MG (pirfenidone)	Nivel 5	PA; MO
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	Nivel 4	PA; MO
<i>pirfenidone oral tablet 267 mg, 801 mg</i> (Esbriet)	Nivel 4	PA; MO
<i>pirfenidone oral tablet 534 mg</i>	Nivel 4	PA; MO
Pérdida De Peso		
ZEPBOUND SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	Nivel 3	PA; MO; QL (2 ML per 28 days)
ZEPBOUND SUBCUTANEOUS PEN INJECTOR 2.5 MG/0.5 ML	Nivel 3	PA; QL (2 ML per 28 days)
ZEPBOUND SUBCUTANEOUS SOLUTION 10 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	Nivel 3	PA; MO
ZEPBOUND SUBCUTANEOUS SOLUTION 2.5 MG/0.5 ML	Nivel 3	PA
Peptida De Tipo Gulcagón Anti-Obesidad-1 Agonistas De Recep		
WEGOVY SUBCUTANEOUS PEN INJECTOR 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML	Nivel 3	PA; QL (2 ML per 28 days)
WEGOVY SUBCUTANEOUS PEN INJECTOR 1.7 MG/0.75 ML, 2.4 MG/0.75 ML	Nivel 3	PA; MO; QL (3 ML per 28 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Reemplazo De Fluidos		
Ácido Nucleico/Suplementos De Nucleótido		
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	Nivel 4	PA; MO
Regulación De Electrolitos		
<i>tolvaptan (polycys kidney dis) oral tablet 30 mg</i> (Jynarque)	Nivel 4	MO; QL (60 EA per 365 days)
Agentes Para La Depleción Electrolítica		
AURYXIA ORAL TABLET 210 MG IRON (ferric citrate)	Nivel 4	MO; ST: Must meet the following requirements: Velphoro and one of the following: generic Sevelamer HCL, Calcium Acetate, Lanthanum Carbonate, or Sevelamer Carbonate in 365 days; QL (12 EA per 1 day)
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	Nivel 2	MO
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	Nivel 2	MO
<i>ferric citrate oral tablet 210 mg iron</i> (Auryxia)	Nivel 2	MO; ST: Must meet the following requirements: Velphoro and one of the following: generic Sevelamer HCL, Calcium Acetate, Lanthanum Carbonate, or Sevelamer Carbonate in 365 days; QL (12 EA per 1 day)
FOSRENOL ORAL POWDER IN PACKET 1,000 MG, 750 MG	Nivel 4	MO; ST: Must meet the following requirements: Velphoro and one of the following: generic Sevelamer HCL, Calcium Acetate, Lanthanum Carbonate, or Sevelamer Carbonate in 365 days; QL (3 EA per 1 day)
FOSRENOL ORAL TABLET,CHEWABLE 1,000 MG, 500 MG, 750 MG (lanthanum)	Nivel 4	MO
KIONEX (WITH SORBITOL) ORAL SUSPENSION 15-20 GRAM/60 ML	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>lanthanum oral tablet, chewable 1,000 mg, 500 mg, 750 mg</i> (Fosrenol)	Nivel 2	MO
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	Nivel 3	MO
REVELA ORAL POWDER IN PACKET 0.8 GRAM, 2.4 GRAM (sevelamer carbonate)	Nivel 4	MO
REVELA ORAL TABLET 800 MG (sevelamer carbonate)	Nivel 4	MO
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	Nivel 2	MO
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	Nivel 2	MO
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	Nivel 2	MO
<i>sodium polystyrene sulfonate oral powder 15 gram</i>	Nivel 2	
SPS (WITH SORBITOL) ORAL SUSPENSION 15-20 GRAM/60 ML	Nivel 2	
SPS (WITH SORBITOL) RECTAL ENEMA 30-40 GRAM/120 ML	Nivel 4	
VELPHORO ORAL TABLET, CHEWABLE 500 MG	Nivel 3	MO; QL (6 EA per 1 day)
VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 8.4 GRAM	Nivel 4	PA; MO
XPHOZAH ORAL TABLET 20 MG, 30 MG	Nivel 4	MO; ST: Must meet the following requirements: Velphoro and one of the following: generic Sevelamer HCL, Calcium Acetate, Lanthanum Carbonate, or Sevelamer Carbonate in 365 days; QL (2 EA per 1 day)
Antagonistas De Receptor De Arginina Vasopresina (Avp)		
SAMSCA ORAL TABLET 15 MG (tolvaptan)	Nivel 5	MO; QL (30 EA per 365 days)
SAMSCA ORAL TABLET 30 MG (tolvaptan)	Nivel 5	MO; QL (60 EA per 365 days)
<i>tolvaptan (polycystic kidney disease) oral tablet 15 mg</i> (Jynarque)	Nivel 4	MO; QL (30 EA per 365 days)
<i>tolvaptan oral tablet 15 mg</i> (Samsca)	Nivel 4	MO; QL (30 EA per 365 days)
<i>tolvaptan oral tablet 30 mg</i> (Samsca)	Nivel 4	MO; QL (60 EA per 365 days)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Preparados De Sodio/Salina			
AQUASTAT 0.9% SODIUM CHLORIDE INJECTION SYRINGE	(sodium chloride 0.9 % (flush))	Nivel 4	
AQUASTAT SFR 0.9% SODIUM CHLOR INJECTION SYRINGE	(sodium chloride 0.9 % (flush))	Nivel 4	
BD POSIFLUSH NORMAL SALINE 0.9 INJECTION SYRINGE	(sodium chloride 0.9 % (flush))	Nivel 2	
MONOJECT 0.9% SODIUM CHLORIDE INJECTION SYRINGE	(sodium chloride 0.9 % (flush))	Nivel 4	
MONOJECT PREFILL ADVANCED NS INJECTION SYRINGE	(sodium chloride 0.9 % (flush))	Nivel 4	
NORMAL SALINE FLUSH INJECTION SYRINGE	(sodium chloride 0.9 % (flush))	Nivel 2	
sodium chlor 0.9% bacteriostat injection solution 0.9 %		Nivel 2	
sodium chloride 0.45 % intravenous parenteral solution 0.45 %		Nivel 2	
sodium chloride 0.9 % (flush) injection syringe	(BD PosiFlush Normal Saline 0.9)	Nivel 2	
sodium chloride 0.9 % injection solution		Nivel 2	
sodium chloride 0.9 % intravenous parenteral solution		Nivel 2	
sodium chloride 0.9 % intravenous piggyback		Nivel 2	
sodium chloride injection syringe 0.9 %		Nivel 2	
Reemplazo De Potasio			
EFFER-K ORAL TABLET, EFFERVESCENT 10 MEQ, 20 MEQ		Nivel 4	MO
EFFER-K ORAL TABLET, EFFERVESCENT 25 MEQ	(potassium bicarb-citric acid)	Nivel 2	MO
KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ	(potassium chloride)	Nivel 4	MO
KLOR-CON 8 ORAL TABLET EXTENDED RELEASE 8 MEQ	(potassium chloride)	Nivel 4	MO
KLOR-CON M10 ORAL TABLET,ER PARTICLES/CRYSTALS 10 MEQ	(potassium chloride)	Nivel 2	MO
KLOR-CON M15 ORAL TABLET,ER PARTICLES/CRYSTALS 15 MEQ	(potassium chloride)	Nivel 2	MO
KLOR-CON M20 ORAL TABLET,ER PARTICLES/CRYSTALS 20 MEQ	(potassium chloride)	Nivel 2	MO
KLOR-CON ORAL PACKET 20 MEQ	(potassium chloride)	Nivel 4	MO
KLOR-CON/EF ORAL TABLET, EFFERVESCENT 25 MEQ	(potassium bicarb-citric acid)	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
POKONZA ORAL PACKET 10 MEQ	Nivel 2	MO
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	Nivel 2	MO
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	Nivel 2	MO
<i>potassium chloride oral packet 20 meq</i> (Klor-Con)	Nivel 2	MO
<i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 10)	Nivel 2	MO
<i>potassium chloride oral tablet extended release 15 meq, 20 meq</i>	Nivel 2	MO
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	Nivel 2	MO
<i>potassium chloride oral tablet, er particles/crystals 10 meq</i> (Klor-Con M10)	Nivel 2	MO
<i>potassium chloride oral tablet, er particles/crystals 15 meq</i> (Klor-Con M15)	Nivel 2	MO
<i>potassium chloride oral tablet, er particles/crystals 20 meq</i> (Klor-Con M20)	Nivel 2	MO
Salud Del Comportamiento - Antidepresivos		
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	Nivel 4	MO; ST: Must meet any of the following requirements: Bupropion, Citalopram, Desvenlafaxine, Duloxetine, Escitalopram, Fluoxetine, Fluvoxamine, Mirtazapine, Paroxetine, Sertraline, or Venlafaxine in 120 days
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	Nivel 5	PA; MO
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG	Nivel 4	PA
Agonista Parcial Antidepresivo Ssri & 5Ht1a		
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG (vilazodone)	Nivel 4	MO; ST: Must meet any of the following requirements: Bupropion, Citalopram, Escitalopram, Fluoxetine, Mirtazapine, Paroxetine, Sertraline, or Venlafaxine IR/ER in 120 days

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	Nivel 2	MO; ST: Must meet any of the following requirements: Bupropion, Citalopram, Escitalopram, Fluoxetine, Mirtazapine, Paroxetine, Sertraline, or Venlafaxine IR/ER in 120 days
Antagonistas De Serotonina-2/Inhibidores De Recaptación (Saris)		
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	Nivel 2	MO
RALDESY ORAL SOLUTION 10 MG/ML	Nivel 4	PA; MO
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	Nivel 2	MO
Antidepresivos Antagonistas Receptores Alfa-2		
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	Nivel 2	MO
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	Nivel 2	MO
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	Nivel 2	MO
REMERON ORAL TABLET 15 MG, 30 MG (mirtazapine)	Nivel 4	MO
REMERON SOLTAB ORAL TABLET, DISINTEGRATING 15 MG, 30 MG, 45 MG (mirtazapine)	Nivel 4	MO
Antidrepsivos Tricíclicos & Rel. No-Sel. Ru-Inhib		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	Nivel 2	MO
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	Nivel 2	MO
ANAFRANIL ORAL CAPSULE 25 MG, 50 MG, 75 MG (clomipramine)	Nivel 4	MO
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	Nivel 2	MO
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	Nivel 2	MO
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	Nivel 2	MO
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	Nivel 2	MO
<i>doxepin oral concentrate 10 mg/ml</i>	Nivel 2	MO
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	Nivel 2	MO
NORPRAMIN ORAL TABLET 10 MG, 25 MG (desipramine)	Nivel 4	MO
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	Nivel 2	MO
<i>nortriptyline oral solution 10 mg/5 ml</i>	Nivel 2	MO
PAMELOR ORAL CAPSULE 10 MG, 25 MG, 50 MG, 75 MG (nortriptyline)	Nivel 4	MO
<i>protriptyline oral tablet 10 mg, 5 mg</i>	Nivel 2	MO
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	Nivel 2	MO
Combinaciones Tricíclicas Antidepresivas/Benzodiazepínico		
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	Nivel 2	MO
Combinaciones Tricíclicas Antidepresivas/Fenotiazina		
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	Nivel 2	MO
Inhib. De Recaptación De Noradrenalina Y Dopamina (Ndris)		
APLENZIN ORAL TABLET EXTENDED RELEASE 24 HR 174 MG, 348 MG, 522 MG	Nivel 4	MO; ST: Must meet the following requirement: Bupropion HCL in 120 days; QL (1 EA per 1 day)
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	Nivel 2	MO
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	Nivel 2	MO
<i>bupropion hcl oral tablet extended release 24 hr 450 mg</i> (Forfivo XL)	Nivel 2	MO; ST: Must meet the following requirement: Bupropion HCL in 120 days; QL (1 EA per 1 day)
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	Nivel 2	MO
WELLBUTRIN SR ORAL TABLET SUSTAINED-RELEASE 12 HR 100 MG, 150 MG, 200 MG (bupropion hcl)	Nivel 4	MO
WELLBUTRIN XL ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG (bupropion hcl)	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Inhib. De Recaptación De Serotonina-Noradrenalina (Snris)		
CYMBALTA ORAL (duloxetine) CAPSULE,DELAYED RELEASE(DR/EC) 20 MG, 30 MG, 60 MG	Nivel 4	MO
<i>desvenlafaxine oral tablet extended release 24 hr 100 mg, 50 mg</i>	Nivel 2	MO; QL (1 EA per 1 day)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	Nivel 2	MO
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG	Nivel 4	MO
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>	Nivel 2	MO
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>	Nivel 2	MO; ST: Must meet the following requirement: 2-20mg generic Duloxetine capsules in 120 days; QL (1 EA per 1 day)
DULOXICAINE KIT 30 MG- 4%	Nivel 4	
EFFEXOR XR ORAL (venlafaxine) CAPSULE,EXTENDED RELEASE 24HR 150 MG, 37.5 MG, 75 MG	Nivel 4	MO
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	Nivel 3	QL (1 EA per 1 day)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	Nivel 3	MO; QL (1 EA per 1 day)
PRISTIQ ORAL TABLET EXTENDED (desvenlafaxine succinate) RELEASE 24 HR 100 MG, 25 MG, 50 MG	Nivel 4	MO
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	Nivel 2	MO; ST: Must meet the following requirement: Venlafaxine HCL ER capsules in 120 days; QL (1 EA per 1 day)
<i>venlafaxine oral capsule, extended release 24hr 150 mg, 37.5 mg, 75 mg</i> (Effexor XR)	Nivel 2	MO
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	Nivel 2	MO
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg, 75 mg</i>	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Inhibidor De Recaptación Selectivo De Serotonina (Ssris)		
CELEXA ORAL TABLET 10 MG, 20 MG, 40 MG (citalopram)	Nivel 4	MO
<i>citalopram oral capsule 30 mg</i>	Nivel 2	MO
<i>citalopram oral solution 10 mg/5 ml</i>	Nivel 2	MO
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i> (Celexa)	Nivel 2	MO
<i>escitalopram 10 mg/10 ml cup inner 5 mg/5 ml</i>	Nivel 2	MO
<i>escitalopram 10 mg/10 ml cup outer 5 mg/5 ml</i>	Nivel 2	MO
<i>escitalopram oxalate 5 mg/5 ml</i>	Nivel 2	MO
<i>escitalopram oxalate 5 mg/5 ml oral solution</i>	Nivel 2	MO
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	Nivel 2	MO
<i>fluoxetine oral capsule 10 mg, 20 mg</i> (Prozac)	Nivel 2	MO
<i>fluoxetine oral capsule 40 mg</i>	Nivel 2	MO
<i>fluoxetine oral capsule, delayed release(drlec) 90 mg</i>	Nivel 2	MO
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	Nivel 2	MO
<i>fluoxetine oral tablet 10 mg, 20 mg, 60 mg</i>	Nivel 2	MO
<i>fluvoxamine oral capsule, extended release 24hr 100 mg, 150 mg</i>	Nivel 2	MO; ST: Must meet any of the following requirements: Citalopram Hydrobromide, Escitalopram Oxalate, Fluoxetine HCL, Fluvoxamine Maleate, Paroxetine HCL, or Sertraline HCL in 120 days; QL (2 EA per 1 day)
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	Nivel 2	MO
LEXAPRO ORAL TABLET 10 MG, 20 MG, 5 MG (escitalopram oxalate)	Nivel 4	MO
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	Nivel 2	MO
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	Nivel 2	MO
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PAXIL CR ORAL TABLET EXTENDED RELEASE 24 HR 12.5 MG, 25 MG, 37.5 MG (paroxetine hcl)	Nivel 4	MO
PAXIL ORAL SUSPENSION 10 MG/5 ML (paroxetine hcl)	Nivel 4	MO
PAXIL ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG (paroxetine hcl)	Nivel 4	MO
PROZAC ORAL CAPSULE 10 MG, 20 MG, 40 MG (fluoxetine)	Nivel 4	MO
sertraline oral capsule 150 mg, 200 mg	Nivel 4	MO; QL (1 EA per 1 day)
sertraline oral concentrate 20 mg/ml (Zoloft)	Nivel 2	MO
sertraline oral tablet 100 mg, 25 mg, 50 mg (Zoloft)	Nivel 2	MO
ZOLOFT ORAL CONCENTRATE 20 MG/ML (sertraline)	Nivel 4	MO
ZOLOFT ORAL TABLET 100 MG, 25 MG, 50 MG (sertraline)	Nivel 4	MO
Inhibidores De Monoamina Oxidasa(Mao)		
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	Nivel 4	MO; ST: Must meet any of the following requirements: Marplan, Phenelzine, or Tranylcypromine in 120 days; QL (1 EA per 1 day)
Maois - No Selectiva & Irreversible		
MARPLAN ORAL TABLET 10 MG	Nivel 4	MO
NARDIL ORAL TABLET 15 MG (phenelzine)	Nivel 4	MO
PARNATE ORAL TABLET 10 MG (tranylcypromine)	Nivel 4	MO
phenelzine oral tablet 15 mg (Nardil)	Nivel 2	MO
tranylcypromine oral tablet 10 mg (Parnate)	Nivel 2	MO
Modulador Antidepresivo De Receptor De Serotonina & Ssri & Serotonin Receptor Modulator Antidepressant		
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	Nivel 3	MO; QL (1 EA per 1 day)
Salud Del Comportamiento - Otro		
WAKIX ORAL TABLET 17.8 MG, 4.45 MG	Nivel 5	PA; MO
Adrenérgicos, Aromáticos, No-Catecolaminas		
ADDERALL ORAL TABLET 10 MG, 12.5 MG, 15 MG, 20 MG, 30 MG, 5 MG, 7.5 MG (dextroamphetamine-amphetamine)	Nivel 4	MO; QL (2 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ADDERALL XR ORAL CAPSULE,EXTENDED RELEASE 24HR 10 MG, 15 MG, 5 MG (dextroamphetamine-amphetamine)	Nivel 4	MO; QL (1 EA per 1 day)
ADDERALL XR ORAL CAPSULE,EXTENDED RELEASE 24HR 20 MG, 25 MG, 30 MG (dextroamphetamine-amphetamine)	Nivel 4	MO; QL (2 EA per 1 day)
ADZENYS XR-ODT ORAL TABLET,DISINTEG ER BIPHASE 24H 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG (amphetamine)	Nivel 4	MO; ST: Must meet the following requirement: Azstarys or Jornay PM in 120 days; QL (1 EA per 1 day)
<i>amphetamine oral tablet,disinteg er biphas 24h 12.5 mg, 15.7 mg, 18.8 mg, 3.1 mg, 6.3 mg, 9.4 mg</i> (Adzenys XR-ODT)	Nivel 4	MO; ST: Must meet the following requirement: Azstarys or Jornay PM in 120 days; QL (1 EA per 1 day)
<i>amphetamine sulfate oral tablet 10 mg, 5 mg</i> (Evekeo)	Nivel 2	MO; QL (4 EA per 1 day)
DESOXYN ORAL TABLET 5 MG (methamphetamine)	Nivel 4	MO; QL (150 EA per 30 days)
DEXEDRINE SPANSULE ORAL CAPSULE, EXTENDED RELEASE 10 MG (dextroamphetamine sulfate)	Nivel 4	MO; QL (4 EA per 1 day)
DEXEDRINE SPANSULE ORAL CAPSULE, EXTENDED RELEASE 15 MG (dextroamphetamine sulfate)	Nivel 4	MO; QL (120 EA per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 10 mg</i> (Dexedrine Spansule)	Nivel 2	MO; QL (4 EA per 1 day)
<i>dextroamphetamine sulfate oral capsule, extended release 15 mg</i> (Dexedrine Spansule)	Nivel 2	MO; QL (120 EA per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 5 mg</i>	Nivel 2	MO; QL (60 EA per 30 days)
<i>dextroamphetamine sulfate oral solution 5 mg/5 ml</i> (ProCentra)	Nivel 2	MO; QL (1800 ML per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i> (Zenzedi)	Nivel 2	MO; QL (4 EA per 1 day)
<i>dextroamphetamine sulfate oral tablet 15 mg, 2.5 mg, 7.5 mg</i> (Zenzedi)	Nivel 2	MO; ST: Must meet the following requirement: Dextroamphetamine Sulfate IR tablets (5mg or 10mg) or Dextroamphetamine solution in 120 days; QL (4 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>dextroamphetamine sulfate oral tablet 20 mg</i> (Zenzedi)	Nivel 2	MO; ST: Must meet the following requirement: Dextroamphetamine Sulfate IR tablets (5mg or 10mg) or Dextroamphetamine solution in 120 days; QL (3 EA per 1 day)
<i>dextroamphetamine sulfate oral tablet 30 mg</i> (Zenzedi)	Nivel 2	MO; ST: Must meet the following requirement: Dextroamphetamine Sulfate IR tablets (5mg or 10mg) or Dextroamphetamine solution in 120 days; QL (2 EA per 1 day)
<i>dextroamphetamine-amphetamine oral capsule, er triphasic 24 hr 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Mydayis)	Nivel 2	MO; QL (1 EA per 1 day)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	Nivel 2	MO; QL (1 EA per 1 day)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	Nivel 2	MO; QL (2 EA per 1 day)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	Nivel 2	MO; QL (2 EA per 1 day)
DYANAVAL XR ORAL SUSPEN, IR - ER, BIPHASIC 24HR 2.5 MG/ML	Nivel 4	MO; ST: Must meet the following requirement: Azstarys or Jornay PM in 120 days; QL (240 ML per 30 days)
DYANAVAL XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10 MG, 15 MG, 20 MG, 5 MG	Nivel 4	MO; ST: Must meet the following requirement: Azstarys or Jornay PM in 120 days; QL (1 EA per 1 day)
EVEKEO ORAL TABLET 10 MG, 5 MG (amphetamine sulfate)	Nivel 4	MO; QL (4 EA per 1 day)
<i>lisdexamfetamine oral capsule 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg</i> (Vyvanse)	Nivel 2	MO; QL (1 EA per 1 day)
<i>lisdexamfetamine oral tablet, chewable 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i> (Vyvanse)	Nivel 2	MO; QL (1 EA per 1 day)
<i>methamphetamine oral tablet 5 mg</i> (Desoxyn)	Nivel 2	MO; QL (150 EA per 30 days)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
MYDAYIS ORAL CAPSULE, ER TRIPHASIC 24 HR 12.5 MG, 25 MG, 37.5 MG, 50 MG	(dextroamphetamine-amphetamine)	Nivel 4	MO; QL (1 EA per 1 day)
PROCENTRA ORAL SOLUTION 5 MG/5 ML	(dextroamphetamine sulfate)	Nivel 4	MO; QL (1800 ML per 30 days)
VYVANSE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG	(lisdexamfetamine)	Nivel 4	MO; QL (1 EA per 1 day)
VYVANSE ORAL TABLET,CHEWABLE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG	(lisdexamfetamine)	Nivel 4	MO; QL (1 EA per 1 day)
XELSTRYM TRANSDERMAL PATCH 24 HOUR 13.5 MG/9 HOUR, 18 MG/9 HOUR, 4.5 MG/9 HOUR, 9 MG/9 HOUR		Nivel 4	MO; ST: Must meet the following requirement: Azstarys or Jornay PM in 120 days; QL (1 EA per 1 day)
ZENZEDI ORAL TABLET 10 MG, 5 MG	(dextroamphetamine sulfate)	Nivel 4	MO; QL (4 EA per 1 day)
ZENZEDI ORAL TABLET 15 MG, 2.5 MG, 7.5 MG	(dextroamphetamine sulfate)	Nivel 4	MO; ST: Must meet the following requirement: Dextroamphetamine Sulfate IR tablets (5mg or 10mg) or Dextroamphetamine solution in 120 days; QL (4 EA per 1 day)
ZENZEDI ORAL TABLET 20 MG	(dextroamphetamine sulfate)	Nivel 4	MO; ST: Must meet the following requirement: Dextroamphetamine Sulfate IR tablets (5mg or 10mg) or Dextroamphetamine solution in 120 days; QL (3 EA per 1 day)
ZENZEDI ORAL TABLET 30 MG	(dextroamphetamine sulfate)	Nivel 4	MO; ST: Must meet the following requirement: Dextroamphetamine Sulfate IR tablets (5mg or 10mg) or Dextroamphetamine solution in 120 days; QL (2 EA per 1 day)
Agentes De Narcolepsia Y Terapia De Trastorno Del Sueño			
armodafinil oral tablet 150 mg, 200 mg, 250 mg	(Nuvigil)	Nivel 2	MO; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>armodafinil oral tablet 50 mg</i> (Nuvigil)	Nivel 2	MO; QL (3 EA per 1 day)
<i>modafinil oral tablet 100 mg, 200 mg</i> (Provigil)	Nivel 2	MO; QL (2 EA per 1 day)
NUVIGIL ORAL TABLET 150 MG, 200 MG, 250 MG (armodafinil)	Nivel 4	MO; QL (1 EA per 1 day)
NUVIGIL ORAL TABLET 50 MG (armodafinil)	Nivel 4	MO; QL (3 EA per 1 day)
PROVIGIL ORAL TABLET 100 MG, 200 MG (modafinil)	Nivel 4	MO; QL (2 EA per 1 day)
SUNOSI ORAL TABLET 150 MG, 75 MG	Nivel 3	PA; MO
Agonistas Selectivos De Serotonina 5-Ht2a Inversa (Ssia)		
NUPLAZID ORAL CAPSULE 34 MG	Nivel 5	PA; MO
NUPLAZID ORAL TABLET 10 MG	Nivel 5	PA; MO
Antagonistas Narcóticos		
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	Nivel 3	
LOTREXONE ORAL CAPSULE 1.5 MG, 4.5 MG	Nivel 4	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	Nivel 2	
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	Nivel 2	
NALTREX ORAL CAPSULE 1.5 MG, 4.5 MG	Nivel 4	
<i>naltrexone oral tablet 50 mg</i>	Nivel 2	MO
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION (naloxone)	Nivel 4	
OPVEE NASAL SPRAY, NON-AEROSOL 2.7 MG/ACTUATION	Nivel 4	
REXTOVY NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION (naloxone)	Nivel 4	
ZIMHI INJECTION SYRINGE 5 MG/0.5 ML	Nivel 4	
Anti-Ansiedad - Benzodiacepinas		
ALPRAZOLAM INTENSOL ORAL CONCENTRATE 1 MG/ML	Nivel 3	
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg</i> (Xanax)	Nivel 2	
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Xanax XR)	Nivel 2	
<i>alprazolam oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ATIVAN ORAL TABLET 0.5 MG, 1 MG, 2 MG (lorazepam)	Nivel 4	
chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg	Nivel 2	
clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg	Nivel 2	
DIAZEPAM INTENSOL ORAL CONCENTRATE 5 MG/ML (diazepam)	Nivel 2	
diazepam oral concentrate 5 mg/ml (Diazepam Intensol)	Nivel 2	
diazepam oral solution 5 mg/5 ml (1 mg/ml)	Nivel 2	
diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)	Nivel 2	
LORAZEPAM INTENSOL ORAL CONCENTRATE 2 MG/ML (lorazepam)	Nivel 2	
lorazepam oral concentrate 2 mg/ml (Lorazepam Intensol)	Nivel 2	
lorazepam oral tablet 0.5 mg, 1 mg, 2 mg (Ativan)	Nivel 2	
LOREEV XR ORAL CAPSULE,EXTENDED RELEASE 24HR 1 MG, 2 MG, 3 MG	Nivel 4	
LOREEV XR ORAL CAPSULE,EXTENDED RELEASE 24HR 1.5 MG	Nivel 4	ST: Must meet the following requirement: Lorazepam tablets in 120 days
oxazepam oral capsule 10 mg, 15 mg, 30 mg	Nivel 2	
VALIUM ORAL TABLET 10 MG, 2 MG, 5 MG (diazepam)	Nivel 4	
XANAX ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG (alprazolam)	Nivel 4	
XANAX XR ORAL TABLET EXTENDED RELEASE 24 HR 0.5 MG, 1 MG, 2 MG, 3 MG (alprazolam)	Nivel 4	
Anti-Narcolepsia & Anti-Cataplejia,Sedante-Tipo Agt		
LUMRYZ ORAL EXTEND RELEASE GRANULES,PACKET 4.5 GRAM, 6 GRAM, 7.5 GRAM, 9 GRAM	Nivel 5	PA; MO
LUMRYZ STARTER PACK ORAL GRANULES ER PACKET, DOSE PACK 4.5-6-7.5 GRAM	Nivel 5	PA
sodium oxybate oral solution 500 mg/ml (Xyrem)	Nivel 5	PA; MO
XYREM ORAL SOLUTION 500 MG/ML (sodium oxybate)	Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
XYWAV ORAL SOLUTION 0.5 GRAM/ML	Nivel 5	PA; MO
Antipsicóticos, Antag. De Dopamina, Difenilbutilpiperidinas		
<i>pimozide oral tablet 1 mg, 2 mg</i>	Nivel 2	MO
Antipsicóticos, Antagonistas De Dopamina, Butirofenonas		
HALDOL DECANOATE (haloperidol decanoate) INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/ML	Nivel 4	MO
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i>	Nivel 2	MO
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	Nivel 2	MO
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	Nivel 2	MO
Antipsicóticos, Antagonistas De Dopamina, Tiosantinas		
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	Nivel 2	MO
Antipsicóticos, Atípicos, Dopamina, & Antag. De Serotonina		
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)	Nivel 2	MO; QL (2 EA per 1 day)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	Nivel 3	MO; QL (1 EA per 1 day)
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)	Nivel 2	MO
<i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 150 mg, 200 mg, 25 mg</i>	Nivel 2	MO; QL (3 EA per 1 day)
CLOZARIL ORAL TABLET 100 MG, 25 MG (clozapine)	Nivel 4	MO
ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	Nivel 4	MO; QL (0.75 ML per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML	Nivel 4	MO; QL (1 ML per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	Nivel 4	MO; QL (1.5 ML per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	Nivel 4	MO; QL (0.25 ML per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	Nivel 4	MO; QL (0.5 ML per 21 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	Nivel 4	MO; QL (2 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
FANAPT TITRATION PACK A ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	Nivel 4	QL (8 EA per 28 days)
FANAPT TITRATION PACK B ORAL TABLETS,DOSE PACK 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2)	Nivel 4	ST: Must meet 2 of the following requirements: 2 generic atypical antipsychotics in 365 DAYS; QL (12 EA per 28 days)
FANAPT TITRATION PACK C ORAL TABLETS,DOSE PACK 1 MG(4)-2 MG(2) -6 MG (2)	Nivel 4	ST: Must meet 2 of the following requirements: 2 generic atypical antipsychotics in 365 DAYS; QL (8 EA per 28 days)
GEODON ORAL CAPSULE 20 MG, 40 MG, 60 MG, 80 MG (ziprasidone hcl)	Nivel 4	MO
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	Nivel 3	MO; QL (3.5 ML per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	Nivel 3	MO; QL (5 ML per 166 days)
INVEGA ORAL TABLET EXTENDED RELEASE 24HR 3 MG, 9 MG (paliperidone)	Nivel 4	MO; QL (1 EA per 1 day)
INVEGA ORAL TABLET EXTENDED RELEASE 24HR 6 MG (paliperidone)	Nivel 4	MO; QL (2 EA per 1 day)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	Nivel 3	MO; QL (0.75 ML per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	Nivel 3	MO; QL (1 ML per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	Nivel 3	MO; QL (1.5 ML per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	Nivel 3	MO; QL (0.25 ML per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	Nivel 3	MO; QL (0.5 ML per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	Nivel 3	MO; QL (0.88 ML per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	Nivel 3	MO; QL (1.32 ML per 70 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	Nivel 3	MO; QL (1.75 ML per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	Nivel 3	MO; QL (2.63 ML per 70 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG (lurasidone)	Nivel 4	MO; QL (30 EA per 30 days)
LATUDA ORAL TABLET 80 MG (lurasidone)	Nivel 4	MO; QL (60 EA per 30 days)
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda)	Nivel 2	MO; QL (30 EA per 30 days)
<i>lurasidone oral tablet 80 mg</i> (Latuda)	Nivel 2	MO; QL (60 EA per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	Nivel 4	MO; ST: Must meet the following requirement: generic atypical antipsychotic in 365 days; QL (1 EA per 1 day)
<i>olanzapine oral tablet 10 mg, 15 mg, 7.5 mg</i>	Nivel 2	MO
<i>olanzapine oral tablet 2.5 mg, 20 mg, 5 mg</i> (Zyprexa)	Nivel 2	MO
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	Nivel 2	MO
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	Nivel 2	MO; QL (1 EA per 1 day)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)	Nivel 2	MO; QL (1 EA per 1 day)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	Nivel 2	MO; QL (2 EA per 1 day)
PERSERIS SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	Nivel 4	MO; QL (1 EA per 28 days)
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	Nivel 2	MO
<i>quetiapine oral tablet 150 mg</i>	Nivel 2	MO; QL (1 EA per 1 day)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	Nivel 2	MO
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML (risperidone microspheres)	Nivel 4	MO; QL (1 EA per 14 days)
RISPERDAL ORAL SOLUTION 1 MG/ML (risperidone)	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
RISPERDAL ORAL TABLET 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG (risperidone)	Nivel 4	MO
<i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml</i> (Risperdal Consta)	Nivel 2	MO; QL (1 EA per 14 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 25 mg/2 ml, 37.5 mg/2 ml, 50 mg/2 ml</i> (Rykindo)	Nivel 2	MO; QL (1 EA per 14 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	Nivel 2	MO
<i>risperidone oral tablet 0.25 mg</i>	Nivel 2	MO
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	Nivel 2	MO
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	Nivel 2	MO
RYKINDO INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML (risperidone microspheres)	Nivel 3	MO; QL (1 EA per 14 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG (asenapine maleate)	Nivel 4	MO; QL (2 EA per 1 day)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	Nivel 4	MO; QL (1 EA per 1 day)
SEROQUEL ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 400 MG, 50 MG (quetiapine)	Nivel 4	MO
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 200 MG, 300 MG, 400 MG, 50 MG (quetiapine)	Nivel 4	MO
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	Nivel 3	MO; QL (0.28 ML per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	Nivel 3	MO; QL (0.32 ML per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	Nivel 3	MO; QL (0.42 ML per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	Nivel 3	MO; QL (0.56 ML per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	Nivel 3	MO; QL (0.7 ML per 56 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	Nivel 3	MO; QL (0.14 ML per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	Nivel 3	MO; QL (0.21 ML per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	Nivel 4	MO; QL (18 ML per 1 day)
ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg (Geodon)	Nivel 2	MO
ZYPREXA ORAL TABLET 2.5 MG, 20 MG, 5 MG (olanzapine)	Nivel 4	MO
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG, 300 MG	Nivel 4	MO; QL (1 EA per 14 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	Nivel 4	MO; QL (1 EA per 28 days)
Antipsicóticos, Atyp, Agonistas D2 Parcial/5Ht Mezclados		
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	Nivel 3	MO; QL (2.4 ML per 42 days)
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	Nivel 3	MO; QL (3.2 ML per 42 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG	Nivel 4	MO; QL (1 EA per 26 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 400 MG	Nivel 4	MO; QL (2 EA per 26 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG	Nivel 4	MO; QL (1 EA per 26 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 400 MG	Nivel 4	MO; QL (2 EA per 26 days)
ABILIFY ORAL TABLET 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG (aripiprazole)	Nivel 4	MO
aripiprazole oral solution 1 mg/ml	Nivel 2	MO
aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg (Abilify)	Nivel 2	MO
aripiprazole oral tablet,disintegrating 10 mg	Nivel 2	MO; QL (3 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	Nivel 2	MO; QL (2 EA per 1 day)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML	Nivel 4	
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML	Nivel 3	MO; QL (3.9 ML per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML	Nivel 3	MO; QL (1.6 ML per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML	Nivel 3	MO; QL (2.4 ML per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 882 MG/3.2 ML	Nivel 3	MO; QL (3.2 ML per 14 days)
OPIPZA ORAL FILM 10 MG, 2 MG, 5 MG	Nivel 4	MO; ST: Must meet the following requirement: generic Aripiprazole tablets in 120 days
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	Nivel 3	MO; QL (1 EA per 1 day)
Antipsicóticos, Dopamina & Antagonistas De Serotonina		
ADASUVE INHALATION AEROSOL POWDR BREATH ACTIVATED 10 MG	Nivel 4	
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	Nivel 2	MO
Antipsicóticos, Fenotiazinas		
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	Nivel 2	MO
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	Nivel 2	MO
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	Nivel 2	MO
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	Nivel 2	MO
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	Nivel 2	MO
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	Nivel 2	MO
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	Nivel 2	MO
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	Nivel 2	MO
Antipsicóticos,Antagonistas De Dopamina,Dihidroindolones		
<i>molindone oral tablet 10 mg</i>	Nivel 2	MO; QL (8 EA per 1 day)
<i>molindone oral tablet 25 mg</i>	Nivel 2	MO; QL (9 EA per 1 day)
<i>molindone oral tablet 5 mg</i>	Nivel 2	MO
Antipsicóticos-Atípicos,D3/D2 Parcial Ag-5Ht Mexclados		
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	Nivel 3	MO; QL (1 EA per 1 day)
Barbitúricos		
<i>phenobarbital 32.4 mg tablet</i>	Nivel 2	MO
<i>phenobarbital 64.8 mg tablet</i>	Nivel 2	MO
<i>phenobarbital 97.2 mg tablet</i>	Nivel 2	MO
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	Nivel 2	MO
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 60 mg</i>	Nivel 2	MO
Comb Antag De Dopamina & Serotonina Ssri &Antipsych,Atyp		
<i>olanzapine-fluoxetine oral capsule 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg</i>	Nivel 2	MO; QL (1 EA per 1 day)
Hipnoticos, Agonistas De Receptor De Melatonina Mt1/Mt2		
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	Nivel 5	PA; MO
HETLIOZ ORAL CAPSULE 20 MG (tasimelteon)	Nivel 5	PA; MO
<i>ramelteon oral tablet 8 mg</i> (Rozerem)	Nivel 2	ST: Must meet any of the following requirements: Eszopiclone (Lunesta), Zaleplon (Sonata), or Zolpidem IR (Ambien) in 120 days
ROZEREM ORAL TABLET 8 MG (ramelteon)	Nivel 4	ST: Must meet any of the following requirements: Eszopiclone (Lunesta), Zaleplon (Sonata), or Zolpidem IR (Ambien) in 120 days
<i>tasimelteon oral capsule 20 mg</i> (HetlioZ)	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Mediamcentos Antiansiedad		
BUCAPSOL ORAL CAPSULE 10 MG, 15 MG, 7.5 MG	Nivel 2	MO
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	Nivel 2	MO
<i>meprobamate oral tablet 200 mg, 400 mg</i>	Nivel 2	
Mediamcentos Antimaníacos		
EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG	Nivel 4	MO
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	Nivel 2	MO
<i>lithium carbonate oral tablet 300 mg</i>	Nivel 2	MO
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	Nivel 2	MO
<i>lithium carbonate oral tablet extended release 450 mg</i>	Nivel 2	MO
<i>lithium citrate oral solution 8 meq/5 ml</i>	Nivel 2	MO
LITHOBID ORAL TABLET EXTENDED RELEASE 300 MG (lithium carbonate)	Nivel 4	MO
Preparaciones Antialcohólicas		
<i>acamprosate oral tablet, delayed release (drlac) 333 mg</i>	Nivel 2	MO
<i>disulfiram oral tablet 250 mg, 500 mg</i>	Nivel 2	MO
Sedantes-Hipnóticos - Benzodiacepinas		
DORAL ORAL TABLET 15 MG (quazepam)	Nivel 4	ST: Must meet any of the following oral generic requirements: Eszopiclone, Flurazepam, Temazepam, Zaleplon, or Zolpidem tablets in 120 days
<i>estazolam oral tablet 1 mg, 2 mg</i>	Nivel 2	
<i>flurazepam oral capsule 15 mg, 30 mg</i>	Nivel 2	
HALCION ORAL TABLET 0.25 MG (triazolam)	Nivel 4	
<i>midazolam oral syrup 2 mg/ml</i>	Nivel 2	
<i>quazepam oral tablet 15 mg</i> (Doral)	Nivel 2	ST: Must meet any of the following oral generic requirements: Eszopiclone, Flurazepam, Temazepam, Zaleplon, or Zolpidem tablets in 120 days

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
RESTORIL ORAL CAPSULE 15 MG, 22.5 MG, 30 MG, 7.5 MG (temazepam)	Nivel 4	
temazepam oral capsule 15 mg, 22.5 mg, 30 mg, 7.5 mg (Restoril)	Nivel 2	
triazolam oral tablet 0.125 mg	Nivel 2	
triazolam oral tablet 0.25 mg (Halcion)	Nivel 2	
Sedantes-Hipnóticos, No Barbiturados		
AMBIEN CR ORAL TABLET,EXT RELEASE MULTIPHASE 12.5 MG, 6.25 MG (zolpidem)	Nivel 4	QL (1 EA per 1 day)
AMBIEN ORAL TABLET 10 MG, 5 MG (zolpidem)	Nivel 4	QL (1 EA per 1 day)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	Nivel 3	ST: Must meet any of the following requirements: Eszopiclone, Zaleplon, or Zolpidem Tartrate in 120 days; QL (1 EA per 1 day)
DAYVIGO ORAL TABLET 10 MG, 5 MG	Nivel 3	ST: Must meet any of the following requirements: Eszopiclone, Zaleplon, or Zolpidem Tartrate in 120 days; QL (1 EA per 1 day)
doxepin oral tablet 3 mg, 6 mg (Silenor)	Nivel 2	ST: Must meet any of the following requirements: Doxepin solution or 10mg capsule, Eszopiclone, Zaleplon, or Zolpidem in 120 days; QL (1 EA per 1 day)
EDLUAR SUBLINGUAL TABLET 10 MG, 5 MG	Nivel 4	ST: Must meet the following requirement: Edluar or Zolpidem Tartrate in 180 days; QL (1 EA per 1 day)
eszopiclone oral tablet 1 mg, 2 mg, 3 mg (Lunesta)	Nivel 2	QL (1 EA per 1 day)
IGALMI SUBLINGUAL FILM 120 MCG, 180 MCG	Nivel 4	PA
LUNESTA ORAL TABLET 1 MG, 2 MG, 3 MG (eszopiclone)	Nivel 4	QL (1 EA per 1 day)
MKO (MIDAZOLAM-KETAMINE-ONDAN) SUBLINGUAL TROCHE 3-25-2 MG	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
QUVIVIQ ORAL TABLET 25 MG, 50 MG	Nivel 4	ST: Must meet any of the following requirements: Zolpidem Tartrate, Eszopiclone, or Zaleplon in 130 days; QL (1 EA per 1 day)
SILENOR ORAL TABLET 3 MG, 6 MG (doxepin)	Nivel 4	ST: Must meet any of the following requirements: Doxepin solution or 10mg capsule, Eszopiclone, Zaleplon, or Zolpidem in 120 days; QL (1 EA per 1 day)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	Nivel 2	QL (1 EA per 1 day)
<i>zolpidem oral capsule 7.5 mg</i>	Nivel 2	
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	Nivel 2	QL (1 EA per 1 day)
<i>zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	Nivel 2	QL (1 EA per 1 day)
<i>zolpidem sublingual tablet 1.75 mg, 3.5 mg</i>	Nivel 2	QL (1 EA per 1 day)
Tx For Adhd - Selectivo Alfa-2A Agonista De Receptor		
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	Nivel 2	MO
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	Nivel 2	MO
INTUNIV ER ORAL TABLET EXTENDED RELEASE 24 HR 1 MG, 2 MG, 3 MG, 4 MG (guanfacine)	Nivel 4	MO
ONYDA XR ORAL SUSPENSION,EXTEND RELEASE 24HR 0.1 MG/ML	Nivel 4	MO; ST: Must meet the following requirement: Clonidine 0.1mg ER tablets in 120 days; QL (4 ML per 1 day)
Tx Para Deficit De Atención-Hiperact(Tdha)/Narcolepsia		
APTENSIO XR ORAL CAP,ER SPRINKLE,BIPHASIC 40-60 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG (methylphenidate hcl)	Nivel 4	MO; ST: Must meet the following requirement of one generic of: Concerta, Metadate CD, Ritalin LA, Methylin ER, or Ritalin-SR in 120 days; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
AZSTARYS ORAL CAPSULE 26.1 MG- 5.2 MG, 39.2 MG- 7.8 MG, 52.3 MG- 10.4 MG	Nivel 3	MO; ST: Must meet any of the following requirements: generic Lisdexamfetamine, Methylphenidate ER/LA/CD, or Dextroamphetamine/Amphetamine XR/ER in 120 days; QL (1 EA per 1 day)
CONCERTA ORAL TABLET (methylphenidate hcl) EXTENDED RELEASE 24HR 18 MG, 27 MG, 54 MG	Nivel 4	MO; QL (1 EA per 1 day)
CONCERTA ORAL TABLET (methylphenidate hcl) EXTENDED RELEASE 24HR 36 MG	Nivel 4	MO; QL (2 EA per 1 day)
COTEMPLA XR-ODT ORAL TABLET,DISINTEG ER BIPHASE 24H 17.3 MG, 8.6 MG	Nivel 4	MO; ST: Must meet the following requirement: Azstarys or Jornay PM in 120 days; QL (1 EA per 1 day)
COTEMPLA XR-ODT ORAL TABLET,DISINTEG ER BIPHASE 24H 25.9 MG	Nivel 4	MO; ST: Must meet the following requirement: Azstarys or Jornay PM in 120 days; QL (2 EA per 1 day)
DAYTRANA TRANSDERMAL PATCH (methylphenidate) 24 HOUR 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR	Nivel 4	MO; ST: Must meet the following requirement: oral Methylphenidate CD/ER/LA or Methylphenidate suspension/solution in 120 days; QL (1 EA per 1 day)
<i>dexmethylphenidate oral capsule,er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> (Focalin XR)	Nivel 2	MO; QL (1 EA per 1 day)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	Nivel 2	MO; QL (2 EA per 1 day)
FOCALIN ORAL TABLET 10 MG, 2.5 MG, 5 MG (dexmethylphenidate)	Nivel 4	MO; QL (2 EA per 1 day)
FOCALIN XR ORAL CAPSULE,ER BIPHASIC 50-50 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG (dexmethylphenidate)	Nivel 4	MO; QL (1 EA per 1 day)
JORNAY PM ORAL CAPSULE,DEL REL,EXT REL SPRINK 100 MG, 20 MG, 40 MG, 60 MG, 80 MG	Nivel 3	MO; ST: Must meet any of the following requirements: generic Lisdexamfetamine, Methylphenidate ER/LA/CD, or Dextroamphetamine/Amphetamine XR/ER in 120 days; QL (1 EA per 1 day)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
METADATE CD ORAL CAPSULE, ER BIPHASIC 30-70 10 MG, 20 MG, 40 MG, 50 MG, 60 MG	(methylphenidate hcl)	Nivel 4	MO; QL (1 EA per 1 day)
METADATE CD ORAL CAPSULE, ER BIPHASIC 30-70 30 MG	(methylphenidate hcl)	Nivel 4	MO; QL (2 EA per 1 day)
METADATE ER ORAL TABLET EXTENDED RELEASE 20 MG	(methylphenidate hcl)	Nivel 2	MO; QL (90 EA per 30 days)
METHYLIN ORAL SOLUTION 10 MG/5 ML, 5 MG/5 ML	(methylphenidate hcl)	Nivel 4	MO
<i>methylphenidate hcl oral cap,er sprinkle,biphasic 40-60 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i>	(Aptensio XR)	Nivel 4	MO; ST: Must meet the following requirement of one generic of: Concerta, Metadate CD, Ritalin LA, Methylin ER, or Ritalin-SR in 120 days; QL (1 EA per 1 day)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	(Metadate CD)	Nivel 2	MO; QL (1 EA per 1 day)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	(Metadate CD)	Nivel 2	MO; QL (2 EA per 1 day)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i>	(Ritalin LA)	Nivel 2	MO; QL (1 EA per 1 day)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i>	(Ritalin LA)	Nivel 2	MO; QL (2 EA per 1 day)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>		Nivel 2	MO; QL (1 EA per 1 day)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>	(Methylin)	Nivel 2	MO
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	(Ritalin)	Nivel 2	MO; QL (90 EA per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>		Nivel 2	MO; QL (3 EA per 1 day)
<i>methylphenidate hcl oral tablet extended release 20 mg</i>	(Metadate ER)	Nivel 2	MO; QL (90 EA per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i>	(Concerta)	Nivel 2	MO; QL (1 EA per 1 day)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i>	(Concerta)	Nivel 2	MO; QL (2 EA per 1 day)
<i>methylphenidate hcl oral tablet extended release 24hr 45 mg, 63 mg</i>	(Relexxii)	Nivel 2	MO; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>methylphenidate hcl oral tablet extended release 24hr 72 mg</i> (Relexxii)	Nivel 2	MO; ST: Must meet 2 of the following requirements: Adderall XR, Concerta, generic Lisdexamfetamine, or Methylphenidate ER/LA/CD in 365 days; QL (1 EA per 1 day)
<i>methylphenidate hcl oral tablet, chewable 10 mg</i>	Nivel 2	MO; QL (6 EA per 1 day)
<i>methylphenidate hcl oral tablet, chewable 2.5 mg, 5 mg</i>	Nivel 2	MO; QL (90 EA per 30 days)
<i>methylphenidate transdermal patch 24 hour 10 mg/9 hr, 15 mg/9 hr, 20 mg/9 hr, 30 mg/9 hr</i> (Daytrana)	Nivel 2	MO; ST: Must meet the following requirement: oral Methylphenidate CD/ER/LA or Methylphenidate suspension/solution in 120 days; QL (1 EA per 1 day)
QUILLICHEW ER ORAL TABLET,CHEW,IR-ER.BIPHASIC24HR 20 MG, 40 MG	Nivel 4	MO; ST: Must meet any of the following requirements: generic Lisdexamfetamine, Methylphenidate ER/LA/CD, or Dextroamphetamine/Amphetamine XR/ER in 120 days; QL (1 EA per 1 day)
QUILLICHEW ER ORAL TABLET,CHEW,IR-ER.BIPHASIC24HR 30 MG	Nivel 4	MO; ST: Must meet any of the following requirements: generic Lisdexamfetamine, Methylphenidate ER/LA/CD, or Dextroamphetamine/Amphetamine XR/ER in 120 days; QL (2 EA per 1 day)
QUILLIVANT XR 25 MG/5 ML SUSP 5 MG/ML (25 MG/5 ML)	Nivel 4	MO; 120mL BOTTLE; ST: Must meet any of the following requirements: generic Lisdexamfetamine, Methylphenidate ER/LA/CD, or Dextroamphetamine/Amphetamine XR/ER in 120 days; QL (240 ML per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
QUILLIVANT XR 25 MG/5 ML SUSP 5 MG/ML (25 MG/5 ML)	Nivel 4	MO; 150mL BOTTLE; ST: Must meet any of the following requirements: generic Lisdexamfetamine, Methylphenidate ER/LA/CD, or Dextroamphetamine/Amphetamine XR/ER in 120 days; QL (300 ML per 30 days)
QUILLIVANT XR 25 MG/5 ML SUSP 5 MG/ML (25 MG/5 ML)	Nivel 4	MO; 180mL BOTTLE; ST: Must meet any of the following requirements: generic Lisdexamfetamine, Methylphenidate ER/LA/CD, or Dextroamphetamine/Amphetamine XR/ER in 120 days; QL (360 ML per 30 days)
QUILLIVANT XR 25 MG/5 ML SUSP 5 MG/ML (25 MG/5 ML)	Nivel 4	MO; 60mL BOTTLE; ST: Must meet any of the following requirements: generic Lisdexamfetamine, Methylphenidate ER/LA/CD, or Dextroamphetamine/Amphetamine XR/ER in 120 days; QL (60 ML per 30 days)
RELEXXII ORAL TABLET EXTENDED RELEASE 24HR 18 MG, 27 MG, 54 MG (methylphenidate hcl)	Nivel 4	MO; QL (1 EA per 1 day)
RELEXXII ORAL TABLET EXTENDED RELEASE 24HR 36 MG (methylphenidate hcl)	Nivel 4	MO; QL (2 EA per 1 day)
RELEXXII ORAL TABLET EXTENDED RELEASE 24HR 72 MG (methylphenidate hcl)	Nivel 4	MO; ST: Must meet 2 of the following requirements: Adderall XR, Concerta, generic Lisdexamfetamine, or Methylphenidate ER/LA/CD in 365 days; QL (1 EA per 1 day)
RITALIN LA ORAL CAPSULE,ER BIPHASIC 50-50 10 MG, 20 MG, 40 MG (methylphenidate hcl)	Nivel 4	MO; QL (1 EA per 1 day)
RITALIN LA ORAL CAPSULE,ER BIPHASIC 50-50 30 MG (methylphenidate hcl)	Nivel 4	MO; QL (2 EA per 1 day)
RITALIN ORAL TABLET 10 MG, 20 MG, 5 MG (methylphenidate hcl)	Nivel 4	MO; QL (90 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Tx Para Deficit De Atención-Hiperact.(Adhd), Nri-Tipe		
<i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i>	Nivel 2	MO
QELBREE ORAL CAPSULE,EXTENDED RELEASE 24HR 100 MG	Nivel 4	MO; ST: Must meet any of the following requirements: Atomoxetine, Clonidine ER (Kapvay), Dexmethylphenidate, Dextroamphetamine/Amphetamine, Guanfacine ER (intuniv), or generic Methylphenidate IR in 120 days; QL (1 EA per 1 day)
QELBREE ORAL CAPSULE,EXTENDED RELEASE 24HR 150 MG	Nivel 4	MO; ST: Must meet any of the following requirements: Atomoxetine, Clonidine ER (Kapvay), Dexmethylphenidate, Dextroamphetamine/Amphetamine, Guanfacine ER (intuniv), or generic Methylphenidate IR in 120 days; QL (2 EA per 1 day)
QELBREE ORAL CAPSULE,EXTENDED RELEASE 24HR 200 MG	Nivel 4	MO; ST: Must meet any of the following requirements: Atomoxetine, Clonidine ER (Kapvay), Dexmethylphenidate, Dextroamphetamine/Amphetamine, Guanfacine ER (intuniv), or generic Methylphenidate IR in 120 days; QL (3 EA per 1 day)
STRATTERA ORAL CAPSULE 10 MG, 100 MG, 18 MG, 25 MG, 40 MG, 60 MG, 80 MG (atomoxetine)	Nivel 4	MO
Sistema Nervioso Autónomo		
LEQEMBI IQLIK SUBCUTANEOUS AUTO-INJECTOR 360 MG/1.8 ML	Nivel 5	MO
VYVGART HYTRULO SUBCUTANEOUS SYRINGE 1,000 MG-10,000 UNIT/5 ML	Nivel 5	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Antag. De Recept. De Thx De Alzheimer, Nmda & Inhib. De Colinas		
<i>memantine-donepezil oral capsule, sprinkle, er 24hr 14-10 mg, 21-10 mg, 28-10 mg</i> (Namzaric)	Nivel 2	MO; ST: Must meet the following requirements: Donepezil and Memantine in 365 days; QL (1 EA per 1 day)
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG (memantine-donepezil)	Nivel 4	MO; ST: Must meet the following requirements: Donepezil and Memantine in 365 days; QL (1 EA per 1 day)
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 7-10 MG	Nivel 3	MO; ST: Must meet the following requirements: Donepezil and Memantine in 365 days; QL (1 EA per 1 day)
Inhibidores De Colinesterasa		
ADLARITY TRANSDERMAL PATCH WEEKLY 10 MG/24 HOUR, 5 MG/24 HOUR	Nivel 4	PA; MO
ARICEPT ORAL TABLET 10 MG, 23 MG, 5 MG (donepezil)	Nivel 4	MO
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept)	Nivel 2	MO
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	Nivel 2	MO
EXELON PATCH TRANSDERMAL PATCH 24 HOUR 13.3 MG/24 HOUR, 4.6 MG/24 HOUR, 9.5 MG/24 HOUR (rivastigmine)	Nivel 4	MO; QL (30 EA per 30 days)
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	Nivel 2	MO; QL (30 EA per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	Nivel 2	MO; QL (200 ML per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	Nivel 2	MO; QL (60 EA per 30 days)
MESTINON ORAL SYRUP 60 MG/5 ML (pyridostigmine bromide)	Nivel 4	MO
MESTINON ORAL TABLET 60 MG (pyridostigmine bromide)	Nivel 4	MO
MESTINON TIMESPAN ORAL TABLET EXTENDED RELEASE 180 MG (pyridostigmine bromide)	Nivel 4	MO
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	Nivel 2	MO
<i>pyridostigmine bromide oral tablet 30 mg</i>	Nivel 2	MO
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>pyridostigmine bromide oral tablet extended release 105 mg</i>	Nivel 4	
<i>pyridostigmine bromide oral tablet extended release 180 mg</i> (Mestinon Timespan)	Nivel 2	MO
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	Nivel 2	MO
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	Nivel 2	MO; QL (30 EA per 30 days)
ZUNVEYL ORAL TABLET, DELAYED RELEASE (DR/EC) 10 MG, 15 MG, 5 MG	Nivel 4	MO; ST: Must meet the following requirement: generic Galantamine tablets or Galantamine ER capsules in 120 days; QL (2 EA per 1 day)
Terapia De Alzheimer, Antagonistas De Receptor Nmda		
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg</i>	Nivel 2	MO; ST: Must meet the following requirement: Memantine immediate release tablets in 120 days; QL (30 EA per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 7 mg</i> (Namenda XR)	Nivel 2	MO; ST: Must meet the following requirement: Memantine immediate release tablets in 120 days; QL (30 EA per 30 days)
<i>memantine oral solution 2 mg/ml</i>	Nivel 2	MO; QL (300 ML per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	Nivel 2	MO; QL (60 EA per 30 days)
<i>memantine oral tablets, dose pack 5-10 mg</i> (Namenda Titration Pak)	Nivel 2	QL (49 EA per 28 days)
NAMENDA TITRATION PAK ORAL TABLETS, DOSE PACK 5-10 MG (memantine)	Nivel 4	QL (49 EA per 28 days)
NAMENDA XR ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7-14-21-28 MG	Nivel 3	ST: Must meet the following requirement: Memantine immediate release tablets in 120 days; QL (28 EA per 28 days)
NAMENDA XR ORAL CAPSULE, SPRINKLE, ER 24HR 7 MG (memantine)	Nivel 4	MO; ST: Must meet the following requirement: Memantine immediate release tablets in 120 days; QL (30 EA per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Suministros Médicos		
Equipod Médicos Duraderos, Misc. (Grupo 1)		
ACCU-CHEK FASTCLIX LANCET DRUM (lancets)	Nivel 6	MO
ACCU-CHEK SAFE-T-PRO 23 GAUGE	Nivel 6	MO
ACCU-CHEK SAFE-T-PRO PLUS 23 GAUGE	Nivel 6	MO
ACCU-CHEK SOFTCLIX LANCETS (lancets)	Nivel 6	MO
ACTI-LANCE LANCETS 17 GAUGE, 23 GAUGE	Nivel 6	MO
ACTI-LANCE LANCETS 28 GAUGE (lancets)	Nivel 6	MO
ADVANCED TRAVEL LANCETS 28 GAUGE (lancets)	Nivel 6	MO
ADVOCATE LANCET 21 GAUGE, 26 GAUGE, 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
ADVOCATE LANCET 23 GAUGE	Nivel 6	MO
AGAMATRIX ULTRA-THIN LANCET 33 GAUGE (lancets)	Nivel 6	MO
ALTERNATE SITE LANCET 26 GAUGE (lancets)	Nivel 6	MO
ASSURE LANCE 25 GAUGE	Nivel 6	MO
ASSURE LANCE 28 GAUGE (lancets)	Nivel 6	MO
ASSURE LANCE PLUS 21 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
ASSURE LANCE PLUS 25 GAUGE	Nivel 6	MO
BD MICROTAINER LANCET 1.5 X 2 MM	Nivel 6	MO
BD MICROTAINER LANCET 21 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
BULLSEYE MINI SAFETY LANCETS 21 GAUGE, 28 GAUGE (lancets)	Nivel 6	MO
BULLSEYE MINI SAFETY LANCETS 25 GAUGE	Nivel 6	MO
BUTTERFLY TOUCH LANCET 30 GAUGE (lancets)	Nivel 6	MO
CAREONE ULTRA THIN LANCET (lancets)	Nivel 6	MO
CARESENS LANCETS 30 GAUGE (lancets)	Nivel 6	MO
CARETOUCH SAFETY LANCETS 26 GAUGE, 28 GAUGE (lancets)	Nivel 6	MO
CARETOUCH TWIST LANCET 28 GAUGE, 30 GAUGE, 33 GAUGE (lancets)	Nivel 6	MO
CHOSEN LANCET 30 GAUGE (lancets)	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CHOSEN SAFETY LANCET 28 GAUGE (lancets)	Nivel 6	MO
CLEVER CHEK LANCETS 30 GAUGE (lancets)	Nivel 6	MO
COAGUCHEK LANCETS (lancets)	Nivel 6	MO
COLOR LANCETS 21 GAUGE (lancets)	Nivel 6	MO
COMFORT EZ LANCETS 23 GAUGE	Nivel 6	MO
COMFORT EZ LANCETS 28 GAUGE (lancets)	Nivel 6	MO
COMFORT TOUCH PLUS SAFETY LANC 30 GAUGE (lancets)	Nivel 6	MO
COMFORT TOUCH ULT THIN LANCETS 31 GAUGE	Nivel 6	MO
DROPLET LANCETS 30 GAUGE (lancets)	Nivel 6	MO
DROPSAFE ACTI-LANCE 23 GAUGE	Nivel 6	MO
EASY COMFORT LANCETS 30 GAUGE (lancets)	Nivel 6	MO
EASY TOUCH LANCETS 26 GAUGE, 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
EASY TOUCH LANCETS 32 GAUGE	Nivel 6	MO
EASY TOUCH SAFETY LANCETS 21 GAUGE, 26 GAUGE, 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
EASY TOUCH SAFETY LANCETS 23 GAUGE, 32 GAUGE	Nivel 6	MO
EASY TOUCH TWIST LANCETS 26 GAUGE, 28 GAUGE, 30 GAUGE, 33 GAUGE (lancets)	Nivel 6	MO
EASY TOUCH TWIST LANCETS 32 GAUGE	Nivel 6	MO
EASY TWIST AND CAP LANCETS 28 GAUGE (lancets)	Nivel 6	MO
EMBRACE LANCETS 30 GAUGE (lancets)	Nivel 6	MO
EMBRACE SAFETY LANCET 21 GAUGE, 28 GAUGE (lancets)	Nivel 6	MO
E-Z JECT LANCETS , 26 GAUGE, 30 GAUGE, 33 GAUGE (lancets)	Nivel 6	MO
E-Z JECT LANCETS 32 GAUGE	Nivel 6	MO
E-Z JECT THIN LANCETS 28 GAUGE (lancets)	Nivel 6	MO
EZ SMART LANCETS 28 GAUGE (lancets)	Nivel 6	MO
FINGERSTIX LANCETS (lancets)	Nivel 6	MO
FORACARE LANCETS 30 GAUGE (lancets)	Nivel 6	MO
FREESTYLE LANCETS 28 GAUGE (lancets)	Nivel 6	MO
FREESTYLE UNISTIK 2 (lancets)	Nivel 6	MO
GLUCOCOM LANCETS 28 GAUGE, 30 GAUGE, 33 GAUGE (lancets)	Nivel 6	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
GOJJI LANCETS 30 GAUGE	(lancets)	Nivel 6	MO
INCONTROL SUPER THIN LANCETS 30 GAUGE	(lancets)	Nivel 6	MO
INCONTROL ULTRA THIN LANCETS 28 GAUGE	(lancets)	Nivel 6	MO
INJECT EASE LANCETS 28 GAUGE, 30 GAUGE	(lancets)	Nivel 6	MO
INVACARE LANCETS 30 GAUGE	(lancets)	Nivel 6	MO
<i>lancets</i>	(Accu-Chek Fastclix Lancet Drum)	Nivel 6	MO
<i>lancets 21 gauge, 26 gauge, 30 gauge</i>	(Advocate Lancet)	Nivel 6	MO
<i>lancets 28 gauge</i>	(Acti-Lance Lancets)	Nivel 6	MO
<i>lancets 33 gauge</i>	(AgaMatrix Ultra-Thin Lancet)	Nivel 6	MO
LANCETS, SUPER THIN	(lancets)	Nivel 6	MO
LANCETS, THIN , 28 GAUGE	(lancets)	Nivel 6	MO
LANCETS, ULTRA THIN	(lancets)	Nivel 6	MO
MEDISENSE THIN LANCETS 28 GAUGE	(lancets)	Nivel 6	MO
MEDLANCE PLUS LANCETS 21 GAUGE, 30 GAUGE	(lancets)	Nivel 6	MO
MEDLANCE PLUS LANCETS 25 GAUGE		Nivel 6	MO
MEDLANCE PLUS SPECIAL BLADE 0.8 X 2 MM		Nivel 6	MO
MICRO THIN LANCETS 33 GAUGE	(lancets)	Nivel 6	MO
MICROLET LANCET	(lancets)	Nivel 6	MO
MOBILE LANCETS 30 GAUGE	(lancets)	Nivel 6	MO
MONOLET LANCETS 21 GAUGE	(lancets)	Nivel 6	MO
MONOLET THIN LANCETS 28 GAUGE	(lancets)	Nivel 6	MO
MYGLUCOHEALTH LANCETS 30 GAUGE	(lancets)	Nivel 6	MO
NOVA SAFETY LANCETS 23 GAUGE		Nivel 6	MO
NOVA SAFETY LANCETS 28 GAUGE	(lancets)	Nivel 6	MO
NOVA SUREFLEX LANCETS	(lancets)	Nivel 6	MO
ON CALL LANCET 30 GAUGE	(lancets)	Nivel 6	MO
ONETOUCH DELICA PLUS LANCET 30 GAUGE, 33 GAUGE	(lancets)	Nivel 6	MO
ONETOUCH DELICA SAFETY LANCET 30 GAUGE	(lancets)	Nivel 6	MO
ONETOUCH ULTRASOFT 2 LANCET 30 GAUGE	(lancets)	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ON-THE-GO LANCETS 30 GAUGE (lancets)	Nivel 6	MO
PERFECT POINT SAFETY LANCETS 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
PIP LANCET 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
PRESSURE ACTIVATED LANCETS 21 GAUGE, 28 GAUGE (lancets)	Nivel 6	MO
PRO COMFORT LANCET 30 GAUGE (lancets)	Nivel 6	MO
PRO COMFORT LANCET 31 GAUGE	Nivel 6	MO
PRO COMFORT SAFETY LANCET 30 GAUGE (lancets)	Nivel 6	MO
PRODIGY LANCETS 26 GAUGE, 28 GAUGE (lancets)	Nivel 6	MO
PRODIGY TWIST TOP LANCET 28 GAUGE (lancets)	Nivel 6	MO
PURE COMFORT LANCETS 30 GAUGE (lancets)	Nivel 6	MO
PURE COMFORT SAFETY LANCETS 30 GAUGE (lancets)	Nivel 6	MO
PUSH BUTTON SAFETY LANCETS 28 GAUGE (lancets)	Nivel 6	MO
RELIAMED LANCET 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
RELIAMED SAFETY SEAL LANCETS 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
RIGHTEST GL300 LANCETS 30 GAUGE (lancets)	Nivel 6	MO
SAFETY LANCETS 21 GAUGE, 28 GAUGE (lancets)	Nivel 6	MO
SAFETY SEAL LANCETS 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
SAFETY-LET LANCETS 30 GAUGE (lancets)	Nivel 6	MO
SINGLE-LET (lancets)	Nivel 6	MO
SMART SENSE LANCETS 21 GAUGE, 26 GAUGE, 33 GAUGE (lancets)	Nivel 6	MO
SMARTEST LANCET (lancets)	Nivel 6	MO
SOLUS V2 LANCETS 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
STERILANCE TL 30 GAUGE (lancets)	Nivel 6	MO
STERILANCE TL 32 GAUGE	Nivel 6	MO
SUPER THIN LANCETS 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
SURE COMFORT LANCETS 18 GAUGE, 23 GAUGE	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SURE COMFORT LANCETS 21 GAUGE, 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
SURE-LANCE , 26 GAUGE, 28 GAUGE (lancets)	Nivel 6	MO
SURE-LANCE ULTRA THIN 30 GAUGE (lancets)	Nivel 6	MO
SURE-TOUCH LANCET (lancets)	Nivel 6	MO
TECHLITE LANCETS 26 GAUGE, 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
TELCARE LANCETS 30 GAUGE (lancets)	Nivel 6	MO
TEMPO REFILL KIT WITH GAUZE KIT	Nivel 6	MO
THIN LANCETS 26 GAUGE (lancets)	Nivel 6	MO
TOPCARE UNIVERSAL1 LANCET , 33 GAUGE (lancets)	Nivel 6	MO
TRUE COMFORT LANCET 30 GAUGE (lancets)	Nivel 6	MO
TRUEPLUS LANCETS 28 GAUGE, 30 GAUGE, 33 GAUGE (lancets)	Nivel 6	MO
TWIST LANCETS 30 GAUGE (lancets)	Nivel 6	MO
TWIST LANCETS 32 GAUGE	Nivel 6	MO
ULTILET BASIC LANCETS 30 GAUGE (lancets)	Nivel 6	MO
ULTILET CLASSIC LANCETS , 28 GAUGE, 30 GAUGE, 33 GAUGE (lancets)	Nivel 6	MO
ULTILET LANCETS 28 GAUGE, 30 GAUGE, 33 GAUGE (lancets)	Nivel 6	MO
ULTILET SAFETY LANCETS 23 GAUGE	Nivel 6	MO
ULTRA THIN II LANCETS 30 GAUGE (lancets)	Nivel 6	MO
ULTRA THIN LANCETS , 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
ULTRA THIN LANCETS 31 GAUGE	Nivel 6	MO
ULTRA THIN PLUS LANCETS 33 GAUGE (lancets)	Nivel 6	MO
ULTRA TLC LANCETS (lancets)	Nivel 6	MO
ULTRA-CARE LANCETS 30 GAUGE (lancets)	Nivel 6	MO
ULTRALANCE LANCETS 26 GAUGE, 28 GAUGE (lancets)	Nivel 6	MO
ULTRA-THIN II LANCETS 28 GAUGE (lancets)	Nivel 6	MO
UNILET COMFORTOUCH LANCET , 26 GAUGE (lancets)	Nivel 6	MO
UNILET GP LANCET (lancets)	Nivel 6	MO
UNILET LANCET 28 GAUGE, 33 GAUGE (lancets)	Nivel 6	MO
UNILET LANCETS 30 GAUGE (lancets)	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
UNILET SUPER THIN LANCETS 30 GAUGE (lancets)	Nivel 6	MO
UNISTIK 3 EXTRA LANCET 21 GAUGE (lancets)	Nivel 6	MO
UNISTIK 3 GENTLE 30 GAUGE (lancets)	Nivel 6	MO
UNISTIK 3 NORMAL LANCET 23 GAUGE	Nivel 6	MO
UNISTIK COMFORT LANCETS 28 GAUGE (lancets)	Nivel 6	MO
UNISTIK CZT LANCET 23 GAUGE	Nivel 6	MO
UNISTIK CZT LANCET 28 GAUGE (lancets)	Nivel 6	MO
UNISTIK EXTRA LANCETS 21 GAUGE (lancets)	Nivel 6	MO
UNISTIK NORMAL LANCETS 23 GAUGE	Nivel 6	MO
UNISTIK PRO LANCET 21 GAUGE, 28 GAUGE (lancets)	Nivel 6	MO
UNISTIK PRO LANCET 25 GAUGE	Nivel 6	MO
UNISTIK SAFETY 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
UNISTIK TOUCH LANCETS 21 GAUGE, 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
UNISTIK TOUCH LANCETS 23 GAUGE	Nivel 6	MO
UNIVERSAL 1 LANCETS 21 GAUGE, 26 GAUGE, 30 GAUGE, 33 GAUGE (lancets)	Nivel 6	MO
VERIFINE SAFETY LANCET MINI 21 GAUGE, 28 GAUGE, 30 GAUGE (lancets)	Nivel 6	MO
VERIFINE SAFETY LANCET MINI 23 GAUGE	Nivel 6	MO
VERIFINE UNIVERSAL LANCET 28 GAUGE, 30 GAUGE, 33 GAUGE (lancets)	Nivel 6	MO
VIVAGUARD LANCET 30 GAUGE (lancets)	Nivel 6	MO
VIVAGUARD SAFETY LANCET 28 GAUGE (lancets)	Nivel 6	MO
Implantes Que Abultan El Tejido		
BARRIGEL IMPLANT GEL FOR IMPLANT IN SYRINGE 60 MG/3 ML	Nivel 4	PA
Jeringas Y Accesorios		
ADVOCATE SYRINGES SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ALLERGIST TRAY 1/2 ML 27GX3/8" SYRINGE 1/2 ML 27 GAUGE X 3/8"	Nivel 4	
ALLERGIST TRAY INTRADERMAL BEV SYRINGE 1 ML 26 GAUGE X 1/2", 1 ML 27 GAUGE X 3/8"	Nivel 4	
ALLERGIST TRAY INTRADERMAL BEV (tuberculin-allergy SYRINGE 1 ML 26 GAUGE X 3/8" syringes)	Nivel 4	
ALLERGIST TRAY REGULAR BEVEL SYRINGE 1 ML 27 GAUGE X 3/8"	Nivel 4	
ALLERGY SYRINGE SYRINGE 1 ML 27 GAUGE X 3/8", 1 ML 27 X 1/2"	Nivel 4	
BD ALLERGIST TRAY REG BEVEL SYRINGE 1 ML 27 X 1/2"	Nivel 4	
BD ALLERGIST TRAY REG BEVEL TRAY 1/2 ML 27 X 1/2"	Nivel 4	
BD ALLERGY SYRINGE SYRINGE 1 ML 28 GAUGE X 1/2"	Nivel 4	
BD BLUNT PLASTIC CANNULA SYRINGE 17 X 3 ML	Nivel 4	
BD BULK SYRINGE SLIP TIP SYRINGE 1 ML	Nivel 4	
BD BULK SYRINGE SLIP TIP SYRINGE (syringe (disposable)) 5 ML	Nivel 4	
BD ECCENTRIC TIP SYRINGE (syringe (disposable)) SYRINGE 10 ML	Nivel 4	
BD ECLIPSE LUER-LOK SYRINGE 1 ML 27 X 1/2", 3 ML 23 GAUGE X 1 1/2", 3 ML 25 X 5/8"	Nivel 4	
BD ECLIPSE LUER-LOK SYRINGE 1 (insulin syringe-needle u- ML 30 GAUGE X 1/2" 100)	Nivel 6	MO
BD ECLIPSE LUER-LOK SYRINGE 3 (syringe with needle) ML 23 X 1"	Nivel 4	
BD INTEGRA SYRINGE SYRINGE 3 ML (syringe with needle) 21 GAUGE X 1 1/2"	Nivel 4	
BD INTEGRA SYRINGE SYRINGE 3 ML 23 GAUGE X 1", 3 ML 25 GAUGE X 1", 3 ML 25 GAUGE X 5/8"	Nivel 4	
BD INTERLINK BLUNT PLASTIC CAN SYRINGE 17 X 5 ML	Nivel 4	
BD INTERLINK SYRINGE SYRINGE 17 X 10 ML	Nivel 4	
BD LUER-LOK BULK SYRINGE (syringe (disposable)) SYRINGE 20 ML	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
BD LUER-LOK SYRINGE SYRINGE 1 ML, 1 ML 20 GAUGE X 1", 10 ML 20 X 1 1/2", 10 ML 21 GAUGE X 1", 10 ML 21 X 1 1/2", 3 ML 18 X 1 1/2", 3 ML 20 GAUGE X 1", 3 ML 21 GAUGE X 1", 3 ML 25 GAUGE X 1", 3 ML 25 X 1 1/2", 3 ML 25 X 5/8", 3 ML 26 X 5/8", 5 ML 20 X 1 1/2", 5 ML 20 X 1", 5 ML 21 GAUGE X 1 1/2", 5 ML 21 GAUGE X 1", 50 ML	Nivel 4	
BD LUER-LOK SYRINGE SYRINGE 10 ML 20 X 1", 3 ML 20 GAUGE X 1 1/2", 3 ML 21 GAUGE X 1 1/2", 3 ML 23 GAUGE X 1 1/2", 3 ML 23 X 1" (syringe with needle)	Nivel 4	
BD LUER-LOK SYRINGE SYRINGE 10 ML, 20 ML, 3 ML, 5 ML (syringe (disposable))	Nivel 4	
BD LUER-LOK TIP CONTROL SYRING SYRINGE 10 ML (syringe (disposable))	Nivel 4	
BD SAFETYGLIDE ALLERGIST TRAY SYRINGE 1 ML 26 GAUGE X 3/8" (tuberculin-allergy syringes)	Nivel 4	
BD SAFETYGLIDE ALLERGIST TRAY SYRINGE 1 ML 27 X 1/2"	Nivel 4	
BD SAFETYGLIDE INSULIN SYRINGE SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64"	Nivel 6	MO
BD SAFETYGLIDE SHIELDING REG SYRINGE 1 ML 25 GAUGE X 5/8", 3 ML 21 GAUGE X 1 1/2"	Nivel 4	
BD SAFETYGLIDE SYRINGE SYRINGE 1 ML 27 GAUGE X 5/8" (insulin syringe-needle u-100)	Nivel 6	MO
BD SAFETYGLIDE SYRINGE SYRINGE 3 ML 23 X 1" (syringe with needle)	Nivel 4	
BD SAFETYGLIDE SYRINGE SYRINGE 3 ML 25 GAUGE X 1", 3 ML 25 X 5/8"	Nivel 4	
BD SAFETYGLIDE TB REG BEVEL SYRINGE 1 ML 27 X 1/2"	Nivel 4	
BD SAFETYGLIDE TUBERCULIN SYRINGE 1 ML 27 GAUGE X 3/8"	Nivel 4	
BD SLIP TIP SYRINGE SYRINGE 1 ML 26 GAUGE X 5/8", 50 ML	Nivel 4	
BD SLIP TIP SYRINGE SYRINGE 10 ML, 3 ML (syringe (disposable))	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
B-D SLIP TIP SYRINGE SYRINGE 20 ML (syringe (disposable))	Nivel 4	
BD SYRINGE CATH TIP NONSTERILE SYRINGE 50 ML	Nivel 4	
BD SYRINGE CATHETER TIP SYRINGE 50 ML	Nivel 4	
BD SYRINGE LUER-LOK NONSTERILE SYRINGE 10 ML, 20 ML, 5 ML (syringe (disposable))	Nivel 4	
BD SYRINGE LUER-LOK NONSTERILE SYRINGE 50 ML	Nivel 4	
BD SYRINGE LUER-LOK STERILE SYRINGE 10 ML (syringe (disposable))	Nivel 4	
BD SYRINGE LUER-LOK STERILE SYRINGE 50 ML	Nivel 4	
BD SYRINGE SLIP TIP NONSTERILE SYRINGE 10 ML, 20 ML (syringe (disposable))	Nivel 4	
BD SYRINGE SLIP TIP NONSTERILE SYRINGE 50 ML	Nivel 4	
BD SYRINGE SYRINGE 1 ML	Nivel 4	
BD SYRINGE-DUAL CANNULA SYRINGE 10 ML 20 GAUGE AND 17 GAUGE	Nivel 4	
BD TUBERCULIN SLIP-TIP SYRINGE 1 ML, 1 ML 27 GAUGE X 3/8"	Nivel 4	
BD TUBERCULIN SYRINGE SYRINGE 1 ML 21 GAUGE X 1", 1 ML 25 GAUGE X 5/8", 1 ML 27 X 1/2", 1/2 ML 27 X 1/2 "	Nivel 4	
BD TUBERCULIN SYRINGE SYRINGE 1 ML 26 GAUGE X 3/8" (tuberculin-allergy syringes)	Nivel 4	
CAREPOINT LUER LOCK SYRINGE SYRINGE 3 ML (syringe (disposable))	Nivel 4	
CAREPOINT LUER LOCK SYR-NEEDLE SYRINGE 3 ML 20 GAUGE X 1 1/2", 3 ML 21 GAUGE X 1 1/2", 3 ML 22 X 1 1/2", 3 ML 23 GAUGE X 1 1/2", 3 ML 23 X 1" (syringe with needle)	Nivel 4	
CAREPOINT LUER LOCK SYR-NEEDLE SYRINGE 3 ML 21 GAUGE X 1", 3 ML 22 GAUGE X 1", 3 ML 25 GAUGE X 1", 3 ML 25 X 5/8"	Nivel 4	
CAREPOINT LUER SLIP SYRINGE SYRINGE 1 ML	Nivel 4	
CAREPOINT LUER SLIP SYRING-NDL SYRINGE 1 ML 25 GAUGE X 5/8"	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CAREPOINT PRECISION LUER LOCK SYRINGE 3 ML (syringe (disposable))	Nivel 4	
CAREPOINT PRECISION SAFETY SYRINGE 1 ML 23 GAUGE X 1"	Nivel 4	
CAREPOINT SAFETY LL SYR-NEEDLE SYRINGE 1 ML 25 GAUGE X 1"	Nivel 4	
CARETOUCH INSULIN SYRINGE SYRINGE 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	Nivel 6	MO
CARETOUCH INSULIN SYRINGE SYRINGE 1 ML 28 X 5/16", 1 ML 29 GAUGE X 5/16	Nivel 6	MO
CARETOUCH LUER LOCK SYRINGE SYRINGE 1 ML	Nivel 4	
CARETOUCH LUER LOCK SYRINGE SYRINGE 3 ML, 5 ML (syringe (disposable))	Nivel 4	
CARETOUCH LUER LOCK SYR-NEEDLE SYRINGE 3 ML 22 GAUGE X 1", 3 ML 25 GAUGE X 1", 3 ML 25 X 1 1/2 ", 3 ML 25 X 5/8"	Nivel 4	
CARETOUCH LUER LOCK SYR-NEEDLE SYRINGE 3 ML 22 X 1 1/2", 3 ML 23 GAUGE X 1 1/2", 3 ML 23 X 1" (syringe with needle)	Nivel 4	
CARETOUCH LUER SLIP SYRINGE SYRINGE 1 ML	Nivel 4	
CARETOUCH LUER SLIP SYRINGE SYRINGE 10 ML, 3 ML, 5 ML (syringe (disposable))	Nivel 4	
COMFORT EZ INSULIN SYRINGE SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2", 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	Nivel 6	MO
DAVOL IRRIGATION SYRINGE SYRINGE	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
DAVOL PISTON IRRIGATION SYRINGE	Nivel 4	
DOVER BULB SYRINGE SYRINGE 60 ML	Nivel 4	
DROPLET INSULIN SYR(HALF UNIT) SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 0.5ML 30 GAUGE X 15/64"	Nivel 6	MO
DROPLET INSULIN SYR(HALF UNIT) SYRINGE 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark)	Nivel 6	MO
DROPLET INSULIN SYRINGE SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 1/4", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16", 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	Nivel 6	MO
DROPLET INSULIN SYRINGE SYRINGE 0.3 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 15/64"	Nivel 6	MO
DROPSAFE INSULIN SYRINGE SYRINGE 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16"	Nivel 6	MO
EASY COMFORT INSULIN SYRINGE SYRINGE 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16", 1/2 ML 29 X5/16 " (insulin syringe-needle u-100)	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
EASY COMFORT INSULIN SYRINGE SYRINGE 0.3 ML 31 X 1/2", 1 ML 29 GAUGE X 5/16, 1 ML 32 GAUGE X 5/16", 1/2 ML 32 GAUGE X 5/16"	Nivel 6	MO
EASY GLIDE CATHETER TIP SYRING (syringe (disposable)) SYRINGE 60 ML	Nivel 4	
EASY GLIDE INSULIN SYRINGE (insulin syringe-needle u- 100) SYRINGE 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64"	Nivel 6	MO
EASY GLIDE LUER LOCK SYRINGE SYRINGE 1 ML	Nivel 4	
EASY GLIDE LUER LOCK SYRINGE (syringe (disposable)) SYRINGE 10 ML, 3 ML, 60 ML	Nivel 4	
EASY GLIDE LUER SLIP TB SYRING SYRINGE 1 ML	Nivel 4	
EASY TOUCH FLIPLOCK INSULIN SYRINGE 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16"	Nivel 6	MO
EASY TOUCH FLIPLOCK SYRINGE SYRINGE 1 ML 25 GAUGE X 1", 1 ML 26 GAUGE X 3/8", 1 ML 27 GAUGE X 1/2", 10 ML 18 GAUGE X 1 1/2", 10 ML 18 GAUGE X 1", 10 ML 20 GAUGE X 1 1/2", 10 ML 20 GAUGE X 1", 10 ML 21 GAUGE X 1 1/2", 10 ML 21 X 1", 10 ML 22 GAUGE X 1 1/2", 10 ML 25 GAUGE X 1", 3 ML 18 GAUGE X 1 1/2", 3 ML 18 GAUGE X 1", 3 ML 19 GAUGE X 1 1/2", 3 ML 19 GAUGE X 1", 3 ML 20 GAUGE X 1 1/2", 3 ML 20 GAUGE X 1", 3 ML 21 GAUGE X 1 1/2", 3 ML 21 GAUGE X 1", 3 ML 22 GAUGE X 1 1/2", 3 ML 23 GAUGE X 1 1/2", 3 ML 23 GAUGE X 1", 3 ML 25 GAUGE X 1", 3 ML 25 GAUGE X 5/8", 5 ML 18 GAUGE X 1", 5 ML 20 GAUGE X 1 1/2", 5 ML 20 GAUGE X 1", 5 ML 21 GAUGE X 1 1/2", 5 ML 21 GAUGE X 1", 5 ML 22 GAUGE X 1 1/2", 5 ML 25 GAUGE X 1", 5 ML 25 GAUGE X 5/8"	Nivel 4	
EASY TOUCH FLIPLOCK SYRINGE (syringe with needle, SYRINGE 3 ML 22 GAUGE X 1" safety)	Nivel 4	
EASY TOUCH FLURINGE FLIPLOCK SYRINGE 1 ML 25 GAUGE X 1"	Nivel 4	

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
EASY TOUCH FLURINGE FLIPLOCK SYRINGE 1 ML 25 GAUGE X 5/8"	(syringe with needle, safety)	Nivel 4	
EASY TOUCH FLURINGE FLU TRAY TRAY 1 ML 25 GAUGE X 1"		Nivel 4	
EASY TOUCH FLURINGE SHEATHLOCK SYRINGE 1 ML 25 GAUGE X 1"		Nivel 4	
EASY TOUCH FLURINGE SHEATHLOCK SYRINGE 1 ML 25 GAUGE X 5/8"	(syringe with needle, safety)	Nivel 4	
EASY TOUCH FLURINGE SYRINGE 1 ML 25 GAUGE X 1"	(syringe with needle)	Nivel 4	
EASY TOUCH FLURINGE SYRINGE 1 ML 25 GAUGE X 5/8"		Nivel 4	
EASY TOUCH INSULIN SAFETY SYR SYRINGE 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2"		Nivel 6	MO
EASY TOUCH INSULIN SYRINGE SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 27 GAUGE X 1/2", 1 ML 27 GAUGE X 5/8", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	Nivel 6	MO
EASY TOUCH LUER LOCK INSULIN SYRINGE 1 ML	(insulin syringe needleless)	Nivel 6	MO
EASY TOUCH LUER LOCK SYRINGE SYRINGE 1 ML		Nivel 4	
EASY TOUCH LUER LOCK SYRINGE SYRINGE 10 ML, 20 ML, 3 ML, 5 ML, 60 ML	(syringe (disposable))	Nivel 4	
EASY TOUCH SHEATHLOCK INSULIN SYRINGE 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16"		Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
EASY TOUCH SHEATHLOCK SYRG-NDL SYRINGE 10 ML 21 GAUGE X 1 1/2", 10 ML 22 GAUGE X 1 1/2", 10 ML 25 GAUGE X 1", 3 ML 21 GAUGE X 1 1/2", 3 ML 21 GAUGE X 1", 3 ML 22 GAUGE X 1 1/2", 3 ML 23 GAUGE X 1", 3 ML 25 GAUGE X 1", 3 ML 25 GAUGE X 5/8", 5 ML 21 GAUGE X 1 1/2", 5 ML 22 GAUGE X 1 1/2", 5 ML 25 GAUGE X 1"	Nivel 4	
EASY TOUCH SHEATHLOCK SYRG-NDL SYRINGE 3 ML 22 GAUGE X 1"	(syringe with needle, safety)	Nivel 4
EASY TOUCH SHEATHLOCK SYRINGE SYRINGE 10 ML, 3 ML	(syringe (disposable))	Nivel 4
EASY TOUCH SYR ALLERGY TRAY TRAY 1 ML 26 GAUGE X 3/8", 1 ML 27 GAUGE X 1/2"	Nivel 4	
EASY TOUCH SYRINGE 1 ML 25 GAUGE X 1", 3 ML 22 X 1 1/2", 3 ML 23 X 1"	(syringe with needle)	Nivel 4
EASY TOUCH SYRINGE 1 ML 25 GAUGE X 5/8", 3 ML 20 GAUGE X 1", 3 ML 21 GAUGE X 1", 3 ML 22 GAUGE X 1", 3 ML 25 GAUGE X 1", 3 ML 25 X 5/8"	Nivel 4	
EASY TOUCH TUBERCULIN FLIPLOCK SYRINGE 1 ML 26 GAUGE X 5/8", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2"	Nivel 4	
EASY TOUCH TUBERCULIN SHEATHLK SYRINGE 1 ML 25 GAUGE X 5/8"	(syringe with needle, safety)	Nivel 4
EASY TOUCH TUBERCULIN SHEATHLK SYRINGE 1 ML 26 GAUGE X 5/8", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2"	Nivel 4	
EASY TOUCH UNI-SLIP SYRINGE 1 ML	(insulin syringe needleless)	Nivel 6 MO
EASY TOUCH UNI-SLIP SYRINGE 10 ML, 3 ML, 5 ML	(syringe (disposable))	Nivel 4 MO
ECLIPSE SYRINGE SYRINGE 1 ML 25 GAUGE X 5/8", 3 ML 21 GAUGE X 1", 3 ML 25 GAUGE X 1"	Nivel 4	
ENFIT MULTIFIL SYRINGE SYRINGE 10 ML, 60 ML	(syringe, enfit, non-sterile)	Nivel 4

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ENFIT THUMB CONTROL RING SYRINGE 60 ML	(syringe, enfit, non-sterile)	Nivel 4	
EXCEL SYRINGE SYRINGE 3 ML 23 X 1"	(syringe with needle)	Nivel 4	
EXEL INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	Nivel 6	MO
EXEL SYRINGE SYRINGE 10 ML, 30 ML	(syringe (disposable))	Nivel 4	
EXEL SYRINGE SYRINGE 3 ML 23 GAUGE X 1 1/2"	(syringe with needle)	Nivel 4	
EXEL SYRINGE SYRINGE 3 ML 25 X 5/8", 3 ML 27 GAUGE X 1 1/4", 50 ML		Nivel 4	
FREESTYLE PRECISION SYRINGE 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	Nivel 6	MO
HEALTHWISE INSULIN SYRINGE SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	Nivel 6	MO
<i>insulin syringe u-100 half mark syringe 0.3 ml 31 gauge x 1/4"</i>	(Droplet Insulin Syr(half unit))	Nivel 6	MO
INSULIN SYRINGE SYRINGE 0.5 ML 29 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	Nivel 6	MO
<i>insulin syringe-needle u-100 syringe 0.3 ml 29 gauge x 1/2", 0.3 ml 30 gauge x 1/2", 0.3 ml 31 gauge x 15/64", 0.5 ml 29 gauge x 1/2", 0.5 ml 30 gauge x 1/2", 1 ml 28 gauge x 1/2", 1 ml 29 gauge x 1/2", 1 ml 31 gauge x 15/64", 1/2 ml 28 gauge x 1/2", 1/2 ml 31 gauge x 15/64"</i>	(Comfort EZ Insulin Syringe)	Nivel 6	MO
<i>insulin syringe-needle u-100 syringe 0.3 ml 29 gauge, 1/2 ml 29</i>	(Ultilet Insulin Syringe)	Nivel 6	MO
<i>insulin syringe-needle u-100 syringe 0.3 ml 30 gauge x 5/16", 0.3 ml 31 gauge x 5/16", 0.5 ml 30 gauge x 5/16", 0.5 ml 31 gauge x 5/16", 1 ml 30 gauge x 5/16, 1 ml 31 gauge x 5/16</i>	(Advocate Syringes)	Nivel 6	MO
<i>insulin syringe-needle u-100 syringe 0.3 ml 30, 1 ml 30 gauge x 7/16", 1/2 ml 30 gauge</i>	(Ultra Comfort Insulin Syringe)	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>insulin syringe-needle u-100 syringe 0.3 ml 31 gauge x 1/4"</i> (Sure Comfort Insulin Syringe)	Nivel 6	MO
<i>insulin syringe-needle u-100 syringe 1 ml 27 gauge x 1/2", 1/2 ml 27 gauge x 1/2"</i> (Easy Touch Insulin Syringe)	Nivel 6	MO
<i>insulin syringe-needle u-100 syringe 1 ml 27 gauge x 5/8"</i> (BD SafetyGlide Syringe)	Nivel 6	MO
<i>insulin syringe-needle u-100 syringe 1 ml 28 gauge, 1 ml 29 gauge x 7/16"</i>	Nivel 6	MO
<i>insulin syringe-needle u-100 syringe 1 ml 30 gauge x 1/2"</i> (BD Eclipse Luer-Lok)	Nivel 6	MO
<i>insulin syringe-needle u-100 syringe 1 ml 30 gauge x 3/8"</i> (Thinpro Insulin Syringe)	Nivel 6	MO
<i>insulin syringe-needle u-100 syringe 1 ml 31 gauge x 1/4", 1/2 ml 31 gauge x 1/4"</i> (Droplet Insulin Syringe)	Nivel 6	MO
<i>insulin syringe-needle u-100 syringe 1/2 ml 28 gauge</i> (Monoject Syringe)	Nivel 6	MO
<i>insulin u-500 syringe-needle syringe 1/2 ml 31 gauge x 15/64"</i>	Nivel 6	
INTEGRA SYRINGE SYRINGE 3 ML 21 GAUGE X 1"	Nivel 4	
INTERLINK SYRINGE AND CANNULA SYRINGE 15 X 10 ML	Nivel 4	
IRRIGATION SYRINGE SYRINGE	Nivel 4	
LIFESHIELD BLUNT CANNULA SYRINGE 1 ML 18 GAUGE X 1", 3 ML 18 X 1"	Nivel 4	
LUER LOCK SYRINGE SYRINGE 30 ML (syringe (disposable))	Nivel 4	
LUER SLIP TIP SYRINGE TRAY SYRINGE 1 ML	Nivel 4	
LUER-LOK TIP SYRINGE 30 ML (syringe (disposable))	Nivel 4	
MAGELLAN INSULIN SAFETY SYRNG SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	Nivel 6	MO
MAGELLAN SAFETY SYRINGE SYRINGE 1 ML 23 GAUGE X 1"	Nivel 4	
MAGELLAN SYRINGE SYRINGE 0.3 ML 30 X 5/16", 0.5 ML 30 GAUGE X 5/16"	Nivel 6	MO
MAGELLAN SYRINGE SYRINGE 1 ML 27 GAUGE X 1/2"	Nivel 4	
MAGELLAN TUBERCULIN SAFETY SYR SYRINGE 1 ML 28 GAUGE X 1/2"	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
MAXICOMFORT INSULIN SYRINGE (insulin syringe-needle u-100) SYRINGE 1 ML 27 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2"	Nivel 6	MO
MAXI-COMFORT INSULIN SYRINGE (insulin syringe-needle u-100) SYRINGE 1 ML 28 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	Nivel 6	MO
MONOJECT 140CC PISTON SYRINGE SYRINGE	Nivel 4	
MONOJECT 35CC SYRINGE CATH TIP SYRINGE 35 ML	Nivel 4	
MONOJECT 3CC SYR 25GX1" SYRINGE 3 ML 25 GAUGE X 1"	Nivel 4	
MONOJECT ALLERGY TRAY DETACH TRAY 1 ML 27 X 1/2"	Nivel 4	
MONOJECT ALLERGY TRAY TRAY 0.5 ML 28 X 1/2", 1 ML 28 X 1/2"	Nivel 4	
MONOJECT CONTROL SYRINGE LUER SYRINGE 12 ML	Nivel 4	
MONOJECT DISPOSABLE SYRINGE (syringe (disposable)) SYRINGE 20 ML	Nivel 4	
MONOJECT ECCENTRIC NON-STERILE SYRINGE 12 ML, 35 ML	Nivel 4	
MONOJECT ENFIT STERILE SYRINGE (syringe, enfit, sterile) SYRINGE 1 ML, 35 ML, 60 ML	Nivel 4	
MONOJECT ENFIT STERILE SYRINGE SYRINGE 6 ML	Nivel 4	
MONOJECT ENFIT SYRINGE CAP (syringe cap, enfit, non-sterile)	Nivel 4	
MONOJECT ENFIT SYRINGE (syringe, enfit, non-sterile) SYRINGE 1 ML, 3 ML, 35 ML, 60 ML	Nivel 4	
MONOJECT ENFIT SYRINGE SYRINGE 12 ML, 6 ML	Nivel 4	
MONOJECT INSULIN SAFETY SYRING (insulin syringe-needle u-100) SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16"	Nivel 6	MO
MONOJECT INSULIN SAFETY SYRING SYRINGE 1 ML 29 GAUGE X 1/2"	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
MONOJECT INSULIN SYRINGE (insulin syringe-needle u-100) SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 25 GAUGE X 5/8", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2"	Nivel 6	MO
MONOJECT INSULIN SYRINGE (insulin syringes (disposable)) SYRINGE 1 ML	Nivel 6	MO
MONOJECT LUER-LOCK TIP SYRINGE 12 ML	Nivel 4	
MONOJECT LUER-LOCK TIP SYRINGE 3 ML (syringe (disposable))	Nivel 4	
MONOJECT MAGELLAN SYRINGE SYRINGE 1 ML 25 GAUGE X 1", 3 ML 20 GAUGE X 1"	Nivel 4	
MONOJECT MAGELLAN SYRINGE (syringe with needle, safety) SYRINGE 1 ML 25 GAUGE X 5/8"	Nivel 4	
MONOJECT PHARMACY TRAY LUER SYRINGE 12 ML, 35 ML, 6 ML	Nivel 4	
MONOJECT PHARMACY TRAY LUER (syringe (disposable)) SYRINGE 20 ML, 3 ML, 60 ML	Nivel 4	
MONOJECT PHARMACY TRAY REG TIP SYRINGE 1 ML	Nivel 4	
MONOJECT REG TIP NON-STERILE SYRINGE 12 ML, 6 ML	Nivel 4	
MONOJECT REG TIP NON-STERILE (syringe (disposable)) SYRINGE 20 ML, 3 ML	Nivel 4	
MONOJECT REGULAR LUER SYRINGE 12 ML, 35 ML, 6 ML	Nivel 4	
MONOJECT REGULAR LUER (syringe (disposable)) SYRINGE 3 ML	Nivel 4	
MONOJECT SAFETY LUER LOCK TIP SYRINGE 3 ML (syringe (disposable))	Nivel 4	
MONOJECT SAFETY SYRINGES SYRINGE 12 ML, 12 ML 20 X 1 1/2", 12 ML 21X 1 1/2", 3 ML 20 GAUGE X 1 1/2", 3 ML 21 GAUGE X 1 1/2", 3 ML 21 GAUGE X 1", 3 ML 22 GAUGE X 1 1/2", 3 ML 23 GAUGE X 1", 3 ML 25 GAUGE X 5/8", 6 ML	Nivel 4	

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
MONOJECT SAFETY SYRINGES SYRINGE 3 ML 22 GAUGE X 1"	(syringe with needle, safety)	Nivel 4	
MONOJECT SMARTIP CANNULA SYRINGE 12 ML, 3 ML, 6 ML		Nivel 4	
MONOJECT SYRINGE LUER LOK SYRINGE 35 ML, 6 ML		Nivel 4	
MONOJECT SYRINGE LUER LOK SYRINGE 60 ML	(syringe (disposable))	Nivel 4	
MONOJECT SYRINGE REGULAR LUER SYRINGE 60 ML	(syringe (disposable))	Nivel 4	
MONOJECT SYRINGE SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	Nivel 6	MO
MONOJECT SYRINGE SYRINGE 12 ML 18 GAUGE X 1", 12 ML 20 X 1 1/2", 12 ML 21 GAUGE X 1 1/2", 12 ML 21 GAUGE X 1", 140 ML, 3 ML 20 GAUGE X 1", 3 ML 20 X 3/4", 3 ML 21 GAUGE X 1", 3 ML 22 GAUGE X 1", 3 ML 25 GAUGE X 1", 3 ML 25 X 1 1/4", 3 ML 25 X 5/8", 3 ML 27 GAUGE X 1 1/4", 6 ML, 6 ML 20 X 1 1/2", 6 ML 21 X 1 1/2", 6 ML 21 X 1", 6 ML 22 X 1 1/2"		Nivel 4	
MONOJECT SYRINGE SYRINGE 3 ML	(syringe (disposable))	Nivel 4	
MONOJECT SYRINGE SYRINGE 3 ML 20 GAUGE X 1 1/2", 3 ML 21 GAUGE X 1 1/2", 3 ML 22 X 1 1/2", 3 ML 23 X 1"	(syringe with needle)	Nivel 4	
MONOJECT SYRINGE TOOMEY TYPE SYRINGE 60 ML	(syringe (disposable))	Nivel 4	
MONOJECT TB LUER LOK SYRINGE 1 ML		Nivel 4	
MONOJECT TB REGULAR LUER TIP SYRINGE 1 ML		Nivel 4	
MONOJECT TB SAFETY SYRINGE SYRINGE 1 ML 25 GAUGE X 5/8", 1 ML 28 GAUGE X 1/2"		Nivel 4	
MONOJECT TB SYRINGE 1 ML 28 GAUGE X 1/2"		Nivel 4	
MONOJECT TUBERCULIN SYRINGE SYRINGE 1 ML 26 GAUGE X 3/8"	(tuberculin-allergy syringes)	Nivel 4	
MONOJECT TUBERCULIN SYRINGE SYRINGE 1 ML, 1 ML 25 GAUGE X 5/8", 1 ML 27 X 1/2", 1 ML 28 GAUGE X 1/2", 1/2 ML 28 X 1/2"		Nivel 4	
MONOJECT ULTRA COMFORT INSULIN SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
NORM-JECT SYRINGE 10 ML, 20 ML (syringe (disposable))	Nivel 4	
NORM-JECT TUBERKULIN SYRINGE 1 ML	Nivel 4	
PISTON SYRINGE WITH ENFIT SYRINGE 60 ML (syringe, enfit, non-sterile)	Nivel 4	
PRO COMFORT INSULIN SYRINGE SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	Nivel 6	MO
PRODIGY INSULIN SYRINGE SYRINGE 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	Nivel 6	MO
SAFESNAP INSULIN SYRINGE SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	Nivel 6	MO
SAFESNAP SYRINGE SYRINGE 1 ML 25 GAUGE X 5/8" (syringe-needle,safety,dispunt)	Nivel 4	
SAFESNAP SYRINGE SYRINGE 1 ML 27 GAUGE X 1/2", 10 ML, 10 ML 20 GAUGE X 1 1/2", 10 ML 20 GAUGE X 1", 10 ML 21 GAUGE X 1 1/2", 10 ML 21 GAUGE X 1", 10 ML 22 GAUGE X 1 1/2", 10 ML 22 GAUGE X 1", 3 ML, 3 ML 20 GAUGE X 1 1/2", 3 ML 20 GAUGE X 1", 3 ML 21 GAUGE X 1 1/2", 3 ML 21 GAUGE X 1", 3 ML 22 GAUGE X 1 1/2", 3 ML 22 GAUGE X 1", 3 ML 23 GAUGE X 1 1/2", 3 ML 23 GAUGE X 1", 3 ML 25 GAUGE X 1", 3 ML 25 GAUGE X 5/8", 5 ML, 5 ML 20 GAUGE X 1 1/2", 5 ML 20 GAUGE X 1", 5 ML 21 GAUGE X 1 1/2", 5 ML 21 GAUGE X 1", 5 ML 22 GAUGE X 1 1/2", 5 ML 22 GAUGE X 1"	Nivel 4	
SECURESAFE INSULIN SYRINGE SYRINGE 0.5 ML 29 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	Nivel 6	MO
SURE COMFORT INS. SYR. U-100 SYRINGE 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SURE COMFORT INSULIN SYRINGE (insulin syringe-needle u-100) SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 1/4", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 1/4", 1 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 31 GAUGE X 1/4"	Nivel 6	MO
SURE-JECT INSULIN SYRINGE (insulin syringe-needle u-100) SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	Nivel 6	MO
SURGUARD2 SAFETY SYRINGE 1 ML 25 GAUGE X 5/8", 3 ML 22 GAUGE X 1" (syringe with needle, safety)	Nivel 4	
SURGUARD2 SAFETY SYRINGE 1 ML 26 GAUGE X 3/8", 1 ML 27 GAUGE X 1/2", 10 ML 20 GAUGE X 1 1/2", 10 ML 20 GAUGE X 1", 10 ML 21 GAUGE X 1 1/2", 3 ML 20 GAUGE X 1 1/2", 3 ML 20 GAUGE X 1", 3 ML 21 GAUGE X 1 1/2", 3 ML 21 GAUGE X 1", 3 ML 22 GAUGE X 1 1/2", 3 ML 23 GAUGE X 1", 3 ML 25 GAUGE X 1", 3 ML 25 GAUGE X 5/8", 5 ML 20 GAUGE X 1 1/2", 5 ML 20 GAUGE X 1", 5 ML 21 GAUGE X 1 1/2"	Nivel 4	
<i>syringe (disposable) syringe 10 ml</i> (BD Eccentric Tip Syringe)	Nivel 4	
<i>syringe (disposable) syringe 20 ml</i> (B-D Slip Tip Syringe)	Nivel 4	
<i>syringe (disposable) syringe 3 ml</i> (BD Luer-Lok Syringe)	Nivel 4	
<i>syringe (disposable) syringe 30 ml</i> (Exel Syringe)	Nivel 4	
<i>syringe (disposable) syringe 5 ml</i> (BD Bulk Syringe Slip Tip)	Nivel 4	
<i>syringe (disposable) syringe 60 ml</i> (Easy Glide Catheter Tip Syringe)	Nivel 4	
SYRINGE 3CC/20GX1" SYRINGE 3 ML 20 GAUGE X 1"	Nivel 4	
SYRINGE 3CC/21GX1" SYRINGE 3 ML 21 GAUGE X 1"	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SYRINGE 3CC/21GX1-1/2" SYRINGE 3 ML 21 GAUGE X 1 1/2" (syringe with needle)	Nivel 4	
SYRINGE 3CC/22GX1" SYRINGE 3 ML 22 GAUGE X 1"	Nivel 4	
SYRINGE 3CC/22GX3/4" SYRINGE 3 ML 22 GAUGE X 3/4"	Nivel 4	
SYRINGE 3CC/25GX1" SYRINGE 3 ML 25 GAUGE X 1"	Nivel 4	
<i>syringe cap, enfit, non-sterile</i> (Monoject ENFit Syringe Cap)	Nivel 4	
<i>syringe with needle syringe 1 ml 25 gauge x 1"</i> (Easy Touch)	Nivel 4	
<i>syringe with needle syringe 10 ml 20 x 1", 3 ml 20 gauge x 1 1/2"</i> (BD Luer-Lok Syringe)	Nivel 4	
<i>syringe with needle syringe 3 ml 22 x 1 1/2"</i> (Carepoint Luer Lock Syringe)	Nivel 4	
<i>syringe with needle syringe 3 ml 23 x 1"</i> (BD Eclipse Luer-Lok)	Nivel 4	
SYRINGE WITHOUT NEEDLE SYRINGE	Nivel 4	
<i>syringe, enfit, non-sterile syringe 0.5 ml, 20 ml</i> (NeoMed ENFit Syringe)	Nivel 4	
<i>syringe, enfit, non-sterile syringe 1 ml, 3 ml, 35 ml</i> (Monoject ENFit Syringe)	Nivel 4	
<i>syringe, enfit, non-sterile syringe 10 ml, 60 ml</i> (ENFit MultiFil Syringe)	Nivel 4	
<i>syringe, enfit, non-sterile syringe 5 ml</i>	Nivel 4	
<i>syringe, enfit, sterile syringe 1 ml, 3 ml, 35 ml, 60 ml</i> (Monoject ENFit Sterile Syringe)	Nivel 4	
<i>syringe, enfit, sterile syringe 10 ml, 20 ml, 5 ml</i>	Nivel 4	
TECHLITE INSULIN SYRINGE SYRINGE 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	Nivel 6	MO
TECHLITE INSULN SYR(HALF UNIT) SYRINGE 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16"	Nivel 6	MO
TERUMO ALLERGY SYRINGE SYRINGE 1 ML 27 X 1/2"	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
TERUMO HYPODERMIC NEEDLE/SYRIN SYRINGE 5 ML 20 X 1 1/2", 5 ML 20 X 1", 5 ML 21 GAUGE X 1 1/2", 5 ML 21 GAUGE X 1", 5 ML 22 GAUGE X 1 1/2", 5 ML 22 X 1"	Nivel 4	
TERUMO INSULIN SYRINGE SYRINGE (insulin syringe-needle u- 0.3 ML 30 X 3/8", 0.5 ML 29 GAUGE X 100) 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	Nivel 6	MO
TERUMO SYRINGE SYRINGE 3 ML 23 (syringe with needle) GAUGE X 1 1/2", 3 ML 23 X 1"	Nivel 4	
TERUMO SYRINGE SYRINGE 3 ML 25 GAUGE X 1", 3 ML 25 X 5/8"	Nivel 4	
TERUMO SYRINGE SYRINGE 30 ML (syringe (disposable))	Nivel 4	
THINPRO INSULIN SYRINGE (insulin syringe-needle u- SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 100) ML 30 X 3/8", 0.5 ML 29 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	Nivel 6	MO
THINPRO INSULIN SYRINGE SYRINGE 0.3 ML 31 X 3/8", 0.5 ML 31 X 3/8", 1 ML 31 X 3/8"	Nivel 6	MO
TOOMEY SYRINGE SYRINGE 70 ML	Nivel 4	
TOPCARE ULTRA COMFORT (insulin syringe-needle u- SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 100) ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	Nivel 6	MO
TRUE COMFORT INSULIN SYRINGE (insulin syringe-needle u- SYRINGE 0.5 ML 31 GAUGE X 5/16", 1 100) ML 31 GAUGE X 5/16	Nivel 6	MO
TRUE COMFORT PRO INS SYRINGE (insulin syringe-needle u- SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 100) ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso	
TRUE COMFORT PRO INS SYRINGE SYRINGE 1 ML 32 GAUGE X 5/16", 1/2 ML 32 GAUGE X 5/16"	Nivel 6	MO	
TRUE COMFORT SAFE INSULIN SYRG SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16", 1 ML 32 GAUGE X 5/16"	Nivel 6	MO	
TRUEPLUS INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	Nivel 6	MO
TUBERCULIN SYRINGE SYRINGE 1 ML 25 GAUGE X 1"	(syringe with needle)	Nivel 4	
TUBERCULIN SYRINGE SYRINGE 1 ML, 1 ML 25 GAUGE X 5/8", 1 ML 27 X 1/2"		Nivel 4	
tuberculin-allergy syringes syringe 1 ml 26 gauge x 3/8"	(Allergist Tray Intradermal Bev)	Nivel 4	
ULTICARE INSULIN SYRINGE SYRINGE 0.3 ML 31 GAUGE X 1/4", 1 ML 31 GAUGE X 1/4", 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	Nivel 6	MO
ULTICARE INSULN SYR(HALF UNIT) SYRINGE 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	Nivel 6	MO
ULTICARE LOW DEAD SPACE SYRING SYRINGE 1 ML 22 GAUGE X 1 1/2"		Nivel 4	
ULTICARE LOW DEAD SPACE SYRING SYRINGE 3 ML 22 X 1 1/2"	(syringe with needle)	Nivel 4	
ULTICARE SAFETY SYRINGE SYRINGE 3 ML 22 GAUGE X 1"	(syringe with needle, safety)	Nivel 4	
ULTICARE SAFETY SYRINGE SYRINGE 3 ML, 3 ML 21 GAUGE X 1 1/2", 3 ML 22 GAUGE X 1 1/2", 3 ML 23 GAUGE X 1", 3 ML 25 GAUGE X 1", 3 ML 25 GAUGE X 5/8"		Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ULTICARE SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	Nivel 6	MO
ULTICARE SYRINGE 1 ML 25 GAUGE X 5/8"	Nivel 4	
ULTICARE TB SAFETY SYRINGE SYRINGE 1 ML 27 GAUGE X 1/2", 1 ML 27 GAUGE X 5/8", 1 ML 28 GAUGE X 1/2"	Nivel 4	
ULTIGUARD SAFEPACK-INSULIN SYR SYRINGE 0.3 ML 30 X 1/2", 0.3 ML 31 X 5/16", 1 ML 30 X 1/2", 1 ML 31 X 5/16", 1/2 ML 30 X 1/2", 1/2 ML 31 X 5/16"	Nivel 6	MO
ULTILET INSULIN SYRINGE SYRINGE 0.3 ML 29 GAUGE, 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16", 1/2 ML 29" (insulin syringe-needle u-100)	Nivel 6	MO
ULTILET INSULIN SYRINGE SYRINGE 1 ML 29 GAUGE	Nivel 6	MO
ULTRA CMFT INS SYR (HALF UNIT) SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16"	Nivel 6	MO
ULTRA COMFORT INSULIN SYRINGE SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30, 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 30 GAUGE X 7/16", 1 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE, 1/2 ML 28 GAUGE X 1/2", 1/2 ML 29, 1/2 ML 30 GAUGE (insulin syringe-needle u-100)	Nivel 6	MO
ULTRA COMFORT INSULIN SYRINGE SYRINGE 1 ML 29 GAUGE	Nivel 6	MO
ULTRA FLO INSUL SYR(HALF UNIT) SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	Nivel 6	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ULTRA FLO INSULIN SYRINGE (insulin syringe-needle u-100) SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2"	Nivel 6	MO
ULTRACARE INSULIN SYRINGE (insulin syringe-needle u-100) SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	Nivel 6	MO
ULTRA-FINE INS SYR (HALF UNIT) SYRINGE 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16"	Nivel 6	MO
ULTRA-FINE INSULIN SYRINGE (insulin syringe-needle u-100) SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16, 1/2 ML 31 GAUGE X 15/64"	Nivel 6	MO
ULTRA-THIN II (SHORT) INS SYR (insulin syringe-needle u-100) SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	Nivel 6	MO
ULTRA-THIN II INSULIN SYRINGE (insulin syringe-needle u-100) SYRINGE 0.5 ML 29 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	Nivel 6	MO
VANISHPOINT INSULIN SYRINGE SYRINGE 1 ML 30 GAUGE X 3/16"	Nivel 6	MO
VANISHPOINT SYRINGE SYRINGE 0.5 ML 30 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	Nivel 6	MO
VANISHPOINT SYRINGE SYRINGE 1 ML 25 GAUGE X 1", 3 ML 21 GAUGE X 1 1/2", 3 ML 22 X 1 1/2", 3 ML 23 GAUGE X 1 1/2", 3 ML 23 X 1" (syringe with needle)	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
VANISHPOINT SYRINGE SYRINGE 10 ML 21 GAUGE X 1 1/2", 3 ML 20 GAUGE X 1", 3 ML 21 GAUGE X 1", 3 ML 22 GAUGE X 1", 3 ML 25 GAUGE X 1 1/2", 3 ML 25 GAUGE X 1", 3 ML 25 X 5/8", 3 ML 27 GAUGE X 1 1/2", 5 ML 21 GAUGE X 1 1/2", 5 ML 21 GAUGE X 1", 5 ML 22 GAUGE X 1 1/2"	Nivel 4	
VANISHPOINT TUBERCULIN SYRINGE SYRINGE 1 ML 25 GAUGE X 5/8", 1 ML 27 X 1/2"	Nivel 4	
VERIFINE INSULIN SYRINGE SYRINGE 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	Nivel 6	MO
Suministros De Incontinencia		
TENSCARE ITOUCH SURE VAGINAL DEVICE	Nivel 4	
Suministros Diabeticos		
UNISTIK 3 COMFORT LANCET 28 GAUGE (lancets)	Nivel 6	MO
Tos Y Resfriado		
Antihist.-Decongest Con Comb. De Anticolinérgicas De 1Era Gen		
RESPA-AR ORAL TABLET EXTENDED RELEASE 12 HR 8-90-0.24 MG	Nivel 2	
Antitusivo Narcótico-Antihistamínico De 1Era Generación		
<i>hydrocodone-chlorpheniramine oral suspension, extended rel 12 hr 10-8 mg/5 ml</i>	Nivel 2	QL (10 ML per 1 day); Age (Min 18 Years)
<i>promethazine-codeine oral syrup 6.25-10 mg/5 ml</i>	Nivel 2	QL (30 ML per 1 day); Age (Min 18 Years)
TUXARIN ER ORAL TABLET EXTENDED RELEASE 12 HR 8-54.3 MG	Nivel 4	ST: Must meet the following requirement: Promethazine/Codeine in 120 days; QL (2 EA per 1 day); Age (Min 18 Years)
Antitusivo Narcótico-Comb. Anticolinérgica		
HYCODAN (WITH HOMATROPINE) ORAL TABLET 5-1.5 MG (hydrocodone-homatropine)	Nivel 4	QL (6 EA per 1 day); Age (Min 18 Years)
<i>hydrocodone-homatropine oral solution 5-1.5 mg/5 ml</i> (Hydromet)	Nivel 2	QL (30 ML per 1 day); Age (Min 18 Years)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>hydrocodone-homatropine oral tablet 5-1.5 mg</i>	(Hycodan (with homatropine))	Nivel 2	QL (6 EA per 1 day); Age (Min 18 Years)
HYDROMET ORAL SOLUTION 5-1.5 MG/5 ML	(hydrocodone-homatropine)	Nivel 2	QL (30 ML per 1 day); Age (Min 18 Years)
Antitusivo No Narcótico-1Era Generación			
Antihistamínico-Descongestivo			
BROMFED DM ORAL SYRUP 2-30-10 MG/5 ML	(brompheniramine-pseudoeph-dm)	Nivel 2	
<i>brompheniramine-pseudoeph-dm oral syrup 2-30-10 mg/5 ml</i>	(Bromfed DM)	Nivel 2	
Antitusivos, No Narcóticos			
<i>benzonatate oral capsule 100 mg, 150 mg, 200 mg</i>		Nivel 2	
Combinación De Antitusivo No Narcótico-Antihistamínico De 1Era Generación			
<i>promethazine-dm 6.25-15 mg/5 ml</i>		Nivel 2	
Combinaciones De Antihistamínicos Y Descongestivos De 1Era Gen			
<i>promethazine-phenylephrine oral syrup 6.25-5 mg/5 ml</i>	(Promethazine VC)	Nivel 2	
Tracto Urinario - Trastornos Funcionales			
CYSTAGON ORAL CAPSULE 150 MG, 50 MG		Nivel 5	MO
ENTADFI ORAL CAPSULE 5-5 MG	(finasteride-tadalafil)	Nivel 4	PA
FILSPARI ORAL TABLET 200 MG, 400 MG		Nivel 5	PA; MO
JYNARQUE ORAL TABLET 15 MG, 30 MG	(tolvaptan (polycys kidney dis))	Nivel 4	PA; MO
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	(tolvaptan (polycys kidney dis))	Nivel 4	PA; MO
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG		Nivel 4	PA; MO
PROCYSBI ORAL GRANULES DEL RELEASE IN PACKET 300 MG, 75 MG		Nivel 4	PA; MO
RIVFLOZA SUBCUTANEOUS SOLUTION 80 MG/0.5 ML (160 MG/ML)		Nivel 5	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
RIVFLOZA SUBCUTANEOUS SYRINGE 128 MG/0.8 ML, 160 MG/ML	Nivel 5	MO
<i>tolvaptan (polycystic kidney disease) oral tablets, sequential 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm)</i> (Jynarque)	Nivel 4	PA; MO
Agente Anestésico/Analgésico Del Tracto Urinario (Azo-Dye)		
<i>phenazopyridine oral tablet 100 mg, 200 mg</i> (Pyridium)	Nivel 2	
PYRIDIUM ORAL TABLET 100 MG, 200 MG (phenazopyridine)	Nivel 4	
Agente Antispasmódico/Antiincontinencia Del Tracto Urinario		
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	Nivel 2	MO; QL (1 EA per 1 day)
<i>flavoxate oral tablet 100 mg</i>	Nivel 2	MO
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	Nivel 2	MO
<i>oxybutynin chloride oral tablet 2.5 mg, 5 mg</i>	Nivel 2	MO
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	Nivel 2	MO
OXYTROL TRANSDERMAL PATCH SEMIWEEKLY 3.9 MG/24 HR	Nivel 4	MO; ST: Must meet the following requirements: Myrbetriq and Oxybutynin IR/XR in 365 days
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>	Nivel 2	MO
<i>tolterodine oral tablet 1 mg, 2 mg</i>	Nivel 2	MO
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG (fesoterodine)	Nivel 4	MO; QL (1 EA per 1 day)
<i>trospium oral capsule, extended release 24hr 60 mg</i>	Nivel 2	MO
<i>trospium oral tablet 20 mg</i>	Nivel 2	MO
Agentes Analgésicos Del Tracto Urinario		
ELMIRON ORAL CAPSULE 100 MG	Nivel 3	PA

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Agentes Bph,5-Alfa-Rrojo Inh & Afa-1-Adr Antg Cmb		
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	Nivel 2	MO; ST: Must meet any of the following requirements: Alfuzosin, Doxazosin, Finasteride 5mg, Prazosin, Silodosin, Tamsulosin, or Terazosin in 120 days
JALYN ORAL CAPSULE, ER MULTIPHASE 24 HR 0.5-0.4 MG (dutasteride-tamsulosin)	Nivel 4	MO; ST: Must meet any of the following requirements: Alfuzosin, Doxazosin, Finasteride 5mg, Prazosin, Silodosin, Tamsulosin, or Terazosin in 120 days
Agentes De Cálculos Renales		
THIOLA EC ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG, 300 MG (tiopronin)	Nivel 4	MO
THIOLA ORAL TABLET 100 MG (tiopronin)	Nivel 5	MO
<i>tiopronin oral tablet 100 mg</i> (Thiola)	Nivel 4	MO
<i>tiopronin oral tablet, delayed release (dr/ec) 100 mg, 300 mg</i> (Thiola EC)	Nivel 4	MO
VENXXIVA ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG, 300 MG (tiopronin)	Nivel 4	MO
Agentes De Vejiga Hiperactiva, Beta-3 Rececp Adrenérgicos		
GEMTESA ORAL TABLET 75 MG	Nivel 4	MO; ST: Must meet the following requirements: Myrbetriq and Oxybutynin IR/XR in 365 days; QL (1 EA per 1 day)
MYRBETRIQ ORAL SUSPENSION, EXTENDED REL RECON 8 MG/ML	Nivel 3	MO
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG (mirabegron)	Nivel 2	MO; QL (1 EA per 1 day)
Antiespasmódico Del Tracto Urinario, M(3) Antag. Selectivo		
<i>darifenacin oral tablet extended release 24 hr 15 mg, 7.5 mg</i>	Nivel 2	MO
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)	Nivel 2	MO
VESICARE LS ORAL SUSPENSION 1 MG/ML	Nivel 4	PA; MO
VESICARE ORAL TABLET 10 MG, 5 MG (solifenacin)	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Hipertrofia Prostática Benigna/Agentes De Micción		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	Nivel 2	MO
AVODART ORAL CAPSULE 0.5 MG (dutasteride)	Nivel 4	MO
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	Nivel 2	MO
<i>finasteride oral tablet 5 mg</i> (Proscar)	Nivel 2	MO
FLOMAX ORAL CAPSULE 0.4 MG (tamsulosin)	Nivel 4	MO
PROSCAR ORAL TABLET 5 MG (finasteride)	Nivel 4	MO
RAPAFLO ORAL CAPSULE 4 MG, 8 MG (silodosin)	Nivel 4	MO
<i>silodosin oral capsule 4 mg, 8 mg</i> (Rapaflo)	Nivel 2	MO
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	Nivel 2	MO
UROXATRAL ORAL TABLET EXTENDED RELEASE 24 HR 10 MG (alfuzosin)	Nivel 4	MO
Modificadores De Ph Urinaria		
K-PHOS NO 2 ORAL TABLET 305-700 MG	Nivel 4	
K-PHOS ORIGINAL ORAL TABLET, SOLUBLE 500 MG	Nivel 4	
ORACIT ORAL SOLUTION 490-640 MG/5 ML (sodium citrate-citric acid)	Nivel 4	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	Nivel 2	MO
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	Nivel 2	MO
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	Nivel 2	MO
RENACIDIN IRRIGATION SOLUTION 1980.6 MG-59.4 MG-980.4MG/30ML	Nivel 4	
<i>sodium citrate-citric acid oral solution 490-640 mg/5 ml</i> (Oracit)	Nivel 2	
UROCIT-K 10 ORAL TABLET EXTENDED RELEASE 10 MEQ (1,080 MG) (potassium citrate)	Nivel 4	MO
UROCIT-K 15 ORAL TABLET EXTENDED RELEASE 15 MEQ (potassium citrate)	Nivel 4	MO
UROQID-ACID NO.2 ORAL TABLET 500-500 MG	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Trastorno De Convulsiones		
EPIDIOLEX ORAL SOLUTION 100 MG/ML	Nivel 4	MO; ST: Must meet any of the following generic anticonvulsants requirements: Clobazam, Lamotrigine, Levetiracetam, Topiramate, Vigabatrin, Carbamazepine, Oxcarbazepine or Valproic Acid Derivatives in 365 days
ZTALMY ORAL SUSPENSION 50 MG/ML	Nivel 5	PA; MO
Anticonvulsivos		
APTOM ORAL TABLET 200 MG, 400 MG (eslicarbazepine)	Nivel 4	MO; QL (1 EA per 1 day)
APTOM ORAL TABLET 600 MG, 800 MG (eslicarbazepine)	Nivel 4	MO; QL (2 EA per 1 day)
BANZEL ORAL SUSPENSION 40 MG/ML (rufinamide)	Nivel 4	MO; ST: Must meet any of the following requirements: Valproic Acid, Divalproex, Clobazam in 120 Days; QL (80 ML per 1 day)
BANZEL ORAL TABLET 200 MG (rufinamide)	Nivel 4	MO; ST: Must meet any of the following requirements: Valproic Acid, Divalproex, Clobazam in 120 Days; QL (16 EA per 1 day)
BANZEL ORAL TABLET 400 MG (rufinamide)	Nivel 4	MO; ST: Must meet any of the following requirements: Valproic Acid, Divalproex, Clobazam in 120 Days; QL (8 EA per 1 day)
BRIVIACT ORAL SOLUTION 10 MG/ML	Nivel 3	MO; QL (600 ML per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	Nivel 3	MO; QL (2 EA per 1 day)
carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg (Carbatrol)	Nivel 2	MO
carbamazepine oral suspension 100 mg/5 ml (Tegretol)	Nivel 2	MO
carbamazepine oral tablet 200 mg (Tegretol)	Nivel 2	MO
carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg (Tegretol XR)	Nivel 2	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i>		Nivel 2	MO
CARBATROL ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG	(carbamazepine)	Nivel 4	MO
CELONTIN ORAL CAPSULE 300 MG	(methsuximide)	Nivel 4	MO
DEPAKOTE ER ORAL TABLET EXTENDED RELEASE 24 HR 250 MG, 500 MG	(divalproex)	Nivel 4	MO
DEPAKOTE ORAL TABLET, DELAYED RELEASE (DR/EC) 125 MG, 250 MG, 500 MG	(divalproex)	Nivel 4	MO
DEPAKOTE SPRINKLES ORAL CAPSULE, DELAYED REL SPRINKLE 125 MG	(divalproex)	Nivel 4	MO
DIACOMIT ORAL CAPSULE 250 MG, 500 MG		Nivel 5	PA; MO
DIACOMIT ORAL POWDER IN PACKET 250 MG, 500 MG		Nivel 5	PA; MO
DILANTIN EXTENDED ORAL CAPSULE 100 MG	(phenytoin sodium extended)	Nivel 4	MO
DILANTIN INFATABS ORAL TABLET, CHEWABLE 50 MG	(phenytoin)	Nivel 4	MO
DILANTIN ORAL CAPSULE 30 MG		Nivel 4	MO
DILANTIN-125 ORAL SUSPENSION 125 MG/5 ML	(phenytoin)	Nivel 4	MO
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	(Depakote Sprinkles)	Nivel 2	MO
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	(Depakote ER)	Nivel 2	MO
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	(Depakote)	Nivel 2	MO
ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG		Nivel 4	MO; ST: Must meet the following requirement: generic Levetiracetam ER in 120 days; QL (3 EA per 1 day); Age (Min 12 Years)
ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,500 MG		Nivel 4	MO; ST: Must meet the following requirement: generic Levetiracetam ER in 120 days; QL (2 EA per 1 day); Age (Min 12 Years)
EPITOL ORAL TABLET 200 MG	(carbamazepine)	Nivel 2	MO
EPRONTIA ORAL SOLUTION 25 MG/ML	(topiramate)	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>eslicarbazepine oral tablet 200 mg, 400 mg</i> (Aptiom)	Nivel 2	MO; QL (1 EA per 1 day)
<i>eslicarbazepine oral tablet 600 mg, 800 mg</i> (Aptiom)	Nivel 2	MO; QL (2 EA per 1 day)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	Nivel 2	MO
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	Nivel 2	MO
<i>felbamate oral suspension 600 mg/5 ml</i>	Nivel 2	MO
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	Nivel 2	MO
FELBATOL ORAL TABLET 400 MG, 600 MG (felbamate)	Nivel 4	MO
FINTEPLA ORAL SOLUTION 2.2 MG/ML	Nivel 5	PA; MO
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	Nivel 3	MO; QL (680 ML per 28 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG (perampanel)	Nivel 4	MO; QL (30 EA per 30 days)
FYCOMPA ORAL TABLET 2 MG (perampanel)	Nivel 4	MO; QL (120 EA per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG (perampanel)	Nivel 4	MO; QL (60 EA per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i> (Neurontin)	Nivel 2	MO
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	Nivel 2	MO
<i>gabapentin oral solution 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml)</i>	Nivel 2	MO
<i>gabapentin oral tablet 600 mg, 800 mg</i> (Neurontin)	Nivel 2	MO
GABARONE ORAL TABLET 100 MG, 400 MG (gabapentin)	Nivel 2	MO
KEPPRA ORAL SOLUTION 100 MG/ML (levetiracetam)	Nivel 4	MO
KEPPRA ORAL TABLET 1,000 MG, 250 MG, 500 MG, 750 MG (levetiracetam)	Nivel 4	MO
KEPPRA XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG, 750 MG (levetiracetam)	Nivel 4	MO
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	Nivel 2	MO
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	Nivel 2	MO
LAMICTAL ODT ORAL TABLET, DISINTEGRATING 100 MG, 200 MG, 25 MG, 50 MG (lamotrigine)	Nivel 4	MO
LAMICTAL ODT STARTER (BLUE) ORAL TABLET DISINTEGRATING, DOSE PK 25 MG (21) -50 MG (7) (lamotrigine)	Nivel 4	

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
LAMICTAL ODT STARTER (GREEN) (lamotrigine) ORAL TABLET DISINTEGRATING, DOSE PK 50 MG (42) -100 MG (14)		Nivel 4	
LAMICTAL ODT STARTER (ORANGE) (lamotrigine) ORAL TABLET DISINTEGRATING, DOSE PK 25 MG(14)-50 MG (14)-100 MG (7)		Nivel 4	
LAMICTAL ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG (lamotrigine)		Nivel 4	MO
LAMICTAL ORAL TABLET, CHEWABLE (lamotrigine) DISPERSIBLE 25 MG, 5 MG		Nivel 4	MO
LAMICTAL STARTER (BLUE) KIT (lamotrigine) ORAL TABLETS,DOSE PACK 25 MG (35)		Nivel 4	
LAMICTAL STARTER (GREEN) KIT (lamotrigine) ORAL TABLETS,DOSE PACK 25 MG (84) -100 MG (14)		Nivel 4	
LAMICTAL STARTER (ORANGE) KIT (lamotrigine) ORAL TABLETS,DOSE PACK 25 MG (42) -100 MG (7)		Nivel 4	
LAMICTAL XR ORAL TABLET (lamotrigine) EXTENDED RELEASE 24HR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG		Nivel 4	MO
LAMICTAL XR STARTER (BLUE) ORAL TABLET EXTENDED REL,DOSE PACK 25 MG (21) -50 MG (7)		Nivel 4	
LAMICTAL XR STARTER (GREEN) ORAL TABLET EXTENDED REL,DOSE PACK 50 MG(14)-100MG (14)-200 MG (7)		Nivel 4	
LAMICTAL XR STARTER (ORANGE) ORAL TABLET EXTENDED REL,DOSE PACK 25MG (14)-50 MG (14)-100MG (7)		Nivel 4	
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Lamictal)		Nivel 2	MO
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7)</i> (Lamictal ODT Starter (Blue))		Nivel 2	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))		Nivel 2	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) -100 mg (14)</i> (Lamictal ODT Starter (Green))		Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>lamotrigine oral tablet extended release</i> (Lamictal XR) 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg	Nivel 2	MO
<i>lamotrigine oral tablet, chewable</i> (Lamictal) <i>dispersible</i> 25 mg, 5 mg	Nivel 2	MO
<i>lamotrigine oral tablet, disintegrating</i> 100 (Lamictal ODT) mg, 200 mg, 25 mg, 50 mg	Nivel 2	MO
<i>lamotrigine oral tablets, dose pack</i> 25 mg (Lamictal Starter (Blue) Kit) (35)	Nivel 2	
<i>lamotrigine oral tablets, dose pack</i> 25 mg (Lamictal Starter (Orange) Kit) (42) -100 mg (7)	Nivel 2	
<i>lamotrigine oral tablets, dose pack</i> 25 mg (Lamictal Starter (Green) Kit) (84) -100 mg (14)	Nivel 2	
<i>levetiracetam oral solution</i> 100 mg/ml (Keppra)	Nivel 2	MO
<i>levetiracetam oral tablet</i> 1,000 mg, 250 (Keppra) mg, 500 mg, 750 mg	Nivel 2	MO
<i>levetiracetam oral tablet extended</i> (Keppra XR) <i>release</i> 24 hr 500 mg, 750 mg	Nivel 2	MO
LYRICA ORAL CAPSULE 100 MG, 150 (pregabalin) MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG	Nivel 4	MO
LYRICA ORAL SOLUTION 20 MG/ML (pregabalin)	Nivel 4	MO
<i>methsuximide oral capsule</i> 300 mg (Celontin)	Nivel 2	MO
MOTPOLY XR ORAL CAPSULE, EXTENDED RELEASE 24HR 100 MG, 150 MG, 200 MG	Nivel 4	PA; MO
MYSOLINE ORAL TABLET 250 MG, 50 (primidone) MG	Nivel 4	MO
NEURONTIN ORAL CAPSULE 100 MG, (gabapentin) 300 MG, 400 MG	Nivel 4	MO
NEURONTIN ORAL SOLUTION 250 (gabapentin) MG/5 ML	Nivel 4	MO
NEURONTIN ORAL TABLET 600 MG, (gabapentin) 800 MG	Nivel 4	MO
<i>oxcarbazepine oral suspension</i> 300 (Trileptal) <i>mg/5 ml</i> (60 mg/ml)	Nivel 2	MO
<i>oxcarbazepine oral tablet</i> 150 mg, 300 (Trileptal) mg, 600 mg	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>oxcarbazepine oral tablet extended release 24 hr 150 mg, 300 mg</i> (Oxtellar XR)	Nivel 2	MO; ST: Must meet 2 of the following requirements: Carbamazepine, Divalproex, Gabapentin, Lamotrigine, Levetiracetam IR/ER, Oxcarbazepine, Topiramate, Valproic Acid, or Zonisamide in 365 days; QL (3 EA per 1 day)
<i>oxcarbazepine oral tablet extended release 24 hr 600 mg</i> (Oxtellar XR)	Nivel 2	MO; ST: Must meet 2 of the following requirements: Carbamazepine, Divalproex, Gabapentin, Lamotrigine, Levetiracetam IR/ER, Oxcarbazepine, Topiramate, Valproic Acid, or Zonisamide in 365 days; QL (4 EA per 1 day)
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG (oxcarbazepine)	Nivel 4	MO; ST: Must meet 2 of the following requirements: Carbamazepine, Divalproex, Gabapentin, Lamotrigine, Levetiracetam IR/ER, Oxcarbazepine, Topiramate, Valproic Acid, or Zonisamide in 365 days; QL (3 EA per 1 day)
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG (oxcarbazepine)	Nivel 4	MO; ST: Must meet 2 of the following requirements: Carbamazepine, Divalproex, Gabapentin, Lamotrigine, Levetiracetam IR/ER, Oxcarbazepine, Topiramate, Valproic Acid, or Zonisamide in 365 days; QL (4 EA per 1 day)
<i>perampanel oral tablet 10 mg, 12 mg, 8 mg</i> (Fycompa)	Nivel 2	MO; QL (30 EA per 30 days)
<i>perampanel oral tablet 2 mg</i> (Fycompa)	Nivel 2	MO; QL (120 EA per 30 days)
<i>perampanel oral tablet 4 mg, 6 mg</i> (Fycompa)	Nivel 2	MO; QL (60 EA per 30 days)
PHENYTEK ORAL CAPSULE 200 MG, 300 MG (phenytoin sodium extended)	Nivel 4	MO
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	Nivel 2	MO
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	Nivel 2	MO
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	Nivel 2	MO
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> (Lyrica)	Nivel 2	MO
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	Nivel 2	MO
<i>primidone oral tablet 125 mg</i>	Nivel 2	MO
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	Nivel 2	MO
QUDEXY XR ORAL CAPSULE,SPRINKLE,ER 24HR 100 MG (topiramate)	Nivel 4	MO; ST: Must meet the following requirement: Topiramate immediate-release (tablets, sprinkles, capsules) in 120 days; QL (3 EA per 1 day)
QUDEXY XR ORAL CAPSULE,SPRINKLE,ER 24HR 150 MG, 200 MG (topiramate)	Nivel 4	MO; ST: Must meet the following requirement: Topiramate immediate-release (tablets, sprinkles, capsules) in 120 days; QL (2 EA per 1 day)
QUDEXY XR ORAL CAPSULE,SPRINKLE,ER 24HR 25 MG (topiramate)	Nivel 4	MO; ST: Must meet the following requirement: Topiramate immediate-release (tablets, sprinkles, capsules) in 120 days; QL (1 EA per 1 day)
QUDEXY XR ORAL CAPSULE,SPRINKLE,ER 24HR 50 MG (topiramate)	Nivel 4	MO; ST: Must meet the following requirement: Topiramate immediate-release (tablets, sprinkles, capsules) in 120 days; QL (7 EA per 1 day)
ROWEEPRA ORAL TABLET 500 MG (levetiracetam)	Nivel 4	MO
ROWEEPRA XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG, 750 MG (levetiracetam)	Nivel 4	MO
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	Nivel 2	MO; ST: Must meet any of the following requirements: Valproic Acid, Divalproex, Clobazam in 120 Days; QL (80 ML per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>rufinamide oral tablet 200 mg</i> (Banzel)	Nivel 2	MO; ST: Must meet any of the following requirements: Valproic Acid, Divalproex, Clobazam in 120 Days; QL (16 EA per 1 day)
<i>rufinamide oral tablet 400 mg</i> (Banzel)	Nivel 2	MO; ST: Must meet any of the following requirements: Valproic Acid, Divalproex, Clobazam in 120 Days; QL (8 EA per 1 day)
SABRIL ORAL POWDER IN PACKET 500 MG (vigabatrin)	Nivel 5	PA; MO
SABRIL ORAL TABLET 500 MG (vigabatrin)	Nivel 5	PA; MO
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG	Nivel 4	PA; MO
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG (levetiracetam)	Nivel 4	PA; MO
SUBVENITE ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG (lamotrigine)	Nivel 4	MO
SUBVENITE STARTER (BLUE) KIT ORAL TABLETS,DOSE PACK 25 MG (35) (lamotrigine)	Nivel 4	
SUBVENITE STARTER (GREEN) KIT ORAL TABLETS,DOSE PACK 25 MG (84) -100 MG (14) (lamotrigine)	Nivel 4	
SUBVENITE STARTER (ORANGE) KIT ORAL TABLETS,DOSE PACK 25 MG (42) -100 MG (7) (lamotrigine)	Nivel 4	
TEGRETOL ORAL SUSPENSION 100 MG/5 ML (carbamazepine)	Nivel 4	MO
TEGRETOL ORAL TABLET 200 MG (carbamazepine)	Nivel 4	MO
TEGRETOL XR ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 200 MG, 400 MG (carbamazepine)	Nivel 4	MO
<i>tiagabine oral tablet 12 mg, 2 mg, 4 mg</i>	Nivel 2	MO; ST: Must meet 2 of the following requirements: Carbamazepine, Divalproex, Gabapentin, Lamotrigine, Levetiracetam IR/ER, Oxcarbazepine, Topiramate, Valproic Acid, or Zonisamide in 365 days; QL (4 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>tiagabine oral tablet 16 mg</i>	Nivel 2	MO; ST: Must meet 2 of the following requirements: Carbamazepine, Divalproex, Gabapentin, Lamotrigine, Levetiracetam IR/ER, Oxcarbazepine, Topiramate, Valproic Acid, or Zonisamide in 365 days; QL (3 EA per 1 day)
TOPAMAX ORAL CAPSULE, (topiramate) SPRINKLE 15 MG, 25 MG	Nivel 4	MO
TOPAMAX ORAL TABLET 100 MG, 200 (topiramate) MG, 25 MG, 50 MG	Nivel 4	MO
<i>topiramate oral capsule, sprinkle 15 mg, (Topamax) 25 mg</i>	Nivel 2	MO
<i>topiramate oral capsule, sprinkle 50 mg</i>	Nivel 2	MO
<i>topiramate oral capsule,extended (Trokendi XR) release 24hr 100 mg</i>	Nivel 2	MO; QL (3 EA per 1 day)
<i>topiramate oral capsule,extended (Trokendi XR) release 24hr 200 mg</i>	Nivel 2	MO; QL (2 EA per 1 day)
<i>topiramate oral capsule,extended (Trokendi XR) release 24hr 25 mg</i>	Nivel 2	MO; QL (8 EA per 1 day)
<i>topiramate oral capsule,extended (Trokendi XR) release 24hr 50 mg</i>	Nivel 2	MO; QL (7 EA per 1 day)
<i>topiramate oral capsule,sprinkle,er 24hr 100 mg</i>	Nivel 2	MO; ST: Must meet the following requirement: Topiramate immediate-release (tablets, sprinkles, capsules) in 120 days; QL (3 EA per 1 day)
<i>topiramate oral capsule,sprinkle,er 24hr 150 mg, 200 mg</i>	Nivel 2	MO; ST: Must meet the following requirement: Topiramate immediate-release (tablets, sprinkles, capsules) in 120 days; QL (2 EA per 1 day)
<i>topiramate oral capsule,sprinkle,er 24hr 25 mg</i>	Nivel 2	MO; ST: Must meet the following requirement: Topiramate immediate-release (tablets, sprinkles, capsules) in 120 days; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>topiramate oral capsule, sprinkle, er 24hr 50 mg</i>	Nivel 2	MO; ST: Must meet the following requirement: Topiramate immediate-release (tablets, sprinkles, capsules) in 120 days; QL (7 EA per 1 day)
<i>topiramate oral solution 25 mg/ml</i> (Eprontia)	Nivel 2	PA; MO
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	Nivel 2	MO
TRILEPTAL ORAL SUSPENSION 300 MG/5 ML (60 MG/ML) (oxcarbazepine)	Nivel 4	MO
TRILEPTAL ORAL TABLET 150 MG, 300 MG, 600 MG (oxcarbazepine)	Nivel 4	MO
TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 100 MG (topiramate)	Nivel 4	MO; QL (3 EA per 1 day)
TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 200 MG (topiramate)	Nivel 4	MO; QL (2 EA per 1 day)
TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 25 MG (topiramate)	Nivel 4	MO; QL (8 EA per 1 day)
TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 50 MG (topiramate)	Nivel 4	MO; QL (7 EA per 1 day)
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	Nivel 2	MO
<i>valproic acid oral capsule 250 mg</i>	Nivel 2	MO
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	Nivel 4	PA; MO
<i>vigabatrin oral tablet 500 mg</i> (Vigadrone)	Nivel 4	PA; MO
VIGADRONE ORAL POWDER IN PACKET 500 MG (vigabatrin)	Nivel 4	PA; MO
VIGADRONE ORAL TABLET 500 MG (vigabatrin)	Nivel 4	PA; MO
VIGAFYDE ORAL SOLUTION 100 MG/ML	Nivel 5	PA
VIGPODER ORAL POWDER IN PACKET 500 MG (vigabatrin)	Nivel 4	PA; MO
VIMPAT ORAL SOLUTION 10 MG/ML (lacosamide)	Nivel 4	MO
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG (lacosamide)	Nivel 4	MO
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1)	Nivel 3	MO; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
XCOPRI MAINTENANCE PACK ORAL TABLET 350 MG/DAY (200 MG X1-150MG X1)	Nivel 3	MO; QL (2 EA per 1 day)
XCOPRI ORAL TABLET 100 MG, 150 MG, 25 MG, 50 MG	Nivel 3	MO; QL (1 EA per 1 day)
XCOPRI ORAL TABLET 200 MG	Nivel 3	MO; QL (2 EA per 1 day)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)-25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	Nivel 3	QL (1 EA per 1 day)
ZARONTIN ORAL CAPSULE 250 MG (ethosuximide)	Nivel 4	MO
ZARONTIN ORAL SOLUTION 250 MG/5 ML (ethosuximide)	Nivel 4	MO
ZONEGRAN ORAL CAPSULE 100 MG, 25 MG (zonisamide)	Nivel 4	MO
ZONISADE ORAL SUSPENSION 100 MG/5 ML	Nivel 4	PA; MO
zonisamide oral capsule 100 mg, 25 mg (Zonegran)	Nivel 2	MO
zonisamide oral capsule 50 mg	Nivel 2	MO
Anticonvulsivos - Del Tipo Benzodiazepinas		
clobazam oral suspension 2.5 mg/ml (Onfi)	Nivel 2	MO; QL (480 ML per 30 days)
clobazam oral tablet 10 mg, 20 mg (Onfi)	Nivel 2	MO; QL (2 EA per 1 day)
clonazepam oral tablet 0.5 mg, 1 mg, 2 mg (Klonopin)	Nivel 2	MO
clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg	Nivel 2	MO
diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg	Nivel 2	
KLONOPIN ORAL TABLET 0.5 MG, 1 MG, 2 MG (clonazepam)	Nivel 4	MO
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG	Nivel 4	QL (10 EA per 30 days)
NAYZILAM NASAL SPRAY,NON-AEROSOL 5 MG/SPRAY (0.1 ML)	Nivel 4	QL (10 EA per 30 days)
ONFI ORAL SUSPENSION 2.5 MG/ML (clobazam)	Nivel 4	MO; QL (480 ML per 30 days)
ONFI ORAL TABLET 10 MG, 20 MG (clobazam)	Nivel 4	MO; QL (2 EA per 1 day)
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	Nivel 4	QL (10 EA per 30 days)
Trastorno Endocrino - Fertilidad		
Mediamcentos Para Tratar Impotencia		
CIALIS ORAL TABLET 10 MG, 20 MG (tadalafil)	Nivel 4	PA; MO
CIALIS ORAL TABLET 5 MG (tadalafil)	Nivel 4	PA; MO; QL (1 EA per 1 day)
<i>tadalafil oral tablet 10 mg</i> (Cialis)	Nivel 2	PA; MO
<i>tadalafil oral tablet 2.5 mg</i>	Nivel 2	PA; MO; QL (1 EA per 1 day)
<i>tadalafil oral tablet 20 mg</i> (Cialis)	Nivel 2	PA; MO; QL (2 EA per 1 day)
<i>tadalafil oral tablet 5 mg</i> (Cialis)	Nivel 2	PA; MO; QL (1 EA per 1 day)
Trastorno Endocrino - Otro		
ISTURISA ORAL TABLET 1 MG, 5 MG	Nivel 5	PA; MO
MYFEMBREE ORAL TABLET 40-1-0.5 MG	Nivel 3	PA; MO
ORIAHNN ORAL CAPSULE, SEQUENTIAL 300-1-0.5MG(AM) /300 MG(PM)	Nivel 3	PA; MO
RECORLEV ORAL TABLET 150 MG	Nivel 5	PA; MO
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	Nivel 4	PA; MO
VOXZOGO SUBCUTANEOUS RECON SOLN 0.4 MG, 0.56 MG, 1.2 MG	Nivel 5	PA; MO
Agentes Supresores De Pituitaria		
<i>cabergoline oral tablet 0.5 mg</i>	Nivel 2	MO
CRENESSITY ORAL CAPSULE 100 MG, 25 MG, 50 MG	Nivel 5	PA; MO
CRENESSITY ORAL SOLUTION 50 MG/ML	Nivel 5	PA; MO
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	Nivel 2	
Agentes Tx Hiperparatiroides - Vitamina D Tipo Análoga		
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	Nivel 2	MO
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>paricalcitol oral capsule 4 mcg</i>	Nivel 2	MO
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	Nivel 3	MO; QL (2 EA per 1 day)
ZEMPLAR ORAL CAPSULE 1 MCG, 2 MCG (paricalcitol)	Nivel 4	MO
Agonistas De Antineoplásico Lhrh(Gnrh), Supresores Pituitario		
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	Nivel 4	PA; MO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	Nivel 4	PA; MO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	Nivel 4	PA; MO
Análogos De Hormona De Leptina		
MYALEPT SUBCUTANEOUS RECON SOLN 5 MG/ML (FINAL CONC.)	Nivel 5	PA; MO
Antagonistas De Receptor De Hormona De Crecimiento		
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	Nivel 4	MO
Antidiuréticos Y Hormonas Vasopresoras		
DDAVP INJECTION SOLUTION 4 MCG/ML (desmopressin)	Nivel 4	
DDAVP ORAL TABLET 0.1 MG, 0.2 MG (desmopressin)	Nivel 4	MO
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	Nivel 2	
<i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i>	Nivel 2	MO
<i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml), 150 mcg/spray (0.1 ml)</i>	Nivel 2	MO
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	Nivel 2	MO
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	Nivel 4	MO; QL (1 EA per 1 day)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	Nivel 4	MO; QL (1 EA per 1 day)
Calcimiméticos,Potenciador De Calcio Paratiroides		
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	Nivel 4	MO; QL (2 EA per 1 day)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	Nivel 4	MO; QL (4 EA per 1 day)
SENSIPAR ORAL TABLET 30 MG, 60 MG (cinacalcet)	Nivel 5	MO; QL (2 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SENSIPAR ORAL TABLET 90 MG (cinacalcet)	Nivel 5	MO; QL (4 EA per 1 day)
Estim. De Formación Ósea Agentes - Hormona Paratiroidea		
BONSITY SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (560MCG/2.24ML) (teriparatide)	Nivel 5	PA; MO
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (560MCG/2.24ML) (teriparatide)	Nivel 5	PA; MO
<i>teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)</i> (Bonsity)	Nivel 4	PA; MO
Factor-1 De Crecimiento Tipo Insulina (Igf-1) Hormonas		
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	Nivel 5	PA
Hormona Liberadoras De Hormonas De Crecimiento (Ghrh) & Análogos		
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	Nivel 5	PA; MO
EGRIFTA WR SUBCUTANEOUS KIT 11.6 MG	Nivel 5	PA; MO
Hormonas Adrenocorticotrópicas		
ACTHAR INJECTION GEL 80 UNIT/ML	Nivel 5	PA; MO
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML, 80 UNIT/ML	Nivel 5	PA; MO
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	Nivel 5	PA; MO
CORTROPHIN GEL SUBCUTANEOUS SYRINGE 40 UNIT/0.5 ML, 80 UNIT/ML	Nivel 5	PA; MO
Hormonas De Crecimiento		
GENOTROPIN MINIQICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	Nivel 4	PA; MO
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	Nivel 4	PA; MO
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
NGENLA SUBCUTANEOUS PEN INJECTOR 24 MG/1.2 ML (20 MG/ML), 60 MG/1.2 ML (50 MG/ML)	Nivel 5	PA; MO
NORDITROPIN FLEXPPO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	Nivel 4	PA; MO
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	Nivel 5	PA; MO
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	Nivel 5	PA; MO
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	Nivel 5	PA; MO
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	Nivel 5	PA; MO
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	Nivel 5	PA; MO
SKYTROFA SUBCUTANEOUS CARTRIDGE 11 MG, 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG, 7.6 MG, 9.1 MG	Nivel 4	PA; MO
SOGROYA SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	Nivel 4	PA; MO
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG, 5 MG	Nivel 5	PA; MO
Hormonas Paratiroides		
YORVIPATH SUBCUTANEOUS PEN INJECTOR 168 MCG/0.56 ML, 294 MCG/0.98 ML, 420 MCG/1.4 ML	Nivel 5	PA; MO
Inhibidor De Resorción Ósea & Combinaciones De Vitamina D		
FOSAMAX PLUS D ORAL TABLET 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT	Nivel 3	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Inhibidores De Resorción Ósea		
ACTONEL ORAL TABLET 150 MG (risedronate)	Nivel 4	MO; ST: Must meet the following requirements: generic Alendronate and Ibandronate in 365 days; QL (1 EA per 30 days)
ACTONEL ORAL TABLET 35 MG (risedronate)	Nivel 4	MO; ST: Must meet the following requirements: generic Alendronate and Ibandronate in 365 days; QL (1 EA per 7 days)
<i>alendronate oral solution 70 mg/75 ml</i>	Nivel 2	MO; QL (75 ML per 7 days)
<i>alendronate oral tablet 10 mg, 35 mg, 5 mg</i>	Nivel 2	MO
<i>alendronate oral tablet 70 mg</i> (Fosamax)	Nivel 2	MO
ATELVIA ORAL TABLET, DELAYED RELEASE (DR/EC) 35 MG (risedronate)	Nivel 4	MO; ST: Must meet the following requirements: generic Alendronate and Ibandronate in 365 days; QL (1 EA per 7 days)
BINOSTO ORAL TABLET, EFFERVESCENT 70 MG	Nivel 4	MO; ST: Must meet the following requirement: Alendronate and Ibandronate in 365 days; QL (4 EA per 28 days)
<i>calcitonin (salmon) injection solution 200 unit/ml</i> (Miacalcin)	Nivel 2	
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	Nivel 2	MO
EVISTA ORAL TABLET 60 MG (raloxifene)	Nivel 1	MO
FOSAMAX ORAL TABLET 70 MG (alendronate)	Nivel 4	MO
<i>ibandronate oral tablet 150 mg</i>	Nivel 2	MO
MIACALCIN INJECTION SOLUTION 200 UNIT/ML (calcitonin (salmon))	Nivel 4	
<i>raloxifene oral tablet 60 mg</i> (Evista)	Nivel 1	MO
<i>risedronate oral tablet 150 mg</i> (Actonel)	Nivel 2	MO; ST: Must meet the following requirements: generic Alendronate and Ibandronate in 365 days; QL (1 EA per 30 days)
<i>risedronate oral tablet 30 mg</i>	Nivel 2	ST: Must meet the following requirements: generic Alendronate and Ibandronate in 365 days; QL (1 EA per 1 day)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>risedronate oral tablet 35 mg</i> (Actonel)	Nivel 2	MO; ST: Must meet the following requirements: generic Alendronate and Ibandronate in 365 days; QL (1 EA per 7 days)
<i>risedronate oral tablet 5 mg</i>	Nivel 2	MO; ST: Must meet the following requirements: generic Alendronate and Ibandronate in 365 days; QL (1 EA per 1 day)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	Nivel 2	MO; ST: Must meet the following requirements: generic Alendronate and Ibandronate in 365 days; QL (1 EA per 7 days)
Lhrh(Gnrh) Agonista Análogo De Supresores Pituitarios		
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	Nivel 5	PA
Lhrh(Gnrh) Antagonista, Agentes Supresores Pituitarios		
ORILISSA ORAL TABLET 150 MG	Nivel 3	PA; MO
ORILISSA ORAL TABLET 200 MG	Nivel 3	PA
Trastorno Endocrino - Tiroides		
Agentes Que Contienen Yodo		
LUGOLS ORAL SOLUTION 5 %	Nivel 4	
<i>potassium iodide oral solution 1 gram/ml</i> (SSKI)	Nivel 2	
SSKI ORAL SOLUTION 1 GRAM/ML (potassium iodide)	Nivel 2	
STRONG IODINE ORAL SOLUTION 5 %	Nivel 2	
Hormonas De Tiroides		
ADTHYZA ORAL TABLET 120 MG, 15 MG, 60 MG (thyroid (pork))	Nivel 4	MO; ST: Must meet the following requirement: NP Thyroid tablets in 120 days
ADTHYZA ORAL TABLET 130 MG, 16.25 MG, 32.5 MG, 65 MG, 97.5 MG	Nivel 4	MO
ADTHYZA ORAL TABLET 30 MG, 90 MG (thyroid (pork))	Nivel 4	MO
ARMOUR THYROID ORAL TABLET 120 MG, 15 MG, 30 MG, 60 MG, 90 MG (thyroid (pork))	Nivel 4	MO; ST: Must meet the following requirement: NP Thyroid tablets in 120 days
ARMOUR THYROID ORAL TABLET 180 MG, 240 MG, 300 MG	Nivel 4	MO; ST: Must meet the following requirement: NP Thyroid tablets in 120 days

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CYTOMEL ORAL TABLET 25 MCG, 5 MCG, 50 MCG (liothyronine)	Nivel 4	MO; ST: Must meet the following requirement: generic Liothyronine tablets in 120 days
ERMEZA ORAL SOLUTION 30 MCG/ML	Nivel 2	PA; MO
EUTHYROX ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG (levothyroxine)	Nivel 2	MO; QL (2 EA per 1 day)
LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG (levothyroxine)	Nivel 4	MO; ST: Must meet the following requirement: generic Levothyroxine tablets in 120 days; QL (2 EA per 1 day)
<i>levothyroxine oral capsule 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Tirosint)	Nivel 2	PA; MO
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	Nivel 2	MO; QL (2 EA per 1 day)
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	Nivel 2	MO; QL (2 EA per 1 day)
LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG (levothyroxine)	Nivel 4	MO; ST: Must meet the following requirement: generic Levothyroxine tablets in 120 days; QL (2 EA per 1 day)
LIOMNY ORAL TABLET 25 MCG, 5 MCG, 50 MCG (liothyronine)	Nivel 2	MO
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Liomny)	Nivel 2	MO
NIVA THYROID ORAL TABLET 120 MG, 15 MG, 30 MG, 60 MG, 90 MG (thyroid (pork))	Nivel 4	MO
NP THYROID 30 MG TABLET (thyroid (pork))	Nivel 2	MO
NP THYROID 60 MG TABLET (thyroid (pork))	Nivel 2	MO
NP THYROID 90 MG TABLET (thyroid (pork))	Nivel 2	MO
NP THYROID ORAL TABLET 120 MG, 15 MG (thyroid (pork))	Nivel 2	MO
RENTHYROID ORAL TABLET 120 MG, 15 MG (thyroid (pork))	Nivel 4	MO; ST: Must meet the following requirement: NP Thyroid tablets in 120 days
RENTHYROID ORAL TABLET 30 MG, 90 MG (thyroid (pork))	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG (levothyroxine)	Nivel 4	MO; ST: Must meet the following requirement: generic Levothyroxine tablets in 120 days; QL (2 EA per 1 day)
THYQUIDITY ORAL SOLUTION 20 MCG/ML	Nivel 4	MO; ST: Must meet the following requirement: generic Levothyroxine tablets in 120 days; QL (20 ML per 1 day)
thyroid (pork) oral tablet 120 mg, 15 mg, 60 mg (NP Thyroid)	Nivel 2	MO
thyroid 30 mg tablet (NP Thyroid)	Nivel 2	MO
thyroid 90 mg tablet (NP Thyroid)	Nivel 2	MO
TIROSINT ORAL CAPSULE 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG (levothyroxine)	Nivel 4	PA; MO
TIROSINT ORAL CAPSULE 37.5 MCG, 44 MCG, 62.5 MCG	Nivel 4	PA; MO
TIROSINT-SOL ORAL SOLUTION 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 37.5 MCG/ML, 44 MCG/ML, 50 MCG/ML, 62.5 MCG/ML, 75 MCG/ML, 88 MCG/ML	Nivel 4	PA; MO
UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG (levothyroxine)	Nivel 4	MO; ST: Must meet the following requirement: generic Levothyroxine tablets in 120 days; QL (2 EA per 1 day)
Preparaciones Antitiroides		
methimazole oral tablet 10 mg, 5 mg	Nivel 2	MO
propylthiouracil oral tablet 50 mg	Nivel 2	MO
Trastorno Musculoesquelético		
SOHONOS ORAL CAPSULE 1 MG, 1.5 MG, 10 MG, 2.5 MG, 5 MG	Nivel 5	PA; MO
Agentes Para Trata Parálisis Periódica - Inh De Anhid De Carbon		
dichlorphenamide oral tablet 50 mg (Keveyis)	Nivel 4	PA; MO
KEVEYIS ORAL TABLET 50 MG (dichlorphenamide)	Nivel 4	PA; MO
ORMALVI ORAL TABLET 50 MG (dichlorphenamide)	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Relajantes Musculares Esqueléticos		
<i>baclofen oral solution 10 mg/5 ml (2 mg/ml)</i> (Ozobax DS)	Nivel 2	PA; MO
<i>baclofen oral solution 5 mg/5 ml</i> (Ozobax)	Nivel 2	PA; MO
<i>baclofen oral suspension 25 mg/5 ml (5 mg/ml)</i> (Fleqsuvy)	Nivel 2	PA; MO
<i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i>	Nivel 2	MO
<i>carisoprodol oral tablet 250 mg, 350 mg</i> (Soma)	Nivel 2	
<i>carisoprodol-aspirin oral tablet 200-325 mg</i>	Nivel 2	
<i>chlorzoxazone oral tablet 250 mg</i>	Nivel 2	ST: Must meet the following requirement: Chlorzoxazone 500mg in 120 days; QL (4 EA per 1 day)
<i>chlorzoxazone oral tablet 375 mg, 750 mg</i> (Lorzone)	Nivel 2	ST: Must meet the following requirement: Chlorzoxazone 500mg in 120 days; QL (4 EA per 1 day)
<i>chlorzoxazone oral tablet 500 mg</i>	Nivel 2	
<i>cyclobenzaprine oral capsule, extended release 24hr 15 mg, 30 mg</i> (Amrix)	Nivel 2	QL (1 EA per 1 day)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	Nivel 2	
<i>cyclobenzaprine oral tablet 7.5 mg</i> (Fexmid)	Nivel 2	
CYCLOTENS REFILL COMBO PACK 10 MG	Nivel 4	
CYCLOTENS STARTER COMBO PACK 10 MG	Nivel 4	
DANTRIUM ORAL CAPSULE 25 MG (dantrolene)	Nivel 4	MO
<i>dantrolene oral capsule 100 mg, 50 mg</i>	Nivel 2	MO
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	Nivel 2	MO
FEXMID ORAL TABLET 7.5 MG (cyclobenzaprine)	Nivel 4	
FLEQSUVY ORAL SUSPENSION 25 MG/5 ML (5 MG/ML) (baclofen)	Nivel 4	PA; MO
LYVISPAH ORAL GRANULES IN PACKET 10 MG, 20 MG, 5 MG	Nivel 4	PA; MO
<i>metaxalone oral tablet 400 mg, 640 mg, 800 mg</i>	Nivel 2	
<i>methocarbamol oral tablet 1,000 mg</i> (Tanlor)	Nivel 2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	Nivel 2	

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
NORGESIC FORTE ORAL TABLET 50-770-60 MG	(orphenadrine-asa-caffeine)	Nivel 4	QL (4 EA per 1 day)
<i>orphenadrine citrate oral tablet extended release 100 mg</i>		Nivel 2	
<i>orphenadrine-asa-caffeine oral tablet 25-385-30 mg</i>	(Norgesic)	Nivel 2	QL (8 EA per 1 day)
ORPHENGESIC FORTE ORAL TABLET 50-770-60 MG	(orphenadrine-asa-caffeine)	Nivel 2	QL (4 EA per 1 day)
OZOBAX ORAL SOLUTION 5 MG/5 ML	(baclofen)	Nivel 4	PA; MO
SOMA ORAL TABLET 250 MG, 350 MG	(carisoprodol)	Nivel 4	
TANLOR ORAL TABLET 1,000 MG	(methocarbamol)	Nivel 2	
<i>tizanidine oral capsule 2 mg, 4 mg, 6 mg</i>	(Zanaflex)	Nivel 2	MO
<i>tizanidine oral tablet 2 mg</i>		Nivel 2	MO
<i>tizanidine oral tablet 4 mg</i>	(Zanaflex)	Nivel 2	MO
VANADOM ORAL TABLET 350 MG	(carisoprodol)	Nivel 4	
ZANAFLEX ORAL CAPSULE 2 MG, 4 MG, 6 MG	(tizanidine)	Nivel 4	MO
ZANAFLEX ORAL TABLET 4 MG	(tizanidine)	Nivel 4	MO
Relajantes Musculoesqueléticos.& Tópico Irritante Anti-Irritante			
CYCLOPAK KIT 5 MG-2.5 %- 2.5 %		Nivel 4	
Trastornos Gastrointestinal Inferior - Inflamación De Intestino			
Agentes De Colon Irritable,Agonist De Gualinata Ciclasa			
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG		Nivel 3	MO; QL (1 EA per 1 day)
TRULANCE ORAL TABLET 3 MG		Nivel 3	MO; QL (1 EA per 1 day)
Agonistas/Antagonistas De Recep De Opiodes Mezclados, Agentes Ibs			
VIBERZI ORAL TABLET 100 MG, 75 MG		Nivel 3	MO; QL (2 EA per 1 day)
Antagonista De Receptor De Integrina, Anticuerpos Monoclonales			
ENTYVIO PEN SUBCUTANEOUS PEN INJECTOR 108 MG/0.68 ML		Nivel 5	MO
Inflam. Crónica Colon Dx, 5-A-Salicilato,Rectal Tx			
CANASA RECTAL SUPPOSITORY 1,000 MG	(mesalamine)	Nivel 4	MO
<i>mesalamine rectal enema 4 gram/60 ml</i>	(sfRowasa)	Nivel 2	MO
<i>mesalamine rectal suppository 1,000 mg</i>	(Canasa)	Nivel 2	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>mesalamine with cleansing wipe rectal enema kit 4 gram/60 ml</i>	(Rowasa)	Nivel 2	MO
ROWASA RECTAL ENEMA KIT 4 GRAM/60 ML	(mesalamine with cleansing wipe)	Nivel 4	MO
SFROWASA RECTAL ENEMA 4 GRAM/60 ML	(mesalamine)	Nivel 4	MO
Medicamentos Tx-Infla. Crónica Colon Dx,5-Aminosalicilatos			
APRISO ORAL CAPSULE,EXTENDED RELEASE 24HR 0.375 GRAM	(mesalamine)	Nivel 4	MO
AZULFIDINE EN-TABS ORAL TABLET,DELAYED RELEASE (DR/EC) 500 MG	(sulfasalazine)	Nivel 4	MO
AZULFIDINE ORAL TABLET 500 MG	(sulfasalazine)	Nivel 4	MO
<i>balsalazide oral capsule 750 mg</i>	(Colazal)	Nivel 2	
COLAZAL ORAL CAPSULE 750 MG	(balsalazide)	Nivel 4	
DIPENTUM ORAL CAPSULE 250 MG		Nivel 4	MO; ST: Must meet the following requirement: Lialda in 120 days
LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM	(mesalamine)	Nivel 4	MO
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i>		Nivel 2	MO
<i>mesalamine oral capsule, extended release 500 mg</i>	(Pentasa)	Nivel 2	MO
<i>mesalamine oral capsule,extended release 24hr 0.375 gram</i>	(Apriso)	Nivel 2	MO
<i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram</i>	(Lialda)	Nivel 2	MO
<i>mesalamine oral tablet,delayed release (dr/ec) 800 mg</i>		Nivel 2	MO
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG		Nivel 4	MO
PENTASA ORAL CAPSULE, EXTENDED RELEASE 500 MG	(mesalamine)	Nivel 4	MO
<i>sulfasalazine oral tablet 500 mg</i>	(Azulfidine)	Nivel 2	MO
<i>sulfasalazine oral tablet,delayed release (dr/ec) 500 mg</i>	(Azulfidine EN-tabs)	Nivel 2	MO
Prep Hemorroidal, Anti-Infam Esteroide/Anest Local			
ANALPRAM-HC RECTAL CREAM 1-1 %, 2.5-1 %	(hydrocortisone-pramoxine)	Nivel 4	
<i>hydrocortisone-pramoxine rectal cream 1-1 %, 2.5-1 %</i>	(Analpram-HC)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>hydrocortisone-pramoxine rectal cream 2.5-1 % (4g)</i>	Nivel 2	
<i>hydrocortisone-pramoxine rectal suppository 25-18 mg</i>	Nivel 2	
<i>lidocaine hcl-hydrocortison ac rectal cream 3-0.5 %</i>	Nivel 2	
<i>lidocaine hcl-hydrocortison ac rectal gel 3 %-2.5 % (7 gram)</i>	Nivel 2	
<i>lidocaine hcl-hydrocortison ac rectal kit 2 %-2 % (7 gram), 3-0.5 %, 3-1 % (7 gram), 3-2.5 % (7 gram)</i>	Nivel 2	
<i>lidocaine-hydrocortisone-aloe rectal gel 2.8-0.55 %</i>	Nivel 2	
PROCORT RECTAL CREAM 1.85-1.15 %	Nivel 4	
PROCTOFOAM HC RECTAL FOAM 1-1 %	Nivel 3	
ZYPRAM RECTAL KIT, CREAM AND TOWELETTE 2.35-1 %	Nivel 4	
Prep. Rectal/Intestinal Inferior, Glucocort. (No-Hemorr)		
<i>budesonide rectal foam 2 mg/actuation</i> (Uceris)	Nivel 2	
CORTENEMA RECTAL ENEMA 100 MG/60 ML (hydrocortisone)	Nivel 4	
CORTIFOAM RECTAL FOAM 10 % (80 MG)	Nivel 4	
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	Nivel 2	
UCERIS RECTAL FOAM 2 MG/ACTUATION (budesonide)	Nivel 4	
Preparados De Nitrato Local Anorectal		
<i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)	Nivel 2	
RECTIV RECTAL OINTMENT 0.4 % (W/W) (nitroglycerin)	Nivel 4	
Preparados Rectales		
ANUCORT-HC RECTAL SUPPOSITORY 25 MG (hydrocortisone acetate)	Nivel 2	
ANUSOL-HC RECTAL SUPPOSITORY 25 MG (hydrocortisone acetate)	Nivel 4	
HEMMOREX-HC RECTAL SUPPOSITORY 25 MG, 30 MG (hydrocortisone acetate)	Nivel 4	
<i>hydrocortisone acetate rectal suppository 25 mg</i> (Anucort-HC)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>hydrocortisone acetate rectal suppository 30 mg</i> (Hemmorex-HC)	Nivel 2	
PROCTOCORT RECTAL SUPPOSITORY 30 MG (hydrocortisone acetate)	Nivel 4	
Trastornos Gastrointestinal Inferior - Otro		
BYLVAY ORAL CAPSULE 1,200 MCG, 400 MCG	Nivel 5	PA; MO
BYLVAY ORAL PELLET 200 MCG, 600 MCG	Nivel 5	PA; MO
IBSRELA ORAL TABLET 50 MG	Nivel 4	PA; MO
IQIRVO ORAL TABLET 80 MG	Nivel 4	PA; MO
LIVDELZI ORAL CAPSULE 10 MG	Nivel 4	PA; MO
LIVMARLI ORAL SOLUTION 19 MG/ML, 9.5 MG/ML	Nivel 5	PA; MO
LIVMARLI ORAL TABLET 10 MG, 15 MG, 20 MG, 30 MG	Nivel 5	PA; MO
Agonistas De Receptor De Farnesoide X (Fxr), Análogo Biliar Ac		
OCALIVA ORAL TABLET 10 MG, 5 MG	Nivel 4	PA; MO
Antagonistas Narcóticos, De Actuación Periférica		
<i>alvimopan oral capsule 12 mg</i>	Nivel 2	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	Nivel 3	QL (1 EA per 1 day)
RELISTOR ORAL TABLET 150 MG	Nivel 4	PA
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	Nivel 4	PA
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML	Nivel 4	PA
SYMPROIC ORAL TABLET 0.2 MG	Nivel 3	QL (1 EA per 1 day)
Antidiarreico - G.I. Inhibidores De Canal De Cloruro		
MYTESI ORAL TABLET, DELAYED RELEASE (DR/EC) 125 MG	Nivel 3	ST: Must meet the following requirement: Antiretroviral therapy in 120 days; QL (2 EA per 1 day)
Antidiarreico - Inhibidor De Triptófano De Hidroxilasa		
XERMELO ORAL TABLET 250 MG	Nivel 4	PA
Antidiarreicos		
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	Nivel 2	

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	(Lomotil)	Nivel 2	
LOMOTIL ORAL TABLET 2.5-0.025 MG	(diphenoxylate-atropine)	Nivel 4	
<i>loperamide oral capsule 2 mg</i>	(Anti-Diarrheal (loperamide))	Nivel 2	MO
MOTOFEN ORAL TABLET 1-0.025 MG		Nivel 4	ST: Must meet the following requirement: Diphenoxylate/Atropine in 120 days; QL (8 EA per 1 day)
<i>opium tincture oral tincture 10 mg/ml (morphine)</i>		Nivel 2	
Inhibidores De Amoníacos			
BUPHENYL ORAL POWDER 0.94 GRAM/GRAM	(sodium phenylbutyrate)	Nivel 5	PA; MO
BUPHENYL ORAL TABLET 500 MG	(sodium phenylbutyrate)	Nivel 5	PA; MO
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	(carglumic acid)	Nivel 5	PA; MO
<i>carglumic acid oral tablet, dispersible 200 mg</i>	(Carbaglu)	Nivel 4	PA; MO
ENULOSE ORAL SOLUTION 10 GRAM/15 ML	(lactulose)	Nivel 2	MO
GENERLAC ORAL SOLUTION 10 GRAM/15 ML	(lactulose)	Nivel 2	MO
LITHOSTAT ORAL TABLET 250 MG		Nivel 4	
OLPRUVA ORAL PELLETS IN PACKET 2 GRAM, 3 GRAM, 4 GRAM, 5 GRAM, 6 GRAM, 6.67 GRAM		Nivel 5	PA; MO
PHEBURANE ORAL GRANULES 483 MG/GRAM		Nivel 5	PA; MO
RAVICTI ORAL LIQUID 1.1 GRAM/ML		Nivel 5	PA; MO
<i>sodium phenylbutyrate oral powder 0.94 gram/gram</i>	(Buphenyl)	Nivel 4	PA; MO
<i>sodium phenylbutyrate oral tablet 500 mg</i>	(Buphenyl)	Nivel 4	PA; MO
Laxantes Y Catárticos			
AMITIZA ORAL CAPSULE 24 MCG	(lubiprostone)	Nivel 4	MO; QL (2 EA per 1 day)
AMITIZA ORAL CAPSULE 8 MCG	(lubiprostone)	Nivel 4	MO; QL (4 EA per 1 day)
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/175 ML		Nivel 1	\$0 COPAY IF QUANTITY IS 350, FILL OF 2 IN 365 DAYS, AND 45 TO 75 YEARS OF AGE; QL (350 ML per 1 FILL)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CONSTULOSE ORAL SOLUTION 10 GRAM/15 ML (lactulose)	Nivel 2	MO
GAVILYTE-C ORAL RECON SOLN 240-22.72-6.72 -5.84 GRAM (peg 3350-electrolytes)	Nivel 1	\$0 COPAY IF QUANTITY IS 4000, FILL OF 2 IN 365 DAYS, AND 45 TO 75 YEARS OF AGE; QL (4000 ML per 1 FILL)
GAVILYTE-G ORAL RECON SOLN 236-22.74-6.74 -5.86 GRAM (peg 3350-electrolytes)	Nivel 1	\$0 COPAY IF QUANTITY IS 4000, FILL OF 2 IN 365 DAYS, AND 45 TO 75 YEARS OF AGE; QL (4000 ML per 1 FILL)
GAVILYTE-N ORAL RECON SOLN 420 GRAM (peg-electrolyte soln)	Nivel 1	\$0 COPAY IF QUANTITY IS 4000, FILL OF 2 IN 365 DAYS, AND 45 TO 75 YEARS OF AGE; QL (4000 ML per 1 FILL)
GOLYTELY ORAL RECON SOLN 236-22.74-6.74 -5.86 GRAM (peg 3350-electrolytes)	Nivel 4	QL (4000 ML per 1 FILL)
KRISTALOSE ORAL PACKET 20 GRAM (lactulose)	Nivel 4	MO; ST: Must meet the following requirement: generic Lactulose solution in 120 days; QL (2 EA per 1 day)
<i>lactulose oral packet 10 gram</i> (Kristalose)	Nivel 2	MO; ST: Must meet the following requirement: generic Lactulose solution in 120 days; QL (3 EA per 1 day)
<i>lactulose oral packet 20 gram</i> (Kristalose)	Nivel 2	MO; ST: Must meet the following requirement: generic Lactulose solution in 120 days; QL (2 EA per 1 day)
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	Nivel 2	MO
<i>lubiprostone oral capsule 24 mcg</i> (Amitiza)	Nivel 2	MO; QL (2 EA per 1 day)
<i>lubiprostone oral capsule 8 mcg</i> (Amitiza)	Nivel 2	MO; QL (4 EA per 1 day)
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM (peg3350-sod sul-nacl-kcl-asb-c)	Nivel 4	QL (1 EA per 1 FILL)
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	Nivel 1	\$0 COPAY IF QUANTITY IS 4000, FILL OF 2 IN 365 DAYS, AND 45 TO 75 YEARS OF AGE; QL (4000 ML per 1 FILL)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>peg3350-sod sul-nacl-kcl-asb-c oral powder in packet 100-7.5-2.691 gram</i> (MoviPrep)	Nivel 1	\$0 COPAY IF QUANTITY IS 1, FILL OF 2 IN 365 DAYS, AND 45 TO 75 YEARS OF AGE; QL (1 EA per 1 FILL)
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	Nivel 1	\$0 COPAY IF QUANTITY IS 4000, FILL OF 2 IN 365 DAYS, AND 45 TO 75 YEARS OF AGE; QL (4000 ML per 1 FILL)
PLENVU ORAL POWDER IN PACKET, SEQUENTIAL 140-9-5.2 GRAM	Nivel 1	ST: Must meet the following requirement: Sutab, Clenpiq, or generic bowel prep in 120 days; \$0 COPAY IF QUANTITY IS 3, FILL OF 2 IN 365 DAYS, TRIAL OF CLENPIQ, SUTAB, OR A GENERIC BOWEL PREP, AND 45 TO 75 YEARS OF AGE; QL (3 EA per 1 FILL)
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	Nivel 1	\$0 COPAY IF QUANTITY IS 354, FILL OF 2 IN 365 DAYS, AND 45 TO 75 YEARS OF AGE; QL (354 ML per 1 FILL)
SUFLAVE ORAL RECON SOLN 178.7-7.3-0.5 GRAM	Nivel 1	ST: Must meet the following requirement: Sutab, Clenpiq, or generic bowel prep in 120 days; \$0 COPAY IF QUANTITY IS 2, FILL OF 2 IN 365 DAYS, TRIAL OF CLENPIQ, SUTAB, OR A GENERIC BOWEL PREP, AND 45 TO 75 YEARS OF AGE; QL (2 EA per 1 FILL)
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM (sodium,potassium,mag sulfates)	Nivel 4	QL (354 ML per 1 FILL)
SUTAB ORAL TABLET 1.479-0.188-0.225 GRAM	Nivel 1	\$0 COPAY IF QUANTITY IS 24, FILL OF 2 IN 365 DAYS, AND 45 TO 75 YEARS OF AGE; QL (24 EA per 1 FILL)
Sales Biliares		
CHENODAL ORAL TABLET 250 MG	Nivel 5	PA

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CHOLBAM ORAL CAPSULE 250 MG, 50 MG	Nivel 5	PA; MO
CTEXLI ORAL TABLET 250 MG	Nivel 5	PA
RELTONE ORAL CAPSULE 200 MG, 400 MG (ursodiol)	Nivel 4	PA; MO
URSO FORTE ORAL TABLET 500 MG (ursodiol)	Nivel 4	MO
<i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)	Nivel 2	PA; MO
<i>ursodiol oral capsule 300 mg</i>	Nivel 2	MO
<i>ursodiol oral tablet 250 mg</i>	Nivel 2	MO
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	Nivel 2	MO
Sbs - Péptido Similar Al Glucógeno-2 (Glp-2) Análogos		
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	Nivel 4	PA; MO
GATTEX ONE-VIAL SUBCUTANEOUS KIT 5 MG	Nivel 4	PA; MO
Síndrome De Colon Irritable Agente,Antagonistas De 5Ht-3-Tipo		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	Nivel 2	
LOTROXEN ORAL TABLET 0.5 MG, 1 MG (alosetron)	Nivel 4	
Trastornos Gastrointestinal Superior - Digestivos		
Enzimas Gástricas		
SUCRAID ORAL SOLUTION 8,500 UNIT/ML	Nivel 5	PA; MO
Enzimas Pancreáticos		
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	Nivel 3	MO
PANCREAZE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,500-35,500- 61,500 UNIT, 16,800-56,800- 98,400 UNIT, 2,600-8,800- 15,200 UNIT, 21,000-54,700- 83,900 UNIT, 37,000-97,300- 149,900 UNIT, 4,200-14,200-24,600 UNIT	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PERTZYE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 16,000-57,500-60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT	Nivel 4	MO; ST: Must meet any of the following requirements: Zenpep or Creon in 120 days
VIOKACE ORAL TABLET 10,440-39,150- 39,150 UNIT, 20,880-78,300-78,300 UNIT	Nivel 4	MO; ST: Must meet any of the following requirements: Zenpep or Creon in 120 days
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	Nivel 3	MO
Trastornos Gastrointestinal Superior - Enfermedad Espástica		
Alcalodes De Belladonna		
ANASPAZ ORAL (hyoscyamine sulfate) TABLET,DISINTEGRATING 0.125 MG	Nivel 4	MO
DONNATAL ORAL ELIXIR 16.2 MG-0.1037 MG/5 ML (5 ML) (phenobarb-hyoscy-atropine-scop)	Nivel 4	ST: Must meet the following requirements: Dicyclomine and Hyoscyamine in 365 days; QL (1200 ML per 30 days)
DONNATAL ORAL TABLET 16.2-0.1037 -0.0194 MG (phenobarb-hyoscy-atropine-scop)	Nivel 4	ST: Must meet the following requirements: Dicyclomine and Hyoscyamine in 365 days; QL (8 EA per 1 day)
ED-SPAZ ORAL (hyoscyamine sulfate) TABLET,DISINTEGRATING 0.125 MG	Nivel 2	MO
hyoscyamine sulfate oral drops 0.125 mg/ml (Hyosyne)	Nivel 2	MO
hyoscyamine sulfate oral elixir 0.125 mg/5 ml (Hyosyne)	Nivel 2	MO
hyoscyamine sulfate oral tablet 0.125 mg (Oscimin)	Nivel 2	MO
hyoscyamine sulfate oral tablet extended release 12 hr 0.375 mg (Levbid)	Nivel 2	MO
hyoscyamine sulfate oral tablet,disintegrating 0.125 mg (Ed-Spaz)	Nivel 2	MO
hyoscyamine sulfate sublingual tablet 0.125 mg (Oscimin SL)	Nivel 2	MO

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
HYOSYNE ORAL DROPS 0.125 MG/ML (hyoscyamine sulfate)		Nivel 2	MO
HYOSYNE ORAL ELIXIR 0.125 MG/5 ML (hyoscyamine sulfate)		Nivel 2	MO
LEVBID ORAL TABLET EXTENDED RELEASE 12 HR 0.375 MG (hyoscyamine sulfate)		Nivel 4	MO
LEVSIN ORAL TABLET 0.125 MG (hyoscyamine sulfate)		Nivel 4	MO
LEVSIN/SL SUBLINGUAL TABLET 0.125 MG (hyoscyamine sulfate)		Nivel 4	MO
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>		Nivel 2	
NULEV ORAL TABLET,DISINTEGRATING 0.125 MG (hyoscyamine sulfate)		Nivel 4	MO
OSCIMIN ORAL TABLET 0.125 MG (hyoscyamine sulfate)		Nivel 2	MO
OSCIMIN SL SUBLINGUAL TABLET 0.125 MG (hyoscyamine sulfate)		Nivel 2	MO
<i>phenobarb-hyoscy-atropine-scop oral elixir 16.2-0.1037 -0.0194 mg/5 ml</i>	(Phenohydro)	Nivel 4	ST: Must meet the following requirements: Dicyclomine and Hyoscyamine in 365 days; QL (1200 ML per 30 days)
<i>phenobarb-hyoscy-atropine-scop oral tablet 16.2-0.1037 -0.0194 mg</i>	(Donnatal)	Nivel 2	ST: Must meet the following requirements: Dicyclomine and Hyoscyamine in 365 days; QL (8 EA per 1 day)
PHENOHYTRO ORAL ELIXIR 16.2-0.1037 -0.0194 MG/5 ML (phenobarb-hyoscy-atropine-scop)		Nivel 4	ST: Must meet the following requirements: Dicyclomine and Hyoscyamine in 365 days; QL (1200 ML per 30 days)
PHENOHYTRO ORAL TABLET 16.2-0.1037 -0.0194 MG (phenobarb-hyoscy-atropine-scop)		Nivel 4	ST: Must meet the following requirements: Dicyclomine and Hyoscyamine in 365 days; QL (8 EA per 1 day)
SYMAX DUOTAB ORAL TABLET,EXT RELEASE MULTIPHASE 0.125 MG-0.25 MG (0.375 MG) (hyoscyamine sulfate)		Nivel 4	MO
SYMAX FASTABS ORAL TABLET,DISINTEGRATING 0.125 MG (hyoscyamine sulfate)		Nivel 4	MO
SYMAX-SL SUBLINGUAL TABLET 0.125 MG (hyoscyamine sulfate)		Nivel 4	MO
SYMAX-SR ORAL TABLET EXTENDED RELEASE 12 HR 0.375 MG (hyoscyamine sulfate)		Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Anticolinérgicos/Antiespasmódicos		
<i>dicyclomine 10 mg/5 ml soln</i>	Nivel 2	MO
<i>dicyclomine oral capsule 10 mg</i>	Nivel 2	MO
<i>dicyclomine oral tablet 20 mg</i>	Nivel 2	MO
<i>dicyclomine oral tablet 40 mg</i>	Nivel 2	MO; QL (4 EA per 1 day)
Trastornos Gastrointestinal Superior - Enfermedad Por Úlceras		
VOQUEZNA ORAL TABLET 10 MG, 20 MG	Nivel 4	PA; QL (1 EA per 1 day)
Agentes Anti-Úlcera-H. Pylori		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	Nivel 2	QL (112 EA per 10 days)
<i>bismuth subcit k-metronidz-tcn oral capsule 140-125-125 mg</i> (Pylera)	Nivel 2	
OMECLAMOX-PAK ORAL COMBO PACK 20 MG-500 MG- 500 MG (40)	Nivel 4	
PYLERA ORAL CAPSULE 140-125-125 MG (bismuth subcit k-metronidz-tcn)	Nivel 4	
TALICIA ORAL CAPSULE,IR - DELAY REL,BIPHASE 10-250-12.5 MG	Nivel 4	QL (168 EA per 14 days); Age (Min 18 Years)
VOQUEZNA DUAL PAK ORAL COMBO PACK 20 MG (28)- 500 MG (84)	Nivel 4	PA; QL (112 EA per 14 days)
VOQUEZNA TRIPLE PAK ORAL COMBO PACK 20-500-500 MG	Nivel 4	PA; QL (112 EA per 14 days)
Anticolinérgicos, Amonio Cuaternario		
<i>chlordiazepoxide-clidinium oral capsule 5-2.5 mg</i> (Librax (with clidinium))	Nivel 2	
CUVPOSA ORAL SOLUTION 1 MG/5 ML (0.2 MG/ML) (glycopyrrolate)	Nivel 4	MO
DARTISLA ORAL TABLET,DISINTEGRATING 1.7 MG	Nivel 4	ST: Must meet the following requirement: Glycopyrrolate 2mg in 120 days; QL (4 EA per 1 day); Age (Min 18 Years)
<i>glycopyrrolate (pf) injection syringe 0.6 mg/3 ml (0.2 mg/ml)</i> (Glyrx-PF)	Nivel 2	
<i>glycopyrrolate oral solution 1 mg/5 ml (0.2 mg/ml)</i> (Cuvposa)	Nivel 2	MO
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	Nivel 2	MO
<i>glycopyrrolate oral tablet 1.5 mg</i> (Glycate)	Nivel 2	MO; ST: Must meet the following requirement: Glycopyrrolate 2mg in 120 days; QL (3 EA per 1 day)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>glycopyrrolate oral tablet 2 mg</i>	(Robinul Forte)	Nivel 2	MO
GLYRX-PF INJECTION SYRINGE 0.6 MG/3 ML (0.2 MG/ML)	(glycopyrrolate (pf))	Nivel 4	
LIBRAX (WITH CLIDINIUM) ORAL CAPSULE 5-2.5 MG	(chlordiazepoxide-clidinium)	Nivel 4	
ROBINUL FORTE ORAL TABLET 2 MG	(glycopyrrolate)	Nivel 4	MO
ROBINUL ORAL TABLET 1 MG	(glycopyrrolate)	Nivel 4	MO
Estimulante De Motilidad Intestinal			
GIMOTI NASAL SPRAY WITH PUMP 15 MG/SPRAY		Nivel 5	PA
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>		Nivel 2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	(Reglan)	Nivel 2	
MOTEGRITY ORAL TABLET 1 MG, 2 MG	(prucalopride)	Nivel 4	MO; QL (1 EA per 1 day)
<i>prucalopride oral tablet 1 mg, 2 mg</i>	(Motegrity)	Nivel 2	MO; QL (1 EA per 1 day)
REGLAN ORAL TABLET 10 MG, 5 MG	(metoclopramide hcl)	Nivel 4	
Inhibidores De La Bomba De Protones			
ACIPHEX ORAL TABLET, DELAYED RELEASE (DR/EC) 20 MG	(rabeprazole)	Nivel 4	MO; QL (1 EA per 1 day)
ACIPHEX SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 10 MG	(rabeprazole)	Nivel 4	MO; ST: Must meet 2 of the following requirements: Lansoprazole, Omeprazole, or Pantoprazole in 365 days; QL (1 EA per 1 day)
ACIPHEX SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 5 MG		Nivel 4	MO; ST: Must meet 2 of the following requirements: Lansoprazole, Omeprazole, or Pantoprazole in 365 days; QL (1 EA per 1 day)
DEXILANT ORAL CAPSULE, BIPHASE DELAYED RELEASE 30 MG, 60 MG	(dexlansoprazole)	Nivel 4	MO; ST: Must meet any of the following requirements: Lansoprazole, Omeprazole, Pantoprazole in 120 days; QL (1 EA per 1 day)
<i>dexlansoprazole oral capsule, biphase delayed release 30 mg, 60 mg</i>	(Dexilant)	Nivel 2	MO; ST: Must meet any of the following requirements: Lansoprazole, Omeprazole, Pantoprazole in 120 days; QL (1 EA per 1 day)
<i>esomeprazole magnesium oral capsule, delayed release (dr/ec) 20 mg</i>	(Nexium)	Nivel 2	MO; QL (1 EA per 1 day)

Nombre del Medicamento		Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i>	(Nexium)	Nivel 2	MO; QL (2 EA per 1 day)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	(Nexium Packet)	Nivel 2	MO; QL (1 EA per 1 day)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i>	(Nexium Packet)	Nivel 2	MO; QL (2 EA per 1 day)
KONVOMEPRAL SUSPENSION FOR RECONSTITUTION 2-84 MG/ML		Nivel 4	PA; MO
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i>	(Acid Reducer (lansoprazole))	Nivel 2	MO
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i>	(Prevacid)	Nivel 2	MO
<i>lansoprazole oral tablet, disintegrat, delay rel 15 mg, 30 mg</i>	(Prevacid SoluTab)	Nivel 2	MO; ST: Must meet any of the following requirements: Lansoprazole, Omeprazole, or Pantoprazole in 120 days
NEXIUM ORAL CAPSULE, DELAYED RELEASE(DR/EC) 20 MG	(esomeprazole magnesium)	Nivel 4	MO; QL (1 EA per 1 day)
NEXIUM ORAL CAPSULE, DELAYED RELEASE(DR/EC) 40 MG	(esomeprazole magnesium)	Nivel 4	MO; QL (2 EA per 1 day)
NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 10 MG, 2.5 MG, 20 MG, 5 MG	(esomeprazole magnesium)	Nivel 4	MO; QL (1 EA per 1 day)
NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 40 MG	(esomeprazole magnesium)	Nivel 4	MO; QL (2 EA per 1 day)
<i>omeprazole dr 40 mg capsule</i>		Nivel 2	MO
<i>omeprazole dr 40 mg capsule never launched</i>		Nivel 2	MO
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg</i>		Nivel 2	MO
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram</i>	(Zegerid OTC)	Nivel 2	MO; ST: Must meet any of the following requirements: Lansoprazole, Omeprazole, Pantoprazole in 120 days; QL (1 EA per 1 day)
<i>omeprazole-sodium bicarbonate oral capsule 40-1.1 mg-gram</i>		Nivel 2	MO; ST: Must meet any of the following requirements: Lansoprazole, Omeprazole, Pantoprazole in 120 days; QL (1 EA per 1 day)
<i>omeprazole-sodium bicarbonate oral packet 20-1,680 mg, 40-1,680 mg</i>		Nivel 2	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>pantoprazole oral granules dr for susp in packet 40 mg</i> (Protonix)	Nivel 2	MO; ST: Must meet any of the following requirements: Omeprazole, Pantoprazole capsules/tablets, or Prilosec suspension in 120 days
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg</i> (Protonix)	Nivel 2	MO
PREVACID ORAL CAPSULE, DELAYED RELEASE (DR/EC) 30 MG (lansoprazole)	Nivel 4	MO
PREVACID SOLUTAB ORAL TABLET, DISINTEGRAT, DELAY REL 15 MG, 30 MG (lansoprazole)	Nivel 4	MO; ST: Must meet any of the following requirements: Lansoprazole, Omeprazole, or Pantoprazole in 120 days
PRILOSEC ORAL SUSP, DELAYED RELEASE FOR RECON 10 MG, 2.5 MG	Nivel 4	MO; ST: Must meet any of the following requirements: Lansoprazole, Omeprazole, Pantoprazole in 120 days
PROTONIX ORAL GRANULES DR FOR SUSP IN PACKET 40 MG (pantoprazole)	Nivel 4	MO; ST: Must meet any of the following requirements: Omeprazole, Pantoprazole capsules/tablets, or Prilosec suspension in 120 days
PROTONIX ORAL TABLET, DELAYED RELEASE (DR/EC) 20 MG, 40 MG (pantoprazole)	Nivel 4	MO
<i>rabeprazole oral capsule, delayed rel sprinkle 10 mg</i> (AcipHex Sprinkle)	Nivel 2	MO; ST: Must meet 2 of the following requirements: Lansoprazole, Omeprazole, or Pantoprazole in 365 days; QL (1 EA per 1 day)
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)	Nivel 2	MO; QL (1 EA per 1 day)
Inhibidores De Receptor De Histamina H2		
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	Nivel 2	MO
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	Nivel 2	MO
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	Nivel 2	MO
<i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>	Nivel 2	MO
<i>famotidine oral tablet 20 mg, 40 mg</i> (Pepcid)	Nivel 2	MO
<i>nizatidine oral capsule 150 mg, 300 mg</i>	Nivel 2	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
PEPCID ORAL TABLET 20 MG, 40 MG (famotidine)	Nivel 4	MO
Preparaciones Antiúlceras		
CARAFATE ORAL SUSPENSION 100 MG/ML (sucralfate)	Nivel 4	MO
CARAFATE ORAL TABLET 1 GRAM (sucralfate)	Nivel 4	MO
CYTOTEC ORAL TABLET 100 MCG, 200 MCG (misoprostol)	Nivel 4	MO
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	Nivel 2	MO
<i>sucralfate oral suspension 100 mg/ml</i> (Carafate)	Nivel 2	MO
<i>sucralfate oral tablet 1 gram</i> (Carafate)	Nivel 2	MO
Trastornos Hematológicos		
ALHEMO PEN SUBCUTANEOUS PEN INJECTOR 150 MG/1.5 ML (100 MG/ML), 300 MG/3 ML (100 MG/ML), 60 MG/1.5 ML (40 MG/ML)	Nivel 4	PA; MO
CABLIVI INJECTION KIT 11 MG	Nivel 5	PA
EMPAVELI SUBCUTANEOUS SOLUTION 1,080 MG/20 ML	Nivel 5	PA; MO
HEMLIBRA SUBCUTANEOUS SOLUTION 105 MG/0.7 ML, 12 MG/0.4 ML, 150 MG/ML, 30 MG/ML, 300 MG/2 ML (150 MG/ML), 60 MG/0.4 ML	Nivel 4	PA; MO
HYMPAVZI PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML	Nivel 4	PA; MO
PYRUKYND ORAL TABLET 20 MG, 5 MG, 50 MG	Nivel 5	PA; MO
PYRUKYND ORAL TABLETS, DOSE PACK 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7)	Nivel 5	PA
QFITLIA PEN SUBCUTANEOUS PEN INJECTOR 50 MG/0.5 ML	Nivel 4	PA; MO
QFITLIA SUBCUTANEOUS SOLUTION 20 MG/0.2 ML	Nivel 4	PA; MO
VAFSEO ORAL TABLET 150 MG, 300 MG	Nivel 4	PA; MO
Agentes Antifibrinolíticos		
AMICAR ORAL SOLUTION 250 MG/ML (25 %) (aminocaproic acid)	Nivel 4	
AMICAR ORAL TABLET 1,000 MG, 500 MG (aminocaproic acid)	Nivel 4	
<i>aminocaproic acid oral solution 250 mg/ml (25 %)</i> (Amicar)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
<i>aminocaproic acid oral tablet 1,000 mg, 500 mg</i> (Amicar)	Nivel 2	
<i>tranexamic acid oral tablet 650 mg</i>	Nivel 2	MO
Agentes De Anemia Falciforme		
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	Nivel 4	MO
ENDARI ORAL POWDER IN PACKET 5 GRAM (glutamine (sickle cell))	Nivel 5	PA; MO
<i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)	Nivel 4	PA; MO
SIKLOS ORAL TABLET 1,000 MG	Nivel 4	MO; ST: Must meet the following requirements: generic Hydroxyurea and Droxia in 365 days
SIKLOS ORAL TABLET 100 MG	Nivel 4	MO; QL (2 EA per 1 day)
XROMI ORAL SOLUTION 100 MG/ML	Nivel 4	PA; MO
Agentes Hemorreológicos		
<i>pentoxifylline oral tablet extended release 400 mg</i>	Nivel 2	MO
Agentes Reductores De Plaquetas		
AGRYLIN ORAL CAPSULE 0.5 MG (anagrelide)	Nivel 4	MO
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	Nivel 2	MO
<i>anagrelide oral capsule 1 mg</i>	Nivel 2	MO
Agonistas De Receptor De Trombopoyetina		
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	Nivel 5	PA; MO
DOPTLET (10 TAB PACK) ORAL TABLET 20 MG	Nivel 4	PA
DOPTLET (15 TAB PACK) ORAL TABLET 20 MG	Nivel 4	PA
DOPTLET (30 TAB PACK) ORAL TABLET 20 MG	Nivel 4	PA
<i>eltrombopag olamine oral powder in packet 12.5 mg, 25 mg</i> (Promacta)	Nivel 4	PA; MO
<i>eltrombopag olamine oral tablet 12.5 mg, 25 mg, 50 mg, 75 mg</i> (Promacta)	Nivel 4	PA; MO
MULPLETA ORAL TABLET 3 MG	Nivel 5	PA
PROMACTA ORAL POWDER IN PACKET 12.5 MG, 25 MG (eltrombopag olamine)	Nivel 4	PA; MO
PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG (eltrombopag olamine)	Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Anticoagulantes, Tipo De Cumarina		
JANTOVEN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG (warfarin)	Nivel 2	MO
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	Nivel 2	MO
Citratos Como Anticoagulantes		
ACD SOLUTION A SOLUTION 2.45-2.2 GRAM- 800 MG/100 ML	Nivel 4	
ACD-A SOLUTION , 2.45-2.2 GRAM- 730 MG/100 ML	Nivel 4	
<i>anticoag citrate phos dextrose solution 2.63-222 gram-mg/100ml</i>	Nivel 2	
<i>sodium citrate in 0.9 % nacl solution 0.5 %</i>	Nivel 2	
<i>sodium citrate intra-catheter solution 4 %</i>	Nivel 2	
<i>sodium citrate intra-catheter syringe 4 % (3 ml), 4 % (5 ml)</i>	Nivel 2	
<i>sodium citrate solution 4 gram /100 ml (4 %)</i>	Nivel 2	
Estimulantes De Leucocito (Wbc)		
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	Nivel 5	PA
FYLNETHA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	Nivel 5	PA
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	Nivel 5	PA
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	Nivel 5	PA
LEUKINE INJECTION RECON SOLN 250 MCG	Nivel 5	PA
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	Nivel 5	PA
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	Nivel 5	PA
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	Nivel 5	PA
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	Nivel 5	PA
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	Nivel 4	PA

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	Nivel 4	PA
NYPOZI INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	Nivel 5	PA
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	Nivel 5	PA
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	Nivel 5	PA
ROLVEDON SUBCUTANEOUS SYRINGE 13.2 MG/0.6 ML	Nivel 5	PA
STIMUFEND SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	Nivel 5	PA
UDENYCA AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 6 MG/0.6 ML	Nivel 5	PA
UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	Nivel 5	PA
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	Nivel 5	PA
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	Nivel 5	PA
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	Nivel 4	PA
Factores Antihermofílicos		
ADVATE INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 1,500 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 3,000 (+/-) UNIT, 4,000 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	MO
ADYNOVATE INTRAVENOUS SOLUTION 1,000 (+/-) UNIT, 1,500 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 3,000 (+/-) UNIT, 500 (+/-) UNIT, 750 (+/-) UNIT	Nivel 4	MO
AFSTYLA INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT RANGE, 1,500 (+/-) UNIT RANGE, 2,000 (+/-) UNIT RANGE, 2,500 (+/-) UNIT RANGE, 250 (+/-) UNIT RANGE, 3,000 (+/-) UNIT RANGE, 500 (+/-) UNIT RANGE	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ALPHANATE INTRAVENOUS RECON SOLN 1,000 (400 VWF) UNIT/10 ML, 1,500 (600 VWF) UNIT/10 ML, 2,000 (800 VWF) UNIT/10 ML, 250 (100 VWF) UNIT/5 ML, 500 (200 VWF) UNIT/5 ML	Nivel 4	MO
ALTUVIIIIO INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 3,000 (+/-) UNIT, 4000 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	MO
ELOCTATE INTRAVENOUS RECON SOLN 1,000 UNIT, 1,500 UNIT, 2,000 UNIT, 250 UNIT, 3,000 UNIT, 4,000 UNIT, 5,000 UNIT, 500 UNIT, 6,000 UNIT, 750 UNIT	Nivel 4	MO
ESPEROCT INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 1,500 (+/-) UNIT, 2,000 (+/-) UNIT, 3,000 (+/-) UNIT, 4,000 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	MO
FEIBA NF INTRAVENOUS RECON SOLN 1,750-3,250 UNIT, 350-650 UNIT, 700-1,300 UNIT	Nivel 4	
HEMOFIL M HIGH INTRAVENOUS RECON SOLN 801-1,500 UNIT	Nivel 4	MO
HEMOFIL M LOW INTRAVENOUS RECON SOLN 220-400 UNIT	Nivel 4	MO
HEMOFIL M MID INTRAVENOUS RECON SOLN 401-800 UNIT	Nivel 4	MO
HEMOFIL M SUPER HIGH INTRAVENOUS RECON SOLN 1,501-2,000 UNIT	Nivel 4	MO
HUMATE-P INTRAVENOUS RECON SOLN 1,000-2,400 UNIT, 250-600 UNIT, 500-1,200 UNIT	Nivel 4	MO
JIVI INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 2,000 (+/-) UNIT, 3,000 (+/-) UNIT, 4,000 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	MO
KOATE INTRAVENOUS RECON SOLN 250 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	MO
KOGENATE FS INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 3,000 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
KOVALTRY INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 3,000 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	MO
NOVOEIGHT INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 1,500 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 3,000 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	MO
NOVOSEVEN RT INTRAVENOUS RECON SOLN 1 MG (1,000 MCG), 2 MG (2,000 MCG), 5 MG (5,000 MCG), 8 MG (8,000 MCG)	Nivel 4	
NUWIQ INTRAVENOUS RECON SOLN 1000 UNIT, 2,000 UNIT, 2,500 UNIT, 250 UNIT, 3,000 UNIT, 4,000 UNIT, 500 UNIT	Nivel 4	MO
OBIZUR INTRAVENOUS RECON SOLN 500 (+/-) UNIT RANGE	Nivel 4	
RECOMBINATE INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 1,500 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	MO
SEVENFACT INTRAVENOUS RECON SOLN 1 MG (1,000 MCG), 2 MG (2,000 MCG), 5 MG (5,000 MCG)	Nivel 4	
WILATE INTRAVENOUS RECON SOLN 1,000-1,000 UNIT, 500-500 UNIT	Nivel 4	
XYNTHA INTRAVENOUS SOLUTION 1,000 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	MO
XYNTHA SOLOFUSE INTRAVENOUS SYRINGE 1,000 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 3,000 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	MO
Factores De Sangre, Varios		
VONVENDI INTRAVENOUS RECON SOLN 1,300 (+/-) UNIT RANGE, 650 (+/-) UNIT RANGE	Nivel 5	
Hematínicos, Otros		
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 40 MCG/ML, 60 MCG/ML	Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 25 MCG/0.42 ML, 300 MCG/0.6 ML, 40 MCG/0.4 ML, 500 MCG/ML, 60 MCG/0.3 ML	Nivel 5	PA; MO
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	Nivel 5	PA; MO
MIRCERA INJECTION SYRINGE 100 MCG/0.3 ML, 120 MCG/0.3 ML, 150 MCG/0.3 ML, 200 MCG/0.3 ML, 30 MCG/0.3 ML, 50 MCG/0.3 ML, 75 MCG/0.3 ML	Nivel 5	PA; MO
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML	Nivel 5	PA; MO
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML	Nivel 4	PA; MO
Hemostáticos Tópicos		
ASTRINGYN TOPICAL SOLUTION 259 MG/G	Nivel 4	
AVITENE FLOUR TOPICAL POWDER	Nivel 4	
AVITENE TOPICAL POWDER IN PACKET	Nivel 4	
AVITENE TOPICAL SHEET 35 X 35 MM, 70 X 35 MM, 70 X 70 MM	Nivel 4	
ENDO AVITENE TOPICAL SHEET 10 MM, 5 MM	Nivel 4	
EVICEL TOPICAL SOLUTION 800- 1,200 UNIT /ML (1 ML X 2), 800-1,200 UNIT /ML(2ML X 2), 800-1,200 UNIT /ML(5 ML X 2)	Nivel 4	
GEL-FLOW NT TOPICAL SYRINGE	Nivel 4	
GEL-FLOW TOPICAL SYRINGE KIT 5,000 UNIT	Nivel 4	
GELFOAM COMPRESSED SIZE 100 TOPICAL SPONGE 100 CM	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
GELFOAM JMI POWDER TOPICAL KIT 5,000 UNIT	Nivel 4	
GELFOAM JMI SPONGE TOPICAL COMBO PACK 5,000 UNIT	Nivel 4	
GELFOAM MUCOUS MEMBRANE POWDER	Nivel 4	
GELFOAM SPONGE SIZE 100 TOPICAL SPONGE 100	Nivel 4	
GELFOAM SPONGE SIZE 12-7MM TOPICAL SPONGE 12-7 MM	Nivel 4	
GELFOAM SPONGE SIZE 200 TOPICAL SPONGE 200	Nivel 4	
GELFOAM SPONGE SIZE 50 TOPICAL SPONGE 50	Nivel 4	
GELFOAM TOPICAL SPONGE 4	Nivel 4	
MONSEL'S TOPICAL SOLUTION 0.2 TO 0.22 GRAM/ML IRON	Nivel 4	
MONSEL'S TOPICAL SOLUTION WITH APPLICATOR 0.2 TO 0.22 GRAM/ML	Nivel 2	
RECOTHROM SPRAY KIT TOPICAL RECON SOLN 20,000 UNIT	Nivel 4	
RECOTHROM TOPICAL RECON SOLN 20,000 UNIT, 5,000 UNIT	Nivel 4	
SURGIFOAM TOPICAL SPONGE 100 , 100 CM, 12-7 MM, 50	Nivel 4	
SYRINGE AVITENE TOPICAL POWDER	Nivel 4	
THROMBI-GEL TOPICAL PADS, MEDICATED 10 CM2, 100 CM2, 40 CM2	Nivel 2	
THROMBIN-JMI NASAL NASAL SPRAY SYRINGE 5,000 UNIT	Nivel 2	
THROMBIN-JMI TOPICAL RECON SOLN 20,000 UNIT, 5,000 UNIT	Nivel 2	
THROMBIN-JMI TOPICAL SPRAY SYRINGE 20,000 UNIT, 5,000 UNIT	Nivel 2	
THROMBIN-JMI TOPICAL SPRAY, NON-AEROSOL 20,000 UNIT	Nivel 2	
THROMBI-PAD TOPICAL PADS, MEDICATED 3 X 3 "	Nivel 2	
ULTRAFOAM TOPICAL SPONGE 2 X 6.25 X 7 CM-CM-MM, 8 X 12.5 X 1 CM, 8 X 12.5 X 3 CM-CM-MM, 8 X 6.25 X 1 CM	Nivel 4	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
VISTASEAL-FIBRIN SEALANT TOPICAL SYRINGE 500 UNIT-80 MG /ML (10 ML), 500 UNIT-80 MG /ML (2 ML), 500 UNIT-80 MG /ML (4 ML)	Nivel 4	
Heparina Y Preparados Relacionados		
ARIXTRA SUBCUTANEOUS SYRINGE (fondaparinux) 10 MG/0.8 ML	Nivel 4	QL (24 ML per 30 days)
ARIXTRA SUBCUTANEOUS SYRINGE (fondaparinux) 2.5 MG/0.5 ML	Nivel 4	QL (15 ML per 30 days)
ARIXTRA SUBCUTANEOUS SYRINGE (fondaparinux) 5 MG/0.4 ML	Nivel 4	QL (12 ML per 30 days)
ARIXTRA SUBCUTANEOUS SYRINGE (fondaparinux) 7.5 MG/0.6 ML	Nivel 4	QL (18 ML per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	Nivel 2	QL (30 ML per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i> (Lovenox)	Nivel 2	
ENOXILUV SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	Nivel 4	
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	Nivel 2	QL (24 ML per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	Nivel 2	QL (15 ML per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	Nivel 2	QL (12 ML per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	Nivel 2	QL (18 ML per 30 days)
FRAGMIN SUBCUTANEOUS SOLUTION 2,500 ANTI-XA UNIT/ML	Nivel 4	QL (8 ML per 1 day)
FRAGMIN SUBCUTANEOUS SOLUTION 25,000 ANTI-XA UNIT/ML	Nivel 4	QL (7.6 ML per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 10,000 ANTI-XA UNIT/ML	Nivel 4	QL (60 ML per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 12,500 ANTI-XA UNIT/0.5 ML	Nivel 4	QL (30 ML per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 15,000 ANTI-XA UNIT/0.6 ML	Nivel 4	QL (36 ML per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 18,000 ANTI-XA UNIT/0.72 ML	Nivel 4	QL (43.2 ML per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML	Nivel 4	QL (12 ML per 30 days)

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
FRAGMIN SUBCUTANEOUS SYRINGE 7,500 ANTI-XA UNIT/0.3 ML	Nivel 4	QL (18 ML per 30 days)
HEP FLUSH-10 (PF) INTRAVENOUS SOLUTION 10 UNIT/ML	Nivel 2	
<i>heparin (porcine) in 0.9% nacl intravenous parenteral solution 2,500 unit/500 ml (5 unit/ml), 5,000 unit/500 ml (10 unit/ml)</i>	Nivel 2	
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i>	Nivel 2	
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	Nivel 2	
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	Nivel 2	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	Nivel 2	
<i>heparin lock flush (porcine) intravenous solution 10 unit/ml</i>	Nivel 2	
HEPARIN LOCKFLUSH(PORCINE)(PF) INTRAVENOUS SYRINGE 10 UNIT/ML, 100 UNIT/ML	(heparin, porcine (pf)) Nivel 2	
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	Nivel 2	
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml, 5,000 unit/ml</i>	Nivel 2	
<i>heparin, porcine (pf) intravenous syringe 1 unit/ml</i>	Nivel 2	
<i>heparin, porcine (pf) intravenous syringe 10 unit/ml, 100 unit/ml</i>	(Heparin LockFlush(Porcine)(PF)) Nivel 2	
LOVENOX SUBCUTANEOUS SOLUTION 300 MG/3 ML	(enoxaparin) Nivel 4	QL (30 ML per 30 days)
LOVENOX SUBCUTANEOUS SYRINGE 100 MG/ML, 120 MG/0.8 ML, 150 MG/ML, 30 MG/0.3 ML, 40 MG/0.4 ML, 60 MG/0.6 ML, 80 MG/0.8 ML	(enoxaparin) Nivel 4	
Inhibidor De Complemento Anticuerpo Humano Monoclonal (C5)		
FABHALTA ORAL CAPSULE 200 MG	Nivel 4	PA; MO
TAVNEOS ORAL CAPSULE 10 MG	Nivel 5	PA; MO
VOYDEYA ORAL TABLET 100 MG, 150 MG (50 MG X 1-100 MG X 1)	Nivel 5	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ZILBRYSQ SUBCUTANEOUS SYRINGE 16.6 MG/0.416 ML, 23 MG/0.574 ML, 32.4 MG/0.81 ML	Nivel 5	PA; MO
Inhibidores De Agregación Plaquetaria		
ADULT ASPIRIN REGIMEN ORAL (aspirin) TABLET,DELAYED RELEASE (DR/EC) 81 MG	Nivel 1	MO
ADULT LOW DOSE ASPIRIN ORAL (aspirin) TABLET,DELAYED RELEASE (DR/EC) 81 MG	Nivel 1	MO
ASPIRIN CHILDRENS ORAL (aspirin) TABLET,CHEWABLE 81 MG	Nivel 1	MO
<i>aspirin oral tablet,chewable 81 mg</i> (Aspirin Childrens)	Nivel 1	MO
<i>aspirin oral tablet,delayed release (dr/ec) 81 mg</i> (Adult Aspirin Regimen)	Nivel 1	MO
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	Nivel 2	MO
BAYER LOW DOSE ASPIRIN ORAL (aspirin) TABLET,DELAYED RELEASE (DR/EC) 81 MG	Nivel 1	MO
BRILINTA ORAL TABLET 60 MG, 90 MG (ticagrelor)	Nivel 4	MO; QL (2 EA per 1 day)
CHILDREN'S ASPIRIN ORAL (aspirin) TABLET,CHEWABLE 81 MG	Nivel 1	MO
<i>cilostazol oral tablet 100 mg, 50 mg</i>	Nivel 2	MO
<i>clopidogrel oral tablet 300 mg</i>	Nivel 2	QL (4 EA per 30 days)
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	Nivel 2	MO
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	Nivel 2	MO
DURLAZA ORAL CAPSULE,EXTENDED RELEASE 24HR 162.5 MG	Nivel 4	PA; MO
EFFIENT ORAL TABLET 10 MG, 5 MG (prasugrel hcl)	Nivel 4	MO; QL (1 EA per 1 day)
PLAVIX ORAL TABLET 75 MG (clopidogrel)	Nivel 4	MO
<i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)	Nivel 2	MO; QL (1 EA per 1 day)
ST JOSEPH ASPIRIN ORAL (aspirin) TABLET,CHEWABLE 81 MG	Nivel 1	MO
ST. JOSEPH ASPIRIN ORAL (aspirin) TABLET,DELAYED RELEASE (DR/EC) 81 MG	Nivel 1	MO
<i>ticagrelor oral tablet 60 mg, 90 mg</i> (Brilinta)	Nivel 2	MO; QL (2 EA per 1 day)
YOSPRALA ORAL (aspirin-omeprazole) TABLET,IR,DELAYED REL,BIPHASIC 325-40 MG, 81-40 MG	Nivel 4	PA; MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ZONTIVITY ORAL TABLET 2.08 MG	Nivel 4	MO; QL (1 EA per 1 day)
Inhibidores De Factor Xa Directo		
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	Nivel 3	QL (74 EA per 30 days)
ELIQUIS ORAL TABLET 2.5 MG	Nivel 3	MO; QL (2 EA per 1 day)
ELIQUIS ORAL TABLET 5 MG	Nivel 3	MO; QL (74 EA per 30 days)
<i>rivaroxaban oral suspension for reconstitution 1 mg/ml</i> (Xarelto)	Nivel 2	MO; QL (20 ML per 1 day)
<i>rivaroxaban oral tablet 2.5 mg</i> (Xarelto)	Nivel 2	MO; QL (2 EA per 1 day)
SAVAYSA ORAL TABLET 15 MG, 30 MG, 60 MG	Nivel 4	MO; ST: Must meet the following requirements: Eliquis and Xarelto in 365 days; QL (30 EA per 30 days)
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	Nivel 3	QL (51 EA per 30 days)
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML (rivaroxaban)	Nivel 3	MO; QL (20 ML per 1 day)
XARELTO ORAL TABLET 10 MG, 20 MG (rivaroxaban)	Nivel 3	MO; QL (1 EA per 1 day)
XARELTO ORAL TABLET 15 MG, 2.5 MG (rivaroxaban)	Nivel 3	MO; QL (2 EA per 1 day)
Inhibidores De Tirosina Quinasa De Bazo		
TAVALISSE ORAL TABLET 100 MG, 150 MG	Nivel 4	PA
Inhibidores De Trombina,Selectivo,Directo, & Reversible		
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)	Nivel 2	MO; QL (2 EA per 1 day)
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG (dabigatran etexilate)	Nivel 4	MO; ST: Must meet the following requirements: Eliquis and Xarelto in 365 days; QL (2 EA per 1 day)
PRADAXA ORAL PELLETS IN PACKET 110 MG, 150 MG, 20 MG, 30 MG, 40 MG, 50 MG	Nivel 4	PA; MO
Preparaciones De Factor Ix		
ALPHANINE SD INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 1,500 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
ALPROLIX INTRAVENOUS RECON SOLN 1,000 UNIT, 2,000 UNIT, 250 UNIT, 3,000 UNIT, 4,000 UNIT, 500 UNIT	Nivel 4	MO
BENEFIX INTRAVENOUS RECON SOLN 1,000 UNIT, 2,000 UNIT, 250 UNIT, 3,000 UNIT, 500 UNIT	Nivel 4	MO
IDELVION INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 3,500 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	MO
IXINITY INTRAVENOUS RECON SOLN 1,000 UNIT, 1,500 UNIT, 3,000 UNIT, 500 UNIT	Nivel 4	MO
REBINYN INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 2,000 (+/-) UNIT, 3,000 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	
RIXUBIS INTRAVENOUS RECON SOLN 1,000 UNIT, 2,000 UNIT, 250 UNIT, 3,000 UNIT, 500 UNIT	Nivel 4	MO
Preparaciones De Factor X		
COAGADEX INTRAVENOUS RECON SOLN 250 (+/-) UNIT RANGE, 500 (+/-) UNIT RANGE	Nivel 5	
Preparaciones De Factor Xiii		
CORIFACT INTRAVENOUS RECON SOLN 1,000-1,600 UNIT	Nivel 5	MO
TRETTEN INTRAVENOUS RECON SOLN 2,500 UNIT	Nivel 5	MO
Preparados De Compuesto De Factor Ix (Pcc)		
PROFILNINE INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 1,500 (+/-) UNIT, 500 (+/-) UNIT	Nivel 4	MO
Preparados De Vitamina K		
<i>phytonadione (vitamin k1) injection solution 10 mg/ml</i> (Vitamin K1)	Nivel 2	
<i>phytonadione (vitamin k1) injection syringe 1 mg/0.5 ml</i>	Nivel 2	
<i>phytonadione (vitamin k1) oral tablet 5 mg</i>	Nivel 2	
VITAMIN K INJECTION SOLUTION 1 MG/0.5 ML (phytonadione (vitamin k1))	Nivel 2	
VITAMIN K1 INJECTION SOLUTION 10 MG/ML (phytonadione (vitamin k1))	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
Proteínas De Plasma		
RYPLAZIM INTRAVENOUS RECON SOLN 68.8 MG	Nivel 5	PA; MO
Trastornos Orales/Faríngeos		
Elementos Y Preparados Para Higiene Dental		
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Periogard)	Nivel 2	
ORALONE DENTAL PASTE 0.1 % (triamcinolone acetonide)	Nivel 2	
PERIDEX MUCOUS MEMBRANE MOUTHWASH 0.12 % (chlorhexidine gluconate)	Nivel 4	
PERIOGARD MUCOUS MEMBRANE MOUTHWASH 0.12 % (chlorhexidine gluconate)	Nivel 2	
Q-CARE RX Q2 KIT 0.12 %	Nivel 4	
Q-CARE RX Q4 KIT 0.12 %	Nivel 4	
<i>triamcinolone acetonide dental paste 0.1 %</i> (Oralene)	Nivel 2	
Inhibidores De Colagenasa Periodontal		
<i>doxycycline hyclate oral tablet 20 mg</i>	Nivel 2	
Preparados Para La Nariz, Misceláneos (Rx)		
<i>cocaine nasal solution 4 %</i> (Numbrino)	Nivel 2	
GOPRELTO NASAL SOLUTION 4 % (cocaine)	Nivel 4	
<i>ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %)</i>	Nivel 2	MO
<i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i>	Nivel 2	
NUMBRINO NASAL SOLUTION 4 % (cocaine)	Nivel 2	
Trastornos Vaginales		
Antibióticos Vaginales		
CLEOCIN VAGINAL CREAM 2 % (clindamycin phosphate)	Nivel 4	
CLEOCIN VAGINAL SUPPOSITORY 100 MG	Nivel 4	ST: Must meet 2 of the following requirements: oral Metronidazole, Clindamycin, vaginal Clindamycin cream, vaginal Metronidazole gel, or Tinidazole in 365 days; QL (3 EA per 30 days)
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	Nivel 2	

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
CLINDESSE VAGINAL CREAM,EXTENDED RELEASE 2 %	Nivel 4	ST: Must meet the following requirement: Generic Clindamycin vaginal cream in 120 days
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)	Nivel 2	
NUVESSA VAGINAL GEL 1.3 % (65 MG/5 GRAM) (metronidazole)	Nivel 4	
VANAZOLE VAGINAL GEL 0.75 % (37.5MG/5 GRAM) (metronidazole)	Nivel 4	
XACIATO VAGINAL GEL 2 %	Nivel 4	
Antifúngicos Vaginales		
GYNAZOLE-1 VAGINAL CREAM 2 %	Nivel 3	
MICONAZOLE-3 VAGINAL SUPPOSITORY 200 MG	Nivel 2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	Nivel 2	
<i>terconazole vaginal suppository 80 mg</i>	Nivel 2	
Antisépticos Vaginales		
FEM PH VAGINAL GEL 0.9-0.025 %	Nivel 4	
RELAGARD VAGINAL GEL 0.9-0.025 %	Nivel 4	
TRIMO-SAN JELLY VAGINAL GEL 0.025-0.01 %	Nivel 4	
Preparados Vaginales De Estrógeno		
ESTRACE VAGINAL CREAM 0.01 % (0.1 MG/GRAM) (estradiol)	Nivel 4	MO
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	Nivel 2	MO
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	Nivel 2	MO
ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR)	Nivel 4	MO; ST: Must meet the following requirements: Premarin cream and one of the following: Estradiol cream or vaginal tablet in 365 days; QL (1 EA per 90 days)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	Nivel 4	MO; ST: Must meet the following requirements: Premarin cream and one of the following: Estradiol cream or vaginal tablet in 365 days; QL (1 EA per 84 days)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	Nivel 3	MO

Nombre del Medicamento	Nivel del Medicamento	Acciones necesarias, restricciones o límites en el uso
VAGIFEM VAGINAL TABLET 10 MCG (estradiol)	Nivel 4	MO
YUVAFEM VAGINAL TABLET 10 MCG (estradiol)	Nivel 2	MO

ÍNDICE

1ST TIER UNIFINE PENTIPS	271	ACD SOLUTION A	382	ADMELOG SOLOSTAR U-100	
1ST TIER UNIFINE PENTIPS		ACD-A	382	INSULIN	135
PLUS	271	<i>acebutolol</i>	154	ADMELOG U-100 INSULIN	
2TEK GLUCOSE/BLOOD		<i>acetaminophen-caff-dihydrocod</i>	245	LISPRO	136
PRESSURE	141	<i>acetaminophen-codeine</i>	234, 235	ADMIRAZOL	46
<i>abacavir</i>	194	<i>acetazolamide</i>	250	ADMIRAZOL HP	46
<i>abacavir-lamivudine</i>	197	<i>acetic acid</i>	83, 250	ADTHYZA	362
ABENOR	59	<i>acetylcysteine</i>	282	ADULT ASPIRIN REGIMEN	390
ABENOR HP	59	ACIOXIA	62	ADULT LOW DOSE ASPIRIN	390
ABIGALE	41	ACIOXIAY	45	ADVAIR DISKUS	28
ABIGALE LO	41	ACIPHEX	377	ADVAIR HFA	29
ABILIFY	302	ACIPHEX SPRINKLE	377	ADVANCED ALLERGY COLLECT	
ABILIFY ASIMTUFII	302	<i>acitretin</i>	88	KIT	62
ABILIFY MAINTENA	302	ACTEMRA	207	ADVANCED ALL-IN-ONE METER	141
<i>abiraterone</i>	212	ACTEMRA ACTPEN	207	ADVANCED DNA MEDICATED	
ABIRTEGA	212	ACTHAR	359	COLLECT	279
ABRYSVO (PF)	231	ACTHAR SELFJECT	359	ADVANCED GLUC METER TEST	
ABSORICA LD	45	ACTI-LANCE LANCETS	315	STRIP	102
<i>acamprosate</i>	305	ACTIMMUNE	231	ADVANCED GLUCOSE METER	141
ACANYA	45	ACTIVELLA	41	ADVANCED TRAVEL LANCETS ..	315
<i>acarbose</i>	95	ACTONEL	361	ADVATE	383
ACCOLATE	26	ACTOPLUS MET	97	ADVOCATE LANCET	315
ACCRUFER	39	ACTOS	98	ADVOCATE PEN NEEDLE	271
ACCUCAINE KIT	9	ACUICYN	263	ADVOCATE REDI-CODE PLUS	
ACCU-CHEK AVIVA PLUS TEST		ACULAR	256		102, 141
STRP	101	ACULAR LS	256	ADVOCATE SYRINGES	320
ACCU-CHEK FASTCLIX LANCET		ACUVAIL (PF)	256	ADYNOVATE	383
DRUM	315	<i>acyclovir</i>	59, 194	ADZENYS XR-ODT	293
ACCU-CHEK GUIDE GLUCOSE		ACZONE	45	AFINITOR	215
METER	141	ADAINZOXIA	45	AFINITOR DISPERZ	215
ACCU-CHEK GUIDE ME		<i>adalimumab-adaz</i>	205	AFIRMELLE	11
GLUCOSE MTR	141	ADALINA	45	AFLURIA 2025-2026 (3YR	
ACCU-CHEK GUIDE TEST		<i>adapalene</i>	51	UP)(PF)	230
STRIPS	101	<i>adapalene-benzoyl peroxide</i>	45	AFLURIA 2025-2026 (6MO UP)	230
ACCU-CHEK SAFE-T-PRO	315	ADASUVE	303	AFREZZA	136
ACCU-CHEK SAFE-T-PRO PLUS	315	ADBRY	61	AFSTYLA	383
ACCU-CHEK SMARTVIEW TEST		ADCIRCA	165	AFTER PILL	11
STRIP	102	ADDERALL	292	AFTERA	11
ACCU-CHEK SOFTCLIX		ADDERALL XR	293	AGAMATRIX AMP TEST STRIPS	103
LANCETS	315	<i>adefovir</i>	192	AGAMATRIX JAZZ TEST STRIPS	103
ACCUPRIL	161	ADEINZDE	45	AGAMATRIX JAZZ WIRELESS 2	
ACCURETIC	164	ADEMPAS	165	MNTR	141
ACCUTANE	45	ADERMICA	46	AGAMATRIX PRESTO SYSTEM ..	141
ACCUTREND GLUCOSE TEST		ADERMICA HP	45	AGAMATRIX PRESTO TEST	
STRIPS	102	ADLARITY	313	STRIPS	103

AGAMATRIX ULTRA-THIN		
LANCET	315	
AGAMREE	202	
AGRYLIN	381	
AIMOVIG AUTOINJECTOR	246	
AIMSCO LATEX CONDOM	269	
AIRDUO RESPICLICK	29	
AIRSUPRA	29	
AJOVY AUTOINJECTOR	246	
AJOVY SYRINGE	246	
AKEEGA	211	
AKLIEF	53	
AKTEN (PF)	260	
AKYNZEO (NETUPITANT)	23	
ALA-CORT	62	
ALA-SCALP	62	
<i>albendazole</i>	190	
<i>albuterol sulfate</i>	25, 26	
ALCAINE	260	
<i>alclometasone</i>	62	
ALCORTIN A	53	
ALDACTONE	163	
ALECENSA	216	
<i>alendronate</i>	361	
ALFERON N	231	
<i>alfuzosin</i>	345	
ALHEMO PEN	380	
ALINIA	190	
<i>aliskiren</i>	164	
ALIXI	46	
ALIXI HP	46	
ALKALINE BATTERIES	141	
ALKERAN	212	
ALKINDI SPRINKLE	202	
ALLERGIST TRAY 1/2 ML 27GX3/8"	321	
ALLERGIST TRAY INTRADERMAL BEV	321	
ALLERGIST TRAY REGULAR BEVEL	321	
ALLERGY SYRINGE	321	
<i>allopurinol</i>	234	
<i>almotriptan malate</i>	246	
<i>alogliptin</i>	96	
<i>alogliptin-metformin</i>	95	
<i>alogliptin-pioglitazone</i>	99, 100	
ALOMIRA	46	
ALOMIRA HP	46	
ALOMIRA LP	46	
<i>alosetron</i>	373	
ALPHAGAN P	251	
ALPHANATE	384	
ALPHANINE SD	391	
<i>alprazolam</i>	296	
ALPRAZOLAM INTENSOL	296	
ALPROLIX	392	
ALREX	256	
ALTABAX	59	
ALTACAINE	260	
ALTACE	161	
ALTAFLUOR BENOX	260	
ALTAVERA (28)	11	
ALTERNATE SITE LANCET	315	
ALTOPREV	167	
ALTRENO	51	
ALTRIXA OB	39	
ALTUVIIIO	384	
<i>alum, ammonium (bulk)</i>	280	
ALUNBRIG	216	
ALURIS	46	
ALURIS HP	46	
ALURIS HP PLUS	46	
ALURIS LP	46	
ALURIS LP PLUS	46	
ALURIS PLUS	46	
ALUXOF	46	
ALUXOF HP	46	
ALVAIZ	381	
ALVESCO	30	
<i>alvimopan</i>	369	
ALVOX	53	
ALVOX HP	53	
ALYACEN 1/35 (28)	11	
ALYACEN 7/7/7 (28)	11	
ALYFTREK	282	
ALYQ	165	
<i>amantadine hcl</i>	173, 174	
AMBIEN	306	
AMBIEN CR	306	
<i>ambrisentan</i>	163	
<i>amcinonide</i>	62	
AMELUZ	216	
AMETHIA	11	
AMETHYST (28)	11	
AMICAR	380	
<i>amiloride</i>	163	
<i>amiloride-hydrochlorothiazide</i>	164	
<i>aminocaproic acid</i>	380, 381	
<i>amiodarone</i>	152	
AMITIZA	370	
<i>amitriptyline</i>	288	
<i>amitriptyline-chlordiazepoxide</i>	289	
<i>amlodipine</i>	156	
<i>amlodipine-atorvastatin</i>	151	
<i>amlodipine-benazepril</i>	165	
<i>amlodipine-olmesartan</i>	159	
<i>amlodipine-valsartan</i>	159	
<i>amlodipine-valsartan-hcthiiazid</i>	159	
<i>ammonium lactate</i>	82	
AMNESTEEM	45	
<i>amoxapine</i>	288	
<i>amoxicil-clarithromy-lansopraz</i>	376	
<i>amoxicillin</i>	180	
<i>amoxicillin-pot clavulanate</i>	180	
<i>amphetamine</i>	293	
<i>amphetamine sulfate</i>	293	
<i>ampicillin</i>	180	
AMPYRA	227	
AMVISC	263	
AMVISC PLUS	263	
AMZEEQ	55	
ANACAINE	78	
ANAFRANIL	288	
<i>anagrelide</i>	381	
ANALPRAM-HC	78, 367	
ANAPROX DS	209	
ANASCORP	269	
ANASPAZ	374	
ANASTIA	78	
<i>anastrozole</i>	215	
ANCOBON	187	
ANDEMBRY AUTOINJECTOR	264	
ANDROGEL	40	
ANGELIQ	44	
ANNOVERA	10	
ANODYNE LPT	78	
ANORO ELLIPTA	28	
<i>anticoag citrate phos dextrose</i>	382	
ANUCORT-HC	368	
ANUSOL-HC	62, 368	
ANZUPGO	61	
APADAZ	235	
APEXICON E	63	
APEXOL	46	
APEXOL HP	46	
APHORIA	46	

APIDRA SOLOSTAR U-100	ARTILIS HP	ATROVENT HFA
INSULIN	ARTISS	ATTRUBY
APIDRA U-100 INSULIN	ASCOMP WITH CODEINE	AUBAGIO
APLENZIN	ASCOR	AUBRA
APOKYN	<i>ascorbic acid (vitamin c)</i>	AUBRA EQ
<i>apomorphine</i>	<i>ascorbic acid(vitamin c)(bulk)</i>	AUDENZ (NATIONAL
APORIX	<i>asenapine maleate</i>	STOCKPILE)
<i>apraclonidine</i>	ASHLYNA	AUDENZ(PF)(NATIONAL
<i>aprepitant</i>	ASMANEX HFA	STOCKPILE)
APRETUDE	ASMANEX TWISTHALER	AUGMENTIN
APRI	<i>aspirin</i>	AUGMENTIN ES-600
APRISO	ASPIRIN CHILDRENS	AUGMENTIN XR
APTENSIO XR	<i>aspirin-dipyridamole</i>	AUGTYRO
APTIOM	ASPRUZO SPRINKLE	AUGUSTIL
APTIVUS	ASSURE 4 STRIPS	<i>auranofin</i>
AQINJECT PEN NEEDLE	ASSURE ID DUO PRO SFTY PEN	AUROVELA 1.5/30 (21)
AQNEURSA	NDL	AUROVELA 1/20 (21)
AQUASTAT 0.9% SODIUM	ASSURE ID PEN NEEDLE	AUROVELA 24 FE
CHLORIDE	ASSURE ID PRO PEN NEEDLE	AUROVELA FE 1.5/30 (28)
AQUASTAT SFR 0.9% SODIUM	ASSURE LANCE	AUROVELA FE 1-20 (28)
CHLOR	ASSURE LANCE PLUS	AURUMHEEL
AQUORAL	ASSURE PLATINUM GLUCOSE	AURYXIA
ARAKODA	METER	AUSTEDO
ARALAST NP	ASSURE PLATINUM TEST STRIP	AUSTEDO XR
ARANELLE (28)		AUSTEDO XR TITRATION
ARANESP (IN POLYSORBATE)	ASSURE PRISM MULTI METER	KT(WK1-4)
	ASSURE PRISM MULTI STRIP	AUTOJECT 2 INJECTION DEVICE
ARAVA	ASTAGRAF XL	
ARAZLO	ASTERO	AUTOPEN 1 TO 21 UNITS
ARBLI	ASTRINGYN	AUTOPEN 2 TO 42 UNITS
ARCALYST	ATACAND	AUTOSHIELD DUO PEN NEEDLE
AREXVY (PF)	ATACAND HCT	
<i>arformoterol</i>	<i>atazanavir</i>	AUVELITY
ARICEPT	ATELVIA	AUVI-Q
ARIDOL BRONCHIAL	<i>atenolol</i>	AVALIDE
CHALLENGE	<i>atenolol-chlorthalidone</i>	AVAPRO
ARIKAYCE	ATIVAN	AVAR
ARIMIDEX	<i>atomoxetine</i>	AVAR LS
<i>aripiprazole</i>	ATORVALIQ	AVEIDA
ARISTADA	<i>atorvastatin</i>	AVEIDAOXIA
ARISTADA INITIO	<i>atovaquone</i>	AVENOVA
ARIXTRA	<i>atovaquone-proguanil</i>	AVERI
<i>armodafinil</i>	ATRALIN	AVIANE
ARMOUR THYROID	ATRAPRO CP	AVIDORA
ARNUITY ELLIPTA	ATRAPRO DERMAL SPRAY	AVIDORA HP
AROMASIN	ATRAPRO HYDROGEL	AVIDOXY
ARTHROTEC 50	ATROPEN	AVIDOXY DK
ARTHROTEC 75	<i>atropine</i>	AVITA
ARTILIS	<i>atropine sulfate (pf)</i>	AVITENE

AVITENE FLOUR.....	386	BAXDELA.....	181	BD VERITOR SARS-COV-2, FLU	
AVMAPKI-FAKZYNJA.....	264	BAXONIL.....	50	A-B.....	264
AVO CREAM.....	82	BAYER ASPIRIN.....	245	BD VERITOR SYSTEM SARS-	
AVODART.....	345	BAYER LOW DOSE ASPIRIN.....	390	COV-2.....	264
AVONEX.....	224	B-COMPLEX INJECTION.....	38	BELBUCA.....	237
AWANIS.....	47	BD ALLERGIST TRAY REG		<i>belladonna alkaloids-opium</i>	237
AYUNA.....	12	BEVEL.....	321	BELSOMRA.....	306
AYVAKIT.....	217	BD ALLERGY SYRINGE.....	321	<i>benazepril</i>	161
AZALTA.....	47	BD BLUNT PLASTIC CANNULA...321		<i>benazepril-hydrochlorothiazide</i>	164
AZALTA HP.....	47	BD BULK SYRINGE SLIP TIP.....321		BENEFIX.....	392
AZASAN.....	232	BD ECCENTRIC TIP SYRINGE...321		BENICAR.....	160
AZASITE.....	260	BD ECLIPSE LUER-LOK.....	321	BENICAR HCT.....	158
<i>azathioprine</i>	232	BD INTEGRA SYRINGE.....	321	BENLYSTA.....	208
<i>azelaic acid</i>	50	BD INTERLINK BLUNT PLASTIC		BENZAMYCIN.....	55
<i>azelastine</i>	6, 261	CAN.....	321	BENZEPRO.....	84
<i>azelastine-fluticasone</i>	5	BD INTERLINK SYRINGE.....	321	BENZEPRO (MICROSPHERES)....	84
AZELEX.....	47	BD LUER-LOK BULK SYRINGE...321		<i>benzhydrocodone-acetaminophen</i>	235
AZILECT.....	174	BD LUER-LOK SYRINGE.....	322	<i>benznidazole</i>	191
<i>azithromycin</i>	178	BD LUER-LOK TIP CONTROL		BENZODOX 30.....	182
AZOPT.....	251	SYRING.....	322	BENZODOX 60.....	183
AZOR.....	159	BD MICROTAINER LANCET.....	315	<i>benzoin (bulk)</i>	280
AZSTARYS.....	308	BD POSIFLUSH NORMAL SALINE		<i>benzonatate</i>	342
AZULFIDINE.....	367	0.9.....	286	<i>benzoyl peroxide</i>	84
AZULFIDINE EN-TABS.....	367	BD SAFETYGLIDE ALLERGIST		<i>benztropine</i>	173
AZURETTE (28).....	12	TRAY.....	322	<i>bepotastine besilate</i>	261
B COMPLEX 100.....	38	BD SAFETYGLIDE INSULIN		BEPREVE.....	261
<i>bacitracin</i>	260	SYRINGE.....	322	BERINERT.....	206
<i>bacitracin-polymyxin b</i>	260	BD SAFETYGLIDE SHIELDING		BESER.....	63
<i>baclofen</i>	365	REG.....	322	BESER KIT.....	63
BACTRIM.....	182	BD SAFETYGLIDE SYRINGE.....	322	BESIVANCE.....	260
BACTRIM DS.....	182	BD SAFETYGLIDE TB REG		BESREMI.....	231
BAFIERTAM.....	225	BEVEL.....	322	BETADINE OPHTHALMIC PREP ..	81
BAL-CARE DHA.....	33	BD SAFETYGLIDE TUBERCULIN	322	<i>betaine</i>	266
BAL-CARE DHA ESSENTIAL.....	33	BD SLIP TIP SYRINGE.....	322	<i>betamethasone dipropionate</i>	63
BALCOLTRA.....	12	B-D SLIP TIP SYRINGE.....	323	<i>betamethasone valerate</i>	63
<i>balsalazide</i>	367	BD SYRINGE.....	323	<i>betamethasone, augmented</i>	63
<i>balsam peru-castor oil</i>	267	BD SYRINGE CATH TIP		BETAPACE.....	154
BALVERSA.....	217	NONSTERILE.....	323	BETAPACE AF.....	154
BALZIVA (28).....	12	BD SYRINGE CATHETER TIP.....323		BETASERON.....	225
BANZEL.....	346	BD SYRINGE LUER-LOK		<i>betaxolol</i>	154, 251
BAQSIMI.....	133	NONSTERILE.....	323	<i>bethanechol chloride</i>	4
BARACLUDE.....	192	BD SYRINGE LUER-LOK		BETHKIS.....	188
BARRIGEL.....	320	STERILE.....	323	BETIMOL.....	251
BASADROX.....	53	BD SYRINGE SLIP TIP		BETOPTIC S.....	251
BASAGLAR KWIKPEN U-100		NONSTERILE.....	323	BEVESPI AEROSPHERE.....	28
INSULIN.....	136	BD SYRINGE-DUAL CANNULA...323		<i>bexarotene</i>	77, 213
BASAGLAR TEMPO PEN(U-		BD TUBERCULIN SLIP-TIP.....	323	BEXSERO.....	229
100)INSLN.....	136	BD TUBERCULIN SYRINGE.....	323	BEYAZ.....	12
BATIZIA.....	55			BEYFORTUS.....	192

<i>bicalutamide</i>	212	BLISOVI 24 FE.....	12	<i>bumetanide</i>	163
BIDIL.....	166	BLISOVI FE 1.5/30 (28).....	12	BUPHENYL.....	370
BIGFOOT UNITY.....	141	BLISOVI FE 1/20 (28).....	12	<i>bupivacaine in nacl(pf)</i>	9
BIGFOOT UNITY PEN CAP-ADMELOG.....	141	BLOOD GLUCOSE MONITORING.....	142	<i>buprenorphine</i>	237
BIGFOOT UNITY PEN CAP-APIDRA.....	141	BLOOD GLUCOSE TEST.....	104	<i>buprenorphine hcl</i>	234, 237
BIGFOOT UNITY PEN CAP-ASPART.....	141	<i>blood-glucose meter</i>	142	<i>buprenorphine-naloxone</i>	234
BIGFOOT UNITY PEN CAP-BASAGLAR.....	142	BLULINK BG SYSTEM REFILL.....	133	<i>bupropion hcl</i>	289
BIGFOOT UNITY PEN CAP-FIASP.....	142	BLULINK DIABETIC TEST.....	142	<i>bupropion hcl (smoking deter)</i>	3
BIGFOOT UNITY PEN CAP-HUMALOG.....	142	BUNDLE.....	142	<i>buspirone</i>	305
BIGFOOT UNITY PEN CAP-LANTUS.....	142	BLULINK GLUCOSE MONITOR SYSTEM.....	142	<i>butalbital-acetaminop-caf-cod</i>	245
BIGFOOT UNITY PEN CAP-LISPRO.....	142	BLULINK GLUCOSE TEST STRIP.....	105	<i>butalbital-acetaminophen</i>	245
BIGFOOT UNITY PEN CAP-LYUMJEV.....	142	BONJESTA.....	24	<i>butalbital-acetaminophen-caff</i>	244
BIGFOOT UNITY PEN CAP-NOVOLOG.....	142	BONSITY.....	359	<i>butalbital-aspirin-cafeine</i>	244
BIGFOOT UNITY PEN CAP-TOUJEO.....	142	<i>bosentan</i>	163	<i>butorphanol</i>	237
BIGFOOT UNITY PEN CAP-TOUJEOMX.....	142	BOSULIF.....	217	BUTRANS.....	237
BIGFOOT UNITY PEN CAP-TRESIBA.....	142	BP 10-1.....	60	BUTTERFLY TOUCH LANCET.....	315
BIJUVA.....	39	BPCO.....	267	BYDUREON BCISE.....	97
BIKTARVY.....	198	BPO.....	84	BYLVAY.....	369
BILTRICIDE.....	190	BRAFTOVI.....	214	BYSTOLIC.....	154
<i>bimatoprost</i>	252	BRENZAVVY.....	100	<i>cabergoline</i>	357
BIMZELX.....	89	BREO ELLIPTA.....	29	CABLIVI.....	380
BIMZELX AUTOINJECTOR.....	89	BREXAFEMME.....	188	CABOMETYX.....	217
BINAXNOW COVID-19 AG CARD.....	264	BREYNA.....	29	CABTREO.....	47
BINOSTO.....	361	BREZTRI AEROSPHERE.....	28	CADEAU DHA.....	33
BIOGLO.....	255	BRIELLYN.....	12	CADUET.....	151
BIOLON.....	264	BRILINTA.....	390	<i>caffeine citrate</i>	31
BIONIME RIGHTEST GM300 SYSTEM.....	142	<i>brimonidine</i>	50, 252	<i>calcipotriene</i>	87
BIONIME RIGHTEST TEST STRIPS.....	104	<i>brimonidine-dorzolamide</i>	252	<i>calcipotriene-betamethasone</i>	91
BIOTEL CARE BGM-4 METER.....	142	<i>brimonidine-dorzolamide (pf)</i>	252	<i>calcitonin (salmon)</i>	361
<i>bismuth subcit k-metronidz-tcn</i>	376	<i>brimonidine-dorzol-bimatoprost</i>	252	<i>calcitriol</i>	38, 87
<i>bisoprolol fumarate</i>	154	<i>brimonidine-timolol</i>	252	<i>calcium acetate(phosphat bind)</i>	284
<i>bisoprolol-hydrochlorothiazide</i>	155	BRINSUPRI.....	282	CALQUENCE (ACALABRUTINIB MAL).....	217
BLANCHE.....	91	<i>brinzolamide</i>	252	CAMILA.....	12
BLEPHAMIDE S.O.P.....	264	BRIVIACT.....	346	CAMRESE.....	12
		BROMFED DM.....	342	CAMRESE LO.....	12
		<i>bromfenac</i>	256, 257	CAMZYOS.....	150
		<i>bromocriptine</i>	174	CANASA.....	366
		<i>brompheniramine-pseudoeph-dm</i>	342	<i>candesartan</i>	160
		BROMSITE.....	257	<i>candesartan-hydrochlorothiazid</i>	158
		BRONCHITOL.....	264	<i>cantharidin in acetone</i>	83
		BROVANA.....	25	CANTHARIS COMPOSITUM.....	279
		BRUKINSA.....	217	<i>capecitabine</i>	213
		BRYHALI.....	64	CAPEX.....	64
		BUCAPSOL.....	305	CAPHOSOL.....	268
		<i>budesonide</i>	30, 202, 368	CAPLYTA.....	298
		<i>budesonide-formoterol</i>	29	CAPRELSA.....	217
		BULLSEYE MINI SAFETY LANCETS.....	315	CAPSFENAC PAK.....	74
				CAPSINAC.....	74

<i>captopril</i>	161	CAREPOINT PRECISION LUER LOCK.....	324	<i>cefixime</i>	177, 178
<i>captopril-hydrochlorothiazide</i>	164	CAREPOINT PRECISION SAFETY.....	324	<i>cefprozil</i>	178
CARAC.....	77	CAREPOINT SAFETY LL SYR-NEEDLE.....	324	<i>cefprozil</i>	177
CARAFATE.....	380	CARESENS LANCETS.....	315	<i>cefuroxime axetil</i>	177
CARBAGLU.....	370	CARESENS N.....	142	CELACYN.....	82
<i>carbamazepine</i>	346, 347	CARESENS N FELIZ BT GLUC METER.....	142	CELEBREX.....	208
CARBATROL.....	347	CARESENS N FELIZ GLUCOSE METER.....	142	<i>celecoxib</i>	208
<i>carbidopa</i>	173	CARESENS N PLUS BT.....	142	CELEXA.....	291
<i>carbidopa-levodopa</i>	174	CARESENS N TEST STRIPS.....	105	CELLCEPT.....	232
<i>carbidopa-levodopa-entacapone</i> ...	174	CARESENS N VOICE.....	142	CELONTIN.....	347
<i>carbinoxamine maleate</i>	6	CARETOUCH GLUCOSE MONITORING.....	142	CEM-UREA.....	84
CARBZAH.....	6	CARETOUCH INSULIN SYRINGE.....	324	CENTANY.....	55
CARDIOPLEGIA DEL NIDO FORMULA.....	280	CARETOUCH LUER LOCK SYRINGE.....	324	CENTANY AT.....	55
CARDIOPLEGIA DEL NIDO-ISOLYT S.....	280	CARETOUCH LUER LOCK SYR-NEEDLE.....	324	<i>cephalexin</i>	177
CARDIOPLEGIA HIGH POTASSIUM.....	280	CARETOUCH LUER SLIP SYRINGE.....	324	CEQUA.....	263
CARDIOPLEGIA IND 4:1 PLASMALYT.....	281	CARETOUCH PEN NEEDLE.....	272	CEQUR SIMPLICITY INSERTER..	142
CARDIOPLEGIA IND 8:1 NON-ENRCH.....	281	CARETOUCH SAFETY LANCETS.....	315	CERACADE.....	82
CARDIOPLEGIA INDUCTION 4:1.....	281	CARETOUCH TEST STRIP.....	105	CERAMAX.....	82
CARDIOPLEGIA MAINTENANCE 4:1.....	281	CARETOUCH TWIST LANCET.....	315	CERDELGA.....	279
CARDIOPLEGIA REPERFUSATE 4:1.....	281	<i>carglumic acid</i>	370	CERVIDIL.....	23
CARDIOPLEGIA WARM INDUCT 4:1.....	281	<i>carisoprodol</i>	365	CETACAINE.....	79
<i>cardioplegic no. 17(induct 4:1)</i>	281	<i>carisoprodol-aspirin</i>	365	<i>cetirizine</i>	7
<i>cardioplegic no. 19 (maint 4:1)</i>	281	<i>carisoprodol-aspirin-codeine</i>	234	CETRAXAL.....	250
<i>cardioplegic soln</i>	281	CARNITOR.....	266	<i>cevimeline</i>	4
<i>cardioplegic solution no. 25</i>	281	CARNITOR (SUGAR-FREE).....	266	CHARLOTTE 24 FE.....	12
CARDIZEM.....	156	CAROSPIR.....	163	CHATEAL EQ (28).....	12
CARDIZEM CD.....	156	<i>carteolol</i>	252	CHEMET.....	277
CARDIZEM LA.....	156	CARTIA XT.....	156	CHEMSTRIP BG LOG BOOK.....	142
CARDURA.....	153	<i>carvedilol</i>	153	CHENODAL.....	372
CARDURA XL.....	153	<i>carvedilol phosphate</i>	153	CHILDREN'S ASPIRIN.....	390
CAREFINE PEN NEEDLE.....	271	CASODEX.....	212	CHLOHUX.....	64
CAREONE ULTRA THIN LANCET.....	315	CATAPRES-TTS-1.....	162	CHLOOXIA.....	64
CAREPOINT LUER LOCK SYRINGE.....	323	CATAPRES-TTS-2.....	162	<i>chlordiazepoxide hcl</i>	297
CAREPOINT LUER LOCK SYR-NEEDLE.....	323	CATAPRES-TTS-3.....	162	<i>chlordiazepoxide-clidinium</i>	376
CAREPOINT LUER SLIP SYRINGE.....	323	CAYA CONTOURED.....	22	<i>chlorhexidine gluconate</i>	393
CAREPOINT LUER SLIP SYRING-NDL.....	323	CAYSTON.....	177	<i>chloroquine phosphate</i>	191
		CAZIAN (28).....	12	<i>chlorpromazine</i>	303
		<i>cefactor</i>	177	<i>chlorthalidone</i>	166
		<i>cefadroxil</i>	177	<i>chlorzoxazone</i>	365
		<i>cefdinir</i>	177	CHOICEDM CLARUS.....	105, 142
				CHOLBAM.....	373
				<i>cholestyramine (with sugar)</i>	171
				CHOLESTYRAMINE LIGHT.....	171
				<i>choline, magnesium salicylate</i>	245
				CHOSEN LANCET.....	315
				CHOSEN SAFETY LANCET.....	316
				CIALIS.....	357
				CIBINQO.....	207
				CICLODAN.....	56

CICLODAN KIT	56	CLEVER CHOICE GLUCOSE		COARTEM	191
<i>ciclopirox</i>	56	MONITOR	143	COBENFY	265
<i>ciclopirox-ure-camph-menth-euc</i>	56	CLEVER CHOICE MICRO	143	COBENFY STARTER PACK	265
<i>cilostazol</i>	390	CLEVER CHOICE MICRO TEST		<i>cocaine</i>	393
CILOXAN	260	STRIP	106	<i>codeine sulfate</i>	237
CIMDUO	197	CLEVER CHOICE PRO	106, 143	<i>codeine-butalbital-asa-caff</i>	236
<i>cimetidine</i>	379	CLEVER CHOICE TALK		COLAZAL	367
<i>cimetidine hcl</i>	379	GLUCOSE SYS	143	<i>colchicine</i>	233
CIMZIA	205	CLEVER CHOICE TALK TEST	106	COLCRYS	233
CIMZIA POWDER FOR RECONST		CLEVER CHOICE TEST STRIPS ..	106	<i>colesevelam</i>	172
.....	205	CLEVER CHOICE VOICE PLUS		COLESTID	172
CIMZIA STARTER KIT	205	TEST	107	<i>colestipol</i>	172
<i>cinacalcet</i>	358	CLICKFINE PEN NEEDLE	272	COLLATYL	91
CINRYZE	206	CLIMARA	41	COLOR LANCETS	316
CIPRO	182	CLIMARA PRO	41	COMBIGAN	252
CIPRO HC	249	CLINDACIN	55	COMBIPATCH	41
<i>ciprofloxacin</i>	182	CLINDACIN ETZ	55	COMBIVENT RESPIMAT	28
<i>ciprofloxacin hcl</i>	182, 250, 260	CLINDACIN P	55	COMBOGESIC	234
<i>ciprofloxacin-dexamethasone</i>	250	CLINDACIN PAC	55	COMETRIQ	217
<i>ciprofloxacin-fluocinolone</i>	250	CLINDAGEL	55	COMFORT EZ INSULIN SYRINGE	
<i>citalopram</i>	291	<i>clindamycin hcl</i>	189		324
CITRANATAL (DUAL-IRON)	33	<i>clindamycin palmitate hcl</i>	189	COMFORT EZ LANCETS	316
CITRANATAL 90 DHA (ALGAL		CLINDAMYCIN PEDIATRIC	189	COMFORT EZ PEN NEEDLES	272
OIL)	33	<i>clindamycin phosphate</i>	55, 56, 393	COMFORT EZ PRO SAFETY PEN	
CITRANATAL ASSURE	33	<i>clindamycin-benzoyl peroxide</i>	47	NDL	272
CITRANATAL BLOOM	39	<i>clindamycin-tretinoin</i>	47	COMFORT TOUCH PEN NEEDLE	
CITRANATAL DHA (ALGAL OIL)	33	CLINDESSE	394		272
CITRANATAL HARMONY (IRON		CLINPRO 5000	32	COMFORT TOUCH PLUS	
FUM)	34	<i>clobazam</i>	356	SAFETY LANC	316
CLARAVIS	45	<i>clobetasol</i>	64, 257	COMFORT TOUCH ULT THIN	
CLARINEX	7	<i>clobetasol-emollient</i>	64	LANCETS	316
CLARINEX-D 12 HOUR	7	CLOBEX	64, 65	COMIRNATY 2025-2026(5-	
<i>clarithromycin</i>	178	CLOBEZIN	54	11Y)(PF)	228
CLEANSING WASH	60	<i>clocortolone pivalate</i>	65	COMIRNATY 2025-26 (12Y	
<i>clemastine</i>	6	CLODAN	65	UP)(PF)	228
CLEMASZ	6	CLODAN KIT	65	COMPAZINE	24
CLEMSZA	6	<i>clomipramine</i>	288	COMPLERA	198
CLENPIQ	370	<i>clonazepam</i>	356	COMPLETE NATAL DHA	34
CLEOCIN	393	<i>clonidine</i>	162	COMPLETENATE	34
CLEOCIN HCL	189	<i>clonidine (pf)</i>	244	COMPRO	24
CLEOCIN PEDIATRIC	189	<i>clonidine hcl</i>	162, 307	CONCERTA	308
CLEOCIN T	55	<i>clopidogrel</i>	390	CONDYLOX	84
CLEVER CHEK BLOOD		<i>clorazepate dipotassium</i>	297	CONJUPRI	156
GLUCOSE	142	<i>clotrimazole</i>	56, 187	CONSENSI	265
CLEVER CHEK BLOOD		<i>clotrimazole-betamethasone</i>	54	CONSTULOSE	371
GLUCOSE SYST	143	<i>clozapine</i>	298	CONTOUR METER	143
CLEVER CHEK LANCETS	316	CLOZARIL	298	CONTOUR NEXT EZ METER	143
CLEVER CHOICE BLOOD GLUC		COAGADEX	392	CONTOUR NEXT GEN METER	143
SYS	143	COAGUCHEK LANCETS	316		

CONTOUR NEXT GLUCOSE METER.....	143	CROTAN.....	59	DANTRIUM.....	365
CONTOUR NEXT LINK.....	143	CRYODOSE TA MEDIUM STREAM SPR.....	79	<i>dantrolene</i>	365
CONTOUR NEXT LINK 2.4.....	143	CRYODOSE TA MIST SPRAY.....	79	DANZITEN.....	217
CONTOUR NEXT METER.....	143	CRYOSERV.....	266	<i>dapsone</i>	47, 189
CONTOUR NEXT ONE METER....	143	CRYSELLE (28).....	12	DARAPRIM.....	191
CONTOUR NEXT TEST STRIPS..	107	CTEXLI.....	373	<i>darifenacin</i>	344
CONTOUR PLUS BLUE METER..	143	CUPRIMINE.....	199	DARTISLA.....	376
CONTOUR PLUS TEST STRIP....	107	CURAE.....	12	<i>darunavir</i>	196
CONTOUR TEST STRIPS.....	107	CUROSURF.....	283	<i>dasatinib</i>	217
COPAXONE.....	225	CUTAQUIG.....	228	DASETTA 1/35 (28).....	13
COPIKTRA.....	217	CUVITRU.....	228	DASETTA 7/7/7 (28).....	13
CORDRAN.....	65	CUVPOSA.....	376	DAURISMO.....	214
CORDRAN TAPE LARGE ROLL....	65	CUVRIOR.....	277	DAVOL IRRIGATION SYRINGE...	324
CORDX TYFAST FLU-COVID-19 TEST.....	265	<i>cyanocobalamin (vitamin b-12)</i>	38	DAVOL PISTON IRRIGATION.....	325
COREG.....	153	<i>cyclobenzaprine</i>	365	DAWNZERA.....	207
COREG CR.....	153	CYCLOGYL.....	251	DAYBUE.....	221
CORIFACT.....	392	CYCLOMYDRIL.....	251	DAYPRO.....	209
CORLANOR.....	151	CYCLOPAK.....	366	DAYSEE.....	13
CORTANE-B.....	250	<i>cyclopentolate</i>	251	DAYTRANA.....	308
CORTEF.....	202	<i>cyclophen-tropic-phenyleph-watr</i>	251	DAYVIGO.....	306
CORTENEMA.....	368	<i>cyclophen-tropic-phen-ketr-wat</i>	251	DAZAVEIDAOXIA.....	50
CORTIFOAM.....	368	<i>cyclophosphamide</i>	212	DAZINIA.....	54
<i>cortisone</i>	202	<i>cyclop-propa-phen-ket-wat</i>	251	DAZOMON.....	50
CORTISPORIN-TC.....	250	<i>cycloserine</i>	189	DDAVP.....	358
CORTROPHIN GEL.....	359	CYCLOSET.....	94	DEBACTEROL.....	267
COSENTYX.....	89	<i>cyclosporine</i>	232, 263	DEBLITANE.....	13
COSENTYX (2 SYRINGES).....	89	CYCLOSPORINE IN KLARITY.....	263	<i>deferasirox</i>	277, 278
COSENTYX PEN.....	89	<i>cyclosporine modified</i>	232	<i>deferiprone</i>	278
COSENTYX PEN (2 PENS).....	89	CYCLOTENS REFILL.....	365	<i>deferoxamine</i>	278
COSENTYX UNOREADY PEN.....	89	CYCLOTENS STARTER.....	365	<i>deflazacort</i>	202
COSOPT.....	252	CYMBALTA.....	290	DELESTROGEN.....	41
COSOPT (PF).....	252	<i>cyproheptadine</i>	6	DELIBON.....	54
COTELLIC.....	215	CYRED.....	13	DELSTRIGO.....	198
COTEMPLA XR-ODT.....	308	CYRED EQ.....	12	DELUO.....	77
COVARYX.....	44	CYSTADANE.....	266	<i>demeclocycline</i>	183
COVARYX H.S.....	44	CYSTADROPS.....	255	DEMEROL.....	238
<i>covid19 test adm.by pharmacist</i>	265	CYSTAGON.....	342	DEMEROL (PF).....	238
COXANTO.....	209	CYSTARAN.....	255	DEMSEER.....	162
COZAAR.....	160	CYSTO-CONRAY II.....	270	DENTA 5000 PLUS.....	32
CRALONIN.....	279	CYSTOGRAFIN.....	270	DENTA 5000 PLUS SENSITIVE....	32
CRENESSITY.....	357	CYSTOGRAFIN-DILUTE.....	270	DENTAGEL.....	32
CREON.....	373	CYTOMEL.....	363	DENVITA.....	57
CRESEMBA.....	187	CYTOTEC.....	380	DEOXIA.....	48
CRESTOR.....	167	<i>dabigatran etexilate</i>	391	DEOXIADENTAR.....	48
CREXONT.....	174, 175	DAFILOR.....	57	DEOXIATAR.....	48
CRINONE.....	44	<i>dalfampridine</i>	227	DEOXIAVAR.....	48
<i>cromolyn</i>	29, 30, 263	DALIRESP.....	31	DEPAKOTE.....	347
		<i>danazol</i>	357	DEPAKOTE ER.....	347
				DEPAKOTE SPRINKLES.....	347

DEPEN TITRATABS	199	DEXCOM G7 RECEIVER	143	DIFMETIOXRIME	57
DEPO-ESTRADIOL	41	DEXCOM G7 SENSOR	143	DIGITEK	153
DEPO-PROVERA	10	DEXEDRINE SPANSULE	293	<i>digoxin</i>	153
DEPO-SUBQ PROVERA 104	11	DEXERYL	82	<i>dihydroergotamine</i>	246
DEPO-TESTOSTERONE	40	DEXILANT	377	DILANTIN	347
DERMACINRX CLORHEXACIN ...	267	<i>dexlansoprazole</i>	377	DILANTIN EXTENDED	347
DERMACINRX LEXITRAL	74	<i>dexmethylphenidate</i>	308	DILANTIN INFATABS	347
DERMACINRX LIDOCAN	79	DEXONTO	203	DILANTIN-125	347
DERMACINRX LIDOGEL	79	DEXENZA	257	DILAUDID	238
DERMACINRX LIDOREX	79	<i>dextroamphetamine sulfate</i> ...	293, 294	DILAUDID (PF)	238
DERMACINRX PHN PAK	79	<i>dextroamphetamine-amphetamine</i>	294	<i>diltiazem hcl</i>	156
DERMACINRX SURGICAL		DHIVY	175	DILT-XR	157
PHARMAPAK	267	DIACOMIT	347	DILUTING MEDIUM FOR	
DERMACINRX THERAZOLE PAK ..	54	DIADIMAXIA	48	NOVOLOG	281
DERMACINRX ZRM PAK	79	DIAOXIA	48	DIMENTHO	75
DERMALID	79	DIASAXIATAR	48	<i>dimethyl fumarate</i>	225
DERMA-SMOOTH/FS BODY OIL ..	65	DIASDIMAXIA	48	DIMOXIA	48
DERMA-SMOOTH/FS SCALP		DIASOXIA	48	DIOCHLOY	91
OIL	66	<i>diatrizoate meg-diatrizoat sod</i>	270	DIONARIS	54
DERMASO PLUS	82	DIATRUE PLUS BLOOD		DIOOXIA	87
DERMAWERX SURGICAL PLUS		GLUCOSE MET	143	DIOVAN	161
PAK	267	DIATRUE PLUS TEST STRIP	107	DIOVAN HCT	158
DERMAZENE	53	<i>diazepam</i>	297, 356	DIPENTUM	367
DERMELLE	84	DIAZEPAM INTENSOL	297	DIPHEN	6
DERMOTIC OIL	249	<i>diazoxide</i>	133	<i>diphenoxylate-atropine</i>	369, 370
DERMULCERA	267	DIBENZYLIN	153	DIPROLENE (AUGMENTED)	67
DERPIXA	84	<i>dichlorphenamide</i>	364	<i>dipyridamole</i>	390
DESCOVY	197	DICLEGIS	24	DISALCID	245
DESFERAL	278	<i>diclofenac epolamine</i>	74	DISKETS	238
<i>desflurane</i>	268	<i>diclofenac potassium</i>	209, 246	<i>disopyramide phosphate</i>	152
<i>desipramine</i>	288	<i>diclofenac sodium</i>	74, 77, 209, 257	<i>disulfiram</i>	305
<i>desloratadine</i>	7	<i>diclofenac submicronized</i>	209	DITHOL	75
<i>desmopressin</i>	358	<i>diclofenac-misoprostol</i>	208	DIURIL	166
<i>desog-e.estradiol/e.estradiol</i>	13	DICLOFEX DC	74	<i>divalproex</i>	347
<i>desonide</i>	66	DICLOFONO	74	DIVENDO	54
DESOWEN	66	DICLOGEN	74	DIVIGEL	42
<i>desoximetasone</i>	66	DICLOPR	75	DIVINIX	67
DESOXYN	293	DICLOSAICIN	75	DM2	98
<i>desvenlafaxine</i>	290	DICLOTRAL	75	DODEX	38
<i>desvenlafaxine succinate</i>	290	DICLOTREX	75	<i>dofetilide</i>	152
DEXABLISS	202	DICLOVIX	76	DOJOLVI	281
<i>dexamethasone</i>	202, 203	<i>dicloxacillin</i>	180	DOLISHALE	13
DEXAMETHASONE INTENSOL ...	202	<i>dicyclomine</i>	376	DOLOBID	245
<i>dexamethasone sodium phosphate</i>		DIFFERIN	51, 52	DOLOTRANZ	79
.....	257	DIFICID	178	DOMELA	67
<i>dexchlorpheniramine maleate</i>	6	<i>diflorasone</i>	66, 67	<i>donepezil</i>	313
DEXCOM G6 RECEIVER	143	DIFLUCAN	187	DONNATAL	374
DEXCOM G6 SENSOR	143	<i>diflunisal</i>	245	DOPTelet (10 TAB PACK)	381
DEXCOM G6 TRANSMITTER	143	<i>difluprednate</i>	257	DOPTelet (15 TAB PACK)	381

DOPTelet (30 TAB PACK).....	381	DUOPA.....	175	EASY TOUCH BLULINK TEST STRIP.....	108
DORAL.....	305	DUPIXENT PEN.....	25	EASY TOUCH FLIPLOCK INSULIN.....	326
DORYX.....	183	DUPIXENT SYRINGE.....	25	EASY TOUCH FLIPLOCK SYRINGE.....	326
DORYX MPC.....	183	DURACLON (PF).....	244	EASY TOUCH FLURINGE.....	327
<i>dorzolamide</i>	252	DUREX AVANTI BARE REAL FEEL.....	269	EASY TOUCH FLURINGE FLIPLOCK.....	326, 327
<i>dorzolamide (pf)</i>	252	DUREX EXTRA SENSITIVE CONDOM.....	269	EASY TOUCH FLURINGE TRAY.....	327
<i>dorzolamide-timolol</i>	252	DUREX TROPICAL CONDOM.....	269	EASY TOUCH FLURINGE SHEATHLOCK.....	327
<i>dorzolamide-timolol (pf)</i>	252	DUREZOL.....	257	EASY TOUCH GLUCOSE MONITOR.....	143
DOTTI.....	42	DURLAZA.....	390	EASY TOUCH INSULIN SAFETY SYR.....	327
DOVATO.....	192	DUROLANE.....	199	EASY TOUCH INSULIN SYRINGE.....	327
DOVER BULB SYRINGE.....	325	<i>dutasteride</i>	345	EASY TOUCH LANCETS.....	316
<i>doxazosin</i>	154	<i>dutasteride-tamsulosin</i>	344	EASY TOUCH LUER LOCK INSULIN.....	327
<i>doxepin</i>	76, 288, 306	DUVYZAT.....	265	EASY TOUCH LUER LOCK SYRINGE.....	327
<i>doxercalciferol</i>	357	DYANAVEL XR.....	294	EASY TOUCH PEN NEEDLE.....	273
<i>doxycycline hyclate</i>	183, 184, 393	DYCLOPRO.....	79	EASY TOUCH SAFETY LANCETS.....	316
<i>doxycycline monohydrate</i>	184, 185	DYMISTA.....	5	EASY TOUCH SAFETY PEN NEEDLE.....	273
<i>doxylamine-pyridoxine (vit b6)</i>	24	DYNOMA.....	67	EASY TOUCH SHEATHLOCK INSULIN.....	327
D-PENAMINE.....	199	DYRENIUM.....	163	EASY TOUCH SHEATHLOCK SYRG-NDL.....	328
DRAXACE.....	48	E.E.S. 400.....	179	EASY TOUCH SHEATHLOCK SYRINGE.....	328
DRAXACEY.....	48	EASY COMFORT INSULIN SYRINGE.....	325, 326	EASY TOUCH SYR ALLERGY TRAY.....	328
DRITHOCREME HP.....	88	EASY COMFORT LANCETS.....	316	EASY TOUCH TEST STRIP.....	109
DRIXECE.....	48	EASY COMFORT PEN NEEDLES.....	272, 273	EASY TOUCH TUBERCULIN FLIPLOCK.....	328
DRIZALMA SPRINKLE.....	290	EASY COMFORT SAFETY PEN NEEDLE.....	273	EASY TOUCH TUBERCULIN SHEATHLK.....	328
<i>dronabinol</i>	23	EASY GLIDE CATHETER TIP SYRING.....	326	EASY TOUCH TWIST LANCETS.....	316
DROPLET INSULIN SYR(HALF UNIT).....	325	EASY GLIDE INSULIN SYRINGE.....	326	EASY TOUCH UNI-SLIP.....	328
DROPLET INSULIN SYRINGE.....	325	EASY GLIDE LUER LOCK SYRINGE.....	326	EASY TRAK BLOOD GLUCOSE METER.....	143
DROPLET LANCETS.....	316	EASY GLIDE LUER SLIP TB SYRING.....	326	EASY TRAK GLUCOSE TEST.....	109
DROPLET MICRON PEN NEEDLE.....	272	EASY GLIDE PEN NEEDLE.....	273	EASY TRAK II BLOOD GLUCOSE MTR.....	143
DROPLET PEN NEEDLE.....	272	EASY PLUS II BLOOD GLUCOSE MET.....	143		
DROPSAFE ACTI-LANCE.....	316	EASY PLUS II TEST.....	107		
DROPSAFE INSULIN SYRINGE.....	325	EASY STEP.....	108		
DROPSAFE PEN NEEDLE.....	272	EASY STEP BLOOD GLUCOSE METER.....	143		
<i>drospirenone-e.estradiol-lm.fa</i>	13	EASY TALK BLOOD GLUCOSE METER.....	143		
<i>drospirenone-ethinyl estradiol</i>	13	EASY TALK GLUCOSE TEST.....	108		
DROXIA.....	381	EASY TALK PLUS II TEST STRIP.....	108		
<i>droxidopa</i>	151	EASY TOUCH.....	273, 328		
DRYSOL.....	81	EASY TOUCH BLULINK GLUC SYST.....	143		
DRYSOL DAB-O-MATIC.....	81				
DSUVIA.....	238				
DUAKLIR PRESSAIR.....	28				
DUAVEE.....	44				
DUETACT.....	98				
DULERA.....	29				
<i>duloxetine</i>	290				
DULOXICAINE.....	290				
DUOBRII.....	88				
DUODOTE.....	280				

EASY TRAK II TEST STRIP	109	ELEMENT COMPACT TEST STRIPS	110	EMBRACE WAVE PLUS GLUCOSE MTR	144
EASY TWIST AND CAP LANCETS	316	ELEMENT COMPACT V GLUCOSE MTR	144	EMEND	24
EASYGLUCO METER	143	ELEMENT PLUS BLOOD GLUCOSE KIT	144	EMFLAZA	203
EASYGLUCO MONITORING SYSTEM	144	ELEMENT TEST STRIPS	110	EMGALITY PEN	246
EASYGLUCO TEST	109	ELEPSIA XR	347	EMGALITY SYRINGE	234, 246
EASYMAX	110	ELESTRIN	42	EMPAVELI	380
EASYMAX 15 TEST STRIPS	110	<i>eletriptan</i>	246	EMROSI	185
EASYMAX NG	144	ELIDEL	90	EMSAM	292
EASYMAX T1	144	ELIGARD	358	<i>emtricitabine</i>	194
EASYMAX V SPEAKING GLUCOSE SYS	144	ELIGARD (4 MONTH)	358	<i>emtricitabine-tenofovir (tdf)</i>	197
EASY-TOUCH BLOOD GLUCOSE METER	144	ELIMITE	59	<i>emtricitabine-tenofovir (tdf)</i>	198
EBGLYSS PEN	61	ELINEST	13	EMTRIVA	194
EBGLYSS SYRINGE	61	ELIQUIS	391	EMULSION SB	82
ECEOXIA	60	ELIQUIS DVT-PE TREAT 30D START	391	EMVERM	190
ECLIPSE SYRINGE	328	ELIXOPHYLLIN	31	EMZAHH	13
EC-NAPROSYN	209	ELLA	13	<i>enalapril maleate</i>	161
EC-NAPROXEN	209	ELLZIA PAK	67	<i>enalapril-hydrochlorothiazide</i>	164
<i>econazole nitrate</i>	57	ELMIRON	343	ENBREL	206
ECONTRA EZ	13	ELOCTATE	384	ENBREL MINI	205
ECONTRA ONE-STEP	13	<i>eltrombopag olamine</i>	381	ENBREL SURECLICK	206
ECOTRIN	245	ELURYNG	10	ENDARI	381
ECOZA	57	ELYXYB	246	ENDO AVITENE	386
EDARBI	161	ELYZIA	90	ENDOCET	235
EDARBYCLOR	158	ELYZIA (WITH HYALURONATE)	90	ENFIT MULTIFIL SYRINGE	328
EDECRIIN	163	EMBRACE BLOOD GLUCOSE SYSTEM	111, 144	ENFIT THUMB CONTROL RING SYRIN	329
EDLUAR	306	EMBRACE EVO BLOOD GLUCOSE KIT	144	ENILLORING	10
ED-SPAZ	374	EMBRACE EVO GLUCOSE MONITOR	144	<i>enoxaparin</i>	388
EDURANT	193	EMBRACE EVO TEST STRIPS	111	ENOXILUV	388
EDURANT PED	193	EMBRACE LANCETS	316	ENPRESSE	13
EEMT	44	EMBRACE PEN NEEDLE	273	ENSACOVE	217
EEMT HS	44	EMBRACE PRO GLUCOSE METER	144	ENSKYCE	13
<i>efavirenz</i>	193	EMBRACE PRO TEST STRIPS	111	ENSPRYNG	207
<i>efavirenz-emtricitabin-tenofov</i>	198	EMBRACE SAFETY LANCET	316	ENSTILAR	91
<i>efavirenz-lamivu-tenofov disop</i>	198	EMBRACE TALK BLOOD GLUCOSE SYS	144	<i>entacapone</i>	175
EFFER-K	286	EMBRACE TALK GLUCOSE MONITOR	144	ENTADFI	342
EFFEXOR XR	290	EMBRACE TALK TEST STRIPS	111	<i>entecavir</i>	192
EFFIENT	390	EMBRACE WAVE GLUCOSE TEST STRP	112	ENTERO VU	270
EFUDEX	77			ENTRESTO	151, 152
EGRIFTA SV	359			ENTRESTO SPRINKLE	152
EGRIFTA WR	359			ENTTY	82
EKTERLY	207			ENTYVIO PEN	366
ELEMAR	79			ENULOSE	370
ELEMENT COMPACT GLUCOSE METER	144			ENVARUS XR	232
				ENZNONUTY	79
				EOHILIA	203
				EPANED	161
				EPCLUSA	199

EPICERAM.....	82	estradiol.....	42, 43, 394	EVRYSDI.....	5
EPICYN.....	77	estradiol valerate.....	43	EXCEL SYRINGE.....	329
EPIDIOLEX.....	346	estradiol-norethindrone acet.....	43	EXEL INSULIN.....	329
EPIDUO.....	48	ESTRATEST F.S.....	44	EXEL SYRINGE.....	329
EPIDUO FORTE.....	48	ESTRING.....	394	EXELDERM.....	57
EPIFOAM.....	78	ESTROGEL.....	43	EXELON PATCH.....	313
epinastine.....	261	estrogens-methyltestosterone.....	44	EXEM.....	265
epinephrine.....	4, 152	eszopiclone.....	306	exemestane.....	215
EPIPEN.....	4	ethacrynic acid.....	163	exenatide.....	97
EPIPEN 2-PAK.....	4	ethambutol.....	188	EXFORGE.....	159
EPIPEN JR.....	4	ethosuximide.....	348	EXFORGE HCT.....	159
EPIPEN JR 2-PAK.....	4	ETHOXIA.....	53	EXJADE.....	278
EPITOL.....	347	ethyl chloride.....	79	EXODERM.....	57
EPIVIR.....	194	ethynodiol diac-eth estradiol.....	13	EYE.....	279
eplerenone.....	163	etodolac.....	209	EYSUVIS.....	257
EPOGEN.....	386	etonogestrel-ethinyl estradiol.....	10	E-Z DISK.....	270
EPRONTIA.....	347	etoposide.....	216	E-Z JECT LANCETS.....	316
eprosartan.....	161	etravirine.....	193	E-Z JECT THIN LANCETS.....	316
EPSOLAY.....	50	eua patient assessment.....	265	EZ SMART LANCETS.....	316
EQUETRO.....	305	EUCRISA.....	76	EZ SMART PLUS SYSTEM.....	144
ergocalciferol (vitamin d2).....	38	EUFLEXXA.....	199	EZ SMART PLUS TEST.....	113
ergoloid.....	173	EURAX.....	59	EZ SMART SYSTEM.....	144
ERGOMAR.....	246	EUTHYROX.....	363	EZ SMART TEST.....	114
ergotamine-caffeine.....	246	EVAMIST.....	43	EZALLOR SPRINKLE.....	167
ERIVEDGE.....	214	EVEKEO.....	294	ezetimibe.....	170
ERLEADA.....	212	EVENCARE.....	144	ezetimibe-rosuvastatin.....	170
erlotinib.....	217	EVENCARE G2.....	112, 144	ezetimibe-simvastatin.....	170
ERMEZA.....	363	EVENCARE G3 GLUCOSE		E-Z-HD BARIUM.....	270
ERRIN.....	13	METER.....	144	E-Z-PAQUE.....	270
ERTACZO.....	57	EVENCARE G3 TEST.....	112	E-Z-PASTE.....	270
ERY PADS.....	56	EVENCARE MINI GLUCOSE		FABHALTA.....	389
ERYGEL.....	56	TEST STR.....	112	FALMINA (28).....	14
ERYPED 400.....	179	EVENCARE MINI MONITOR		famciclovir.....	194
ERY-TAB.....	179	SYSTEM.....	144	famotidine.....	379
ERYTHROCIN (AS STEARATE).....	179	EVENCARE PROVIEW TEST		FANAPT.....	298
erythromycin.....	179, 260	STRIP.....	113	FANAPT TITRATION PACK A.....	299
erythromycin ethylsuccinate.....	179	EVENCARE TEST.....	113	FANAPT TITRATION PACK B.....	299
erythromycin with ethanol.....	56	everolimus (antineoplastic).....	215	FANAPT TITRATION PACK C.....	299
erythromycin-benzoyl peroxide.....	56	everolimus (immunosuppressive).....	232	FANTASY CONDOM.....	269
ERZOFRI.....	298	EVERSENSE 365 SENSOR.....	144	FARESTON.....	220
ESBRIET.....	283	EVERSENSE 365 TRANSMITTER.....	144	FARXIGA.....	100
escitalopram oxalate.....	291	EVICEL.....	386	FASENRA PEN.....	25
ESGIC.....	244	EVISTA.....	361	FASTEP COVID-19 AG HOME	
eslicarbazepine.....	348	EVOCLIN.....	56	TEST.....	265
esomeprazole magnesium.....	377, 378	EVOLUTION BLOOD GLUCOSE		FC2 FEMALE CONDOM.....	269
ESPEROCT.....	384	METER.....	144	febuxostat.....	234
ESTARYLLA.....	13	EVOLUTION TEST STRIPS.....	113	FEIBA NF.....	384
estazolam.....	305	EVOTAZ.....	193	FEIRZA.....	14
ESTRACE.....	394	EVOXAC.....	4	felbamate.....	348

FELBATOL.....	348	FIORICET WITH CODEINE.....	246	<i>fluoxetine</i>	291
FELDENE.....	209	FIRAZYR.....	200	FLUOXIA.....	67
<i>felodipine</i>	157	FIRDAPSE.....	227	<i>fluphenazine decanoate</i>	303
FEM PH.....	394	FIRMAGON KIT W DILUENT		<i>fluphenazine hcl</i>	303
FEMARA.....	215	SYRINGE.....	213	<i>flurandrenolide</i>	68
FEMCAP.....	22	FIRVANQ.....	189	<i>flurazepam</i>	305
FEMLYV.....	14	FLAC OTIC OIL.....	249	<i>flurbiprofen</i>	209
FEMRING.....	394	FLAREX.....	257	<i>flurbiprofen sodium</i>	257
<i>fenofibrate</i>	170	<i>flavoxate</i>	343	<i>fluticasone propionate</i>	7, 30, 68
<i>fenofibrate micronized</i>	170	<i>flecainide</i>	152	<i>fluticasone propion-salmeterol</i>	29
<i>fenofibrate nanocrystallized</i>	170	FLECTOR.....	75	<i>fluvastatin</i>	168
<i>fenofibric acid</i>	171	FLEQSUVY.....	365	<i>fluvoxamine</i>	291
<i>fenofibric acid (choline)</i>	170	FLOLIPID.....	167	FLUZONE 2025-2026.....	231
FENOGLIDE.....	171	FLOMAX.....	345	FLUZONE 2025-2026 (PF).....	231
<i>fenoprofen</i>	209	FLOWFLEX PLUS COVID-19 AND		FLUZONE HIGH-DOSE 2025-26	
FENOPRON.....	209	FLU.....	265	(PF).....	231
FENOVAR.....	75	FLUAD 2025-2026 (65 YR UP)(PF)		FML FORTE.....	258
FENOVIA.....	57		230	FML LIQUIFILM.....	258
<i>fantanyl</i>	238	FLUARIX 2025-2026 (PF).....	230	FOCALIN.....	308
<i>fantanyl (pf)-bupivacaine-nacl</i>	238	FLUBLOK 2025-2026 (PF).....	230	FOCALIN XR.....	308
<i>fantanyl citrate</i>	238	FLUCELVAX 2025-2026.....	230	FOLET ONE.....	39
<i>fantanyl citrate (pf)</i>	238	FLUCELVAX 2025-2026 (PF).....	230	<i>folic acid</i>	32
<i>fantanyl citrate (pf)-0.9%nacl</i>	238	<i>fluconazole</i>	187	<i>fondaparinux</i>	388
<i>fantanyl-ropivacaine-nacl (pf)</i>	238	<i>flucytosine</i>	187	FORA 6 CONNECT GLUCOSE	
<i>ferric citrate</i>	284	<i>fludrocortisone</i>	208	STRIP.....	114
FERRIPROX.....	278	FLULAVAL 2025-2026 (PF).....	230	FORA 6CONN-GTEL-TN'G ADV	
FERRIPROX (2 TIMES A DAY).....	278	FLUMIST 2025-2026.....	231	STRIP.....	114
FERVINA.....	57	FLUMIST HOME 2025-2026.....	231	FORA D40D GLUCOSE-BP	
<i>fesoterodine</i>	343	<i>flunisolide</i>	7	MONITOR.....	144
FETZIMA.....	290	<i>fluocinolone</i>	67	FORA D40G GLUCOSE-BP	
FEXMID.....	365	<i>fluocinolone acetonide oil</i>	249	MONITOR.....	145
FIASP FLEXTOUCH U-100		<i>fluocinolone and shower cap</i>	67	FORA D40-G31 TEST STRIPS.....	114
INSULIN.....	136	<i>fluocinonide</i>	67	FORA G20.....	115, 145
FIASP PENFILL U-100 INSULIN...	136	FLUOCINONIDE-E.....	67	FORA G30A.....	145
FIASP PUMPCART.....	136	<i>fluocinonide-emollient</i>	67	FORA GD50 BLOOD GLUCOSE	
FIASP U-100 INSULIN.....	136	FLUOPAR.....	67	SYSTEM.....	145
FIBRICOR.....	171	<i>fluorescein</i>	255	FORA GD50 TEST STRIPS.....	115
<i>fidaxomicin</i>	179	<i>fluorescein-benoxinate</i>	260	FORA GTEL GLUCOSE TEST	
FIDILA.....	57	<i>fluorescein-proparacaine</i>	260	STRIP.....	115
FILOMA.....	57	<i>fluoride (sodium)</i>	32	FORA GTEL MULTI-FUNCTN	
FILSPARI.....	342	FLUORIDEX DAILY DEFENSE.....	32	MONITOR.....	145
FILSUEVZ.....	268	FLUORIDEX SENSITIVITY		FORA PREMIUM V10 GLUCOSE	
FINACEA.....	50	RELIEF.....	32	METER.....	145
<i>finasteride</i>	345	FLUORIMAX 5000.....	32	FORA TEST N'GO VOICE METER	
FINGERSTIX LANCETS.....	316	FLUORIMAX 5000 SENSITIVE.....	32		145
<i>finolimid</i>	225	<i>fluorometholone</i>	257	FORA TEST STRIP.....	115
FINTEPLA.....	348	<i>fluorouracil</i>	77, 78	FORA TN'G ADV MOBILE MULTI	
FINZALA.....	14	FLUOVIX.....	67	MTR.....	145
FIORICET.....	244	FLUOVIX PLUS.....	67		

FORA TN'G ADVAN PRO TEST STRIP	116	FREESTYLE LIBRE 3 PLUS SENSOR	145	GDRIVE	146
FORA TN'G ADVANCE PRO MONITOR	145	FREESTYLE LIBRE 3 READER... ..	145	GE100 BLOOD GLUCOSE SYSTEM	146
FORA TN'G VOICE METER	145	FREESTYLE LIBRE 3 SENSOR... ..	145	GE100 BLOOD GLUCOSE TEST STRIP	118
FORA TN'G VOICE TEST STRIPS	116	FREESTYLE LITE METER	145	GE333 BLOOD GLUCOSE SYSTEM	146
FORA V10	116	FREESTYLE LITE STRIPS	117	GE333 BLOOD GLUCOSE TEST STRIP	118
FORA V10-V12-D10-D20 STRIPS ..	116	FREESTYLE PRECISION	329	<i>gefitinib</i>	217
FORA V12 BLOOD GLUCOSE SYSTEM	145	FREESTYLE PRECISION NEO METER	145	GELCLAIR	266
FORACARE GD20	117	FREESTYLE PRECISION NEO STRIPS	118	GELFILM	255, 267
FORACARE GD20 GLUCOSE METER	145	FREESTYLE SIDEKICK II	145	GEL-FLOW	386
FORACARE GD40 TEST STRIPS ..	117	FREESTYLE SYSTEM KIT	145	GEL-FLOW NT	386
FORACARE GD40B GLUCOSE METER	145	FREESTYLE TEST	118	GELFOAM	387
FORACARE LANCETS	316	FREESTYLE UNISTIK 2	316	GELFOAM COMPRESSED SIZE 100	386
FORANE	268	FRIVO	57	GELFOAM JMI POWDER	387
<i>formoterol fumarate</i>	25	FROTEK	75	GELFOAM JMI SPONGE	387
FORTEO	359	FROVA	246	GELFOAM SPONGE SIZE 100	387
FOSAMAX	361	<i>frovatriptan</i>	247	GELFOAM SPONGE SIZE 12-7MM	387
FOSAMAX PLUS D	360	FRUZAQLA	217	GELFOAM SPONGE SIZE 200	387
<i>fosamprenavir</i>	193	FULPHILA	382	GELFOAM SPONGE SIZE 50	387
<i>fosfomycin tromethamine</i>	181	FULVICIN P/G	188	GEL-ONE	199
<i>fosinopril</i>	162	FURADANTIN	178	GELSYN-3	199
<i>fosinopril-hydrochlorothiazide</i> ..	164	FUROSCIX	163	<i>gemfibrozil</i>	171
FOSRENOL	284	<i>furosemide</i>	163	GEMMILY	14
FOTIVDA	217	FUZEON	196	GEMTESA	344
FRAGMIN	388, 389	FYAVOLV	43	GENADUR	84
FRAICHE 5000	32	FYCOMPA	348	GENADUR (WITH LEXINAL)	84
FRAICHE 5000 PREVI	32	FYLNETRA	382	GENERLAC	370
FRAICHE 5000 SENSITIVE	32	<i>gabapentin</i>	222, 348	GENGRAF	232
FREESTYLE FLASH SYSTEM	145	GABARONE	348	GENOTROPIN	359
FREESTYLE FREEDOM	145	GALAFOLD	3	GENOTROPIN MINIQUICK	359
FREESTYLE FREEDOM LITE	145	<i>galantamine</i>	313	<i>gentamicin</i>	56, 260
FREESTYLE INSULINX	117, 145	GALBRIELA	14	GENVISC 850	200
FREESTYLE INSULINX TEST STRIPS	117	GALLIFREY	44	GENVOYA	198
FREESTYLE LANCETS	316	GALZIN	278	GEODON	299
FREESTYLE LIBRE 14 DAY READER	145	GAMMAGARD LIQUID	229	GILENYA	225
FREESTYLE LIBRE 14 DAY SENSOR	145	GAMMAKED	229	GILOTRIF	217
FREESTYLE LIBRE 2 PLUS SENSOR	145	GAMUNEX-C	229	GIMOTI	377
FREESTYLE LIBRE 2 READER... ..	145	GASTROCROM	30	GLASSIA	5
FREESTYLE LIBRE 2 SENSOR... ..	145	GASTROGRAFIN	270	<i>glatiramer</i>	225
		GASTROMARK	270	GLATOPA	225
		<i>gatifloxacin</i>	260	GLEEVEC	217
		GATTEX 30-VIAL	373	GLEOLAN	265
		GATTEX ONE-VIAL	373	GLEOSTINE	212
		GAVILYTE-C	371	<i>glimepiride</i>	99
		GAVILYTE-G	371		
		GAVILYTE-N	371		
		GAVRETO	217		

<i>glipizide</i>	99	GOJJI MULTI-FUNCTIONAL		HAXCHLO.....	54
<i>glipizide-metformin</i>	95	METER.....	146	HAXCHLODREX.....	54
GLOPERBA.....	233	GOLYTELY.....	371	HAXDRAX.....	57
GLOSTRIPS.....	255	GOMEKLI.....	215	HEALON GV PRO.....	264
GLUCAGON (HCL) EMERGENCY		GONITRO.....	172	HEALON PRO.....	264
KIT.....	134	GOPRELTO.....	393	HEALON5 PRO.....	264
GLUCAGON EMERGENCY KIT		GRALISE.....	222	HEALTHPRO GLUCOSE	
(HUMAN).....	134	<i>granisetron hcl</i>	24	MONITOR.....	146
GLUCO NAVII GLUCOSE		GRANIX.....	382	HEALTHPRO TEST STRIPS.....	121
MONITOR.....	146	GRASTEK.....	8	HEALTHWISE INSULIN SYRINGE	
GLUCO NAVII TEST STRIP.....	119	GREEN GLO.....	255		329
GLUCOCARD 01 METER.....	146	<i>griseofulvin microsize</i>	188	HEALTHWISE PEN NEEDLE.....	273
GLUCOCARD 01 SENSOR PLUS	119	<i>griseofulvin ultramicrosize</i>	188	HEATHER.....	14
GLUCOCARD EXPRESSION	119, 146	<i>guaiacol</i>	82	HEMADY.....	203
GLUCOCARD SHINE CONNEX		<i>guanfacine</i>	162, 307	HEMANGEOL.....	154
METER.....	146	GUARDIAN 4 GLUCOSE		HEMICLOR.....	166
GLUCOCARD SHINE EXPRESS		SENSOR.....	146	HEMLIBRA.....	380
METER.....	146	GUARDIAN 4 TRANSMITTER.....	146	HEMMOREX-HC.....	368
GLUCOCARD SHINE METER.....	146	GUARDIAN CONNECT		HEMOFIL M HIGH.....	384
GLUCOCARD SHINE METER KIT	146	TRANSMITTER.....	146	HEMOFIL M LOW.....	384
GLUCOCARD SHINE TEST		GUARDIAN LINK 3		HEMOFIL M MID.....	384
STRIPS.....	119	TRANSMITTER.....	146	HEMOFIL M SUPER HIGH.....	384
GLUCOCARD SHINE XL METER.	146	GUARDIAN SENSOR 3.....	146	HEP FLUSH-10 (PF).....	389
GLUCOCARD VITAL.....	146	GVOKE.....	134	<i>heparin (porcine)</i>	389
GLUCOCARD VITAL SENSOR.....	120	GVOKE HYPOPEN 1-PACK.....	134	<i>heparin (porcine) in 0.9% nacl</i>	389
GLUCOCARD VITAL TEST		GVOKE HYPOPEN 2-PACK.....	134	<i>heparin (porcine) in 5 % dex</i>	389
STRIPS.....	120	GVOKE PFS 1-PACK SYRINGE...	134	<i>heparin lock flush (porcine)</i>	389
GLUCOCOM AUTOLINK.....	146	GVOKE PFS 2-PACK SYRINGE...	134	HEPARIN	
GLUCOCOM BLOOD GLUCOSE.	146	GYNAZOLE-1.....	394	LOCKFLUSH(PORCINE)(PF).....	389
GLUCOCOM GLUCOSE.....	120	HAEGARDA.....	207	<i>heparin, porcine (pf)</i>	389
GLUCOCOM LANCETS.....	316	HAILEY.....	14	HEPSERA.....	192
GLUCOTROL XL.....	99	HAILEY 24 FE.....	14	HER STYLE.....	14
<i>glutamine (sickle cell)</i>	381	HAILEY FE 1.5/30 (28).....	14	HERNEXEOS.....	217
<i>glyburide</i>	99	HAILEY FE 1/20 (28).....	14	HETLIOZ.....	304
<i>glyburide micronized</i>	99	<i>halcinonide</i>	68	HETLIOZ LQ.....	304
<i>glyburide-metformin</i>	95	HALCION.....	305	HEXIOUNYL.....	57
GLYCINE UROLOGIC.....	188	HALDOL DECANOATE.....	298	HIXDEFRIMA.....	57
<i>glycine urologic solution</i>	188	<i>halobetasol propionate</i>	68, 69	HIZENTRA.....	229
<i>glycopyrrolate</i>	376, 377	HALOETTE.....	10	HOMATROPAIRE.....	251
<i>glycopyrrolate (pf)</i>	376	HALOG.....	69	HORIZANT.....	227
GLYDO.....	9	<i>haloperidol</i>	298	HOVYN.....	90
GLYRX-PF.....	377	<i>haloperidol decanoate</i>	298	HPR.....	82
GLYXAMBI.....	101	<i>haloperidol lactate</i>	298	HPR PLUS.....	82
GM100.....	120, 146	HALUCORT.....	82	HPR PLUS HYDROGEL.....	82
GOCOVRI.....	175	HAPRODERM.....	82	HPR PLUS-MB HYDROGEL.....	82
GOJJI BLOOD GLUCOSE TEST		HARLIKU.....	278	HUMALOG JUNIOR KWIKPEN U-	
STRIP.....	121	HARMONY GLUCOSE TEST		100.....	137
GOJJI LANCETS.....	317	STRIP.....	121	HUMALOG KWIKPEN INSULIN....	137
		HARVONI.....	199	HUMALOG MIX 50-50 KWIKPEN.	137

HUMALOG MIX 75-25 KWIKPEN .	137	<i>hydrocortisone valerate</i>	70, 71	IHEALTH GLUCOSE TEST STRIP	121
HUMALOG MIX 75-25(U-100)INSULN	137	<i>hydrocortisone-acetic acid</i>	250	IHEEZO (PF)	260
HUMALOG TEMPO PEN(U-100)INSULN	137	<i>hydrocortisone-iodoquinol-aloe2</i>	53	ILET INFUSION KIT-INSET 23"	146
HUMALOG U-100 INSULIN	137	<i>hydrocortisone-iodoquinol</i>	53	ILET INFUSION KIT-INSET 32"	146
HUMATE-P	384	<i>hydrocortisone-iodoquinol-aloe</i>	53	ILET INFUSION-CONTACT DTCH 23"	146
HUMATROPE	359	<i>hydrocortisone-pramoxine</i> 78, 367, 368		ILET STARTER KIT CONTACT	146
HUMIRA	206	HYDROMET	342	ILET STARTER KIT-INSET	146
HUMIRA PEN	206	<i>hydromorphone</i>	239	ILEVRO	258
HUMIRA(CF)	206	<i>hydromorphone (pf)</i>	239	ILEXOR	71
HUMIRA(CF) PEN	206	<i>hydromorphone (pf)-0.9 % nacl</i>	239	ILIDERM	79
HUMIRA(CF) PEN CROHNS-UC-HS	206	<i>hydroquinone</i>	91	<i>imatinib</i>	218
HUMIRA(CF) PEN PSOR-UV-ADOL HS	206	<i>hydroxocobalamin</i>	38	IMBRUVICA	218
HUMULIN 70/30 U-100 INSULIN ..	137	<i>hydroxychloroquine</i>	191	IMIOXIA	57
HUMULIN 70/30 U-100 KWIKPEN	137	HYDROXYM	71	<i>imipramine hcl</i>	288
HUMULIN N NPH INSULIN KWIKPEN	137	<i>hydroxypropyl cellulose</i>	267	<i>imipramine pamoate</i>	289
HUMULIN N NPH U-100 INSULIN	137	<i>hydroxyurea</i>	212	<i>imiquimod</i>	231
HUMULIN R REGULAR U-100 INSULN	137	<i>hydroxyzine hcl</i>	6	IMITREX	247
HUMULIN R U-500 (CONC) INSULIN	138	<i>hydroxyzine pamoate</i>	6	IMITREX STATDOSE PEN	247
HUMULIN R U-500 (CONC) KWIKPEN	138	HYFTOR	90	IMITREX STATDOSE REFILL	247
HURRI-FREEZE	79	HYMOVIS	200	IMKELDI	218
HYALGAN	200	HYMPAVZI PEN	380	IMPAVIDO	191
HYCANTIN	215	<i>hyoscyamine sulfate</i>	374	IMPOYZ	71
HYCLODEX	77	HYOSYNE	375	IMURAN	232
HYCODAN (WITH HOMATROPINE)	341	HYPER-SAL	267	INBRIJA	175
<i>hydralazine</i>	163	HYPOCYN ANTIPRURITIC	77	INCASSIA	14
HYDREA	212	HYPOCYN DERMAL	77	INCONTROL PEN NEEDLE	273
HYDRO 35	84	HYQVIA	229	INCONTROL SUPER THIN LANCETS	317
HYDRO 40	84	HYSINGLA ER	239	INCONTROL ULTRA THIN LANCETS	317
<i>hydrochlorothiazide</i>	166	HYZAAR	158	INCRELEX	359
<i>hydrocodone bitartrate</i>	239	<i>ibandronate</i>	361	INCRUSE ELLIPTA	27
<i>hydrocodone-acetaminophen</i>	235	IBRANCE	217, 218	<i>indapamide</i>	166
<i>hydrocodone-chlorpheniramine</i>	341	IBSRELA	369	INDERAL LA	154
<i>hydrocodone-homatropine</i>	341, 342	IBTROZI	218	INDERAL XL	154
<i>hydrocodone-ibuprofen</i>	237	IBU	209	INDICLOR	277
<i>hydrocortisone</i>	70, 203, 368	<i>ibuprofen</i>	209	<i>indomethacin</i>	210
<i>hydrocortisone acetate</i>	69, 368, 369	<i>ibuprofen-famotidine</i>	201	INFASURF	283
<i>hydrocortisone butyrate</i>	69, 70	<i>icatibant</i>	200	INFINITY METER KIT	147
HYDROCORTISONE LOTION COMPLETE	70	ICLEVIA	14	INFINITY STARTER KIT	147
<i>hydrocortisone sod succinate</i>	203	ICLOFENAC CP	75	INFINITY TEST STRIPS	122
		ICLUSIG	218	INFLAMMACIN	202
		<i>icosapent ethyl</i>	171	INFLAMMA-K	75
		ID NOW COVID-19 TEST KIT	265	INFLATHERM(DICLOFENAC-MENTHOL)	202
		IDARAN	50	INGREZZA	227
		IDELVION	392	INGREZZA INITIATION PK(TARDIV)	227
		IDHIFA	216		
		IDYYXIATAR	48		
		IGALMI	306		
		IHEALTH GLUCO PLUS METER ..	146		

INGREZZA SPRINKLE	227	IODOSORB	53	JENTADUETO	95
INJECT EASE LANCETS	317	IOPIDINE	252	JENTADUETO XR	95
INLYTA	218	<i>ipratropium bromide</i>	27, 393	JINTELI	43
INNOPRAN XL	154	<i>ipratropium-albuterol</i>	28	JIVI	384
INPEFA	100	IQIRVO	369	JOENJA	5
INPEN (FOR HUMALOG) BLUE ..	147	<i>irbesartan</i>	161	JOLESSA	14
INPEN (FOR HUMALOG) GREY ..	147	<i>irbesartan-hydrochlorothiazide</i>	158	JORNAY PM	308
INPEN (FOR HUMALOG) PINK	147	IRESSA	218	JOURNAVX	244
INPEN (NOVOLOG OR FIASP)		IRRIGATION SYRINGE	330	JOYEAX	15
BLUE	147	ISENTRESS	197	JUBLIA	57
INPEN (NOVOLOG OR FIASP)		ISENTRESS HD	197	JULEBER	15
GREY	147	ISIBLOOM	14	JULUCA	192
INPEN (NOVOLOG OR FIASP)		<i>isoflurane</i>	268	JUNEL 1.5/30 (21)	15
PINK	147	<i>isoniazid</i>	188	JUNEL 1/20 (21)	15
INQOVI	213	<i>isopropyl alcohol</i>	281	JUNEL FE 1.5/30 (28)	15
INREBIC	218	ISORDIL	172	JUNEL FE 1/20 (28)	15
INSPRA	164	ISORDIL TITRADOSE	172	JUNEL FE 24	15
INSUL-CAP	147	<i>isosorbide dinitrate</i>	172	JUST RIGHT 5000	32
INSUL-EZE	147	<i>isosorbide mononitrate</i>	172, 173	JUVAZIN	84
<i>insulin asp prt-insulin aspart</i>	138	<i>isosorbide-hydralazine</i>	166	JUXTAPID	166
<i>insulin aspart u-100</i>	138	<i>isotretinoin</i>	45	JYLAMVO	213
<i>insulin glargine-yfgn</i>	138	<i>isradipine</i>	157	JYNARQUE	342
<i>insulin lispro</i>	138, 139	ISTALOL	252	KAITLIB FE	15
<i>insulin lispro protamin-lispro</i>	138	ISTURISA	357	KALETRA	196
<i>insulin syrlndl u100 half mark</i>	329	ITHOXIA	53	KALLIGA	15
INSULIN SYRINGE	329	ITOVEBI	218	KALYDECO	283
<i>insulin syringe-needle u-100</i> ..	329, 330	<i>itraconazole</i>	187	KAPSPARGO SPRINKLE	154
<i>insulin u-500 syringe-needle</i>	330	<i>ivabradine</i>	151	KARBINAL ER	7
INSUPEN PEN NEEDLE	273	<i>ivermectin</i>	50, 190	KARIVA (28)	15
INTEGRA SYRINGE	330	IWILFIN	218	KATARAXAP	92
INTELENCE	193	IXINITY	392	KATARVIA	92
INTERLINK SYRINGE AND		IYUZEH (PF)	252	KATARYA	92
CANNULA	330	JADENU	278	KATARYAXN	92
INTROVALE	14	JADENU SPRINKLE	278	KATERZIA	157
INTUNIV ER	307	JAIMIESS	14	KAXM	92
INVACARE LANCETS	317	JAKAFI	215	KAZANO	96
INVEGA	299	JALYN	344	KAZURI	231
INVEGA HAFYERA	299	JANTOVEN	382	KEFUNOVA	83
INVEGA SUSTENNA	299	JANUMET	95	KEIDO	92
INVEGA TRINZA	299, 300	JANUMET XR	95	KELNOR 1/35 (28)	15
INVELTYS	258	JANUVIA	96	KELNOR 1/50 (28)	15
INVOKAMET	135	JARDIANCE	100	KENALOG	71, 203
INVOKAMET XR	135	JASMIEL (28)	14	KENALOG-80	203
INVOKANA	100	JATENZO	40	KEPPRA	348
INZDEAXIATAR	48	JAVYGTOR	4	KEPPRA XR	348
INZDEAXIAVAR	48	JAYPIRCA	218	KERALYT	85
INZDEOXIA	48	JAYTHARI	203	KERASTAT	82
INZIRQO	166	JELMYTO	216	KERAXA	75
IODOFLEX	53	JENCYCLA	14	KERENDIA	164

KERIDA.....	231	KLOR-CON M20.....	286	LAMICTAL STARTER (ORANGE)	
KESIMPTA PEN.....	225	KLOR-CON/EF.....	286	KIT.....	349
KETARYA.....	92	KLOXXADO.....	296	LAMICTAL XR.....	349
<i>ketoconazole</i>	57, 187	KOATE.....	384	LAMICTAL XR STARTER (BLUE).....	349
KETODAN.....	57	KOGENATE FS.....	384	LAMICTAL XR STARTER	
KETODAN KIT.....	57	KONVOMEF.....	378	(GREEN).....	349
KETONE CARE.....	280	KORLYM.....	100	LAMICTAL XR STARTER	
KETONE URINE TEST.....	280	KOSELUGO.....	215	(ORANGE).....	349
<i>ketoprofen</i>	210	KOTARAXAP.....	92	LAMIOFLUR.....	279
<i>ketorolac</i>	210, 258	KOVALTRY.....	385	<i>lamivudine</i>	192, 194
KETOSTIX.....	280	K-PHOS NO 2.....	345	<i>lamivudine-zidovudine</i>	197
KEVARAXAP.....	92	K-PHOS ORIGINAL.....	345	<i>lamotrigine</i>	349, 350
KEVARTIA.....	92	KPN.....	34	LAMPIT.....	191
KEVARYA.....	92	KRAZATI.....	211	<i>lancets</i>	317
KEVEYIS.....	364	KRINTAFEL.....	191	LANCETS, SUPER THIN.....	317
KEVZARA.....	207, 208	KRISTALOSE.....	371	LANCETS, THIN.....	317
KEXM.....	92	KURVELO (28).....	15	LANCETS, ULTRA THIN.....	317
KEYA.....	92	KUTAR.....	92	LANOXIN.....	153
KHINDIVI.....	203	KUTARVIA.....	92	<i>lansoprazole</i>	378
KIMONO LUBRICATED		KUTARYAXM.....	92	<i>lanthanum</i>	285
CONDOMS.....	269	KUTARYAXMPA.....	92	<i>lapatinib</i>	218
KIMONO MICROTHIN AQUA		KUTEA.....	92	LARIN 1.5/30 (21).....	15
LUBE CON.....	269	KUVAN.....	4	LARIN 1/20 (21).....	15
KIMONO MICROTHIN CONDOMS		KUVARYA.....	92	LARIN 24 FE.....	15
.....	269	KUVARYE.....	92	LARIN FE 1.5/30 (28).....	15
KIMONO MICROTHIN LARGE		KUXM.....	92	LARIN FE 1/20 (28).....	16
CONDOMS.....	269	KYLEENA.....	22	LASIX.....	163
KIMONO TEXTURED CONDOMS	269	KYNARA.....	232	<i>latanoprost</i>	253
KIMONO THIN LUBRICATED		KYZATREX.....	40	LATUDA.....	300
CONDOMS.....	269	<i>l norgest/ e. estradiol- e. estrad</i>	15	LAYOLIS FE.....	16
KINERET.....	201	L.E.T. (LIDO-EPINEPH-TETRA).....	79	LAZCLUZE.....	218
KIONEX (WITH SORBITOL).....	284	L.E.T.(LIDO-EPINEPH BIT-		LDO PLUS.....	80
KIPROFEN.....	210	TETRA).....	80	LEENA 28.....	16
KIRSTY.....	139	<i>labetalol</i>	153	LEFLUNICLO.....	201
KIRSTY PEN.....	139	<i>lacosamide</i>	348	<i>leflunomide</i>	201
KISQALI.....	218	<i>lactated ringers</i>	83	<i>lenalidomide</i>	212
<i>kit for tc 99m-sod thiosulfate</i>	279	<i>lactulose</i>	371	LENVIMA.....	218
KITABIS PAK.....	188	LAGEVRIO (EUA).....	192	LEQEMBI IQLIK.....	312
KLARITY (CHONDROITIN) (PF)...	255	LAMICTAL.....	349	LEQSELVI.....	207
KLARON.....	49	LAMICTAL ODT.....	348	LESSINA.....	16
KLAYESTA.....	57	LAMICTAL ODT STARTER		LETAIRIS.....	163
KLISYRI (250 MG).....	78	(BLUE).....	348	<i>letrozole</i>	215
KLISYRI (350 MG).....	78	LAMICTAL ODT STARTER		<i>leucovorin calcium</i>	221
KLONOPIN.....	356	(GREEN).....	349	LEUKERAN.....	212
KLOR-CON.....	286	LAMICTAL ODT STARTER		LEUKINE.....	382
KLOR-CON 10.....	286	(ORANGE).....	349	<i>leuprolide</i>	358
KLOR-CON 8.....	286	LAMICTAL STARTER (BLUE) KIT	349	<i>levalbuterol hcl</i>	26
KLOR-CON M10.....	286	LAMICTAL STARTER (GREEN)		<i>levalbuterol tartrate</i>	26
KLOR-CON M15.....	286	KIT.....	349	<i>levamlodipine</i>	157

LEVBID	375	LIKMEZ	190	LORAZEPAM INTENSOL	297
levetiracetam	350	LILETTA	22	LORBRENA	218
LEVICYN ANTIPRURITIC	76	linezolid	179	LOREEV XR	297
LEVICYN ANTIPRURITIC SG	82	LINZESS	366	LORYNA (28)	16
LEVICYN DERMAL	77	LIOMNY	363	losartan	161
levobunolol	253	liothyronine	363	losartan-hydrochlorothiazide	158
levocarnitine	266	LIPITOR	168	LOTEMAX	258
levocarnitine (with sugar)	266	LIPOFEN	171	LOTEMAX SM	258
levocetirizine	7	LIQREV	165	LOTENSIN	162
levofloxacin	182, 260	LIQUID E-Z PAQUE	270	LOTENSIN HCT	164
LEVONEST (28)	16	LIQUID POLIBAR PLUS	270	loteprednol etabonate	258
levonorgest-eth.estradiol-iron	16	liraglutide	97	LOTREL	165
levonorgestrel	16	lisdexamphetamine	294	LOTREXONE	296
levonorgestrel-ethinyl estrad	16	lisinopril	162	LOTRONEX	373
levonorg-eth estrad triphasic	16	lisinopril-hydrochlorothiazide	164	LOUNZDOMDIOXIATAR	49
LEVORA-28	16	LITFULO	207	LOUTREX	76
levorphanol tartrate	239	lithium carbonate	305	lovastatin	168
LEVO-T	363	lithium citrate	305	LOVAZA	171
levothyroxine	363	LITHOBID	305	LOVENOX	389
LEVOXYL	363	LITHOSTAT	370	LOW-OGESTREL (28)	17
LEVSIN	375	LIVALO	168	loxapine succinate	303
LEVSIN/SL	375	LIVDELZI	369	LOYON	82
LEVULAN	216	LIVMARLI	369	LO-ZUMANDIMINE (28)	17
LEXAPRO	291	LIVTENCITY	194	lubiprostone	371
LEXETTE	71	L-MESITRAN SOFT	91	LUCEMYRA	234
LIALDA	367	LMR PLUS	80	LUER LOCK SYRINGE	330
LIBERVANT	356	LO LOESTRIN FE	16	LUER SLIP TIP SYRINGE TRAY ..	330
LIBRAX (WITH CLIDINIUM)	377	LOCOD	71	LUER-LOK TIP	330
LICART	75	LOCOD LIPOCREAM	71	LUGOLS	53, 362
lidocaine	80	LODINE	210	luliconazole	58
lidocaine hcl	9, 10, 80	LODOCO	150	LUMAKRAS	211
lidocaine hcl-hydrocortison ac. 78, 368		LODOSYN	173	LUMIGAN	253
LIDOCAINE VISCOUS	10	LOESTRIN 1.5/30 (21)	16	LUMRYZ	297
lidocaine-hydrocortisone-aloe	368	LOESTRIN 1/20 (21)	16	LUMRYZ STARTER PACK	297
lidocaine-prilocaine	80	LOESTRIN FE 1.5/30 (28-DAY)	16	LUNESTA	306
lidocaine-racepinep-tetracaine	80	LOESTRIN FE 1/20 (28-DAY)	16	LUPKYNIS	232
lidocaine-tetracaine	80	LOFENA	210	lurasidone	300
LIDOCAN III	80	lofexidine	234	LURBIPR	210
LIDOCAN IV	80	LOJAIMIESS	16	LURBIRO	210
LIDOCAN V	80	LOKELMA	285	LUTERA (28)	17
LIDODERM	80	LOMOTIL	370	LUXAMEND	82
LIDOMARK 1-5	10	LONSURF	213	LUXIQ	71
LIDOMARK 2-5	10	loperamide	370	LUZU	58
LIDOPIN	80	LOPID	171	LYBALVI	300
LIDOPURE PATCH	80	lopinavir-ritonavir	196	LYLEQ	17
LIDORX	80	LOPRESSOR	154	LYLLANA	43
LIDTOPIC	80	LOPROX (AS OLAMINE)	57, 58	LYNPARZA	218
LIDTOPIC MAX	80	LOPROX KIT	58	LYRICA	350
LIFESHIELD BLUNT CANNULA ...	330	lorazepam	297	LYRICA CR	223

LYSODREN.....	216	MAXIDEX.....	259	<i>meperidine</i>	239, 240
LYTGOBI.....	218	MAXITROL.....	262	<i>meperidine (pf)</i>	239
LYUMJEV KWIKPEN U-100		MAYZENT.....	225	<i>meprobamate</i>	305
INSULIN.....	139	MAYZENT STARTER(FOR 1MG		MEPRON.....	191
LYUMJEV KWIKPEN U-200		MAINT).....	225	<i>mercaptopurine</i>	213
INSULIN.....	139	MAYZENT STARTER(FOR 2MG		MERIOLOG.....	139
LYUMJEV TEMPO PEN(U-		MAINT).....	226	MERIOLOG SOLOSTAR.....	139
100)INSULN.....	139	MB HYDROGEL.....	82	MERZEE.....	17
LYUMJEV U-100 INSULIN.....	139	MB HYDROGEL		<i>mesalamine</i>	366, 367
LYVISPAH.....	365	(CYCLOMETHICONE).....	82	<i>mesalamine with cleansing wipe</i> ...	367
LYZA.....	17	MD-GASTROVIEW.....	270	<i>mesna</i>	221
MACROBID.....	178	<i>meclizine</i>	24	MESNEX.....	221
<i>mafenide acetate</i>	60	<i>meclofenamate</i>	210	MESTINON.....	313
MAGELLAN INSULIN SAFETY		<i>mecobalamin (vitamin b12)</i>	38	MESTINON TIMESPAN.....	313
SYRNG.....	330	MECORIX.....	93	METADATE CD.....	309
MAGELLAN SAFETY SYRINGE...	330	MECORIX HP.....	93	METADATE ER.....	309
MAGELLAN SYRINGE.....	330	MECORIX PLUS.....	93	<i>metaxalone</i>	365
MAGELLAN TUBERCULIN		MEDIHONEY (HONEY).....	83, 91	METDRAY.....	85
SAFETY SYR.....	330	MEDISENSE MID CONTROL.....	147	<i>metformin</i>	98, 99
MALARONE.....	191	MEDISENSE THIN LANCETS.....	317	<i>methacholine chloride</i>	280
MALARONE PEDIATRIC.....	191	MEDLANCE PLUS LANCETS.....	317	<i>methadone</i>	240
<i>malathion</i>	59	MEDLANCE PLUS SPECIAL		METHADONE INTENSOL.....	240
<i>maraviroc</i>	195	BLADE.....	317	METHADOSE.....	240
MARINOL.....	23	MEDORFA.....	93	<i>methamphetamine</i>	294
MARLISSA (28).....	17	MEDORFA HP.....	93	<i>methazolamide</i>	250
MARPLAN.....	292	MEDORFA HP PLUS.....	93	<i>methenamine hippurate</i>	181
MATERVIA.....	39	MEDORFA LP.....	93	<i>methenamine mandelate</i>	181
MATULANE.....	216	MEDORFA PLUS.....	93	<i>methen-sod phos-meth blue-hyos</i> ..	181
MATZIM LA.....	157	MEDROL.....	203	<i>methimazole</i>	364
MAVENCLAD (10 TABLET PACK)	225	MEDROL (PAK).....	203	METHITEST.....	40
MAVENCLAD (4 TABLET PACK) ..	225	<i>medroxyprogesterone</i>	11, 44	<i>methocarbamol</i>	365
MAVENCLAD (5 TABLET PACK) ..	225	<i>mefenamic acid</i>	210	<i>methotrexate sodium</i>	214
MAVENCLAD (6 TABLET PACK) ..	225	<i>mefloquine</i>	191	<i>methotrexate sodium (pf)</i>	214
MAVENCLAD (7 TABLET PACK) ..	225	<i>megestrol</i>	216, 278	<i>methoxsalen</i>	89
MAVENCLAD (8 TABLET PACK) ..	225	MEKAM.....	93	<i>methscopolamine</i>	375
MAVENCLAD (9 TABLET PACK) ..	225	MEKAM HP.....	93	<i>methsuximide</i>	350
MAVILO.....	93	MEKINIST.....	215	<i>methyl salicylate</i>	83
MAVILO HP.....	92	MEKTOVI.....	215	<i>methyldopa</i>	162
MAVILO LP.....	92	MELEYA.....	17	<i>methyldopa-hydrochlorothiazide</i>	163
MAVYRET.....	199	MELIDU.....	93	<i>methylene blue (bulk-solid)</i>	266
MAXALT.....	247	MELONDIS.....	93	<i>methylergonovine</i>	23
MAXALT-MLT.....	247	MELONDIS PLUS.....	93	METHYLIN.....	309
MAXICOMFORT II PEN NEEDLE .	273	<i>meloxicam</i>	210	<i>methylphenidate</i>	310
MAXICOMFORT INSULIN		<i>meloxicam submicronized</i>	210	<i>methylphenidate hcl</i>	309, 310
SYRINGE.....	331	<i>memantine</i>	314	<i>methylprednisolone</i>	203
MAXI-COMFORT INSULIN		<i>memantine-donepezil</i>	313	<i>methyltestosterone</i>	40
SYRINGE.....	331	MENEST.....	43	<i>metoclopramide hcl</i>	377
MAXICOMFORT SAFETY PEN		MENOSTAR.....	43	<i>metolazone</i>	166
NEEDLE.....	273	MENTHO-CAINE.....	80	METOPIRONE.....	270

<i>metoprolol succinate</i>	155	<i>minocycline</i>	185	MONOJECT ENFIT STERILE	
<i>metoprolol ta-hydrochlorothiaz</i>	155	<i>minoxidil</i>	163	SYRINGE.....	331
<i>metoprolol tartrate</i>	155	MINZOYA.....	17	MONOJECT ENFIT SYRINGE.....	331
METROCREAM.....	50	MIPLYFFA.....	221	MONOJECT ENFIT SYRINGE	
METROGEL.....	50	MIRAPEX ER.....	175	CAP.....	331
METROLOTION.....	50	MIRCERA.....	386	MONOJECT INSULIN SAFETY	
<i>metronidazole</i>	50, 190, 394	MIRENA.....	22	SYRING.....	331
<i>metyrosine</i>	162	<i>mirtazapine</i>	288	MONOJECT INSULIN SYRINGE..	332
<i>mexiletine</i>	152	MIRVASO.....	50	MONOJECT LUER-LOCK TIP.....	332
MIACALCIN.....	361	<i>misoprostol</i>	380	MONOJECT MAGELLAN	
MIBELAS 24 FE.....	17	MITIGARE.....	233	SYRINGE.....	332
MICARDIS.....	161	<i>mitomycin (pf) in water</i>	250	MONOJECT PHARMACY TRAY	
MICARDIS HCT.....	158	MIUDELLA.....	22	LUER.....	332
<i>miconazole nitrate-zinc ox-pet</i>	58	MKO (MIDAZOLAM-KETAMINE-		MONOJECT PHARMACY TRAY	
MICONAZOLE-3.....	394	ONDAN).....	306	REG TIP.....	332
MICORT-HC.....	71	M-NATAL PLUS.....	34	MONOJECT PREFILL	
MICRO BLOOD GLUCOSE.....	122	MNEXSPIKE 2025-2026 (PF).....	228	ADVANCED NS.....	286
MICRO THIN LANCETS.....	317	MOBILE LANCETS.....	317	MONOJECT REG TIP NON-	
MICROCYN.....	77	<i>modafinil</i>	296	STERILE.....	332
MICRODOT BLOOD GLUCOSE		MODD1 PATIENT WELCOME KIT.....	147	MONOJECT REGULAR LUER.....	332
SYSTEM.....	122, 147	MODD1 SUPPLY KIT.....	147	MONOJECT SAFETY LUER LOCK	
MICRODOT XTRA BLOOD		MODERNA COVID 24-25(6M-		TIP.....	332
GLUCOSE.....	122	11Y)PF.....	228	MONOJECT SAFETY SYRINGES	
MICROGESTIN 1.5/30 (21).....	17	MODEYSO.....	211		332, 333
MICROGESTIN 1/20 (21).....	17	<i>moexipril</i>	162	MONOJECT SMARTIP CANNULA.....	333
MICROGESTIN FE 1.5/30 (28).....	17	MOKURA.....	93	MONOJECT SYRINGE.....	333
MICROGESTIN FE 1/20 (28).....	17	MOKURA LP.....	93	MONOJECT SYRINGE LUER LOK	
MICROLET LANCET.....	317	MOKURA MOD.....	93		333
<i>microplegic solution no. 1</i>	281	MOKURA PLUS.....	93	MONOJECT SYRINGE REGULAR	
MICURADERM.....	76	MOLEXI.....	93	LUER.....	333
<i>midazolam</i>	265, 305	<i>molindone</i>	304	MONOJECT SYRINGE TOOMEY	
<i>midazolam (pf)</i>	265	<i>mometasone</i>	7, 71	TYPE.....	333
<i>midodrine</i>	151	MONDOXYNE NL.....	185	MONOJECT TB.....	333
MIEBO (PF).....	255	MONOJECT 0.9% SODIUM		MONOJECT TB LUER LOK.....	333
MIFEPREX.....	269	CHLORIDE.....	286	MONOJECT TB REGULAR LUER	
<i>mifepristone</i>	100, 269	MONOJECT 140CC PISTON		TIP.....	333
MIGERGOT.....	247	SYRINGE.....	331	MONOJECT TB SAFETY	
<i>miglitol</i>	95	MONOJECT 35CC SYRINGE		SYRINGE.....	333
<i>miglustat</i>	279	CATH TIP.....	331	MONOJECT TUBERCULIN	
MIGRANAL.....	247	MONOJECT 3CC SYR 25GX1".....	331	SYRINGE.....	333
MIGRANOW.....	247	MONOJECT ALLERGY TRAY.....	331	MONOJECT ULTRA COMFORT	
MILI.....	17	MONOJECT ALLERGY TRAY		INSULIN.....	333
MIMORA.....	93	DETACH.....	331	MONOLET LANCETS.....	317
MIMVEY.....	43	MONOJECT CONTROL SYRINGE		MONOLET THIN LANCETS.....	317
MINI PRENATAL.....	34	LUER.....	331	MONO-LINYAH.....	17
MINI ULTRA-THIN II.....	273	MONOJECT DISPOSABLE		MONOVISC.....	200
MINIMED QUICK-SERTER (MMT-		SYRINGE.....	331	MONSEL'S.....	387
395).....	147	MONOJECT ECCENTRIC NON-		<i>montelukast</i>	26
MINIVELLE.....	43	STERILE.....	331	MONUROL.....	181

MORGIDOX.....	186	MYRBETRIQ.....	344	NEONATAL PLUS VITAMIN.....	34
MORGIDOX 1X 50.....	186	MYSOLINE.....	350	NEO-POLYCIN.....	261
MORGIDOX 1X100.....	186	MYTESI.....	369	NEO-POLYCIN HC.....	262
MORGIDOX 2X100.....	186	MYTHIUS.....	93	NEORAL.....	233
<i>morphine</i>	240, 241	MYVORI.....	93	NEOSALUS.....	83
<i>morphine (pf)</i>	240	<i>nabumetone</i>	210	NEO-SYNALAR.....	62
<i>morphine concentrate</i>	240	<i>nadolol</i>	155	NEO-SYNALAR KIT.....	62
<i>morphine in 0.9 % sodium chlor</i>	240	<i>naftifine</i>	58	NEO-VITAL RX.....	34
MOTEGRITY.....	377	NAFTIN.....	58	NERLYNX.....	218
MOTOFEN.....	370	<i>nalbuphine</i>	241	NESINA.....	96
MOTPOLY XR.....	350	NALOCET.....	235	NEUAC.....	49
MOUNJARO.....	94	<i>naloxone</i>	296	NEUAC KIT.....	49
MOVANTIK.....	369	NALTREX.....	296	NEULASTA.....	382
MOVIPREP.....	371	<i>naltrexone</i>	296	NEULASTA ONPRO.....	382
MOXATAG.....	181	NAMENDA TITRATION PAK.....	314	NEULUMEX.....	270
MOXICAINE.....	80	NAMENDA XR.....	314	NEUPOGEN.....	382
<i>moxifloxacin</i>	182, 260, 261	NAMZARIC.....	313	NEUPRO.....	175
<i>moxifloxacin-bromfenac</i>	265	NANO 2ND GEN PEN NEEDLE ...	274	NEURAPTINE.....	91
MS CONTIN.....	241	NANO PEN NEEDLE.....	274	NEURONTIN.....	350
MUCOSITISRX.....	268	NANRAN.....	56	NEUTEK 2TEK TEST STRIPS.....	123
MUGARD.....	266	NAPROSYN.....	210	NEVANAC.....	259
MULPLETA.....	381	NAPROTIN.....	202	<i>nevirapine</i>	193
MULTAQ.....	152	<i>naproxen</i>	210	NEW DAY.....	17
<i>mupirocin</i>	56	<i>naproxen sodium</i>	211	NEXA PLUS.....	34
<i>mupirocin calcium</i>	56	<i>naproxen-esomeprazole</i>	208	NEXAVAR.....	218
MURI-LUBE.....	281	<i>naratriptan</i>	247	NEXIUM.....	378
MUSCUSOLICE.....	91	NARCAN.....	296	NEXIUM PACKET.....	378
MY CHOICE.....	17	NARDIL.....	292	NEXLETOL.....	166
MY WAY.....	17	NATACYN.....	255	NEXLIZET.....	166
MYALEPT.....	358	NATAZIA.....	17	NEXOBRID.....	86
MYCAPSSA.....	268	<i>nateglinide</i>	99	NEXPLANON.....	10
<i>mycophenolate mofetil</i>	233	NATESTO.....	40	NEXTSTELLIS.....	17
<i>mycophenolate sodium</i>	233	NATROBA.....	59	NGENLA.....	360
MYDAYIS.....	295	NAYZILAM.....	356	<i>niacin</i>	171
MYDCOMBI.....	251	<i>nebivolol</i>	155	NIACOR.....	171
MYDRIACYL.....	251	NEBUPENT.....	191	<i>nicardipine</i>	157
MYDRIATIC4(TROP-PROP-PE- KTRLC).....	255	NEBUSAL.....	267	<i>nicotine</i>	3
MYFEMBREE.....	357	NECON 0.5/35 (28).....	17	<i>nicotine (polacrilex)</i>	3
MYFORTIC.....	233	<i>nefazodone</i>	288	NICOTROL NS.....	3
MYGLUCOHEALTH.....	123, 147	NEFFY.....	4	<i>nifedipine</i>	157
MYGLUCOHEALTH LANCETS.....	317	NEMLUVIO.....	62	NIKKI (28).....	18
MYHIBBIN.....	233	NENDRUX.....	85	NILANDRON.....	212
MYLERAN.....	212	<i>neomycin</i>	188	<i>nilotinib hcl</i>	219
MYNATAL.....	34	<i>neomycin-bacitracin-poly-hc</i>	262	<i>nilutamide</i>	212
MYNATAL ADVANCE.....	34	<i>neomycin-bacitracin-polymyxin</i>	261	<i>nimodipine</i>	157
MYNATAL PLUS.....	34	<i>neomycin-polymyxin b gu</i>	83	NINLARO.....	219
MYNATAL-Z.....	34	<i>neomycin-polymyxin b-dexameth</i> ..	262	<i>nisoldipine</i>	157
MYNATE 90 PLUS.....	34	<i>neomycin-polymyxin-gramicidin</i>	261	<i>nitazoxanide</i>	190
		<i>neomycin-polymyxin-hc</i>	250, 262	<i>nitisinone</i>	278

NITRO-BID	173	NOVA SAFETY LANCETS	317	NUVESSA	394
NITRO-DUR	173	NOVA SUREFLEX LANCETS	317	NUVIGIL	296
<i>nitrofurantoin</i>	178	NOVACORT	78	NUWIQ	385
<i>nitrofurantoin macrocrystal</i>	178	NOVAVAX COVID 2024-		NUZYRA	186
<i>nitrofurantoin monohyd/m-cryst</i>	178	25(PF)(EUA)	228	NYAMYC	58
<i>nitroglycerin</i>	173, 368	NOVOEIGHT	385	NYLIA 1/35 (28)	18
NITROLINGUAL	173	NOVOFINE 32	274	NYLIA 7/7/7 (28)	18
NITROMIST	173	NOVOFINE PLUS	274	NYMALIZE	157
NITROSTAT	173	NOVOLIN 70/30 U-100 INSULIN	139	NYNUTEY	81
NITRO-TIME	173	NOVOLIN 70-30 FLEXPEN U-100	139	NYPOZI	383
NITYR	279	NOVOLIN N FLEXPEN	139	<i>nystatin</i>	58, 188
NIVA THYROID	363	NOVOLIN N NPH U-100 INSULIN	139	<i>nystatin-triamcinolone</i>	58
NIVESTYM	382, 383	NOVOLIN R FLEXPEN	140	NYSTOP	58
<i>nizatidine</i>	379	NOVOLIN R REGULAR U100		NYVEPRIA	383
NOBELA	80	INSULIN	140	OBAGI ELASTIDERM	93
NOC DURNA (MEN)	358	NOVOLOG FLEXPEN U-100		OBAGI NU-DERM BLENDER	94
NOC DURNA (WOMEN)	358	INSULIN	140	OBAGI NU-DERM CLEAR	94
NOLIRA	80	NOVOLOG MIX 70-30 U-100		OBAGI NU-DERM SUNFADER	94
NORA-BE	18	INSULIN	140	OBAGI-C CLARIFYING SERUM	94
NORDITROPIN FLEXPEN	360	NOVOLOG MIX 70-30FLEXPEN		OBAGI-C THERAPY NIGHT	94
<i>norelgestromin-ethin.estradiol</i>	21	U-100	140	OBIZUR	385
<i>noreth-ethinyl estradiol-iron</i>	18	NOVOLOG PENFILL U-100		OBSTETRIX DHA	34
<i>norethindrone (contraceptive)</i>	18	INSULIN	140	OBSTETRIX DHA PRENATAL	
<i>norethindrone acetate</i>	44	NOVOLOG U-100 INSULIN		DUO	34
<i>norethindrone ac-eth estradiol</i>	18, 43	ASPART	140	OBSTETRIX EC	34
<i>norethindrone-e.estradiol-iron</i>	18	NOVOPEN ECHO	147	OBSTETRIX ONE	39
NORGESIC FORTE	366	NOVOSEVEN RT	385	OBTREX DHA	35
<i>norgestimate-ethinyl estradiol</i>	18	NOXAFIL	187	OCALIVA	369
NORITATE	51	NOXIPAK	72	OCELLA	18
NORLIQVA	157	NP THYROID	363	OCM	91
NORMAL SALINE FLUSH	286	NUBEQA	212	<i>octreotide acetate</i>	268
NORM-JECT	334	NUCALA	27	OCUFLOX	261
NORM-JECT TUBERKULIN	334	NUCORT	72	ODACTRA	8
NORMLGEL AG	53	NUCYNTA	241	ODEFSEY	198
NORPACE	152	NUCYNTA ER	241	ODOMZO	214
NORPACE CR	152	NUEDEXTA	221	OFEV	282
NORPRAMIN	289	NUJO	90	<i>ofloxacin</i>	182, 250, 261
NORTHERA	151	NUJU	90	OGSIVEO	219
NORTREL 0.5/35 (28)	18	NULEV	375	OHTUVAYRE	31
NORTREL 1/35 (21)	18	NULIBRY	221	OJEMDA	214
NORTREL 1/35 (28)	18	NUMBONEX	81	OJJAARA	219
NORTREL 7/7/7 (28)	18	NUMBRINO	393	<i>olanzapine</i>	300
<i>nortriptyline</i>	289	NUMOISYN	267, 268	<i>olanzapine-fluoxetine</i>	304
NORVASC	157	NUPLAZID	296	<i>olmesartan</i>	161
NORVIR	193	NURTEC ODT	247	<i>olmesartan-amlodipin-hcthiacid</i>	159
NOURIANZ	175	NUTRASEB	83	<i>olmesartan-hydrochlorothiazide</i>	158
NOVA MAX GLUCOSE TEST	123	NUTROPIN AQ NUSPIN	360	<i>olopatadine</i>	6, 262
NOVA MAX PLUS GLUC-KETON		NUVARING	10	OLPRUVA	370
METER	147	NUVAXOVID 2025-2026 (PF)	228	OLUMIANT	207

OLUX.....	72	ONUREG.....	214	ORQUIDEA.....	19
OLUX-E.....	72	ONYDA XR.....	307	ORSERDU.....	220
OMECLAMOX-PAK.....	376	ONZDEAXIADEMTAR.....	49	ORTHAPHEN.....	75
<i>omega-3 acid ethyl esters</i>	171	ONZDEAXIADEMVAR.....	49	ORTHOVISC.....	200
<i>omeprazole</i>	378	ONZDEAXIATAR.....	49	ORTIKOS.....	203
<i>omeprazole-sodium bicarbonate</i> ...	378	ONZDEAXIAVAR.....	49	OSCIMIN.....	375
OMEZA.....	91	ONZDEAXIAZAR.....	49	OSCIMIN SL.....	375
OMNARIS.....	8	ONZDEOXIA.....	49	<i>oseltamivir</i>	194, 195
OMNIPAQUE.....	172	ONZETRA XSAIL.....	247	OSENI.....	100
OMNIPOD 5 (G6/LIBRE 2 PLUS)...	147	OPCICON ONE-STEP.....	19	OSMOLEX ER.....	175
OMNIPOD 5 G6-G7 INTRO		OPFOLDA.....	279	OTEZLA.....	205
KT(GEN5).....	147	OPILL.....	19	OTEZLA STARTER.....	205
OMNIPOD 5 G6-G7 PODS (GEN		OPIPZA.....	303	OTOVEL.....	250
5).....	147	<i>opium tincture</i>	370	OVACE.....	76
OMNIPOD 5		OPSUMIT.....	163	OVACE PLUS.....	76
INTRO(G6/LIBRE2PLUS).....	147	OPSYNVI.....	153	OVACE PLUS SHAMPOO.....	76
OMNIPOD DASH INTRO KIT		OPTION-2.....	19	OVACE PLUS WASH.....	76
(GEN 4).....	147	OPTIUM EZ.....	124	OVAL TAPE.....	148
OMNITROPE.....	360	OPTIUM TEST.....	124	OVIDE.....	59
OMVOH.....	87	OPVEE.....	296	<i>oxaprozin</i>	211
OMVOH PEN.....	87	OPZELURA.....	62	<i>oxazepam</i>	297
ON CALL EXPRESS METER.....	147	ORACEA.....	186	<i>oxcarbazepine</i>	350, 351
ON CALL EXPRESS TEST STRIP	123	ORACIT.....	345	OXERVATE.....	255
ON CALL LANCET.....	317	ORALAIR.....	8	OXIAICE.....	60
ONAPGO.....	175	ORALONE.....	393	OXIANUJO.....	90
<i>ondansetron</i>	24	ORAMAGICRX.....	266	OXIANUJO (WITH	
<i>ondansetron hcl</i>	24	ORAPEUTIC.....	267	HYALURONATE).....	90
ONE DAILY PRENATAL.....	35	ORAPRED ODT.....	203	OXIATAR.....	49
ONE-A-DAY PRENATAL.....	39	ORAVIG.....	187	OXIAVARRY.....	49
ONE-A-DAY PRENATAL-1.....	35	ORENCIA.....	201	OXIAVARY.....	49
ONETOUCH DELICA PLUS		ORENCIA CLICKJECT.....	201	OXIAZAR.....	49
LANCET.....	317	ORENITRAM.....	159	<i>oxiconazole</i>	58
ONETOUCH DELICA SAFETY		ORENITRAM MONTH 1		OXISTAT.....	58
LANCET.....	317	TITRATION KT.....	159	OXTELLAR XR.....	351
ONETOUCH ULTRA CONTROL...	148	ORENITRAM MONTH 2		<i>oxybutynin chloride</i>	343
ONETOUCH ULTRA TEST.....	124	TITRATION KT.....	159	<i>oxycodone</i>	241, 242
ONETOUCH ULTRA2 METER.....	148	ORENITRAM MONTH 3		<i>oxycodone-acetaminophen</i> ...	235, 236
ONETOUCH ULTRASOFT 2		TITRATION KT.....	159	OXYCONTIN.....	242
LANCET.....	317	ORFADIN.....	279	<i>oxymorphone</i>	242
ONETOUCH VERIO FLEX METER		ORGOVYX.....	213	OXYTROL.....	343
.....	148	ORIAHNN.....	357	OZEMPIC.....	97
ONETOUCH VERIO REFLECT		ORILISSA.....	362	OZOBAX.....	366
METER.....	148	ORKAMBI.....	282	PACERONE.....	152
ONETOUCH VERIO TEST		ORLADEYO.....	207	PACNEX HP.....	85
STRIPS.....	124	ORLYNVAH.....	177	PACNEX LP.....	85
ONEXTON.....	49	ORMALVI.....	364	PAIN EASE MEDIUM STREAM	
ONFI.....	356	<i>orphenadrine citrate</i>	366	SPRAY.....	81
ONGENTYS.....	175	<i>orphenadrine-asa-caffeine</i>	366	PAIN EASE MIST SPRAY.....	81
ON-THE-GO LANCETS.....	318	ORPHENGESIC FORTE.....	366	PAINGO KFT.....	81

PALFORZIA (LEVEL 0).....	8	<i>pentamidine</i>	192	<i>pilocarpine hcl</i>	4, 253
PALFORZIA (LEVEL 1).....	8	PENTASA.....	367	<i>pimecrolimus</i>	90
PALFORZIA (LEVEL 2).....	8	<i>pentazocine-naloxone</i>	242	<i>pimozide</i>	298
PALFORZIA (LEVEL 3).....	9	PENTIPS PEN NEEDLE.....	274	PIMTREA (28).....	19
PALFORZIA (LEVEL 4).....	9	<i>pentoxifylline</i>	381	<i>pindolol</i>	155
PALFORZIA (LEVEL 5).....	9	PEPCID.....	380	<i>pioglitazone</i>	98
PALFORZIA (LEVEL 6).....	9	<i>perampanel</i>	351	<i>pioglitazone-glimepiride</i>	98
PALFORZIA (LEVEL 7).....	9	PERCOCET.....	236	<i>pioglitazone-metformin</i>	98
PALFORZIA (LEVEL 8).....	9	PERFECT POINT SAFETY		PIP BLOOD GLUCOSE MONITOR	
PALFORZIA (LEVEL 9).....	9	LANCETS.....	318		148
PALFORZIA (LEVEL 10).....	9	PERFOROMIST.....	26	PIP BLOOD GLUCOSE TEST	
PALFORZIA (LEVEL 11 UP-		PERIDEX.....	393	STRIP.....	125
DOSE).....	9	<i>perindopril erbumine</i>	162	PIP LANCET.....	318
PALFORZIA INITIAL (1-3 YRS).....	9	PERIOGARD.....	393	PIP PEN NEEDLE.....	274
PALFORZIA INITIAL (4-17 YRS).....	9	<i>permethrin</i>	59	PIQRAY.....	219
PALFORZIA LEVEL 11		<i>perphenazine</i>	303	<i>pirfenidone</i>	283
MAINTENANCE.....	9	<i>perphenazine-amitriptyline</i>	289	<i>piroxicam</i>	211
<i>paliperidone</i>	300	PERSERIS.....	300	PISTON SYRINGE WITH ENFIT...334	
PALYNZIQ.....	3	PERTZY.....	374	<i>pitavastatin calcium</i>	169
PAMELOR.....	289	PHARMABASE BARRIER.....	84	PIXEL COVID19 HOME COLLECT	
PANCREAZE.....	373	PHARMACIST CHOICE.....	125	KIT.....	265
PANDEL.....	72	PHARMACIST CHOICE		PLAN B ONE-STEP.....	19
PANRETIN.....	78	GLUCOSE SYS.....	148	PLANTAGO-HOMACCORD.....	279
<i>pantoprazole</i>	379	PHEBURANE.....	370	PLAQUENIL.....	191
<i>papaverine</i>	173	PHEDRAX.....	58	PLATINUM TEST STRIP.....	125
PARAGARD T 380A.....	23	<i>phenazopyridine</i>	343	PLAVIX.....	390
PARAGARD T380A (SINGLE		<i>phenelzine</i>	292	PLEGISOL.....	281
HAND).....	23	PHENERGAN.....	7	PLEGRIDY.....	226
<i>paricalcitol</i>	357, 358	<i>phenobarb-hyoscy-atropine-scop</i> ..	375	PLENURA.....	91
PARNATE.....	292	<i>phenobarbital</i>	304	PLENVU.....	372
<i>paroxetine hcl</i>	291	PHENOHYTRO.....	375	PLEXION.....	60
<i>paroxetine mesylate(menop.sym)</i>	40	<i>phenoxybenzamine</i>	154	PLEXION CLEANSING CLOTHS....	60
PASER.....	188	<i>phenylephrine hcl</i>	264	PLEXION NS.....	77
PAXIL.....	292	<i>phenyleph-tropicamide in water</i>	251	<i>pnv no.95-ferrous fumarate-fa</i>	35
PAXIL CR.....	292	PHENYTEK.....	351	PNV-DHA + DOCUSATE.....	35
PAXLOVID.....	192	<i>phenytoin</i>	351	PNV-SELECT.....	35
<i>pazopanib</i>	219	<i>phenytoin sodium extended</i>	352	PODOCON.....	85
PEDIAPRED.....	203	PHEODOYO.....	54	<i>podofilox</i>	85
<i>peg 3350-electrolytes</i>	371	PHEOXIA.....	58	POKONZA.....	287
<i>peg3350-sod sul-nacl-kcl-asb-c</i>	372	PHEXXI.....	22	POLIBAR ACB.....	270
PEGASYS.....	192	PHEYO.....	54	POLYCIN.....	261
<i>peg-electrolyte soln</i>	372	PHILITH.....	19	<i>polymyxin b sulf-trimethoprim</i>	261
PEMAZYRE.....	219	PHOSPHOLINE IODIDE.....	253	POMALYST.....	213
PEN NEEDLE.....	274	PHOTREXA CROSS-LINKING KIT		PONVORY.....	226
<i>pen needle, diabetic</i>	274		255	PONVORY 14-DAY STARTER	
<i>pen needle, diabetic, safety</i>	274	PHYSIOLYTE.....	83	PACK.....	226
<i>penciclovir</i>	59	PHYSIOSOL IRRIGATION.....	83	POPULUS COMPOSITUM.....	279
<i>penicillamine</i>	199	<i>phytonadione (vitamin k1)</i>	392	PORTIA 28.....	19
<i>penicillin v potassium</i>	181	PIFELTRO.....	193	<i>posaconazole</i>	187

<i>potassium chloride</i>	287	<i>prednisone</i>	204	<i>prenatal vit no.179-iron-folic</i>	36
<i>potassium citrate</i>	345	PREDNISONE INTENSOL.....	204	PRENATAL VITAMIN.....	36
<i>potassium iodide</i>	362	<i>pregabalin</i>	224, 352	PRENATAL VITAMIN PLUS LOW	
<i>povidone-iodine</i>	81	PREMARIN.....	43, 394	IRON.....	36
PR BENZOYL PEROXIDE.....	85	PREMIER BLU GLUCOSE METER		PRENATAL VITAMIN WITH	
PR CREAM.....	84		148	MINERALS.....	36
PR NATAL 400.....	35	PREMIER CLASSIC GLUCOSE		<i>prenatal vit-iron fum-folic ac</i>	37
PR NATAL 400 EC.....	35	METER.....	148	PRENATAL WITH DHA-FOLIC	
PR NATAL 430.....	35	PREMIER COMPACT GLUCOSE		ACID.....	37
PR NATAL 430 EC.....	35	METER.....	148	PREPIDIL.....	23
PRADAXA.....	391	PREMIER TEST STRIP.....	127	PRESERA.....	83
PRAKETAMIDE.....	81	PREMIER VOICE GLUCOSE		PRESSURE ACTIVATED	
<i>pralidoxime</i>	280	METER.....	148	LANCETS.....	318
PRALUENT PEN.....	166	PREMIUM BLOOD GLUCOSE		PRESTALIA.....	165
<i>pramipexole</i>	175, 176	MONITOR.....	148	<i>pretomanid</i>	189
PRAMOSONE.....	78	PREMIUM V10.....	127, 148	PREVACID.....	379
<i>prasugrel hcl</i>	390	PREMPHASE.....	44	PREVACID SOLUTAB.....	379
<i>pravastatin</i>	169	PREMPRO.....	44	PREVALITE.....	172
<i>praziquantel</i>	190	PRENAISSANCE.....	35	PREVENT DROPSAFE PEN	
<i>prazosin</i>	154	PRENAISSANCE PLUS.....	35	NEEDLE.....	274
PRECISION.....	148	PRENATA.....	35	PREVIDENT.....	33
PRECISION PCX PLUS TEST.....	125	PRENATABS FA.....	35	PREVIDENT 5000 BOOSTER	
PRECISION PCX TEST.....	126	PRENATABS RX.....	35	PLUS.....	33
PRECISION POINT OF CARE		PRENATAL.....	36, 39	PREVIDENT 5000 DRY MOUTH....	33
TEST.....	126	PRENATAL + DHA.....	35	PREVIDENT 5000 ENAMEL	
PRECISION Q-I-D TEST.....	126	PRENATAL 19.....	35	PROTECT.....	33
PRECISION XTRA KETONE-		PRENATAL 19 (WITH		PREVIDENT 5000 ORTHO	
GLUCOSE.....	148	DOCUSATE).....	35	DEFENSE.....	33
PRECISION XTRA MONITOR.....	148	PRENATAL COMPLETE.....	36	PREVIDENT 5000 PLUS.....	33
PRECISION XTRA TEST.....	126	PRENATAL ESSENTIALS.....	36	PREVIDENT 5000 SENSITIVE.....	33
PRECOSE.....	95	PRENATAL FORMULA.....	36	PREVIDENT KIDS.....	33
PRED FORTE.....	259	PRENATAL FORMULA-DHA.....	36	PREVYMIS.....	195
PRED MILD.....	259	PRENATAL GUMMIES.....	39	PREZCOBIX.....	196
PRED-G S.O.P.....	262	PRENATAL GUMMIES(ZINC		PREZISTA.....	196
<i>prednicarbate</i>	72	CHELATE).....	39	PRIFTIN.....	189
<i>prednisoln sp-moxiflox-bromfen</i>	255	PRENATAL MULTI.....	36	PRILO PATCH.....	81
<i>prednisolone</i>	203, 204	PRENATAL MULTI-DHA (ALGAL		PRIOLOSEC.....	379
<i>prednisolone acetate</i>	259	OIL).....	36	<i>primaquine</i>	191
<i>prednisolone acetate (pf)</i>	259	PRENATAL MULTI-DHA(WITH VIT		<i>primidone</i>	352
<i>prednisolone acetate-bromfenac</i> ...	259	K).....	36	PRIMLEV.....	236
<i>prednisolone acetate-nepafenac</i> ...	259	PRENATAL MULTIVITAMINS.....	36	PRIMSOL.....	181
<i>prednisolone sod ph-bromfenac</i>	259	PRENATAL ONE DAILY.....	36	PRISTIQ.....	290
<i>prednisolone sod ph-moxiflox</i>	262	PRENATAL PLUS.....	36	PRO COMFORT INSULIN	
<i>prednisolone sodium phosphate</i>		PRENATAL PLUS (CALCIUM		SYRINGE.....	334
.....	204, 259	CARB).....	36	PRO COMFORT LANCET.....	318
<i>prednisolone-moxiflo-nepafenac</i>	255	PRENATAL PLUS DHA.....	36	PRO COMFORT PEN NEEDLE	274
<i>prednisolone-moxifloxacin hcl</i>	262	PRENATAL PLUS VITAMIN-		PRO COMFORT SAFETY	
<i>prednisolone-moxiflox-bromfen</i>	256	MINERAL.....	36	LANCET.....	318
<i>prednisolon-moxiflox-ketorolac</i>	256	PRENATAL TABLET.....	36	PRO DNA COLLECTION.....	280

PRO VOICE V8-V9 TEST STRIP..	127	<i>propranolol</i>	155	QFITLIA PEN.....	380
PRO VOICE V9 GLUCOSE		<i>propranolol-hydrochlorothiazid</i>	156	QINLOCK.....	219
MONITOR.....	148	<i>propylthiouracil</i>	364	QLOSI.....	253
PROAIR RESPICLICK.....	26	PROSCAR.....	345	QNASL.....	8
<i>probenecid</i>	233	PROSILK GEL.....	84	QTERN.....	101
<i>probenecid-colchicine</i>	233	PROTHELIAL.....	267	QUALAQUIN.....	191
PROCARDIA XL.....	157	PROTONIX.....	379	<i>quazepam</i>	305
PROCENTRA.....	295	<i>protriptyline</i>	289	QUDEXY XR.....	352
<i>prochlorperazine</i>	24	PROVERA.....	44	QUESTRAN.....	172
<i>prochlorperazine maleate</i>	24	PROVIDA OB.....	37	QUESTRAN LIGHT.....	172
PROCORT.....	368	PROVIGIL.....	296	<i>quetiapine</i>	300
PROCRT.....	386	PROVISC.....	264	QUICKVUE SARS ANTIGEN.....	265
PROCTOCORT.....	72, 369	PROVOCHOLINE.....	280	QUIDROXZAR.....	232
PROCTOFOAM HC.....	368	PROXIVOL.....	81	QUIHOXAXIA.....	232
PROCTO-MED HC.....	72	PROZAC.....	292	QUIHOXVAR.....	232
PROCTOSOL HC.....	72	<i>prucalopride</i>	377	QUILLICHEW ER.....	310
PROCTOZONE-HC.....	72	PRUCLAIR.....	83	QUILLIVANT XR.....	310, 311
PROCYSBI.....	342	PRUMYX.....	83	<i>quinapril</i>	162
PRODIGY AUTOCODE METER...	148	PRURADIK.....	59	<i>quinapril-hydrochlorothiazide</i>	165
PRODIGY AUTOCODE MONITOR		PSORINOHEEL.....	279	<i>quinidine gluconate</i>	152
SYST.....	148	PULMICORT.....	31	<i>quinidine sulfate</i>	152
PRODIGY INSULIN SYRINGE.....	334	PULMICORT FLEXHALER.....	31	<i>quinine sulfate</i>	191
PRODIGY LANCETS.....	318	PULMOSAL.....	267	QUINIXIL.....	72
PRODIGY NO CODING.....	127	PULMOZYME.....	283	QUINJA.....	53
PRODIGY POCKET METER.....	148	PURAZIL.....	88	QUINTET AC.....	128, 148
PRODIGY TWIST TOP LANCET..	318	PURE COMFORT LANCETS.....	318	QUINTET BLOOD GLUCOSE	
PRODIGY VOICE GLUCOSE		PURE COMFORT PEN NEEDLE..	275	METER.....	148
METER.....	148	PURE COMFORT SAFETY		QUINTET GLUCOSE TEST	
PROFILNINE.....	392	LANCETS.....	318	STRIPS.....	128
PROFINAC.....	75	PURE COMFORT SAFETY PEN		QUIT 2.....	3
<i>progesterone</i>	44	NEEDLE.....	275	QUIT 4.....	3
<i>progesterone micronized</i>	44	PUREVITA FOLIC ACID.....	32	QULIPTA.....	247
PROGLYCEM.....	134	PURIXAN.....	214	QUTENZA.....	83
PROGRAF.....	233	PUSH BUTTON SAFETY		QUVIVIQ.....	307
PROLASTIN-C.....	5	LANCETS.....	318	QVAR REDHALER.....	31
PROLATE.....	236	PYLERA.....	376	<i>rabeprazole</i>	379
PROLENSA.....	259	<i>pyrazinamide</i>	188	RADIAGEL.....	282
PROMACTA.....	381	PYRIDIUM.....	343	RADIAPLEXRX.....	84
<i>promethazine</i>	7, 24	<i>pyridostigmine bromide</i>	313, 314	RADICAVA ORS.....	221
<i>promethazine-codeine</i>	341	<i>pyridoxine (vitamin b6)</i>	38	RADICAVA ORS STARTER KIT	
<i>promethazine-dm</i>	342	<i>pyrimethamine</i>	191	SUSP.....	221
<i>promethazine-phenylephrine</i>	342	PYRUKYND.....	380	RADIOGARDASE.....	278
PROMETHEGAN.....	24	QBRELIS.....	162	RAGWITEK.....	9
PROMETRIUM.....	44	QBREXZA.....	3	RALDESY.....	288
PROMISEB.....	77	Q-CARE RX Q2.....	393	<i>raloxifene</i>	361
PRONAL.....	85	Q-CARE RX Q4.....	393	<i>ramelteon</i>	304
PROOXIA.....	94	QDOLO.....	242	<i>ramipril</i>	162
<i>propafenone</i>	152	QELBREE.....	312	<i>ranolazine</i>	151
<i>proparacaine</i>	260	QFITLIA.....	380	RAPAFLO.....	345

RAPIDGO FLU AND COVID-19 TEST.....	265	REMODULIN.....	159	RILUTEK.....	221
<i>rasagiline</i>	176	REMYDA.....	51	<i>riluzole</i>	221
RASUVO (PF).....	200, 201	RENACIDIN.....	345	<i>rimantadine</i>	195
RAVICTI.....	370	RENEEL.....	279	<i>ringer's</i>	83
RAYALDEE.....	358	RENOVAR.....	77	RINVOQ.....	207
RAYASAL.....	85	RENTHYROID.....	363	RINVOQ LQ.....	207
RAYOS.....	204	REVELA.....	285	RIOMET.....	99
READI-CAT 2.....	270	<i>repaglinide</i>	99	<i>risedronate</i>	361, 362
REBIF (WITH ALBUMIN).....	226	REPATHA PUSHTRONEX.....	166	RISPERDAL.....	300, 301
REBIF REBIDOSE.....	226	REPATHA SURECLICK.....	167	RISPERDAL CONSTA.....	300
REBIF TITRATION PACK.....	226	REPATHA SYRINGE.....	167	<i>risperidone</i>	301
REBINYN.....	392	RESPA-AR.....	341	<i>risperidone microspheres</i>	301
REBYOTA.....	177	RESTASIS.....	263	RITALIN.....	311
RECEDO.....	84	RESTASIS MULTIDOSE.....	263	RITALIN LA.....	311
RECLIPSEN (28).....	19	RESTIMO.....	51	<i>ritonavir</i>	193
RECOMBINATE.....	385	RESTORIL.....	306	<i>rivaroxaban</i>	391
RECORLEV.....	357	RETACRIT.....	386	<i>rivastigmine</i>	314
RECOTHROM.....	387	RETEVMO.....	219	<i>rivastigmine tartrate</i>	314
RECOTHROM SPRAY KIT.....	387	RETIN-A.....	52	RIVELSA.....	19
RECTIV.....	368	RETIN-A MICRO.....	52	RIVFLOZA.....	342, 343
REFUAH PLUS.....	128	RETIN-A MICRO PUMP.....	52	RIXUBIS.....	392
REFUAH PLUS GLUCOSE MONITOR.....	148	RETROVIR.....	194	<i>rizatriptan</i>	247, 248
REGENECARE.....	81	REVATIO.....	165	ROAOXIA.....	75
REGENECARE WITH ALOE.....	81	REVCovi.....	282	ROBINUL.....	377
REGLAN.....	377	REVEAL BLOOD GLUCOSE METER.....	148	ROBINUL FORTE.....	377
REGRANEX.....	141	REVEAL TEST STRIP.....	129	ROCALTROL.....	38
RELAFEN DS.....	211	REVLIMID.....	213	ROCKLATAN.....	253
RELAGARD.....	394	REVUFORJ.....	219	<i>roflumilast</i>	31
RELENZA DISKHALER.....	195	REXTOVY.....	296	ROLVEDON.....	383
RELEUKO.....	383	REXULTI.....	303	ROMVIMZA.....	219
RELEXxII.....	311	REYATAZ.....	193	<i>ropinirole</i>	176
RELIAMED LANCET.....	318	REYVOW.....	247	<i>ropivacaine (pf)-nacl,iso-osm</i>	10
RELIAMED SAFETY SEAL LANCETS.....	318	REZDIFFRA.....	3	<i>ropivacaine (pf)-0.9 % sodchlor</i>	10
RELION ALL-IN-ONE METER.....	148	REZLIDHIA.....	216	ROSDAN.....	51
RELION CONFIRM.....	148	REZUROCK.....	231	ROSITARA.....	51
RELION CONFIRM-MICRO.....	128	REZVOGLAR KWIKPEN.....	140	ROSULA.....	60
RELION MICRO GLUCOSE MONITOR.....	148	RHOFADE.....	51	ROSULA CLEANSING CLOTHS.....	60
RELION PRIME METER.....	148	RHOPRESSA.....	253	<i>rosuvastatin</i>	169
RELION PRIME TEST STRIPS.....	129	<i>ribavirin</i>	192, 195	ROSYRAH.....	19
RELION ULTIMA.....	129	RIDAURA.....	202	ROSZET.....	170
RELISTOR.....	369	<i>rifabutin</i>	188	ROTARIX.....	229
RELPAx.....	247	<i>rifampin</i>	189	ROTATEQ VACCINE.....	229
RELTONE.....	373	RIGHTEST GL300 LANCETS.....	318	ROVIS.....	51
REMERON.....	288	RIGHTEST GM550 SYSTEM.....	148	ROWASA.....	367
REMERON SOLTAB.....	288	RIGHTEST GS550 TEST STRIPS.....	129	ROWEEPRA.....	352
		RIGHTEST GT333 GLUCOSE METER.....	148	ROWEEPRA XR.....	352
		RIGHTEST GT333 TEST STRIP.....	130	ROXICODONE.....	242
				ROXYBOND.....	242
				ROZEREM.....	304

ROZLYTREK.....	219	SAVELLA.....	222	SILIQ.....	89
RUBRACA.....	219	<i>saxagliptin</i>	96	<i>silodosin</i>	345
RUCONEST.....	207	<i>saxagliptin-metformin</i>	96	SILVADENE.....	60
<i>rufinamide</i>	352, 353	SCALACORT.....	72	<i>silver nitrate</i>	54, 86
RUKOBIA.....	192	SCALACORT DK.....	72	<i>silver nitrate applicators</i>	86
RUMILO.....	49	SCARCARE.....	84	<i>silver sulfadiazine</i>	60
RYALTRIS.....	5	SCARSILK GEL.....	84	SILVRSTAT.....	54
RYBELSUS.....	97	SCARTRATE.....	84	SIMBRINZA.....	253
RYDAPT.....	219	SCEMBLIX.....	219	SIMILAC PRENATAL.....	37
RYKINDO.....	301	SCLEROSOL INTRAPLEURAL.....	213	SIMLANDI(CF).....	206
RYLAZE.....	216	<i>scopolamine base</i>	25	SIMLANDI(CF) AUTOINJECTOR.....	206
RYNODERM.....	85	SEBUDERM.....	83	SIMLIYA (28).....	19
RYPLAZIM.....	393	SECUADO.....	301	SIMPESSE.....	19
RYTARY.....	176	SECURESAFE INSULIN		SIMPLERA SENSOR.....	149
SABAL-HOMACCORD.....	279	SYRINGE.....	334	SIMPLERA SYNC SENSOR.....	149
SABRIL.....	353	SECURESAFE PEN NEEDLE.....	275	SIMPLI PEN NEEDLE.....	275
<i>sacubitril-valsartan</i>	152	SEGLENTIS.....	237	SIMPONI.....	206
SAFESNAP INSULIN SYRINGE.....	334	SEGLUROMET.....	135	<i>simvastatin</i>	169
SAFESNAP SYRINGE.....	334	<i>selegiline hcl</i>	176	SINEMET.....	176
SAFETY LANCETS.....	318	<i>selenium sulfide</i>	77	SINGLE-LET.....	318
SAFETY PEN NEEDLE.....	275	SELZENTRY.....	195, 196	SINGULAIR.....	27
SAFETY SEAL LANCETS.....	318	SEMGLEE(INSULIN GLARGINE- YFGN).....	140	<i>sirolimus</i>	233
SAFETY-LET LANCETS.....	318	SEMGLEE(INSULIN GLARG- YFGN)PEN.....	140	SIRTURO.....	189
SAFRYCYN.....	84	SE-NATAL 19.....	37	SIRVANA.....	49
SAFYRAL.....	19	SE-NATAL 19 CHEWABLE.....	37	<i>sitagliptin</i>	96
SAIZEN SAIZENPREP.....	360	SENSIPAR.....	358, 359	SITZMARKS.....	271
SAJAZIR.....	200	SEPHIENCE.....	4	SITZMARKS FOR KIDS.....	271
SALAGEN (PILOCARPINE).....	5	SEREVENT DISKUS.....	26	SIVEXTRO.....	179
SALICATE.....	85	SERNIVO.....	72	SKY SAFETY PEN NEEDLE.....	275
<i>salicylic acid</i>	85	SEROQUEL.....	301	SKYCLARYS.....	221
<i>salicylic acid-ceramides no. 1</i>	85	SEROQUEL XR.....	301	SKYLA.....	23
SALIMEZ.....	85	SEROSTIM.....	360	SKYRIZI.....	87, 89
SALIMEZ FORTE.....	85	<i>sertraline</i>	292	SKYTROFA.....	360
SALIVAMAX.....	268	SETLAKIN.....	19	SLYND.....	19
<i>salsalate</i>	245	<i>sevelamer carbonate</i>	285	SMART SENSE LANCETS.....	318
SALVAX.....	86	<i>sevelamer hcl</i>	285	SMART SENSE MONITORING SYSTEM.....	149
SALVAX DUO PLUS.....	85	SEVENFACT.....	385	SMART SENSE TEST STRIPS.....	130
SALYCIM.....	86	<i>sevoflurane</i>	268	SMARTEST EJECT.....	149
SALYNTRA.....	86	SEYSARA.....	186	SMARTEST LANCET.....	318
SAMSCA.....	285	SF.....	33	SMARTEST PERSONA GLUCOSE METER.....	149
SANADERMRX.....	72	SF 5000 PLUS.....	33	SMARTEST PERSONA STARTER	149
SANCUSO.....	25	SFROWASA.....	367	SMARTEST PRONTO GLUCOSE METER.....	149
SANDIMMUNE.....	233	SHAROBEL.....	19	SMARTEST PRONTO STARTER.....	149
SANDOSTATIN.....	268	SIGNIFOR.....	268	SMARTEST PROTEGE.....	149
SANTYL.....	86	SIKLOS.....	381		
SAPHRIS.....	301	<i>sildenafil (pulm.hypertension)</i>	165		
<i>sapropterin</i>	4	SILENOR.....	307		
SAROXIA.....	49				
SAVAYSA.....	391				

SMARTEST SMART CODE	SOTYLIZE	155	STRIVERDI RESPIMAT	26
METER.....149	SOVALDI.....198		STROMEKTOL.....190	
SMARTEST TALKING METER.....149	SOVUNA.....191		STRONG IODINE.....54, 362	
SMARTEST TEST.....130	SPECTRACEF.....178		STUART ONE.....37	
SOAANZ.....163	SPEEDYSWAB COVID-19 AND		SUBOXONE.....234	
sodium chlor 0.9% bacteriostat.....286	FLU.....266		SUBVENITE.....353	
sodium chloride.....83, 267, 286	SPEVIGO.....89		SUBVENITE STARTER (BLUE)	
sodium chloride 0.45 %.....286	SPIKEVAX 2024-2025(12Y		KIT.....353	
sodium chloride 0.9 %.....286	UP)(PF).....228		SUBVENITE STARTER (GREEN)	
sodium chloride 0.9 % (flush).....286	SPIKEVAX 2025-2026(12Y		KIT.....353	
sodium citrate.....382	UP)(PF).....228		SUBVENITE STARTER	
sodium citrate in 0.9 % nacl.....382	SPIKEVAX 2025-26 (6M-11Y) (PF)		(ORANGE) KIT.....353	
sodium citrate-citric acid.....345	228		SUCRAID.....373	
SODIUM FLUORIDE 5000 DRY	spinosad.....59		sucralfate.....380	
MOUTH.....33	SPIRIVA RESPIMAT.....27		SUFLAVE.....372	
SODIUM FLUORIDE 5000 PLUS.....33	SPIRIVA WITH HANDIHALER.....27		SULAR.....157	
sodium fluoride-pot nitrate.....33	spironolactone.....164		sulconazole.....58	
sodium iodide-123.....213	spironolacton-hydrochlorothiaz.....164		sulfacetamide sodium.....77, 264	
sodium oxybate.....297	SPORANOX.....187		sulfacetamide sodium (acne).....49	
sodium phenylbutyrate.....370	SPRAVATO.....287		sulfacetamide sodium-sulfur.....60, 61	
sodium polystyrene sulfonate.....285	SPRAY AND STRETCH.....81		sulfacetamide sod-sulfur-urea.....61	
sodium,potassium,mag sulfates.....372	SPRINTEC (28).....19		sulfacetamide-prednisolone.....264	
SOFDRA.....3	SPRITAM.....353		SULFACLEANSE 8-4.....61	
SOFIA SARS ANTIGEN FIA.....265	SPRIX.....201		sulfadiazine.....182	
SOFIA2 FLU-SARS ANTIGEN FIA.....266	SPRYCEL.....219		sulfamethoxazole-trimethoprim.....182	
SOGROYA.....360	SPS (WITH SORBITOL).....285		SULFAMYLON.....61	
SOHONOS.....364	SRONYX.....19		sulfasalazine.....367	
solifenacin.....344	SSD.....60		SULFATRIM.....182	
SOLQUA 100/33.....99	SSKI.....362		sulindac.....211	
SOLOSEC.....190	SSS 10-5.....60		SUMADAN.....61	
SOLOX GEL.....54	ST JOSEPH ASPIRIN.....390		SUMADAN XLT.....61	
SOLTAMOX.....220	ST. JOSEPH ASPIRIN.....390		sumatriptan.....248	
SOLU-CORTEF ACT-O-VIAL (PF).....204	stavudine.....194		sumatriptan succinate.....248	
SOLUPAK.....81	STEGLATRO.....101		sumatriptan-naproxen.....248	
SOLUS V2 AUDIBLE METER.....149	STEGLUJAN.....101		SUMAXIN.....61	
SOLUS V2 LANCETS.....318	STELARA.....205		SUMAXIN CP.....61	
SOLUS V2 TEST STRIPS.....130	STEQUEYMA.....205		sunitinib malate.....219	
SOMA.....366	STERILANCE TL.....318		SUNLENCA.....192	
SOMAVERT.....358	sterile talc.....213		SUNOSI.....296	
SONAFINE.....83	STERITALC.....213		SUPARTZ FX.....200	
SOOLANTRA.....51	STIMUFEND.....383		SUPER THIN LANCETS.....318	
sorafenib.....219	STIOLTO RESPIMAT.....28		SUPRANE.....268	
sorbitol.....83	STIVARGA.....219		SUPRAX.....178	
sorbitol-mannitol.....83	STOP SMOKING AID.....3		SUPREP BOWEL PREP KIT.....372	
SORILUX.....88	STRATAMARK.....84		SURE COMFORT INS. SYR. U-	
SORIXIA.....49	STRATATRIZ.....84		100.....334	
sotalol.....155	STRATTERA.....312		SURE COMFORT INSULIN	
SOTALOL AF.....155	STRENSIQ.....282		SYRINGE.....335	
SOTYKTU.....89	STRIBILD.....198		SURE COMFORT LANCETS 318, 319	

SURE COMFORT PEN NEEDLE ..275	SYRINGE 3CC/21GX1" 335	TANDEM T:SLIM ASFT 30 PK10
SURE COMFORT SAFETY PEN	SYRINGE 3CC/21GX1-1/2" 336	23" 149
NEEDLE 275	SYRINGE 3CC/22GX1" 336	TANDEM T:SLIM ASFT 30 PK14
SURE RESULT DSS PREMIUM	SYRINGE 3CC/22GX3/4" 336	23" 149
PACK 75	SYRINGE 3CC/25GX1" 336	TANDEM T:SLIM ASFT XC PK10
SURE-FINE PEN NEEDLES 275	SYRINGE AVITENE 387	23" 149
SURE-JECT INSULIN SYRINGE .. 335	<i>syringe cap, enfit, non-sterile</i> 336	TANDEM T:SLIM ASFT XC PK14
SURE-LANCE 319	<i>syringe with needle</i> 336	23" 149
SURE-LANCE ULTRA THIN 319	SYRINGE WITHOUT NEEDLE 336	TANDEM T:SLIM TRUSTL PK10
SURE-TEST EASYPLUS MINI 131	<i>syringe, enfit, non-sterile</i> 336	23" 149
SURE-TEST EASYPLUS MINI	<i>syringe, enfit, sterile</i> 336	TANLOR 366
METER 149	SYZYGIUM COMPOSITUM 279	TAPERDEX 204
SURE-TOUCH LANCET 319	T.R.U.E. TEST ALLERGEN 266	TARCEVA 220
SURGIFOAM 387	TABLOID 214	TARDEOXIA 49
SURGUARD2 SAFETY 335	TABRECTA 219	TARDIMAXIA 49
SURVANTA 283	TACLONEX 91	TARGADOX 186
SUTAB 372	<i>tacrolimus</i> 90, 233	TARGRETIN 78, 213
SUTENT 219	<i>tadalafil</i> 357	TARINA 24 FE 19
SYEDA 19	<i>tadalafil (pulm. hypertension)</i> 165	TARINA FE 1/20 (28) 20
SYMAX DUOTAB 375	TADLIQ 165	TARINA FE 1-20 EQ (28) 20
SYMAX FASTABS 375	TAFINLAR 214	TARON-PREX PRENATAL-DHA 39
SYMAX-SL 375	<i>tafluprost (pf)</i> 253	TAROXIA 49
SYMAX-SR 375	TAGITOL V 271	TARPEYO 204
SYMBICORT 29	TAGRISSO 219	TASCENSO ODT 226
SYMBRAVO 248	TAKE ACTION 19	TASIGNA 220
SYMDEKO 282	TAKHZYRO 207	<i>tasimelteon</i> 304
SYMFI 198	TALICIA 376	TASMAR 176
SYMFI LO 198	TALTZ AUTOINJECTOR 89	<i>tavaborole</i> 59
SYMLINPEN 120 94	TALTZ AUTOINJECTOR (2 PACK) .89	TAVALISSE 391
SYMLINPEN 60 95	TALTZ AUTOINJECTOR (3 PACK) .89	TAVNEOS 389
SYMPAZAN 356	TALTZ SYRINGE 89	TAYTULLA 20
SYMPROIC 369	TALZENNA 220	<i>tazarotene</i> 53, 88
SYMTUZA 193	TAMIFLU 195	TAZORAC 88
SYNALAR 72, 73	<i>tamoxifen</i> 220	TAZVERIK 211
SYNALAR CREAM KIT 72	<i>tamsulosin</i> 345	TECFIDERA 226
SYNALAR OINTMENT KIT 72	TANDEM MOBI AUTOSOFT 30 KT	TECHLITE INSULIN SYRINGE 336
SYNALAR TS 73	23" 149	TECHLITE INSULN SYR(HALF
SYNAREL 362	TANDEM MOBI AUTOSOFT XC	UNIT) 336
SYNDROS 23	KIT 5" 149	TECHLITE LANCETS 319
SYNJARDY 135	TANDEM MOBI AUTOSOFT XC	TECHLITE PEN NEEDLE 275
SYNJARDY XR 135	KT 23" 149	TECHLITE PLUS PEN NEEDLE .. 275
SYNOJOYNT 200	TANDEM MOBI AUTOSOFT30	TEGLUTIK 221
SYNTERMA PLUS 81	14PK 23 149	TEGRETOL 353
SYNTHROID 364	TANDEM MOBI AUTOSOFTXC	TEGRETOL XR 353
SYNVISC 200	14PK 23 149	TEKTURN 164
SYNVISC-ONE 200	TANDEM MOBI AUTOSOFTXC	TELCARE LANCETS 319
SYPRINE 278	14PK 5" 149	TELCARE TEST STRIPS 131
<i>syringe (disposable)</i> 335	TANDEM MOBI TRUSTEEL KIT	TELIORA 73
SYRINGE 3CC/20GX1" 335	23" 149	<i>telmisartan</i> 161

<i>telmisartan-amlodipine</i>	159	THERANATAL COMPLETE	37	TOBI PODHALER	189
<i>telmisartan-hydrochlorothiazid</i>	158	THERANATAL ONE	37	TOBRADEX	262
<i>temazepam</i>	306	THERANATAL OVAVITE	39	TOBRADEX ST	263
TEMBEXA	195	THERANATAL PLUS	37	<i>tobramycin</i>	189, 261
<i>temozolomide</i>	212	<i>thiamine hcl (vitamin b1)</i>	38	<i>tobramycin in 0.225 % nacl</i>	189
TEMPO REFILL KIT WITH GAUZE	319	THIN LANCETS	319	<i>tobramycin with nebulizer</i>	189
TEMPO SMART BUTTON	149	THINPRO INSULIN SYRINGE	337	<i>tobramycin-dexamethasone</i>	263
TEMPO WELCOME KIT	150	THIOLA	344	<i>tobramycin-vancomycin</i>	261
TENCON	245	THIOLA EC	344	TOBREX	261
<i>tenofovir disoproxil fumarate</i>	196	<i>thioridazine</i>	304	TOLAK	78
TENORETIC 100	156	<i>thiothixene</i>	298	<i>tolcapone</i>	176
TENORETIC 50	156	THRIVITE RX	37	<i>tolmetin</i>	211
TENORMIN	155	THROMBI-GEL	387	TOLSURA	187
TENSCARE ITOUCH SURE	341	THROMBIN-JMI	387	<i>tolterodine</i>	343
TEPMETKO	220	THROMBI-PAD	387	<i>tolvaptan</i>	285
<i>terazosin</i>	154	THYQUIDITY	364	<i>tolvaptan (polycys kidney dis)</i>	284, 285, 343
<i>terbinafine hcl</i>	187	<i>thyroid (pork)</i>	364	TOOMEY SYRINGE	337
<i>terbutaline</i>	25	TIADYLT ER	157	TOPAMAX	354
<i>terconazole</i>	394	<i>tiagabine</i>	353, 354	TOPCARE CLICKFINE	275
<i>teriflunomide</i>	226	TIAZAC	157	TOPCARE ULTRA COMFORT	337
<i>teriparatide</i>	359	TIBSOVO	216	TOPCARE UNIVERSAL1 LANCET	319
TERRELL	268	<i>ticagrelor</i>	390	TOPICORT	73
TERSI FOAM	77	TICANASE	8	<i>topiramate</i>	354, 355
TERUMO ALLERGY SYRINGE	336	TIGLUTIK	221	TOPROL XL	155
TERUMO HYPODERMIC NEEDLE/SYRIN	337	TIKOSYN	152	<i>toremifene</i>	221
TERUMO INSULIN SYRINGE	337	TILIA FE	20	TORPENZ	215
TERUMO SYRINGE	337	<i>timol-brimon-dorzol-bimato(pf)</i>	253	<i>torseamide</i>	163
TEST N'GO BLOOD GLUCOSE SYSTEM	150	<i>timolol</i>	254	TOSYMRA	248
TEST N'GO TEST	131	<i>timolol maleate</i>	155, 253, 254	TOTALVISC	264
TESTIM	40	<i>timolol maleate (pf)</i>	253	TOUJEO MAX U-300 SOLOSTAR 140	
<i>testosterone</i>	40, 41	<i>timolol-bimatoprost</i>	254	TOUJEO SOLOSTAR U-300 INSULIN	140
<i>testosterone cypionate</i>	40	<i>timolol-brimon-dorzol-bimatop</i>	254	TOVET EMOLLIENT	73
<i>testosterone enanthate</i>	40	<i>timolol-brimonidi-dorzolam(pf)</i>	254	TOVET KIT	73
TETOXIA	73	<i>timolol-brimonidine-dorzolamid</i>	254	TOVIAZ	343
<i>tetrabenazine</i>	227	<i>timolol-dorzolam-bimatopro(pf)</i>	254	TOXICOLOGY SALIVA COLLECTION	280
<i>tetracaine hcl</i>	260	<i>timolol-dorzolamide-bimatopros</i>	254	TPOXX (NATIONAL STOCKPILE) 195	
<i>tetracaine hcl (pf)</i>	260	<i>timolol-dorzolamide-bimatopros</i>	254	TRACLEER	163
<i>tetracycline</i>	186	TIMOPTIC OCUDOSE (PF)	254	TRADJENTA	97
TEXACORT	73	<i>tinidazole</i>	190	<i>tramadol</i>	242, 243
TEZRULY	154	<i>tiopronin</i>	344	<i>tramadol-acetaminophen</i>	236
TEZSPIRE	25	<i>tiotropium bromide</i>	27	<i>trandolapril</i>	162
THALITONE	166	TIROSINT	364	<i>trandolapril-verapamil</i>	165
THALOMID	189	TIROSINT-SOL	364	<i>tranexamic acid</i>	381
THEO-24	31	TISSEEL VHSD (APROTININ, SYN)	266	TRANSDERM-SCOP	25
<i>theophylline</i>	31	TIVICAY	197	<i>tranylcypromine</i>	292
THERANATAL	37	TIVICAY PD	198		
		<i>tizanidine</i>	366		
		TLANDO	41		
		TOBI	188		

TRANZAREL.....	81	TRILURON.....	200	TRUERESULT BLOOD GLUCOSE	
TRAVATAN Z.....	254	<i>trimethobenzamide</i>	25	SYSTEM.....	150
<i>travoprost</i>	254	<i>trimethoprim</i>	181	TRUETEST TEST STRIPS.....	132
<i>trazodone</i>	288	TRI-MILI.....	20	TRUETRACK BLOOD GLUCOSE	
TRECTOR.....	188	<i>trimipramine</i>	289	SYSTEM.....	150
TRELEGY ELLIPTA.....	28	TRIMO-SAN JELLY.....	394	TRUETRACK SMART SYSTEM...	150
TREMFYA.....	87	TRINATAL RX 1.....	37	TRUETRACK TEST.....	132
TREMFYA ONE-PRESS.....	87	TRINATE.....	37	TRULANCE.....	366
TREMFYA PEN.....	87	TRINTELLIX.....	292	TRULICITY.....	97
TREMFYA PEN INDUCTION PK-		TRIONEX.....	88	TRUMENBA.....	229
CROHN.....	87	TRI-SPRINTEC (28).....	20	TRUQAP.....	220
<i>treprostinil sodium</i>	160	TRIUMEQ.....	199	TRUSTEX LATEX CONDOM.....	269
TRESIBA FLEXTOUCH U-100.....	141	TRIUMEQ PD.....	199	TRUSTEX LUBRICATED	
TRESIBA FLEXTOUCH U-200.....	141	TRIVISC.....	200	CONDOMS.....	269
TRESIBA U-100 INSULIN.....	141	TRIVORA (28).....	20	TRUSTEX NON-LUB CONDOMS.	269
TRESNI.....	211	TRI-VYLIBRA.....	20	TRUSTEX-RIA LUB/SPERMICIDE	269
<i>tretinoin</i>	52	TRI-VYLIBRA LO.....	20	TRUSTEX-RIA LUBRICATED	
<i>tretinoin (antineoplastic)</i>	216	TROJAN ULTRA RIBBED		CONDOMS.....	269
<i>tretinoin microspheres</i>	52	CONDOM.....	269	TRUSTEX-RIA NON-LUB	
TRETEN.....	392	TROKENDI XR.....	355	CONDOMS.....	270
TREXALL.....	214	<i>tropicamide</i>	251	TRUVADA.....	197
<i>triamcinolone acetonide</i> ...73, 204, 393		<i>trospium</i>	343	TRYNGOLZA.....	166
<i>triamterene</i>	164	TRUDHESA.....	248	TRYPTIR.....	266
<i>triamterene-hydrochlorothiazid</i>	164	TRUE COMFORT INSULIN		TRYVIO.....	153
TRIANEX.....	73	SYRINGE.....	337	TUBERCULIN SYRINGE.....	338
TRIASIL.....	73	TRUE COMFORT LANCET.....	319	<i>tuberculin-allergy syringes</i>	338
<i>triazolam</i>	306	TRUE COMFORT PEN NEEDLE..	275	TUDORZA PRESSAIR.....	27
TRIBENZOR.....	159	TRUE COMFORT PRO INS		TUKYSA.....	220
TRICARE.....	37	SYRINGE.....	337, 338	TULANA.....	20
TRI-CHLOR.....	280	TRUE COMFORT SAFE INSULIN		TURALIO.....	220
<i>trichloroacetic acid</i>	280	SYRG.....	338	TURQOZ (28).....	20
TRICOR.....	171	TRUE COMFORT SAFETY PEN		TUXARIN ER.....	341
TRIDERM.....	74	NEEDLE.....	275, 276	TWIIST REFILL KT(CSST-NDL-	
<i>trientine</i>	278	TRUE COVER CONDOM.....	269	SYR).....	150
TRI-ESTARYLLA.....	20	TRUE METRIX AIR GLUCOSE		TWIIST RFL(INFUS-CSST-NDL-	
TRIFERIC.....	39	METER.....	150	SYR).....	150
<i>trifluoperazine</i>	304	TRUE METRIX GLUCOSE METER		TWIIST STARTER KIT.....	150
<i>trifluridine</i>	262		150	TWIRLA.....	21
<i>trihexyphenidyl</i>	173	TRUE METRIX GLUCOSE TEST		TWIST LANCETS.....	319
TRIJARDY XR.....	94	STRIP.....	131	TWYNEO.....	49
TRIKAFTA.....	282	TRUE METRIX GO GLUCOSE		TYBLUME.....	20
TRI-LEGEST FE.....	20	METER.....	150	TYBOST.....	199
TRILEPTAL.....	355	TRUE2GO BLOOD GLUCOSE		TYDEMY.....	20
TRI-LINYAH.....	20	SYSTEM.....	150	TYENNE.....	208
TRI-LO-ESTARYLLA.....	20	TRUEPLUS INSULIN.....	338	TYENNE AUTOINJECTOR.....	208
TRI-LO-MARZIA.....	20	TRUEPLUS KETONE.....	280	TYKERB.....	220
TRI-LO-MILI.....	20	TRUEPLUS LANCETS.....	319	TYMLOS.....	357
TRI-LO-SPRINTEC.....	20	TRUEPLUS PEN NEEDLE.....	276	TYRVAYA.....	256
TRI-LUMA.....	94			TYVASO.....	160

TYVASO DPI.....	160	ULTRA TLC LANCETS.....	319	UNISTIK EXTRA LANCETS.....	320
TYVASO INSTITUTIONAL START KIT.....	160	ULTRACARE INSULIN SYRINGE.....	340	UNISTIK NORMAL LANCETS.....	320
TYVASO REFILL KIT.....	160	ULTRA-CARE LANCETS.....	319	UNISTIK PRO LANCET.....	320
TYVASO STARTER KIT.....	160	ULTRACARE PEN NEEDLE.....	276	UNISTIK SAFETY.....	320
UBRELVY.....	248	ULTRA-FINE INS SYR (HALF UNIT).....	340	UNISTIK TOUCH LANCETS.....	320
UCERIS.....	204, 368	ULTRA-FINE INSULIN SYRINGE.....	340	UNISTRIPI1 TEST STRIP.....	133
UDENYCA.....	383	ULTRA-FINE PEN NEEDLE.....	276	UNITHROID.....	364
UDENYCA AUTOINJECTOR.....	383	ULTRAFOAM.....	387	UNIVERSAL 1 LANCETS.....	320
UDENYCA ONBODY.....	383	ULTRALANCE LANCETS.....	319	UNZDOMDIOXIAZAR.....	50
ULESFA.....	59	ULTRASAL-ER.....	86	UPNEEQ (PF).....	264
ULORIC.....	234	ULTRA-THIN II (SHORT) INS SYR NDL.....	340	UPTRAVI.....	160
ULTANE.....	268	ULTRA-THIN II (SHORT) PEN NEEDLES.....	276	URAMAXIN.....	86
ULTICARE.....	339	ULTRA-THIN II INS PEN NEEDLES.....	276	URAMAXIN GT.....	86
ULTICARE INSULIN SYRINGE.....	338	ULTRA-THIN II INSULIN SYRINGE.....	340	<i>urea</i>	86, 91
ULTICARE INSULN SYR(HALF UNIT).....	338	ULTRA-THIN II LANCETS.....	319	UREA NAIL STICK.....	86
ULTICARE LOW DEAD SPACE SYRING.....	338	ULTRATRAK.....	132	URELLE.....	181
ULTICARE PEN NEEDLE.....	276	ULTRATRAK GLUCOSE METER.....	150	URETRON D-S.....	181
ULTICARE SAFETY PEN NEEDLE	276	ULTRATRAK ULTIMATE.....	133, 150	URIBEL TABS.....	181
ULTICARE SAFETY SYRINGE.....	338	ULTRAVATE.....	74	URIMAR-T.....	181
ULTICARE TB SAFETY SYRINGE.....	339	UNIFINE OTC PEN NEEDLE.....	276	URNEVA.....	181
ULTIGUARD SAFEPACK-INSULIN SYR.....	339	UNIFINE PENTIPS.....	277	UROCIT-K 10.....	345
ULTIGUARD SAFEPACK-PEN NEEDLE.....	276	UNIFINE PENTIPS MAXFLOW.....	276	UROCIT-K 15.....	345
ULILET BASIC LANCETS.....	319	UNIFINE PENTIPS PLUS.....	277	UROGESIC-BLUE.....	181
ULILET CLASSIC LANCETS.....	319	UNIFINE PENTIPS PLUS MAXFLOW.....	277	URO-MP.....	181
ULILET INSULIN SYRINGE.....	339	UNIFINE PROTECT.....	277	UROQID-ACID NO.2.....	345
ULILET LANCETS.....	319	UNIFINE SAFECONTROL PEN NEEDLE.....	277	URO-SP.....	181
ULILET PEN NEEDLE.....	276	UNIFINE ULTRA PEN NEEDLE.....	277	UROXATRAL.....	345
ULILET SAFETY LANCETS.....	319	UNILET COMFORTOUCH LANCET.....	319	URSO FORTE.....	373
ULTIMA MONITOR.....	150	UNILET GP LANCET.....	319	<i>ursodiol</i>	373
ULTIMA TEST STRIPS.....	132	UNILET LANCET.....	319	URL.....	181
ULTRA CMFT INS SYR (HALF UNIT).....	339	UNILET LANCETS.....	319	UZEDY.....	301, 302
ULTRA COMFORT INSULIN SYRINGE.....	339	UNILET SUPER THIN LANCETS.....	320	VAFSEO.....	380
ULTRA FLO INSUL SYR(HALF UNIT).....	339	UNISTIK 2 DEVICE.....	150	VAGIFEM.....	395
ULTRA FLO INSULIN SYRINGE.....	340	UNISTIK 2 EXTRA LANCET.....	150	VAGINAL CONTRACEPTIVE FILM.....	22
ULTRA FLO PEN NEEDLE.....	276	UNISTIK 2 NORMAL LANCET.....	150	<i>valacyclovir</i>	195
ULTRA PRENATAL PLUS DHA.....	37	UNISTIK 3 COMFORT LANCET.....	341	VALCHLOR.....	78
ULTRA THIN II LANCETS.....	319	UNISTIK 3 EXTRA LANCET.....	320	VALCYTE.....	195
ULTRA THIN LANCETS.....	319	UNISTIK 3 GENTLE.....	320	<i>valganciclovir</i>	195
ULTRA THIN PEN NEEDLE.....	276	UNISTIK 3 NORMAL LANCET.....	320	VALIUM.....	297
ULTRA THIN PLUS LANCETS.....	319	UNISTIK COMFORT LANCETS.....	320	<i>valproic acid</i>	355
		UNISTIK CZT LANCET.....	320	<i>valproic acid (as sodium salt)</i>	355
				<i>valsartan</i>	161
				<i>valsartan-hydrochlorothiazide</i>	158
				VALTOCO.....	357
				VALTREX.....	195
				VALTYA.....	20
				VANADOM.....	366
				VANCOCIN.....	189
				<i>vancomycin</i>	189, 190

VANDAZOLE.....	394	VEREGEN.....	55	VIVAGUARD INO GLUCOSE	
VANFLYTA.....	220	VERIFINE INSULIN SYRINGE.....	341	METER.....	150
VANISHPOINT INSULIN		VERIFINE PEN NEEDLE.....	277	VIVAGUARD INO SMART GLUC	
SYRINGE.....	340	VERIFINE PLUS PEN NEEDLE ...	277	METER.....	150
VANISHPOINT SYRINGE.....	340, 341	VERIFINE PLUS PEN NEEDLE-		VIVAGUARD INO TEST STRIP....	133
VANISHPOINT TUBERCULIN		SHARP.....	277	VIVAGUARD LANCET.....	320
SYRINGE.....	341	VERIFINE SAFETY LANCET MINI	320	VIVAGUARD SAFETY LANCET...	320
VANOS.....	74	VERIFINE UNIVERSAL LANCET ..	320	VIVELLE-DOT.....	44
VANOXIDE-HC.....	51	VERIPRED 20.....	205	VIVJOA.....	188
VANRAFIA.....	153	VERKAZIA.....	263	VIVOTIF.....	229
VARDIMAXIA.....	50	VERQUVO.....	150	VIZIMPRO.....	220
<i>varenicline tartrate</i>	3	VERSACLOZ.....	302	VIZZ.....	254
VARIBAR HONEY.....	271	VERTIGOHEEL.....	279	VOGELXO.....	41
VARIBAR NECTAR.....	271	VERZENIO.....	220	VOLNEA (28).....	21
VARIBAR PUDDING.....	271	VESICARE.....	344	VONJO.....	220
VARIBAR THIN HONEY.....	271	VESICARE LS.....	344	VONVENDI.....	385
VARIBAR THIN LIQUID.....	271	VESTURA (28).....	21	VOQUEZNA.....	376
VAROPHEN (DICLOFENAC).....	75	VEVEN.....	90	VOQUEZNA DUAL PAK.....	376
VAROXIA.....	50	VEVYE.....	263	VOQUEZNA TRIPLE PAK.....	376
VARUBI.....	25	VFEND.....	187	VORANIGO.....	216
VASCEPA.....	171	VIBERZI.....	366	<i>voriconazole</i>	188
VASELINE WHITE PETROLEUM...	84	VICTOZA 2-PAK.....	97	VOSEVI.....	198
VASERETIC.....	165	VICTOZA 3-PAK.....	97	VOTRIENT.....	220
VASHE.....	83	VIEKIRA PAK.....	198	VOWST.....	177
VASOTEC.....	162	VIENVA.....	21	VOXZOGO.....	357
VAXCHORA VACCINE.....	230	<i>vigabatrin</i>	355	VOYDEYA.....	389
VCF CONTRACEPTIVE FILM.....	22	VIGADRONE.....	355	VP-CH-PNV.....	37
VCF CONTRACEPTIVE GEL.....	22	VIGAFYDE.....	355	VRAYLAR.....	304
VECAMYL.....	161	VIGAMOX.....	261	VTAMA.....	88
VECTICAL.....	88	VIGPODER.....	355	VUEBLU.....	280
VELIVET TRIPHASIC REGIMEN		VIIBRYD.....	287	VUITY.....	254
(28).....	21	VIJOICE.....	5	VUMERITY.....	226
VELPHORO.....	285	<i>vilazodone</i>	288	VUSION.....	59
VELSIPITY.....	221	VIMPAT.....	355	VYALEV.....	176
VELTASSA.....	285	VIOKACE.....	374	VYFEMLA (28).....	21
VEMLIDY.....	192	VIORELE (28).....	21	VYKAT XR.....	266
VENCLEXTA.....	216	VIRACEPT.....	193	VYLIBRA.....	21
VENCLEXTA STARTING PACK...	216	VIRASAL.....	86	VYNDAMAX.....	150
VENELEX.....	268	VIRAZOLE.....	195	VYNDAQEL.....	150
<i>venlafaxine</i>	290	VIREAD.....	196	VYTONER.....	54
<i>venlafaxine besylate</i>	290	VISCO-3.....	200	VYTORIN 10-10.....	170
VENNGEL II.....	75	VISTASEAL-FIBRIN SEALANT....	388	VYTORIN 10-20.....	170
VENNGEL ONE.....	76	VISTOGARD.....	221	VYTORIN 10-40.....	170
VENTAVIS.....	160	VITAFOL FE+ (WITH DOCUSATE)	37	VYTORIN 10-80.....	170
VENTOLIN HFA.....	26	VITAFOL GUMMIES.....	39	VYVANSE.....	295
VENXXIVA.....	344	VITAMIN D2.....	38	VYVGART HYTRULO.....	312
VEOZAH.....	40	VITAMIN K.....	392	VYZULTA.....	254
<i>verapamil</i>	158	VITAMIN K1.....	392	WAINUA.....	4
VERDESO.....	74	VITRAKVI.....	220	WAKIX.....	292

<i>warfarin</i>	382	XCOPRI MAINTENANCE PACK	355, 356	YARGESA.....	279
<i>water for irrigation, sterile</i>	83	XCOPRI TITRATION PACK	356	YASMIN (28).....	21
WAYRILZ.....	220	XDEMZY.....	256	YAXATARXYN.....	94
WAYZEN.....	86	XELJANZ.....	207	YAZ (28).....	21
WEGOVY.....	283	XELJANZ XR.....	207	YCANTH.....	83
WELCHOL.....	172	XELODA.....	214	YESINTEK.....	205
WELERIS.....	86	XELPROS.....	254	YEZTUGO.....	192
WELIREG.....	211	XELRIA FE.....	21	YOKATAR.....	94
WELLBUTRIN SR.....	289	XELSTRYM.....	295	YONSA.....	212
WELLBUTRIN XL.....	289	XEMBIFY.....	229	YORVIPATH.....	360
WERA (28).....	21	XENAZINE.....	227	YOSPRALA.....	390
WESNATAL DHA COMPLETE.....	37	XENLETA.....	177	YUPELRI.....	27
WESTAB PLUS.....	38	XENON XE-133.....	270	YUTREPIA.....	160
WHYTEDERM SURGIPAK.....	268	XENOVUE PREPARATION GAS	280	YUVAFEM.....	395
WHYTEDERM TDKAK.....	74	BLEND.....	56	ZAFEMY.....	21
WHYTEDERM TRILASIL PAK.....	74	XEPI.....	54	<i>zafirlukast</i>	27
WIDE-SEAL DIAPHRAGM 60.....	22	XERESE.....	369	<i>zaleplon</i>	307
WIDE-SEAL DIAPHRAGM 65.....	22	XERMELO.....	8	ZANAFLEX.....	366
WIDE-SEAL DIAPHRAGM 70.....	22	XHANCE.....	189	ZARAH.....	21
WIDE-SEAL DIAPHRAGM 75.....	22	XIFAXAN.....	135	ZARONTIN.....	356
WIDE-SEAL DIAPHRAGM 80.....	22	XIGDUO XR.....	263	ZARXIO.....	383
WIDE-SEAL DIAPHRAGM 85.....	22	XIIDRA.....	74	ZAVESCA.....	279
WIDE-SEAL DIAPHRAGM 90.....	22	XILAPAK.....	186	ZAVZPRET.....	249
WIDE-SEAL DIAPHRAGM 95.....	22	XIMINO.....	195	ZCORT.....	205
WILATE.....	385	XIRUN.....	27, 28	ZEGALOGUE AUTOINJECTOR...	134
WINLEVI.....	45	XOFLUZA.....	59	ZEGALOGUE SYRINGE.....	134
WINREVAIR.....	153	XOLAIR.....	5	ZEJULA.....	220
WINTERGREEN OIL.....	83	XOLEGEL.....	26	ZELAPAR.....	177
WIXELA INHUB.....	29	XOLREMDI.....	220	ZELBORAF.....	215
WOMEN'S PRENATAL PLUS DHA	38	XOPENEX HFA.....	285	ZELSUVMI.....	266
WOUNDGELHA MATRIX.....	84	XOSPATA.....	212	ZEMAIRA.....	5
WPR PLUS.....	81	XPHOZAH.....	381	ZEMBRACE SYMTOUCH.....	249
WYMZYA FE.....	21	XPROVIO.....	76	ZEMPLAR.....	358
WYNZORA.....	91	XRYLIX (DICLOFENAC-KINES	243, 244	ZENATANE.....	45
XACIATO.....	394	TAPE).....	212	ZENPEP.....	374
XADAGO.....	176	XTAMPZA ER.....	21	ZENZEDI.....	295
XALATAN.....	254	XTANDI.....	99	ZEPATIER.....	199
XALIX.....	86	XULANE.....	86	ZEPBOUND.....	283
XALKORI.....	220	XULTOPHY 100/3.6.....	81	ZEPOSIA.....	221
XANAX.....	297	XUREA.....	385	ZEPOSIA STARTER KIT (28-DAY)	221
XANAX XR.....	297	XURIDEN.....	385		221
XARAH FE.....	21	XYLIDERM.....	41	ZEPOSIA STARTER PACK (7-	221
XARELTO.....	391	XYNTHA.....	297	DAY).....	221
XARELTO DVT-PE TREAT 30D		XYNTHA SOLOFUSE.....	298	ZERVIAE.....	262
START.....	391	XYOSTED.....		ZESTORETIC.....	165
XATMEP.....	214	XYREM.....		ZESTRIL.....	162
XCLAIR.....	83	XYWAV.....		ZETIA.....	171
XCOPRI.....	356			ZETONNA.....	8
				ZIAGEN.....	194

ZICLOCIN	76	ZYMFENTRA	206
ZICLOPRO	76	ZYPITAMAG	170
<i>zidovudine</i>	194	ZYPRAM	368
ZIEXTENZO	383	ZYPREXA	302
ZILACAINE PATCH	81	ZYPREXA RELPREVV	302
ZILBRYSQ	390	ZYTIGA	212
<i>zileuton</i>	31	ZYVOX	179
ZILOVAL	81		
ZILXI	56		
ZIMHI	296		
<i>zinc oxide</i>	84		
ZIOPTAN (PF)	254		
<i>ziprasidone hcl</i>	302		
ZIRGAN	262		
ZITHRANOL	88		
ZITHROMAX	179		
ZITHROMAX TRI-PAK	179		
ZITHROMAX Z-PAK	179		
ZITUVIO	97		
ZMA CLEAR	61		
ZOCOR	169		
ZOKINVY	5		
ZOLINZA	216		
<i>zolmitriptan</i>	249		
ZOLOFT	292		
<i>zolpidem</i>	307		
ZOMACTON	360		
ZOMIG	249		
ZONEGRAN	356		
ZONISADE	356		
<i>zonisamide</i>	356		
ZONTIVITY	391		
ZORTRESS	233		
ZORVOLEX	211		
ZORYVE	76, 88		
ZOVIA 1-35 (28)	21		
ZOVIRAX	59, 195		
ZTALMY	346		
ZTLIDO	81		
ZUBSOLV	234		
ZUMANDIMINE (28)	21		
ZUNVEYL	314		
ZURZUVAE	287		
ZYCLARA	232		
ZYDELIG	220		
ZYFLO	31		
ZYKADIA	220		
ZYLET	263		
ZYLOPRIM	234		