Criteria-Based Consultation Prescribing Program CRITERIA FOR DRUG COVERAGE

Resmetirom (Rezdiffra)

Notes:

- Quantity Limits: 30 per 30 days
- ^ Adequate trial is defined as 6 month treatment duration
- * Intolerance excludes adverse drug reactions that are expected, mild in nature, resolve with continued treatment, and do not require medication discontinuation

Initiation (new start) criteria: Non-formulary **Resmetirom (Rezdiffra)** will be covered on the prescription drug benefit for 12 months when the following criteria are met:

- Prescribed by Hepatology Provider
- Patient has a diagnosis of metabolic dysfunction-associated steatohepatitis (MASH)
- Patient is 18 years or older
- Patient has fibrosis stage F2 or F3 as determined by transient elastography (FibroScan), ultrasound elastography, magnetic resonance elastography (MRE), or liver biopsy
- Patient has at least one of the following:
 - Body mass index (BMI) < 25 kg/m²
 - Failed an adequate trial[^] of formal weight loss program or weight loss medication with a goal of 7% to 10% weight loss or patient has an allergy or intolerance* to weight loss medications
 - Disease refractory to weight loss of 7-10%
- Patient does not have any of the following:
 - Active hyperthyroidism
 - Untreated clinical hypothyroidism defined by TSH > 7 IU/L with symptoms or > 10 IU/L without symptoms
 - HbA1c ≥ 9%
 - Moderate to severe hepatic impairment (Child-Pugh Class B or C)
 - Model for End-Stage Liver Disease (MELD) score ≥ 12 unless due to therapeutic anticoagulation
 - Diagnosis of hepatocellular carcinoma (HCC)
 - Regular use of drugs associated with metabolic dysfunction-associated steatotic liver disease (MASLD)
 - Significant alcohol consumption defined as ≥ 7 drinks per week for females and ≥ 14 drinks for males
 - Active, serious medical disease with a likely life expectancy <2 years
 - Currently pregnant or breastfeeding or planning to become pregnant

kp.org

Revised: xx/xx/xx Effective: xx/xx/xx All plans offered and underwritten by Kaiser Foundation Health Plan of the Northwest



Criteria-Based Consultation Prescribing Program CRITERIA FOR DRUG COVERAGE

Resmetirom (Rezdiffra)

Criteria for new members entering Kaiser Permanente already taking the medication who have not been reviewed previously: Non-formulary Resmetirom

(Rezdiffra) will be covered on the prescription drug benefit for <u>6 months</u> when the following criteria are met:

- Prescribed by Hepatology Provider
- Patient has a diagnosis of metabolic dysfunction-associated steatohepatitis (MASH)
- Patient is 18 years or older
- Patient has fibrosis stage F2 or F3 as determined by transient elastography (FibroScan), ultrasound elastography, magnetic resonance elastography (MRE), or liver biopsy
- Patient has at least one of the following:
 - Body mass index (BMI) < 25 kg/m²
 - Failed an adequate trial[^] of formal weight loss program or weight loss medication with a goal of 7% to 10% weight loss or patient has an allergy or intolerance^{*} to weight loss medications
 - Disease refractory to weight loss of 7-10%
- Patient does not have any of the following:
 - Active hyperthyroidism
 - Untreated clinical hypothyroidism defined by TSH > 7 IU/L with symptoms or > 10 IU/L without symptoms
 - HbA1c ≥ 9%
 - Moderate to severe hepatic impairment (Child-Pugh Class B or C)
 - Model for End-Stage Liver Disease (MELD) score ≥ 12 unless due to therapeutic anticoagulation
 - Diagnosis of hepatocellular carcinoma (HCC)
 - Regular use of drugs associated with metabolic dysfunction-associated steatotic liver disease (MASLD)
 - Significant alcohol consumption defined as ≥ 7 drinks per week for females and ≥ 14 drinks for males
 - Active, serious medical disease with a likely life expectancy <2 years
 - Currently pregnant or breastfeeding or planning to become pregnant

<u>Continued use criteria for patients previously approved per the above criteria who</u> <u>are currently stable on the medication</u>: Non-formulary **Resmetirom (Rezdiffra)** will continue to be covered on the prescription drug benefit for <u>12 months</u> when the following criteria are met:

kp.org

Revised: xx/xx/xx Effective: xx/xx/xx All plans offered and underwritten by Kaiser Foundation Health Plan of the Northwest



Criteria-Based Consultation Prescribing Program CRITERIA FOR DRUG COVERAGE

Resmetirom (Rezdiffra)

- Prescribed by Hepatology Provider
- Patient does not have any of the following:
 - Fibrosis stage F4 or liver cirrhosis
 - Progression of liver disease (i.e. increased fibrosis stage from baseline)
 - HbA1c ≥ 9%
 - Diagnosis of hepatocellular carcinoma (HCC)
 - Regular use of drugs associated with metabolic dysfunction-associated steatotic liver disease (MASLD)
 - Non-adherence to medication, recommended diet and lifestyle measures, abstinence of alcohol or follow-up labs and assessments
 - Active, serious medical disease with a likely life expectancy <2 years
 - Currently pregnant or breastfeeding or planning to become pregnant

kp.org

Revised: xx/xx/xx Effective: xx/xx/xx All plans offered and underwritten by Kaiser Foundation Health Plan of the Northwest

