



KAI SER PERMANENTE®
Mid-Atlantic States

Biofeedback
Medical Coverage Policy

Utilization *ALERT*

- Prior to use of this MCP for evaluation of medical necessity, benefit coverage MUST be verified in the member's EOC or benefit document.
- For Medicare members, please refer to CMS guidelines through Medicare Coverage Database requirements.
- Note: After searching the Medicare Coverage Database, if no NCD/LCD/LCA is found, then use the policy referenced above for coverage guidelines

I. Procedure/Service: Biofeedback

II. Coverage Indications

Biofeedback is considered second or third line treatment option for the following conditions and is a covered service along with other rehabilitation treatments.

A. Pain related to:

1. Migraine and tension headaches;
2. Temporo-mandibular joint syndrome;
3. Pelvic or anal pain;
4. Cancer pain

B. GU/GI related

1. Urinary and fecal incontinence;
2. Pelvic organ prolapse, with or without incontinence;
3. Irritable bowel syndrome;
4. Levator Ani syndrome;
5. Constipation;
6. Voiding dysfunction in the pediatric population

C. Neuro/muscular related third line treatment

1. Tinnitus;
2. Raynaud's disease;

III. Exclusions

All other indications for use are considered ***experimental and investigational*** and are not covered.



References

1. Anderson RU, Harvey RH, Wise D, Nevin Smith J, Nathanson BH, Sawyer T. Chronic pelvic pain syndrome: reduction of medication use after pelvic floor physical therapy with an internal myofascial trigger point wand. *Appl Psychophysiol Biofeedback*. Mar 2015;40(1):45-52.
2. Andrasik Biofeedback in headache: an overview of approaches and evidence. Cleve Clin J Med Jan/Jull 2010; 77 Suppl 3: S72-6.
3. Angoules AG; Balakatounis KC; Panagiotopoulou KA; Mavrogenis AF; Mitsiokapa EA; Papagelopoulos PJ. Effectiveness of electromyographic biofeedback in the treatment of musculoskeletal pain. *Orthopedics* 2008;31(10):980-4.
4. Bharucha AE, Dorn SD, Lembo A, Pressman A. Position Statement on Constipation Gastroenterology *American Gastroenterological Association Medical*, Jan 2013; 144 (1): 211-7.
5. Bharucha AE, Pemberton JH, Locke GR. American Gastroenterological Association Technical Review on Constipation Gastroenterology, Jan 2013; 144 (1): 218-38.
6. Campbell SE, Glazener CM, Hunter KF, Cody JD, Moore KN. Conservative management for postprostatectomy urinary incontinence. *Cochrane Database of Systematic Reviews* 2012, Issue 1. Art. No.: CD001843. DOI: 10.1002/14651858.CD001843.pub4
7. Cochrane Review published on line July 2012 Exercises of the muscles around the anus with or without biofeedback (aids for knowing when the muscles are contracting) for the treatment of fecal incontinence in adults.
8. Duric NS, Assmus J, Gundersen D, Elgen IB. Neurofeedback for the treatment of children and adolescents with ADHD: a randomized and controlled clinical trial using parental reports. *BMC Psychiatry* 2012;12:107.
9. Edmonton AB. Guideline for primary care management of headache in adults. Guideline for primary care management of headache in adults. *Toward Optimized Practice*; 2012 Jul.
10. Glazer HI, Laine CD. Pelvic floor muscle biofeedback in the treatment of urinary incontinence: a literature review. *Applied Psychophysiology and Biofeedback* 2006;31(3):187-201.
11. Greenhalgh J, Dickson R, Dundar Y. Biofeedback for hypertension: a systematic review. *Journal of Hypertension* 2010;28(4):644-52.
12. Heymen S Randomized controlled trial shows biofeedback to be superior to pelvic floor exercises for fecal incontinence - Dis Colon Rectum – Oct 2009; 52(10): 1730-7.
13. Kapitza KP. First non-contingent respiratory biofeedback placebo versus contingent biofeedback in patients with chronic low back pain: a randomized, controlled, double-blind trial. - *Appl Psychophysiol Biofeedback* – Sep 2010; 35(3): 207-17.
14. Karavidas MK, Tsai PS, Yucha C, McGrady A, Lehrer PM. Thermal biofeedback for primary Raynaud's phenomenon: a review of the literature. *Applied Psychophysiology and Biofeedback* 2006;31(3):203-16.
15. Pelvic Floor Rehabilitation for myofascial pelvic pain, Medical Coverage Policy. Kaiser Permanente, Mid-Atlantic States,
16. Medicare Coverage Database; National Coverage Determination (NCD) for Biofeedback Therapy 30.1



and Biofeedback Therapy for the Treatment of Urinary Incontinence, Pelvic Muscle Exercise (30.1.1)
Accessed 02/12/2017.

17. Moldwin RM, Fariello JY. Myofascial trigger points of the pelvic floor: associations with urological pain syndromes and treatment strategies including injection therapy. *Curr Urol Rep.* Oct 2013;14(5):409-17.
18. Newman DK, Burgio, KL. "Conservative Management of Urinary Incontinence : Behavioral and Pelvic Floor Therapy and Urethral and Pelvic Devices "Campbell-Walsh Urology, Jan 2016. 1875-98.e4. © 2016.
19. Persson AL, Veenhuizen H, Zachrisson L, Gard G. Relaxation as treatment for chronic musculoskeletal pain - a systematic review of randomised controlled studies. *Physical Therapy Reviews* 2008;13(5):355-65.
20. Rao SS. Long-term efficacy of biofeedback therapy for dyssynergic defecation: randomized controlled trial. - *Am J Gastroenterol* Apr 2010; 105(4): 890-6.
21. Schneider-Stickler B, Glick RM. Biofeedback and primary care. *Prim Care Mr* 2010; 37(1): 91-103.
22. Stein SL. Chronic pelvic pain. *Gastroenterol Clin North Am.* Dec 2013;42(4):785-800.
23. Sterman MB. Biofeedback in the treatment of epilepsy. *Cleve Clin J Med* Jul 2010; 77 Suppl 3: S60-7.
24. Sun C, Hull T, Ozuner G. Risk factors and clinical characteristics of rectal prolapse in young patients. *J Visc Surg* Sep 2014; 18 (14)0010.
25. National Institute for Health and Clinical Excellence (NICE); Urinary incontinence in neurological disease: Management of lower urinary tract dysfunction in neurological disease. National Clinical Guideline Cent London (UK): Aug 2012: Clinical guideline; no. 148.
26. Zijlstra A, Mancini M, Chiari L, Zijlstra W. Biofeedback for training balance and mobility tasks in older populations: a systematic review. *Journal of Neuroengineering and Rehabilitation* 2010;7:58.
27. Desantis DJ(1), Leonard MP, Preston MA, Barrowman NJ, Guerra LA. Effectiveness of biofeedback for dysfunctional elimination syndrome in pediatrics: Asystematic review.J Pediatr Urol. 2011 Jun;7(3):342-8.
28. Ronald R, Butendieck, MD and Peter M. Murray. Reynaud Disease. *Journal of Hand Surgery*, 2014-0101, Volume 39, Issue 1, Pages 121-124, Copyright © 2014 American Society for Surgery of the Hand.
29. Jokubauskas, L; Baltrusaityte, A. Efficacy of Biofeedback Therapy on Sleep Bruxism: A systematic Review and Meta-Analysis (includes abstract). *Journal of Oral Rehabilitation*, Jun2018: 45(6): 485-495. 11p. (Article-meta analysis, research, systematic review, tables/charts) ISSN: 0305-182X, Database: CINAHL with full text.
30. Sielski, Robert; Rief, Winfried; Glombiewski, Julia Efficacy of Biofeedback in Chronic Back Pain: A Meta-Analysis. *International Journal of Behavioral Medicine*, Feb 2017; 24(1): 25-41. 17p. (Article-equations & formulas, meta-analysis, research, systematic review, tables/charts) ISSN: 1070-5503.
31. Alayan, N., Eller, L., Bates, M. E., & Carmody, D. P. (2018). Current Evidence on Heart Rate Variability Biofeedback as a Complementary Anticraving Intervention. *Journal of alternative and complementary medicine (New York, N.Y.)*, 24(11), 1039–1050. <https://doi.org/10.1089/acm.2018.0019>
32. Malik, K., & Dua, A. (2020). Biofeedback. In *StatPearls*. StatPearls Publishing.
33. Tolin, D. F., Davies, C. D., Moskow, D. M., & Hofmann, S. G. (2020). Biofeedback and Neurofeedback for Anxiety Disorders: A Quantitative and Qualitative Systematic Review. *Advances in experimental*



- medicine and biology*, 1191, 265–289. https://doi.org/10.1007/978-981-32-9705-0_16.
34. Ambrosini, E., Peri, E., Nava, C., Longoni, L., Monticone, M., Pedrocchi, A., Ferriero, G., & Ferrante, S. (2020). A multimodal training with visual biofeedback in subacute stroke survivors: a randomized controlled trial. *European journal of physical and rehabilitation medicine*, 56(1), 24–33. <https://doi.org/10.23736/S1973-9087.19.05847-7>,
35. Escamilla-Nunez, R., Michelini, A., & Andrysek, J. (2020). Biofeedback Systems for Gait Rehabilitation of Individuals with Lower-Limb Amputation: A Systematic Review. *Sensors (Basel, Switzerland)*, 20(6), 1628. <https://doi.org/10.3390/s20061628>
36. Eslamian, F., Jahanjoo, F., Dolatkhah, N., Pishgahi, A., & Pirani, A. (2020). Relative Effectiveness of Electroacupuncture and Biofeedback in the Treatment of Neck and Upper Back Myofascial Pain: A Randomized Clinical Trial. *Archives of physical medicine and rehabilitation*, 101(5), 770–780. <https://doi.org/10.1016/j.apmr.2019.12.009>
37. Markiewcz, R., & Masiak, J. (2019). Evaluation of cognitive deficits in schizophrenia using event-related potentials and rehabilitation influences using EEG Biofeedback in patients diagnosed with schizophrenia. Ocena deficytów poznawczych w schizofrenii z zastosowaniem potencjałów wywołanych zależnych od zdarzenia i oddziaływanie rehabilitacyjnego z użyciem EEG Biofeedback u osób z rozpoznaniami schizofrenii. *Psychiatria polska*, 53(6), 1261–1273. <https://doi.org/10.12740/PP/OnlineFirst/102622>
38. Kopru, B., Ergin, G., Ebiloglu, T., & Kibar, Y. (2020). Does biofeedback therapy improve quality of life in children with lower urinary tract dysfunction: parents' perspective. *Journal of pediatric urology*, 16(1), 38.e1–38.e7. <https://doi.org/10.1016/j.jpurol.2019.11.014>
39. Spencer, J., Wolf, S. L., & Kesar, T. M. (2021). Biofeedback for Post-stroke Gait Retraining: A Review of Current Evidence and Future Research Directions in the Context of Emerging Technologies. *Frontiers in neurology*, 12, 637199. <https://doi.org/10.3389/fneur.2021.637199>
40. Melnikov M. Y. (2021). The Current Evidence Levels for Biofeedback and Neurofeedback Interventions in Treating Depression: A Narrative Review. *Neural plasticity*, 2021, 8878857. <https://doi.org/10.1155/2021/8878857>
41. Schmalbach, I., Herhaus, B., Pässler, S., Runst, S., Berth, H., Wolff, S., Schmalbach, B., & Petrowski, K. (2021). Autonomic Nervous System Response to Psychosocial Stress in Anorexia Nervosa: A Cross-Sectional and Controlled Study. *Frontiers in psychology*, 12, 649848. <https://doi.org/10.3389/fpsyg.2021.649848>
42. Kothgassner, O. D., Goreis, A., Bauda, I., Ziegenaus, A., Glenk, L. M., & Felnhofer, A. (2022). Virtual reality biofeedback interventions for treating anxiety : A systematic review, meta-analysis and future perspective. *Wiener klinische Wochenschrift*, 134(Suppl 1), 49–59. <https://doi.org/10.1007/s00508-021-01991-z>
43. Lüdecke, R., & Felnhofer, A. (2022). Virtual Reality Biofeedback in Health: A Scoping Review. *Applied psychophysiology and biofeedback*, 47(1), 1–15. <https://doi.org/10.1007/s10484-021-09529-9>
44. Kondo, K., Noonan, K. M., Freeman, M., Ayers, C., Morasco, B. J., & Kansagara, D. (2019). Efficacy of Biofeedback for Medical Conditions: an Evidence Map. *Journal of general internal medicine*, 34(12), 2883–2893. <https://doi.org/10.1007/s11606-019-05215-z>



45. Brinkmann, A. E., Press, S. A., Helmert, E., Hautzinger, M., Khazan, I., & Vagedes, J. (2020). Comparing Effectiveness of HRV-Biofeedback and Mindfulness for Workplace Stress Reduction: A Randomized Controlled Trial. *Applied psychophysiology and biofeedback*, 45(4), 307–322.
<https://doi.org/10.1007/s10484-020-09477-w>
46. Melnikov M. Y. (2021). The Current Evidence Levels for Biofeedback and Neurofeedback Interventions in Treating Depression: A Narrative Review. *Neural plasticity*, 2021, 8878857.
<https://doi.org/10.1155/2021/8878857>
47. Center for Medicare and Medicaid. Technology Assessment. Biofeedback in the Treatment of Urinary Incontinence in Adults. Accessed: 12/06/2023
<https://www.cms.gov/Medicare/Coverage/DeterminationProcess/Downloads/id4TA1.pdf>
48. Center for Medicare and Medicaid. National Coverage Analysis. CAG-00020N Biofeedback for Urinary Incontinence. Accessed: 12/06/2023
<https://www.cms.gov/medicare-coverage-database/view/ncacal-decision-memo.aspx?proposed=N&ncaid=12>
49. Center for Medicare and Medicaid. National Coverage Determination: 30.1 and 30.1.1 Biofeedback Therapy for Urinary Incontinence. Accessed: 12/06/2023. <https://www.cms.gov/medicare-coverage-database/view/ncd.aspx?ncdid=42&ncdver=1&keyword=biofeedback&keywordType=starts&areaid=all&docType=NCA,CAL,NCD,MEDCAC,TA,MCD,6,3,5,1,F,P&contractOption=all&sortBy=relevance&bc=1>
50. MCG ® Ambulatory Care 28th edition Biofeedback. ACG: A-0330 (AC), Accessed 12/15/2023
51. Orgil, Z., Johnson, L., Karthic, A., Williams, S. E., Ding, L., Kashikar-Zuck, S., King, C. D., & Olbrecht, V. A. (2023). Feasibility and acceptability of perioperative application of biofeedback-based virtual reality versus active control for pain and anxiety in children and adolescents undergoing surgery: protocol for a pilot randomised controlled trial. *BMJ open*, 13(1), e071274.
<https://doi.org/10.1136/bmjopen-2022-071274>
52. McCabe, P., Preston, J. L., Evans, P., & Heard, R. (2023). A Pilot Randomized Control Trial of Motor-Based Treatments for Childhood Apraxia of Speech: Rapid Syllable Transition Treatment and Ultrasound Biofeedback. *American journal of speech-language pathology*, 32(2), 629–644.
https://doi.org/10.1044/2022_AJSLP-22-00144
53. Fink, M., Pasche, S., Schmidt, K., Tewes, M., Schuler, M., Mülley, B. W., Schadendorf, D., Scherbaum, N., Kowalski, A., Skoda, E. M., & Teufel, M. (2023). Neurofeedback Treatment Affects Affective Symptoms, But Not Perceived Cognitive Impairment in Cancer Patients: Results of an Explorative Randomized Controlled Trial. *Integrative cancer therapies*, 22, 15347354221149950.
<https://doi.org/10.1177/15347354221149950>



KAIser PERMANENTE®
Mid-Atlantic States

**Biofeedback
Medical Coverage Policy**

Approval History

Date approved by RUMC*	Date filed with the State of Maryland	Date of Implementation (Ten days after filing)
06/17/2011	06/21/2011	07/02/2011
05/17/2012	05/21/2012	06/01/2012
04/29/2013	04/30/2013	05/11/2013
04/30/2014	04/30/2014	05/10/2014
04/22/2015	04/28/2015	05/11/2015
03/28/2016	03/30/2016	04/11/2016

*The Regional Utilization Management Committee received **delegated authority** to review and approve designated Utilization Management and Medical Coverage Policies by the Regional Quality Improvement Committee in 2011.

Approval History

Effective June 01, 2016, state filing no longer required per Maryland House Bill [HB 798](#) – Health Insurance – Reporting

Date approved by RUMC	Date of Implementation
03/30/2017	03/30/2017
03/29/2018	03/29/2018
02/25/2020	02/25/2020
02/17/2021	02/17/2021
02/28/2022	02/28/2022
01/26/2023	01/26/2023
01/24/2024	01/24/2024

Note: Kaiser Permanente Mid-Atlantic States (KPMAS) include referral and authorization criteria to support primary care and specialty care practitioners, as appropriate, in caring for members with selected conditions. Whenever possible, Medical Coverage Policies are evidence-based and may also include expert opinion. Medical Coverage Policies are not intended or designed as a substitute for the reasonable exercise of independent clinical judgment by a practitioner in any particular set of circumstances for an individual member.

©2024, Kaiser Foundation Health Plan of the Mid-Atlantic States, Inc.

©2024, Mid-Atlantic Permanente Medical Group, P.C.