

Prosthodontic Reconstruction after Reconstructive Jaw Surgery Medical Coverage Policy

Benefit Alert

- This medical coverage policy applies to all Commercial members including the Exchange.
- Please evaluate all other members using the appropriate government requirements, e.g., Federal brochure, Medicare Coverage Database or State Medicaid coverage publications
- Please review the member's benefit plan for availability and limitations of benefit. Coverage will be approved based on a member's benefit and if the medical criteria are met.
- This medical coverage policy does not apply to pediatric dental services related to Essential Health Benefits (EHB).
- I. **Procedure:** Prosthodontic Reconstruction after medically necessary major reconstructive jaw surgery or major penetrating trauma
- II. Specialty: Head and Neck Surgery, Otolaryngology, Oncology

III. Scope

The scope of this policy is limited to prosthodontic reconstruction performed in conjunction with medically necessary reconstructive surgery due to impaired, lost or missing oral and/or facial structures as a result of benign tumors, malignant tumors, or penetrating trauma.

IV. Indications for Referral

Prosthodontic reconstruction with reconstructive surgery is considered medically necessary when it is directly related to impairment, injury or other medical conditions listed in section III of this policy and integral to medical procedures in order to improve or restore the physiological function of the affected body part.

A. Reconstructive surgery following iatrogenic causes such as surgical resection of oral cancer or an invasive tumor; major penetrating trauma involving the mouth or gums; or other diseased tissues of the jaw or facial bones.

- If functional segments of the oral cavity are surgically removed during tumor treatment, maxillary
 or mandibular reconstruction may be performed to restore functionality through vascularized free
 tissue transfer, and the subsequent use of osseo-integrated implants with prosthetics to minimize
 impairment.
- 2. Orthodontic therapy is covered if used in the first course of treatment to correct a malocclusion caused by an approved oral procedure if functional segments of the oral cavity are surgically removed during tumor treatment. This includes maxillary or mandibular reconstruction



Prosthodontic Reconstruction after Reconstructive Jaw Surgery

performed to restore functionality through vascularized free tissue transfer, and the subsequent use of osseo-integrated implants with prosthetics to minimize impairment.

3. Oral reconstruction with the use of dental prostheses is covered to assist or enhance the patient's function after reconstructive surgery.

V. Limitations and Exclusions

KAISER PERMANENTE Mid-Atlantic States

A. Limitations

This medical policy does not apply to medically necessary orthodontia covered as part of pediatric dental services up to age 19 designated as Essential Health Benefits (EHB) under the Patient Protection and Affordable Care Act (PPACA) requirements.

B. Exclusions

Prosthodontic reconstruction is not considered medically necessary for the following. The list is not all-inclusive:

- 1. In the absence of medical criteria, listed in section A of this policy; and
- 2. When the prosthodontic procedure or device is considered investigational or experimental;
- When the reconstructive surgery is NOT intended primarily to improve or restore a functional impairment or to correct significant deformity that resulted from injury, trauma, or previous therapeutic process;
- 4. Dental services performed in conjunction with medically necessary reconstructive surgery;
- 5. For conditions that are primarily cosmetic or aesthetic in nature or when self-esteem is the primary reason for treatment;
- 6. Procedures that are dental-in-nature such as procedures to remove, repair, replace, restore, or reposition teeth that were lost or damaged while biting or chewing;
 - a. Attachments to conventional removable prostheses or fixed bridgework which includes semi-precision or precision attachments associated with partial dentures, full or partial overdentures, crown, or bridge abutments, Also, any elective endodontic procedure related to a tooth or root involved in the construction of a prosthesis or any internal attachment associated with an implant prosthesis.

VI. Definition

- 1. **Prosthodontics,** also known as prosthetic dentistry or dental prosthetics, is an area of dental specialty that focuses on restoration and replacement of lost or damaged teeth and jaw structures using dental prostheses.
- 2. **Orthodontics** is a dental specialty that focuses on prevention, diagnosis, and treatment of dental deformities (teeth alignment and occlusion) in addition to irregularity in the relationship of the lower to upper jaw and the use of braces.




Prosthodontic Reconstruction after Reconstructive Jaw Surgery

References

KAISER PERMANENTE® Mid-Atlantic States

- Kwon IJ, Eo MY, Park SJ, Kim SM, Lee JH. Newly designed retentive posts of mandibular reconstruction plate in oral cancer patients based on preliminary FEM study. World J Surg Oncol. 2016;14(1):292. Published 2016 Nov 21. doi:10.1186/s12957-016-1043-x https://wjso.biomedcentral.com/articles/10.1186/s12957-016-1043-x
- Koord Smolka, Michel Kraehenbuehl, Nicole Eggensperger, Wock Hallermann, Hanna Thoren, Tateyuki Lizuka, Wenko Smolka. Fibula Free Flap Reconstruction of the Mandible in Cancer Patients: Evaluation of a combined surgical and prosthodontic treatment concept. Oral Oncology (2008) Jun;44(6):571-81. Epub 2007 Oct 15. page 571– 581. https://www.clinicalkey.com/service/content/pdf/watermarked/1-s2.0-S1368837507002035.pdf?locale=en_US&searchIndex=
- 4. Hundal M. Interdisciplinary approach toward prosthodontic rehabilitation of a mandibulectomy patient. J Interdiscip Dentistry [serial online] 2014 [cited 2020 Jan 17]; 4:50-4. http://www.jidonline.com/text.asp?2014/4/1/50/135013 http://www.jidonline.com/temp/JInterdiscipDentistry4150-6676543_183245.pdf
- MD Batstone. Reconstruction of Major Defects of the Jaws. Australian Dental Journal 2018; 63:(1 Suppl): S108–S113 https://onlinelibrary.wiley.com/doi/full/10.1111/adj.12596
- Granström G1. Osseointegration in irradiated cancer patients: an analysis with respect to implant failures. J Oral Maxillofac Surg. 2005 May;63(5):579-85. https://reader.elsevier.com/reader/sd/pii/S0278239105000996?token=9B5F64A061C062CA794EC18D 64AC9FD0F3EAA01CC844BE3B94D0B83DADCE5F129B28BE7419FC7A540D69274486236157.
- S. Ferrari, C. Copelli, B. Bianchi, A. Ferri, T. Poli, T. Ferri, P. Gallesi, E. Sesenna, Brevi Rehabilitation with Endosseous Implants in Fibula Free-flap Mandibular Reconstruction: A case series of up to 10 years. Journal of Cranio-Maxillo-Facial Surgery 41 (2013) 172e178. file:///C:/Users/w520966/Downloads/1-s2.0-S1010518212001564-main.pdf
- Van Gemert, Johannes; Holtslag, Irene; Van der Bilt, Andries; Merkx, Matthias; Koole, Ron and Van Cann, Ellen. Health-related quality of life after segmental resection of the lateral mandible: Free fibula flap versus plate reconstruction. Journal of Cranio-Maxillo-Facial Surgery, 2015-06-01, Volume 43, Issue 5, Pages 658-662, doi: 10.1016/j.jcms.2015.03.018. Epub 2015 Apr 2. https://www.clinicalkey.com/#!/content/playContent/1-s2.0-S1010518215000724?returnurl=https:%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS10105 18215000724%3Fshowall%3Dtrue&referrer=https:%2F%2Fwww.ncbi.nlm.nih.gov%2F
- Wijbenga JG, Schepers RH, Werker PM, Witjes MJ, Dijkstra PU. A systematic review of functional outcome and quality of life following reconstruction of maxillofacial defects using vascularized free fibula flaps and dental rehabilitation reveals poor data quality. J Plast Reconstr Aesthet Surg. 2016 Aug;69(8):1024-36. doi: 10.1016/j.bjps.2016.05.003. Epub 2016 May 13.



https://www.clinicalkey.com/#!/content/playContent/1-s2.0-S1748681516300675?returnurl=https:%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS174868 1516300675%3Fshowall%3Dtrue&referrer=https:%2F%2Fwww.ncbi.nlm.nih.gov%2F

- Anne-Gaëlle B, Samuel S, Julie B, Renaud L, Pierre B. Dental implant placement after mandibular reconstruction by microvascular free fibula flap: current knowledge and remaining questions. Oral Oncol. 2011 Dec;47(12):1099-104. doi: 10.1016/j.oraloncology.2011.07.016. Epub 2011 Aug 27. https://www.clinicalkey.com/#!/content/playContent/1-s2.0-S1368837511007573?returnurl=https:%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS13688 37511007573%3Fshowall%3Dtrue&referrer=https:%2F%2Fwww.ncbi.nlm.nih.gov%2F
- Jacobsen HC, Wahnschaff F, Trenkle T, Sieg P, Hakim SG. Oral rehabilitation with dental implants and quality of life following mandibular reconstruction with free fibular flap. Clin Oral Investig. 2016 Jan;20(1):187-92. doi: 10.1007/s00784-015-1487-3. Epub 2015 May 12. https://link.springer.com/article/10.1007%2Fs00784-015-1487-3
- Rouers M, Bornert F, Truntzer P, Dubourg S, Bourrier C, Antoni D, Noël G. Ability to Propose Optimal Prosthetic Rehabilitation can be Improved by Discussion between the Dentist and Radiation Oncologist Regarding Upstream Dosimetry. Eur J Dent. 2019 Feb;13(1):88-94. doi: 10.1055/s-0039-1688523. Epub 2019 Jun 6.

https://www.thieme-connect.de/products/ejournals/html/10.1055/s-0039-1688523

- Kimberly A. Elliott, MD; Christine B. Franzese, MD; Karen T. Pitman, MD. Diagnosis and Surgical Management of Nasopalatine Duct Cyst. The Laryngoscope. Volume114, Issue8. August 2004 Pages 1336-1340. First published:03 January 2009 <u>https://doi.org/10.1097/00005537-200408000-00004</u>
- Papathanasiou, I., Kamposiora, P., Papavasiliou, G., & Ferrari, M. (2020). The use of PEEK in digital prosthodontics: A narrative review. BMC oral health, 20(1), 217. <u>https://doi.org/10.1186/s12903-020-01202-7</u> https://pubmed.ncbi.nlm.nih.gov/32741366/
- 15. Paratelli, A., Perrone, G., Ortega, R., & Gómez-Polo, M. (2020). Polyetheretherketone in Implant Prosthodontics: A Scoping Review. *The International journal of prosthodontics*, 33(6), 671–679. https://doi.org/10.11607/ijp.6649..
- Lerner, H., Mouhyi, J., Admakin, O., & Mangano, F. (2020). Artificial intelligence in fixed implant prosthodontics: a retrospective study of 106 implant-supported monolithic zirconia crowns inserted in the posterior jaws of 90 patients. *BMC oral health*, 20(1), 80. https://doi.org/10.1186/s12903-020-1062-4..
- LeSage B. P. (2020). CAD/CAM: Applications for transitional bonding to restore occlusal vertical dimension. *Journal of esthetic and restorative dentistry: official publication of the American Academy of Esthetic Dentistry ... [et al.]*, 32(2), 132–140. https://doi.org/10.1111/jerd.12554.
- Batista, V., Bitencourt, S. B., Bastos, N. A., Pellizzer, E. P., Goiato, M. C., & Dos Santos, D. M. (2020). Influence of the ferrule effect on the failure of fiber-reinforced composite post-and-core restorations: A systematic review and meta-analysis. *The Journal of prosthetic dentistry*, 123(2), 239–245. <u>https://doi.org/10.1016/j.prosdent.2019.01.004</u>

KAISER PERMANENTE Mid-Atlantic States	Medical Coverage Policy Prosthodontic Reconstruction after Reconstructive Jaw Surgery

- Wortmann, D. E., Klein-Nulend, J., van Ruijven, L. J., Schortinghuis, J., Vissink, A., & Raghoebar, G. M. (2021). Incorporation of anterior iliac crest or calvarial bone grafts in reconstructed atrophied maxillae: A randomized clinical trial with histomorphometric and micro-CT analyses. *Clinical implant dentistry and related research*, 23(3), 492–502. <u>https://doi.org/10.1111/cid.13012</u>
- Abduo, J., & Lyons, K. (2012). Clinical considerations for increasing occlusal vertical dimension: a review. Australian dental journal, 57(1), 2–10. <u>https://doi.org/10.1111/j.1834-7819.2011.01640.x</u> <u>https://pubmed.ncbi.nlm.nih.gov/22369551/</u>

Approval History

Effective June 01, 2016, state filing is no longer required per Maryland House Bill HB 798 - Health Insurance - Reporting

Date Approved by RUMC	Date of Implementation
05/14/2020	05/14/2020
04/16/2021	04/16/2021
04/25/2022	04/25/2022
04/25/2023	04/25/2023
04/25/2024	04/25/2024

The Regional Utilization Management Committee received delegated authority in 2011 to review and approve designated Utilization Management and Medical Coverage Policies by the Regional Quality Improvement Committee.

Note: Kaiser Permanente Mid-Atlantic States (KPMAS) include referral and authorization criteria to support primary care and specialty care practitioners, as appropriate, in caring for members with selected conditions. Medical Coverage Policies are not intended or designed as a substitute for the reasonable exercise of independent clinical judgment by a practitioner in any particular set of circumstances for an individual member.

©2024, Kaiser Foundation Health Plan of the Mid-Atlantic States, Inc. ©2024, Mid-Atlantic Permanente Medical Group, P.C.